

MyDesign Portfolio

MyDesign Portfolio	1
7.3 Documenting Prior Solutions & Setting Solution Design Requirements	2
Element A: Presentation and Justification of the Problem	2
Element B: Documentation and Analysis of Prior Design Attempts	3
Element C: Presentation and Justification of Solution Design Requirements	6
7.4 Finding the Best Design Idea	7
Element D: Design Concept Generation, Analysis, and Selection	7
7.5 Project Proposal	11
Element E: Application of STEM Principles and Practices	11
Element F: Consideration of Design Viability	16
Element G: Construction of a Testable Prototype	17
Element H: Prototype Testing and Data Collection Plan	20

7.3 Documenting Prior Solutions & Setting Solution Design Requirements

Element A: Presentation and Justification of the Problem

Problem Statement and Details(A1, A2, A5)

1)Who is involved in this problem?

Athletes, coaches, parents, and event organizers are involved in our problem.

2)What are they doing?

Athletes, coaches, and parents are searching for durable, practical, and safe solutions for transporting softball/baseball gear efficiently. Event organizers are exploring solutions to smooth equipment transportation to and from venues, focusing to improve the overall experience for participants and spectators.

3)What unique situations does the problem occur within, if any?

It occurs when going to practice or games. There isn't really a unique situation.

4)What is the size of the issue?

The size of our issue is minor.

5)Where is the problem happening?

The problem is happening when you go to any sports field.

6)When does the problem occur?

Our problem occurs when athletes need to go to the field for practice or a game.

7)Why does the problem happen?

The problem happens due to the time it takes to walk to the field. It wastes valuable time.

8)How often does the problem happen?

Depending on the season is how often the problem occurs. A typical season lasts 3 months but for an athlete that plays travel the problem happens all year around.

Stakeholder Concerns and Connections

(A3, A4)

Primary stakeholders or stakeholder groups impacted by the need for electric scooter softball/baseball bags include athletes, coaches, parents, and event organizers. Athletes are concerned about the practicality and

durability of the bags, as they need reliable equipment to transport their gear efficiently. Coaches are concerned about the functionality and ease of use to ensure their team's equipment is organized and accessible. Parents prioritize safety features and affordability when investing in sporting gear for their children. Event organizers are concerned with the plan of transporting equipment to and from venues, seeking solutions that smooth the process and minimize disruptions. Addressing the need for electric scooter softball/baseball bags is crucial as it directly impacts the efficiency, safety, and overall experience of those involved in sports activities. Also, neglecting this issue could lead to increased frustration, wasted time, and potential safety hazards, affecting not only the primary stakeholders but also secondary stakeholders such as spectators, facility managers, and the environment due to inefficient transportation methods and potential waste of resources.

Problem Importance

(A6)

In a world where efficiency, safety, and sustainability is crucial, the urgency for electric scooter softball/baseball bags are undeniable. With participation in softball and baseball leagues surpassing 25.9 million individuals in the United States alone, the demand for gear transportation solutions is evident (Sports & Fitness Industry Association). Traditional methods not only pose risks of strain injuries, contributing to over 2.6 million annual emergency room visits among youth athletes (National Institutes of Health) but also add to carbon emissions, as highlighted by studies in the International Journal of Sports Science & Coaching. By embracing electric scooter bags now, we not only enhance player safety and well-being but also align with global efforts to reduce environmental impact, making it important to address this need quickly.

Element B: Documentation and Analysis of Prior Design Attempts

Prior Design Attempt #1 - <insert name of prior design attempt #1>

Source

<https://www.bestbuy.com/site/segway-max-g2-electric-kick-scooter-foldable-w-43-mile-range-and-22-mph-max-speed-black/6541285.p?skuId=6541285>



Include main details about this prior design attempt

This segway g2 scooter is a 51 pound, foldable scooter that has a charging time of 6 hours, a maximum operating time of 42 miles, a top speed of 22 miles per hour, and an app to help control the scooter.

This scooter does not come with a bag incorporated into the scooter to carry belongings.

Prior Design Attempt #2 - <insert name of prior design attempt #2>

<https://www.bestbuy.com/site/razor-power-core-e90-electric-scooter-w-10-mph-max-speed-pink/5614721.p?skuId=5614721>



This 22 pound scooter has a 10 mile per hour top speed, and a 12 hour battery charge time. The scooter does not have a folding design which does not help its ability to compact and save space, an inefficient charge time, and a slow top speed.

Prior Design Attempt #3 - <insert name of prior design attempt #3>

<https://www.bestbuy.com/site/navée-v40-pro-electric-scooter-w-25-mi-max-operating-range-20-mph-max-speed-black/6565907.p?skuId=6565907>



This scooter is 25 pounds, has a 5 hour charge time, a 25 mile max operating distance, a top speed of 20 miles per hour, an app for the scooter, and a foldable design.

This design did not come with a bag to carry belongings, and has a small operating distance. The scooter also may be too small to pull the weight of someone and their bag

<https://www.bestbuy.com/site/niu-kqi3-pro-foldable-electric-kick-scooter-w-31-mi-max-operating-range-20-mph-max-speed-black/6509951.p?skuId=6509951>



This scooter weighs 45 pounds, has a six hour charge time, a maximum operating range of 31 miles, is app controlled, is foldable, and a top speed of 20 miles an hour.

Prior Design Attempt #5 - <insert name of prior design attempt #5>

<https://www.bestbuy.com/site/okai-neon-pro-foldable-electric-scooter-w-50-miles-max-operating-range-20-mph-max-speed-black/6522553.p?skuId=6522553>

Image



This scooter weighs 46 pounds, has a 50 mile operating range, has a foldable design, and a light bar.

This design does not offer a bag with it but has the power and range to be able to push that kind of extra weight for a longer period of time.

Element C: Presentation and Justification of Solution Design Requirements

Design Requirement #1 (HIGH Priority):

The electric scooter softball/baseball bags must have reinforced compartments for bats and other equipment to prevent damage during transportation and ensure durability. This requirement directly ties to athletes' and coaches' concerns regarding the practicality and durability of the bags.

Design Requirement #2 (HIGH Priority):

The electric scooter softball/baseball bags must have weather-resistant materials and waterproof zippers to safeguard equipment from rain or moisture during transportation and storage. This requirement lines up with where athletes, coaches, and parents expressed concerns about maintaining the integrity of equipment in various weather conditions.

Design Requirement #3 (HIGH Priority):

The electric scooter softball/baseball bags must feature adjustable straps to ensure comfortable carrying for athletes of different ages and sizes. This requirement is rooted in the importance of comfort and usability for athletes and parents when transporting gear to and from sporting events..

Design Requirement #4 (HIGH Priority):

The electric scooter softball/baseball bags must include reflective elements and LED lights for increased visibility during low-light conditions to ensure safety for athletes and pedestrians. This requirement addresses safety concerns, where event organizers and parents highlight the need for improved visibility to prevent accidents and ensure the well-being of participants.

Design Requirement #5 (HIGH Priority):

The electric scooter softball/baseball bags must have different storage compartments and organizational features to accommodate various equipment sizes and ensure easy access during transportation and use. This requirement directly responds to the need for practicality and organization, where athletes, coaches, and parents expressed frustration with storage solutions and disorganized gear.

Design Requirement #6 (LOW Priority):

The electric scooter softball/baseball bags may offer customizable design options, such as team logos or color variations, to allow for personalization and team branding. While not a top priority, this requirement lines up with the desire for individuality and team identity expressed by athletes and coaches in prior research.

Design Requirement #7 (LOW Priority):

The electric scooter softball/baseball bags may have charging ports or power banks to enable on-the-go charging of electronic devices, such as smartphones or tablets. Though not critical, this requirement stems from the increasing dependence on electronic devices observed among athletes, coaches, and event organizers.

7.4 Finding the Best Design Idea

Element D: Design Concept Generation, Analysis, and Selection **Design Idea Generation (*DI*)**


This section focuses on the process of generating solutions. The initial rounds should include every idea you come up with but the subsequent rounds of ideation should lead to viable options.

Each idea should include not only words, but also a picture. Use as many copies of this sub-template as needed.

Design Idea #1 Hailey

Date:03-05-24


Description: This is a softball/baseball scooter bag. On the front is where your ball bag would go. It would be held by a mesh with a solid base so it doesn't rip the bag holder.



Design Idea #2 Aden

Date:03-05-24


Description: my scooter design uses a mesh holder and straps to secure the bag.



Design Idea #3 Olivia

Date:03-05-24

Description: This is my ball bag scooter design with a mesh holder that will keep the ball bag in place.



Drawing that includes distinguishing information such as scale, dimensions, and materials:

Design Idea Comparison and Selection (**D1, D2**)

When you've finished generating ideas, you must compare your design options according to all your design requirements. Incorporate the priority of those requirements when comparing design options. A decision matrix (perhaps a Pugh Matrix) is encouraged since it allows for systematic, weighted comparisons. If using weights in a decision matrix, be sure to explain and justify the weighting based on your design requirements. You may use the weighted design matrix template below, inserting your criteria and design options.

	weight	Option 1	Option 2	Option 3	Option 4
Reinforced Compartments	35%				
Weather proof	15%				
Adjustable straps	10%				
Led Lights	10%				
Storage Options	20%				
Offer Customizable	10%				
score	100%	4/5	4/5	5/5	3/5

Design Blueprint (**D4**)

Describe all of your design's details such that someone unfamiliar with your project could build your prototype. Include sketches, dimensions, CAD (if taught in your class), manufacturing methods, material choices, supply lists, and costs.

Design Blueprint #1

Date:03-05-24

Sketch:

Supply List and Costs:

Item	Cost each	# needed	Total
Scooter	150\$	1	150\$
Ball bag	90\$	1	90\$
Platform/ Mesh bag	20\$	1	20\$
Total Cost	260\$	3	260\$

7.5 Project Proposal

Element E: Application of STEM Principles and Practices

STEM Principles and Practices to Design Requirements (**E1**)

This section focuses on articulating how your proposed solution is supported by STEM (science, technology, engineering, mathematics, computer science, etc.) concepts. Concepts can be laws, theories, and practices, including disciplinary core ideas (i.e., Next Generation Science Standards, Common Core State Standards) and standards for mathematical practice. Go beyond describing the engineering design process to describe the STEM concepts as they apply to your proposed solution in order to meet the design requirements. Be sure to apply the applicable STEM concepts in context, directly to the specifics of your design. Review concepts learned in your other classes and tackle new concepts as appropriate. Include any relevant calculations.

C3 indicates that you should have at least three high-priority design requirements to receive a score of 3 (and four for a score of 4, and five for a 5). Your number of design requirements and your number of high priority design requirements should agree throughout your portfolio. You should use the same five design requirements here too, and apply at least four of them to STEM concepts to achieve a score of 5 on E1. Use as many copies of this sub-template as needed.

STEM Principle for High-Priority Design Requirement #1 Reinforced compartments

STEM Concept: Material Science and Engineering

Describe how STEM concept applies directly to the specifics of your design:

Material science and engineering principles are crucial for the design requirement of reinforced compartments. Utilizing materials with strong strength, impact resistance, and durability is essential. By incorporating knowledge from material science, we can identify suitable materials that withstand external forces, ensuring the reliability of the compartments. The understanding of material properties, such as stress and strain, guides the selection of materials that can endure various environmental conditions without compromising the structural integrity of the compartments.

STEM Principle for High-Priority Design Requirement #2 weather-resistant materials

STEM Concept: Concept: Environmental Science and Engineering

Describe how STEM concept applies directly to the specifics of your design:

The design requirement for weather-resistant materials involves principles from environmental science and engineering. Understanding the impact of different weather conditions on materials, such as rain, sunlight, and temperature fluctuations, is crucial. Applying concepts of corrosion resistance, UV stability, and thermal expansion coefficients, we can choose materials that can withstand the harsh effects of weather over time.

STEM Principle for High-Priority Design Requirement #3 adjustable straps

STEM Concept: Mechanical Engineering and Ergonomics

Describe how STEM concept applies directly to the specifics of your design:

The adjustable straps design requirement draws upon principles from mechanical engineering and ergonomics. Applying concepts of force distribution, leverage, and human biomechanics, we can design straps that provide optimal comfort and support. Utilizing knowledge from mechanical engineering ensures that the adjustable straps can be easily customized to fit different body types while maintaining structural integrity. This integration increases the ergonomic aspects of the solution, contributing to user satisfaction and usability.

STEM Principle for High-Priority Design Requirement #4 LED lights

STEM Concept: Electrical Engineering and Optics

Describe how STEM concept applies directly to the specifics of your design:

The design requirement for LED lights incorporates principles from electrical engineering and optics. Understanding electrical circuits, power consumption, and light emission characteristics are essential for creating efficient and reliable LED lighting systems. By applying concepts from optics, such as light dispersion and color temperature, we can increase the visibility and aesthetics of the LED lights. This integration makes sure that the solution meets the design requirements for illumination while considering energy efficiency and visual appeal.

STEM Principle for High-Priority Design Requirement #5 Different storage compartments.

STEM Concept: Industrial Design and Geometry

Describe how STEM concept applies directly to the specifics of your design:

The requirement for different storage compartments involves principles from industrial design and geometry. Applying concepts of spatial organization, accessibility, and geometric optimization allows for the efficient layout of diverse storage spaces. By understanding user needs and usage patterns, we can implement geometric principles to design compartments that maximize storage capacity while allowing easy access. This integration of industrial design and geometry contributes to the overall functionality.

Proposed Solution to STEM Principles and Practices (E2)

While E1 was focused on how STEM applies to the design requirements, E2 is focused on how STEM is used to support the design solution.

For E2, use STEM concepts to justify your design decisions. It's important that the STEM Principles and Practices that are discussed are actually appropriate and useful to the problem. Use as many copies of this sub-template as needed.

STEM Principle for Design Solution #1 Reinforced compartments

STEM Concept: Materials Science and Engineering

Describe how STEM concept applies directly to the specifics of your solution:

In our design solution, we leverage materials science and engineering principles to address the need for reinforced compartments. By selecting materials with high strength, impact resistance, and durability, we ensure that our compartments can withstand external forces, ensuring the reliability of the entire system. The application of material properties, such as stress and strain, guides our material selection process, enabling us to choose materials that maintain structural integrity under various environmental conditions, meeting the high-priority design requirement for reinforced compartments.

STEM Principle for Design Solution #2 weather-resistant materials

STEM Concept: Environmental Science and Engineering

Describe how STEM concept applies directly to the specifics of your solution:

Our design solution includes principles from environmental science and engineering to address the requirement for weather-resistant materials. Understanding the impact of different weather conditions, we select materials based on concepts of corrosion resistance, UV stability, and thermal expansion coefficients. This thoughtful integration of environmental science ensures that our solution remains functional and reliable, with materials that can withstand the harsh effects of diverse weather conditions over time. By applying these principles, we guarantee the longevity and effectiveness of the weather-resistant aspects of our design.

STEM Principle for Design Solution #3 adjustable straps

STEM Concept: Mechanical Engineering and Ergonomics

Describe how STEM concept applies directly to the specifics of your solution:

The design solution for adjustable straps draws upon principles from mechanical engineering and ergonomics. Concepts of force distribution, leverage, and human biomechanics are applied to create straps that offer optimal comfort and support. By considering these mechanical engineering principles, our adjustable straps can be easily customized to fit different body types while maintaining structural integrity. This integration increases the ergonomic aspects of our solution, contributing significantly to user satisfaction and usability.

STEM Principle for Design Solution #4 LED lights

STEM Concept: Electrical Engineering and Optics

Describe how STEM concept applies directly to the specifics of your solution:

In our design solution for LED lights, we include principles from electrical engineering and optics. Understanding electrical circuits, power consumption, and light emission characteristics is crucial for creating an efficient and reliable LED lighting system. By applying concepts from optics, such as light dispersion and color temperature, we optimize the visibility and aesthetics of the LED lights. This integration ensures that our solution meets the design requirements for illumination while considering energy efficiency and visual appeal.

STEM Principle for Design Solution #5 Different storage compartments.

STEM Concept: Industrial Design and Geometry

Describe how STEM concept applies directly to the specifics of your solution:

The design solution for different storage compartments involves principles from industrial design and geometry. Concepts of spatial organization, accessibility, and geometric optimization guide the efficient layout of diverse storage spaces. By understanding user needs and usage patterns, we implement geometric principles to design compartments that maximize storage capacity while ensuring easy access. This integration of industrial design and geometry enhances the

overall functionality and user-friendliness of our solution, meeting the high-priority design requirement for different storage compartments.

Evidence Design is Reviewed (E3)

"Field experts" are professionals who spend at least a portion of their time working in a field directly related to your project. These field experts are not permitted to double count as stakeholders.

E3 is about experts reviewing what you've said about the STEM connections in E1 and E2. It's important here to talk to an appropriate field expert who knows about the STEM content of the project - not to a stakeholder. We need to know what the expert said. Document in this sub-element what the expert said about the connections you've made from your design requirements to STEM principles and practices (E1) and what they said about the ways STEM principles and practices substantiate your design solution (E2). This documentation will support you to give a corrective response in E5. Potential formats for review include: interview notes, emails, audio/video tape with transcript, etc. Use as many copies of this sub-template as needed.

Documentation #1:

- What format: In Person
- What the expert said about the connection you've made from your design requirements to STEM principles and practices:
- What the expert said about how STEM principles and practices substantiate your design solution: The experts had gotten back to us with very helpful feedback regarding the scooter. They had suggested we should create a hook that is strong enough to hold the back onto the scooter post even through rough terrain, durability in case it falls, all while keeping it lightweight in order to cut weight down. They had also suggested that we put on tires that would be better off pavement and tires that would, again, be lighter. The last and most important thing that we had heard from them was to create a strong deck in order to stay together long along with holding the weight of a person and their gear for whatever sport they may play.

Documentation #2:

- What format: In Person
- What the expert said about the connection you've made from your design requirements to STEM principles and practices:
- What the expert said about how STEM principles and practices substantiate your design solution: They reiterated the comments made in person.

Documentation #3:

- What format: In Person

- What the expert said about the connection you've made from your design requirements to STEM principles and practices:
- What the expert said about how STEM principles and practices substantiate your design solution: They reiterated most of what had already been said, however they also said that the motor needed to be big enough to pull the weight of the person using it along with their weight and a battery that would last throughout a day while being running.

Experts with Credentials (**E4**)

Document who your field experts are (names are not necessary) and what qualifies them as an expert. Use as many copies of this sub-template as needed.

Expert #1: Duke Civil Engineer

Expert #2: Duke Biotechnical Engineer

Expert #3: Duke Mechanical Engineer

Verification or Corrective Response to Design Review (**E5**)

Your conversation/interview with the expert(s) should inform some corrective responses. In E5, describe how those reviews informed your responses. For example, “_____ told us _____, which informed our decision to change/reconsider _____. ” (or “...which verified/reinforced our decision to _____.”

Make sure to document the experts' reviews (suggestions/feedback or criticisms of your proposed solution) and how they will inform iterations you will make to your proposed solution. Use as many copies of this sub-template as needed.

Interview with Expert #1 Informed corrective response: Duke Civil Engineer told us to create a hook that is strong enough to hold the back onto the scooter post even through rough terrain, durability in case it falls, all while keeping it lightweight in order to cut weight down, which informed our decision to change our platform.

Interview with Expert #2 Informed corrective response: Duke Biotechnical Engineer told us to put on tires that would be better off pavement and tires that would, again, be lighter which informed our decision to change for sturdy tires.

Interview with Expert #3 Informed corrective response: Duke Mechanical Engineer told us the motor needed to be big enough to pull the weight of the person using it along with their weight and a battery that would last throughout a day while being running which informed our decision to change what we were originally thinking of a light motor.

Element F: Consideration of Design Viability

Judgment about Design Viability (**F1**)

"Design viability" is the capacity of the proposed solution to solve the problem. Design viability refers to how your design decisions are tethered to your design requirements. For example, if one of your design requirements is that the total cost of the prototype cannot exceed X, then you could present a table of costs for each component of your proposed design solution as justification for why your design is likely to meet that requirement.

"Credible evidence" means it shouldn't just be your hunch that this will work. Be creative about how you validate the viability of your design. You should go beyond just having a stakeholder or expert reviewer say that the design seems viable. For example, you could point to evidence that a sub-system already functions, or you demo a proof of concept, or you've discussed with an expert that said, "I've seen something similar work in this other related situation...", etc.

Use as many rows as needed. Remember, this chart below may help you organize your ideas, but you will need to actually execute the "credible evidence."

Design Viability Description	Connection to Design Requirement	Credible Evidence?
<i>Example:</i> The solution is inexpensive	<i>Example:</i> Design does not cost more than \$X	<i>Example:</i> Create a table of costs for each component of the solution.
Example: The solution is durable	Example: it can withstand all elements	Example: material is heavy duty rubber on the tires and a non rusting metal

7.6 Design Drawings

Element G: Construction of a Testable Prototype

Final Prototype Iteration Explanation (**GI**)

This section focuses on the process of explaining your prototypes. While the title of the subelement focuses on your final prototype, you must have at least an initial prototype and a final prototype, with additional prototypes in-between being desirable. Note that you never know which prototype is your final prototype until after you test it, so be sure to record all of the information for each prototype. Use as many copies of this sub-template as needed.

Ensure that photos are taken from multiple angles so that all sides and subsystems can be seen. All images should have captions and should be referenced in-text.



Date:05-16-24

:

Details about all steps of construction (add step numbers as needed), including the tools and manufacturing methods used:

	Details	Tools and Manufacturing Methods used
Step 1	Getting the scooter	store
Step 2	Getting the bag	house
Step 3	Attaching them together	Zip ties

List of material details, including item name, description, where it was purchased/obtained (include URL if applicable), cost per unit (if applicable), # of units, total cost (if applicable)

Material name	Description	Where material was purchased	Cost per unit	# units	Total cost per item
scooter		Previously acquired	free	1	free
bag		Previously acquired	free	1	free
Zip ties		Previously acquired	free	3	free

Detailed sketches, which might include CAD if you have learned it in your class:

Construction of the Final Prototype (**G2**)

When you've finished construction of your final prototype, you must be sure that your prototype allows sufficient functionality that you could collect objective, measurable data for all or nearly all of your design requirements. This requires you to look back at your design requirements from Element C. Copy all of your design requirements from Element C into this table and then add how your prototype will allow you to collect objective, measurable data. Note any weaknesses you find or details that will require expert review because they cannot be mathematically modeled or tested,

For example, if you have a design requirement that your design can "transport medicine a distance of 5 meters in 1 minute", is your prototype sufficiently functional such that you can test that? (e.g. can the prototype move the medicine at least a little bit?)

Design Requirement	How will this prototype allow you to collect objective, measurable data?
Stability	The users ride quality and how stable the scooter is
Weight	The lightweightness of the scooter so that the user can use it good
Durability	How long the scooter can last through seasons
Payload	The weight of the user and they're gear and how well the scooter does with the weight.

Testing or Modeling of Attributes (**G3, G4**) and Addressing Non-Testable Attributes (**G4**)

Describe all of your prototype's attributes (features, aspects, details, or subsystems). Demonstrate that your prototype is constructed with sufficient functionality that your prototype can test all attributes of your design. This requires you to look back at your initial proposed design details from Element D.

For example, if your initial design details called for wheels and motors, is your prototype sufficiently functional such that you can test out those wheels and motors?

If there are aspects of your design that you believe cannot be physically prototyped or mathematically modeled within the scope and limits of your class, you must later provide

evidence that an expert has reviewed your justifications and that you have incorporated their feedback. You do not need to conduct that review in Element G. For now, enter “expert review required” for these attributes in the final column.

Attribute	Description	Describe your prototype’s functionality to test this attribute
Stability	How stable the scooter feels while riding	Rode the scooter on different terrains
High payload	How much weight the scooter can hold	Testing how much weight the scooter can hold
lightweight	The lightweights of the scooter	Weighing the scooter itself without anything in/on it or the bag
durability	How durable the scooter is	Throwing the scooter down a hill

7.7 Create a Functional Prototype & Design Tests

Element H: Prototype Testing and Data Collection Plan

Testing Details (**H1, H2, H3, H4**)

Feedback From Field Experts (**H5**)

Guidance to students about this section of Element H.

Our team would test the stability by riding the scooter on different terrains and different areas. We would test the durability by throwing it down hills and just beating it. We would test the lightweightness by weighing the scooter bag with nothing in/on it. We would test the payload by overloading it with weight and trying to roll it and drive it.

- "Field experts" are professionals who spend at least a portion of their time working in a field directly related to your project. These field experts are not permitted to double count as stakeholders.
- You must provide evidence in this section that your testing plan has been reviewed by 2-3 field experts.
- Do not incorporate their feedback in the table above. Rather, make a copy of the table in the section above, paste it into the section below, and make all revisions only in the table below. This provides evidence that you incorporated the feedback and shows your testing plan's progression.

Revised Testing Details That Incorporate Field Expert Feedback (**H5**)