

Presentation of designer's recommendations

The project designer includes consistently detailed and salient recommendations regarding the conduct of the same or similar project in the future; recommendations include caveats as warranted and specific ways the project could be improved with consistently detailed plans for the implementation of those improvements.

Many of our alterations from our projects previous groups came from inspiration and innovation of current prototypes in stabilization and durability standards. Our main builder, Corbin Wolfgang, had the idea of using a second engine leveler, as opposed to the one used in the previous prototypes. This allowed us to rotate the tilt of the frame on both axes. With the use of the 2 engine levers, we have engineered a simultaneous leveling system in order to allow for quick adjustment.

After presenting to the professionals we were able to gather a lot of useful information. We presented to three different professionals. Their names were: Taryn L. Dunigan, Kristina Schneider, and Heather Schwartz. We presented to them for about 30 minutes, and then they gave us some feedback. We shifted the engine levelers to each of their maxs to show the strength and agility of them, and then we all hung on the frame to show how large of a load the frame is capable of holding.

Ms Heather Schwartz gave us the first bit of advice after she asked a few questions. We were able to answer her main questions very quickly and even show her how the buttons controlled the engine levelers. Then at the end her main point was just to focus a lot more on the structure and strength of the frame than how the tarp is going to work.

Ms. Krista Schneider did not offer us anything but she stayed quite and graded us the entire time.

Ms. Taryn L. Dunigan gave us the most help with her questions and tips. Initially she didn't offer us anything, but then after a lot of thought she came up with a great question. She asked how we were going to be able to lower or raise the frame as we have two different lifting motors each with different mechanisms. One of the engine levelers is going to be hooked up to the lifter that the zoo already has. That lift is controlled by a remote control that works well and very easily. The other engine levelers are hooked up to a roller that we bought and built. The only way to go higher or lower is to pull a chain either clockwise or counterclockwise depending on if you want to go up or down. What Ms. Taryn is asking how we are going to synchronize these together. This is a great question that brings up an important flaw in our system. An idea I have come up with is to press the button for a second and then stop, while the person pulling on the chain gets time to catch up to the automatic hook. There is probably a better idea that we will hopefully find when we go to the zoo to deliver the frame.

This is the lifting system that the zoo already has for us



This is the roller and chain block we have that is trying to sync up with the system shown above

