

Placements



You are given three tables: *Students*, *Friends* and *Packages*. *Students* contains two columns: *ID* and *Name*. *Friends* contains two columns: *ID* and *Friend_ID* (*ID* of the ONLY best friend). *Packages* contains two columns: *ID* and *Salary* (offered salary in \$ thousands per month).

Column	Type
ID	Integer
Name	String

Students

Column	Type
ID	Integer
Friend_ID	Integer

Friends

Column	Type
ID	Integer
Salary	Float

Packages

Write a query to output the names of those students whose best friends got offered a higher salary than them. Names must be ordered by the salary amount offered to the best friends. It is guaranteed that no two students got same salary offer.

Sample Input

ID	Name
1	Ashley
2	Samantha
3	Julia
4	Scarlet

Students

<i>ID</i>	<i>Friend_ID</i>
1	2
2	3
3	4
4	1

Friends

<i>ID</i>	<i>Salary</i>
1	15.20
2	10.06
3	11.55
4	12.12

Packages

Sample Output

Samantha
Julia
Scarlet

Explanation

See the following table:

<i>ID</i>	1	2	3	4
<i>Name</i>	Ashley	Samantha	Julia	Scarlet
<i>Salary</i>	15.20	10.06	11.55	12.12
<i>Friend ID</i>	2	3	4	1
<i>Friend Salary</i>	10.06	11.55	12.12	15.20

Now,

- *Samantha's* best friend got offered a higher salary than her at 11.55
- *Julia's* best friend got offered a higher salary than her at 12.12
- *Scarlet's* best friend got offered a higher salary than her at 15.2
- *Ashley's* best friend did NOT get offered a higher salary than her

The name output, when ordered by the salary offered to their friends, will be:

- *Samantha*
- *Julia*
- *Scarlet*

