XRPL Bundles Bot User Guide



Introduction

Welcome to the XRPL Bundles Bot! This powerful bot helps you interact with the XRP Ledger to purchase, monitor, and sell tokens. Whether you're looking to participate in token launches, monitor AMM (Automated Market Maker) creations, or automatically snipe new tokens, this bot provides the tools you need.

Getting Started

Accessing the Bot

- 1. Search for the XRPL Bundles Bot on Telegram
- 2. Start a conversation with the bot by clicking the "Start" button or typing /start
- 3. Use /menu to access the main menu

Main Menu Navigation

The main menu offers the following options:

- Start Batch: Initiate batch token purchases with your configured settings
- Sell All Tokens: Sell tokens you've acquired from specific issuers
- Settings: Configure your transaction parameters
- Wallet Management: Add, remove, or generate wallets
- Token Issuers: Manage token issuers you want to monitor
- Auto AMM Mode: Monitor specific issuers for AMM creation

• Global Monitor: Automatically detect and snipe new tokens

Core Features

Wallet Management

The wallet management menu allows you to:

- 1. Add Existing Wallets: Enter your sEd format seed to add a wallet
- 2. Generate New Wallets: Create new XRP wallets directly in the bot
- 3. View Wallet Information: See wallet addresses and balances
- 4. Remove Wallets: Delete wallets you no longer need

When generating new wallets, the bot will:

- Create secure XRP Ledger wallets with addresses and secret keys
- Store the wallet information securely
- Display the wallet address and seed for your records
- Automatically add the new wallets to your account

Auto AMM Mode

Auto AMM mode allows you to:

- 1. Input a specific issuer address to monitor
- 2. Set up transaction parameters (XRP amount, number of transactions)
- 3. The bot will monitor the network for AMM creation events for that issuer
- 4. When an AMM is created, the bot will automatically execute your transactions

Key settings:

- Use All Wallets: Toggle to use all configured wallets or just main wallet
- XRP Range: Set minimum and maximum XRP amounts for transactions
- Auto-sell: Toggle automatic selling of tokens after purchase

Global Monitor

Global Monitor continuously watches the XRP Ledger for:

- 1. New token creations on the first ledger
- 2. Automatic detection of promising tokens
- 3. Instant sniping based on your configured parameters

Settings include:

- Auto Sell: Automatically sell tokens after purchase
- Exclude Issuers: Filter out specific token issuers
- Transaction Settings: Configure buy parameters

Transaction Settings

Configuring Parameters

- 1. From the Settings menu, you can configure:
 - o Transaction Count: Number of transactions to perform (default: 1)
 - Min XRP: Minimum XRP amount per transaction (default: 1)
 - Max XRP: Maximum XRP amount per transaction (default: 3)
 - Slippage Tolerance: Maximum acceptable price slippage (default: 30%)
- 2. These settings apply to both batch transactions and automated features

Security and Best Practices

- 1. Never share your wallet seed with anyone other than the bot
- 2. Start with small transactions to test the system
- 3. Monitor your wallet balance regularly
- 4. Use the bot's transaction logs to track your activity

Troubleshooting

If you encounter issues:

- 1. Check your XRP balance to ensure sufficient funds
- 2. Verify your wallet seed format (must be in sEd format)
- 3. Ensure trustlines are established for tokens you're interacting with
- 4. Use the Stop Global Monitor command if you need to halt automated processes

Conclusion

The XRPL Bundles Bot offers a comprehensive suite of tools for interacting with the XRP Ledger. From simple token purchases to sophisticated automated trading strategies, the bot provides an

intuitive interface for maximizing your opportunities in the XRP ecosystem.
For additional assistance, use the help command within the bot or contact the bot administrator.
Powered by MEME TOOLS
XRPL Bundles Bot © 2025 - All Rights Reserved
XRPL Bundles Bot © 2025 - All Rights Reserved