

SCORECARD · PR 14

Flip-to-Scorecard Feature Changes

Nine changes to the in-app scorebook spanning two files. Four affect the grid structure and metadata headers; five affect the cell renderer — corner arc consistency, result code label clearance, count indicators, name font size, and runner basepath. Zoom calibration and the flip button icon are in the pitch feed viewer.

client/src/pages/game/PitchByPitchV2.tsx

Flip button icon

The button that launches the scorecard view now uses the same red diamond outline that forms the "O" in the SC◇REBOOK wordmark — a direct tie to the feature identity. Appears in two locations: the scout controls bar and the standard feed header.



14 × 14 PX

SVG	<polygon points="7,1 13,7 7,13 1,7" fill="none" stroke="#b8421e" strokeWidth="1.5"/>
INSTANCES	Line ~908 (scout controls) · Line ~935 (standard header)

Scorecard zoom sensitivity

Scroll-to-zoom on the scorecard viewport was recalibrated twice. The original 1.04/0.96 was too aggressive (one scroll tick jumped noticeably); the interim 1.015/0.985 was too subtle. The settled values give natural feel on both trackpad two-finger scroll and mouse wheel.

	BEFORE	AFTER
ZOOM IN	1.04 — too fast	1.03

ZOOM OUT	0.96 — too fast	0.97
SCALE RANGE	0.5× — 2.5× (unchanged)	
LOCATION	Line ~691 · Math.pow(e.deltaY < 0 ? 1.03 : 0.97, Math.min(Math.abs(e.deltaY)/20, 4))	

```
client/public/scorebook-cell.js — SCOREBOOK_FIELD_SVG · _cwCellHTML
```

Background diamond corner arcs — all sweep=0

The decorative diamond outline drawn in every empty and filled cell rounds each base corner with an `r=8` SVG arc. The arc direction is controlled by the `sweep-flag` (0 = CCW, bows inward; 1 = CW, bows outward). Previously, 1st and 3rd used `sweep=1` while 2nd and home used `sweep=0` — creating a visually inconsistent corner style. All four corners now use `sweep=0`, matching 2nd base at every corner.

BEFORE — MISMATCHED



AFTER — CONSISTENT

	BEFORE	AFTER
1ST BASE ARC	A8,8 0 0 1 — sweep=1 outward	A8,8 0 0 0 — sweep=0 inward
2ND BASE ARC	A8,8 0 0 0 (reference, unchanged)	A8,8 0 0 0 (unchanged)
3RD BASE ARC	A8,8 0 0 1 — sweep=1 outward	A8,8 0 0 0 — sweep=0 inward
HOME ARC	A8,8 0 0 0 (unchanged)	A8,8 0 0 0 (unchanged)
VARIABLE	window.SCOREBOOK_FIELD_SVG · line 4 · path d="M55.66..."	

Runner basepath — straight lines, 90° corners

The overlay path showing runner advancement is drawn as straight lines connecting base center dots with 90° corners. No arcs at any base. Home run



adds a filled diamond polygon at 15% ink opacity. Lines use `stroke-width:2`, `stroke-linecap:round`, color `var(--ink)`.



SINGLE / BB / HBP	H[50,90] → F[81.82,58.18]
DOUBLE	H→F → F→S[50,26.36]
TRIPLE	H→F→S → S→T[18.18,58.18]
HOME RUN	H→F→S→T→H · polygon fill var(--ink) opacity:0.15
STROKE	var(--ink) · stroke-width:2 · stroke-linecap:round · no arcs

Result code label positions

The result code (1B, 2B, BB, K, etc.) is placed at a fixed SVG coordinate per play type. The home→first baseline shares its line equation `y = 140 - x` with the background diamond outline segment — the prior reachFirst position (73, 79) sat directly on this diagonal, with the line passing through the middle of the glyph. Double and triple positions had approximately 2px clearance from their respective overlay paths. All three adjusted.



	BEFORE (CX, CY)	AFTER (CX, CY)
REACHFIRST1B BB HBP FC ETC	(73, 79) — on H→F diagonal	(68, 54) — inside diamond

DOUBLE (2B)	(72, 38) — 2px from F→S line	(72, 34) — 6px clearance
TRIPLE (3B)	(28, 38) — 2px from S→T line	(28, 34) — 6px clearance
HR	(9, 15) anchor=start · unchanged	
OUT / DEFAULT	(50, 63) anchor=middle · unchanged	

Ball/strike count indicators — dots

Count box cells previously rendered a recorded ball or strike as a diagonal slash. They now show a centered filled dot via CSS `radial-gradient`. Empty cells remain visually blank.



CSS	background: radial-gradient(circle 3px at center, var(--borderStrong) 100%, transparent 100%)	
BALLS BOX	3 spans × 10×10px	width: 10px
STRIKES BOX	2 spans × 10×10px	width: 10px

Player name font size

The name column in each batting slot row increased from 12px to 14px. Applies to both the primary starter row and all sub-player rows. Font remains DM Sans weight 600. Sub-players receive 28px left padding (vs 6px for starters) to visually indicate a substitution.

FONT SIZE	12px	14px
FONT	DM Sans · weight 600 · unchanged	
LOCATION	info(3, row, '...font-size:14px', null) in slot loop	

client/public/scorebook-cell.js — buildScorebookGrid

SCOREBOOK header row

A new 44px row spans the full width of the grid above the team name header.
Left: the SC◇REBOOK wordmark in JetBrains Mono 800, 14px, tracking 0.12em, with the rust outline diamond as the "O". Right: game metadata in DM Sans 11px muted — date, opponent, venue joined with " · ". Background is `var(--bg)` separated by a 1px `var(--border)` bottom line.

SC◇REBOOK

FRI JUL 25 · vs Chicago Cubs · Minute Maid Park

 Houston Astros

GRID ROW	Did not exist	Row 1 · 44px (new)
WORDMARK	JetBrains Mono · 800 · 14px · tracking 0.12em	
DIAMOND GLYPH	12×12px SVG polygon · fill=none · stroke #b8421e · 1.5px	
META FORMAT	DM Sans 11px <code>var(--textMuted)</code> right-aligned · DATE · vs OPPONENT · VENUE	
ROW SHIFT	All downstream rows +1 · startRow: 4 + slot*SUBROWS · HEAD_H in focusCurrent: 104px (44+30+30)	

Team name header

Grid row 2 (30px, dark band) now shows the team logo image at 22×22px followed by the full team name. Previously showed "HOM" or "AWY" as abbreviated text. On logo load error the image hides gracefully and the name stands alone. Data flows from the scorecard side calculation in `PitchByPitchV2.tsx` (lines 593–600).

CONTENT	"HOM" / "AWY"	<code></code> 22×22 + full name
BACKGROUND	<code>var(--ink)</code> · unchanged	
LOGO IMG	22×22px · object-fit:contain · onerror → display:none	
NAME FONT	JetBrains Mono · 800 · 13px · tracking 0.08em · color <code>var(--surface)</code>	
FALLBACK	<code>teamName teamAbbr.toUpperCase() "BATTING"</code>	

BUILDScorebookGrid — UPDATED SIGNATURE

```
buildScorebookGrid(grid, {
  lineup,           // mapped BatterLineDto[] entries
```

```
pitchers,    // up to 4 pitcher entries
gameId,      // string | null
teamAbbr,    // short fallback if teamName absent
logoUrl,     // NEW — team logo img src URL
teamName,    // NEW — full name e.g. "Houston Astros"
opponent,    // NEW — opponent full name for meta header
gameDate,    // NEW — formatted string e.g. "Fri Jul 25"
venue,       // NEW — venue name for meta header
})
```