

# Cucumber Report

23-Aug-2022, 11:00:18 pm

**Start : Aug 23, 11:00:06.712 pm**

**End : Aug 23, 11:00:17.580 pm**

**Duration : 10.868 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 2**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 4**

**SKIPPED - 0**

**PASSED - 4**


**FAILED - 4**

**SKIPPED - 8**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkout for the Products</u>	10.868 s	3	0	3	0	12	3	3	6
<u>Search and place the order for Products</u>	10.540 s	1	0	1	0	4	1	1	2

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@placeCart	3	0	3	0	1	0	1	0
@Greencart	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checkout for the Products</u>	3	0	3	0	10.868 s
2	<u>Search and place the order for Products</u>	1	0	1	0	10.540 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checkout for the Products</u>	<u>Check out the Products added to tthe cart in place order page</u>	4	1	1	2	10.857 s
2	<u>Checkout for the Products</u>	<u>Check out the Products added to tthe cart in place order page</u>	4	1	1	2	10.839 s
3	<u>Checkout for the Products</u>	<u>Check out the Products added to tthe cart in place order page</u>	4	1	1	2	10.651 s
4	<u>Search and place the order for Products</u>	<u>Search Exp in both Product and Offer page</u>	4	1	1	2	10.540 s


## Checkout for the Products

<b>FAILED</b>	<b>DURATION - 10.868 s</b>	Scenarios		Steps	
/ 11:00:06.712 pm // 11:00:17.580 pm /		Total - 3		Total - 12	
		Pass - 0		Pass - 3	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 6	



## Check out the Products added to the cart in place order page

<div>FAILED</div> <div>DURATION - 10.857 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 11:00:06.723 pm // 11:00:17.580 pm /</div>				
<div>Checkout for the Products</div>				
<div>@placeCart</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on Greencart Landing page	PASSED	0.707 s
2	When User search with the Short name with TOM and extracted actual name of the product <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='search-keyword']"} (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-8KGI7L9A', ip: '192.168.1.49', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8c8d33c2d2dcb90c87f89737fa20b029, findElement {using=xpath, value=//input[@class='search-keyword']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 104.0.5112.79 (3cf3e8c8a07d..., userDataDir: C:\Users\BITTES~1\AppData\Local\Temp\104.0.5112.79 (3cf3e8c8a07d..., userChromeConfig: {}} goog:chromeOptions: {debuggerAddress: localhost:64753}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64753/devtools, se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8d33c2d2dcb90c87f89737fa20b029     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	5.185 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.qa.cart.pages.GreenCartSearchPage.searchItem(GreenCartSearchPage.java:34) at stepDefinitions.GreencartStepdeffile. user_search_with_the_short_namewith_and_extracted_actual_name_of_the_product(GreencartStepdeffile.java:63)   at ?.User search with the Short name with TOM and extracted actual name of the product(file:///C:/Users/Bitteswar/eclipse-workspace/ NewSeleniumPractise/CucumberProject2ParallelSettings/src/test/java/features/PlacetheOrderProducts.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And Added "3" Items of the selected product to cart	SKIPPED	0.023 s
4	Then User proceeds to the Checkout and Validate the TOM items in chekout page	SKIPPED	0.001 s
	AFTER - apphooks.ApplicationHook.teardown(io.cucumber.java.Scenario)	PASSED	0.422 s
	Check_out_the_Products_added_to_tthe_cart_in_place_order_page		
			

### Check out the Products added to tthe cart in place order page



FAILED		DURATION - 10.839 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:00:06.726 pm // 11:00:17.565 pm /						
Checkout for the Products						
@placeCart						

#	Step / Hook Details	Status	Duration
1	Given User is on Greencart Landing page	PASSED	0.494 s
2	When User search with the Short name with BEETcaro and extracted actual name of the product	FAILED	5.063 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='search-keyword']"} (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-8KGI7L9A', ip: '192.168.1.49', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9add51826894c989586212e346a70003, findElement {using=xpath, value=//input[@class='search-keyword']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 104.0.5112.79 (3cf3e8c8a07d..., userDataDir: C:\Users\BITTES~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:64757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64757/devtoo..., se.cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9add51826894c989586212e346a70003</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)  at com.qa.cart.pages.GreenCartSearchPage.searchItem(GreenCartSearchPage.java:34)  at stepDefinitions.GreencartStepdefFile.  user_search_with_the_short_namewith_and_extracted_actual_name_of_the_product(GreencartStepdefFile.java:63)  at ?.User search with the Short name with BEETcaro and extracted actual name of the product(file:///C:/Users/Bitteswar/eclipse-workspace/NewSeleniumPractise/CucumberProject2ParallelSettings/src/test/java/features/PlacetheOrderProducts.feature:6)  * Not displayable characters are replaced by '?'. </p>		
3	And Added "3" Items of the selected product to cart	SKIPPED	0.000 s
4	Then User proceeds to the Checkout and Validate the BEETcaro items in chekout page	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHook.teardown(io.cucumber.java.Scenario)	PASSED	0.362 s
	Check_out_the_Products_added_to_tthe_cart_in_place_order_page		




#	Step / Hook Details	Status	Duration
			



### Check out the Products added to the cart in place order page

<div>FAILED</div> <div>DURATION - 10.651 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:00:06.729 pm // 11:00:17.380 pm /				
Checkout for the Products				
@placeCart				

#	Step / Hook Details	Status	Duration
1	Given User is on Greencart Landing page	PASSED	0.712 s
2	When User search with the Short name with CARROT and extracted actual name of the product	FAILED	5.169 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='search-keyword']"} (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-8KGI7L9A', ip: '192.168.1.49', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [486e725e7ffdd1624c13cffb5bec0438, findElement {using=xpath, value=//input[@class='search-keyword']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 104.0.5112.79 (3cf3e8c8a07d..., userDataDir: C:\Users\BITTES~1\AppData\Local\Temp\scoped_dir10407_10407...}, goog:chromeOptions: {debuggerAddress: localhost:64754}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64754/devtools, se.cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 486e725e7ffdd1624c13cffb5bec0438     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.qa.cart.pages.GreenCartSearchPage.searchItem(GreenCartSearchPage.java:34) at stepDefinitions.GreencartStepdeffile. user_search_with_the_short_namewith_and_extracted_actual_name_of_the_product(GreencartStepdeffile.java:63)   at ?.User search with the Short name with CARROT and extracted actual name of the product(file:///C:/Users/Bitteswar/eclipse-workspace/ NewSeleniumPractise/CucumberProject2ParallelSettings/src/test/java/features/PlacetheOrderProducts.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And Added "3" Items of the selected product to cart	SKIPPED	0.000 s
4	Then User proceeds to the Checkout and Validate the CARROT items in checkout page	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHook.teardown(io.cucumber.java.Scenario)	PASSED	0.458 s
	Check_out_the_Products_added_to_the_cart_in_place_order_page		
			

## Search and place the order for Products

FAILED	DURATION - 10.540 s	Scenarios		Steps	
/ 11:00:06.728 pm // 11:00:17.268 pm /		Total - 1		Total - 4	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## Search Exp in both Product and Offer page

<div><div>FAILED</div><div>DURATION - 10.540 s</div></div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.672</td></tr><tr><td>2</td><td>5.040</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table></div>	Step	Duration (s)	1	0.672	2	5.040	3	0	4	0	<div><div>Steps</div><div>Total - 4</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 2</div></div> <div></div>
Step	Duration (s)												
1	0.672												
2	5.040												
3	0												
4	0												
/ 11:00:06.728 pm // 11:00:17.268 pm /													
Search and place the order for Products													
@Greencart													

#	Step / Hook Details	Status	Duration
1	Given User is on Greencart Landing page	PASSED	0.672 s
2	When User search with the Short name "TOM" and extracted actual name of the product  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='search-keyword']"} (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP- 8KGI7L9A', ip: '192.168.1.49', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [18dbe1d3d48ad426d93ec3072f2d537d, findElement {using=xpath, value=//input[@class='search- keyword']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 104.0.5112.79 (3cf3e8c8a07d..., userDataDir: C:\Users\BITTES~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64766}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64766/devtoo. ..., se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18dbe1d3d48ad426d93ec3072f2d537d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.qa.cart.pages.GreenCartSearchPage.searchItem(GreenCartSearchPage.java:34) at stepDefinitions.GreencartStepdeffile.	FAILED	5.040 s

#	Step / Hook Details	Status	Duration
	user_search_with_the_short_name_and_extracted_actual_name_of_the_product(GreencartStepdeffile.java:53) at ?.User search with the Short name "TOM" and extracted actual name of the product(file:///C:/Users/Bitteswar/eclipse-workspace/ NewSeleniumPractise/CucumberProject2Parallelsettings/src/test/java/features/greenCart.feature:6) * Not displayable characters are replaced by '?'.		
3	Then User Search for the same short name "TOM" in the offer page	SKIPPED	0.000 s
4	And Check if the product exists	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHook.teardown(io.cucumber.java.Scenario)	PASSED	0.597 s
	Search_Exp_in_both_Product_and_Offer_page		
	