CCU-306-FRM REV 6 10.5.22

Conway Medical Center

Conway, South Carolina

PHYSICIAN'S ORDERS Unfractionated Heparin Dosing

Center Patient Admission Label Here

| Another brand of drug identical in form Drug Allergies Nurse's Initials | | | | | | | |
|--|-----------|--|--|--------------------|--|--|--|
| Baseline Platelet Count | | j i | | | | | |
| Baseline Platelet Count | Baseline | PT and PTT | | nitiating Protocol | | | |
| Patient Weight | Baseline | Platelet Count | | av until dav 14 | | | |
| Select One: Standard Cardiac Disease or Peripheral Vascular Disease Loading Dose (60 units/kg – max loading dose = 4,000 units) = units IV bolus | Patient ' | Weight (kg) | OR until Heparin Drip is discontinued. (Notify physician if platelet count dec | | | | |
| Standard Cardiac Disease or Peripheral Vascular Disease Loading Dose (60 units/kg — max loading dose = 4,000 units) = units IV bolus | Initiatio | n of therapy and all rat | e changes must be checked by 2 RN's and documented on the Heparin Drip | Flow Sheet. | | | |
| Loading Dose (60 units/kg – max loading dose = 4,000 units) = units IV bolus Initial Infusion (12 units/kg/hr – max initial rate 1,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: PTT less than 35 25 unit/kg/bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 35-45 Increase infusion rate by 2 units/kg/hr repeat PTT in 6 hours PTT 46-56 Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) | | Select One: | | | | | |
| Initial Infusion (12 units/kg/hr – max initial rate 1,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: PTT less than 3525 unit/kg/bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 35-45Increase infusion rate by 2 units/kg/hr repeat PTT in 6 hours PTT 46-56Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Units/kg/hr and contact provider, repeat PTT in 6 hours Units/kg - round to nearest 100 units - max loading dose = 10,000 units) = units/hour IV Units/hour IV | | Standard Cardiac | Disease or Peripheral Vascular Disease | | | | |
| PTT 6 hours after drip started and adjust as follows: PTT less than 3525 unit/kg/bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 35-45Increase infusion rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 46-56Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg - round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg - round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | Loading Dose (60 | units/kg – max loading dose = 4,000 units) = units IV bolus | | | | |
| PTT less than 35 25 unit/kg/bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 35-45 Increase infusion rate by 2 units/kg/hr repeat PTT in 6 hours PTT 46-56 Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | Initial Infusion (12 | 2 units/kg/hr – max initial rate 1,000 units/hr) = units/hour | IV | | | |
| PTT 35-45Increase infusion rate by 2 units/kg/hr repeat PTT in 6 hours PTT 46-56Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg - round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg - round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | PTT 6 hours after drip started and adjust as follows: | | | | | |
| PTT 46-56Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg - round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg - round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | PTT less than 3525 | unit/kg/bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | |
| PTT 57-95 No change in rate, repeat PTT in AM PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | PTT 35-45Increase infusion rate by 2 units/kg/hr repeat PTT in 6 hours | | | | | |
| PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = | | PTT 46-56Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours | | | | | |
| PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | | | | |
| PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | | | | |
| PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = | | PTT 106-115 Stop | drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours | | | | |
| PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours Venous Thromboembolism Heparin Dosing (DVT, Pulmonary embolism) | | PTT 116-125 Stop | drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | |
| | | PTT 126-135 Stop | drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours | | | | |
| Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | | | | |
| Loading Dose (80 units/kg – round to nearest 100 units - max loading dose = 10,000 units) = units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | 1 | | | |
| units IV bolus Initial Infusion (18 units/kg – round to nearest 100 units - max initial rate 2,000 units/hr) = units/hour IV PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | | | | |
| PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | | | | | | |
| PTT less than 35 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours | | Initial Infusion (18 | | | | | |
| | | PTT 6 hours after | drip started and adjust as follows: (round all calculations to nearest 100 uni | ts) | | | |
| PTT 35-45 Increase infusion rate by 2 units/kg/hr, repeat PTT in 6 hours | | PTT less than 35 - | 25 unit/kg bolus, increase infusion rate by 3 units/kg/hr, repeat PTT in 6 ho | urs | | | |
| | | PTT 35-45 Inc | rease infusion rate by 2 units/kg/hr, repeat PTT in 6 hours | | | | |

CCU-306-FRM REV 6 10.5.22

Conway Medical Center

Conway, South Carolina

PHYSICIAN'S ORDERS Unfractionated Heparin Dosing

Center Patient Admission Label Here

| PTT 46-56 Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours |
|--|
| PTT 57-95 No change in rate, PTT in AM |
| PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours |
| PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours |
| PTT 116-125 Stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours |
| PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours |
| PTT greater than 135 stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours |
| · |
| Cerebrovascular Disease (ischemic CVA or TIA or neurologic event associated with atrial fibrillation) |
| Loading Dose None |
| Initial Infusion (10 units/kg/hr – round to nearest 100 units – max initial rate 1,400 units/hr)= units/hour IV |
| PTT 6 hours after drip started and adjust as follows: (round all calculations to nearest 100 units) |
| PTT less than 35 Increase infusion rate by 3 units/kg/hr, repeat PTT in 6 hours |
| PTT 35-45 Increase infusion rate by 2 units/kg/hr, repeat PTT in 6 hours |
| PTT 46-56 Increase infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours |
| PTT 57-95 No change in rate, PTT in AM |
| PTT 96-105 Decrease infusion rate by 1 unit/kg/hr, repeat PTT in 6 hours |
| PTT 106-115 Stop drip for 60 minutes, decrease rate by 2 units/kg/hr, repeat PTT in 6 hours |
| PTT 116-125 stop drip for 60 minutes, decrease rate by 3 units/kg/hr, repeat PTT in 6 hours |
| PTT 126-135 Stop drip for 120 minutes, decrease rate by 4 units/kg/hr, repeat PTT in 6 hours |
| PTT greater than 135 Stop drip for 120 minutes, decrease rate by 5 units/kg/hr and contact provider, repeat PTT in 6 hours |
| |

CCU-306-FRM REV 6 10.5.22

Conway Medical Center

Conway, South Carolina

PHYSICIAN'S ORDERS Unfractionated Heparin Dosing

Center Patient Admission Label Here

| Physician's Signature | / | Time |
|-----------------------|---|----------|
| Nurse #1 Signature | / | Time |
| Nurse #2 Signature | / | Time |