

KUPC Phase 6 Specification

Job Posting & Discovery

Version 1.0 · July 17, 2026 · Status: Draft for sprint planning · Detailed milestone steps

Document Control

Field	Value
Project	KUPC — Kathmandu University Placement Connect
Phase	6 — Job Posting & Discovery
Depends on	Phase 2 (Auth), Phase 3B (jobs / saved_jobs schema & repos), Phase 5 (profiles + verified company)
Feeds into	Phase 7 — Swipe Engine; later Matching / Chat
Repos	kupc-backend + frontend (monorepo)
Audience	Backend engineers, frontend engineers, technical reviewers
References	Backend Spec v2.0 §7/§16; PHASE_3B_DOCUMENTATION.md; PHASE_5_DOCUMENTATION.md; frontend/INTEGRATION.md

1. Phase Goal

Turn the Phase 3 **jobs** and **saved_jobs** tables into a working product surface: verified companies can create and manage postings; students can discover open roles with search/filter, open a job detail page with company context, and save/unsave jobs. Replace the Phase 2 placeholder POST /jobs stub and the frontend mock Discover / Job Post / Saved screens with live API wiring.

Phase 2 answered: *Who is making this request?*

Phase 3 answered: *Where do jobs and saved bookmarks live?*

Phase 5 answered: *Who is this company, and are they verified?*

Phase 6 answers: *How does a company post a job, and how does a student find it?*

2. Why This Phase Now

- Backend Spec v2.0 listed Job Posting & Discovery as a high-priority phase; Profiles (shipped as Phase 5) were a prerequisite.
- `jobs.repository.ts` and `savedJobs.repository.ts` already exist — Phase 6 adds the HTTP module, not new tables.
- `requireVerifiedCompany` middleware already blocks pending companies from posting.
- Frontend Discover / Job Post / Saved screens are still mock (`// MOCK: Phase 6+`) — students and companies have no real job loop yet.
- Swipe / match (later phases) need real job IDs and an open-jobs feed to operate on.

2.1 Design decisions (locked)

Decision	Choice	Why
Module layout	Mirror <code>src/modules/resumes/</code> and <code>students/companies</code>	Same Controller → Service → Repository layering
Repositories	Reuse Phase 3B <code>jobsRepository / savedJobsRepository</code> ; extend for search/pagination	No ad-hoc <code>.from('jobs')</code> outside <code>src/database/</code>
HTTP naming	snake_case on the wire	Matches auth, profiles, resumes

Decision	Choice	Why
Posting gate	authenticate + authorize(COMPANY) + requireVerifiedCompany	Already tested in Phase 2 matrix
Default status	Create as draft; explicit publish → open	Avoids accidental public posts; matches product UX
Public feed	Only status = 'open' jobs; join approved company card	Students must not see drafts or pending-company posts
Ownership	Company may only mutate jobs where jobs.company_id matches their company row	Prevent cross-tenant edits
Pagination	Cursor or limit/offset (limit default 20, max 50)	Feeds will grow beyond seed volume

3. Milestone Overview

ID	Side	Title	Exit criterion (summary)
B1	Backend	Jobs module scaffold & contracts	Types/Zod/errors/routes replace stub; mount green
B2	Backend	Company job CRUD	Verified company create/list/update/publish/close/delete
B3	Backend	Student discovery feed	Open-job list + filters + public job detail
B4	Backend	Saved jobs API	Student save / unsave / list with job cards
B5	Backend	Swagger, hardening & test matrix	npm run test : phase6 green; phase5 still green
F1	Frontend	jobsApi + savedJobsApi	Typed clients call /api/v1/jobs
F2	Frontend	Company job posting UI	Live create/edit form replaces mock Job Post
F3	Frontend	Company manage jobs	List own jobs; publish/close/delete actions
F4	Frontend	Student discover feed	Live open jobs replace Discover mocks
F5	Frontend	Saved jobs wiring	Live save/unsave/list on Saved screen
F6	Frontend	Job detail + polish + docs	Detail page; loading/error; INTEGRATION.md

3.1 Out of scope

- Swipe engine, mutual match detection, conversations (Phase 7+)
- Applicant kanban / application status workflow
- pgvector recommendations / semantic ranking
- Admin job moderation UI
- Job attachments / rich media beyond text fields already on jobs
- Changing Phase 3 schema columns unless a documented gap is found (prefer repository extensions)

3.2 Suggested order

B1 → **B2** → **B3** → **B4** → **B5** on the backend. Frontend may start **F1** as soon as B1 contracts are stable, then **F2–F3** after B2, **F4–F5** after B3–B4, and finish with **F6**.

3.3 Existing assets (do not reinvent)

Asset	Location	Role in Phase 6
jobs table + indexes	Phase 3B migrations	Source of truth for postings
saved_jobs table	Phase 3B migrations	Bookmarks
jobsRepository	src/database/jobs.repository.ts	create / findById / listByCompany / listOpenForFeed / update / deleteById
savedJobsRepository	src/database/savedJobs.repository.ts	save / unsave / listByStudent / exists
requireVerifiedCompany	src/middleware/requireVerifiedCompany.ts	Gate all mutating company job routes
Placeholder route	src/routes/jobs.ts	Replace with real module router
Company public card	Phase 5 companies module	Embed on job detail / feed cards
Mock UI	frontend Discover / Job Post / Saved	Replace with live screens

4. API Contract (Backend)

All paths under `/api/v1`. Bearer JWT required unless noted. Responses use the existing envelope: `{ success, data, message, error }`.

4.1 Company job management

Method	Path	Auth	Description
POST	<code>/jobs</code>	Company + verified	Create job (default status draft)
GET	<code>/jobs/me</code>	Company + verified	List own jobs (all statuses)
GET	<code>/jobs/me/:id</code>	Company + verified	Own job detail (any status)
PATCH	<code>/jobs/me/:id</code>	Company + verified	Update fields (title, description, location, job_type, min_cgpa)
POST	<code>/jobs/me/:id/publish</code>	Company + verified	draft → open
POST	<code>/jobs/me/:id/close</code>	Company + verified	open → closed
DELETE	<code>/jobs/me/:id</code>	Company + verified	Delete own job (CASCADE cleans related rows)

4.2 Student discovery & saved jobs

Method	Path	Auth	Description
GET	<code>/jobs</code>	Student (or any auth)	Open-job feed; query: q, job_type, location, min_cgpa, limit, cursor/offset
GET	<code>/jobs/:id</code>	Authenticated	Public job detail if open; include company public card
POST	<code>/jobs/:id/save</code>	Student	Save / bookmark (idempotent upsert)
DELETE	<code>/jobs/:id/save</code>	Student	Unsave
GET	<code>/jobs/saved</code>	Student	List saved jobs with job + company summary

Route order: Register `/me`, `/saved`, and static paths **before** `/:id` so path segments are never captured as UUIDs.

4.2 DTO shapes (snake_case)

JobDto (owner / full):

```
{ "id", "company_id", "title", "description", "location", "job_type", "min_cgpa", "status",  
  "created_at", "updated_at" }
```

JobFeedCardDto (student feed): JobDto fields needed for cards + nested company summary:

```
{ ..., "company": { "id", "company_name", "logo_url", "industry", "website" }, "is_saved":  
  boolean }
```

CreateJobBody / UpdateJobBody (Zod):

```
title (2-120), description (20-10000), location optional, job_type in  
internship|full_time|part_time, min_cgpa 0-4 optional
```

4.3 Error codes (stable)

Code	HTTP	When
JOB_NOT_FOUND	404	Missing id, or student requesting non-open / foreign draft
JOB_FORBIDDEN	403	Company mutates another company's job
PENDING_VERIFICATION	403	Unverified company hits posting routes (existing)
INVALID_JOB_PAYLOAD	400	Zod validation failure
INVALID_JOB_TRANSITION	409	e.g. publish when already open; close when draft
JOB_ALREADY_SAVED	409	Optional — prefer idempotent 200 on save

Code	HTTP	When
SAVED_JOB_NOT_FOUND	404	Unsave when not saved

5. Backend Milestones — Detailed Steps

Follow the Phase 4/5 module layout: `src/modules/jobs/` with types, validation, service, controller, routes, mapper, errors, constants, index. Repositories remain the only table access path.

Milestone B1 — Jobs Module Scaffold & Contracts

Goal: Lock contracts and replace the Phase 2 placeholder router with a real module shell. **Depends on:** Phase 2 auth middleware, Phase 3B jobsRepository. **Does not include:** Full CRUD behavior (B2), feed filters (B3), saved jobs (B4).

Rationale

Without shared DTOs and Zod schemas, company CRUD and student feed invent incompatible shapes. Replacing `src/routes/jobs.ts` early prevents the stub from remaining the accidental source of truth.

Steps

1. Create folder `src/modules/jobs/` mirroring `students/resumes`.
2. Add `jobs.constants.ts`: `JobType`, `JobStatus` enums; `JOB_ERROR_CODES`.
3. Add `jobs.types.ts`: `JobDto`, `JobFeedCardDto`, `CreateJobInput`, `UpdateJobInput`, `JobListQuery`.
4. Add `jobs.validation.ts`: `createJobSchema`, `updateJobSchema`, `jobIdParamsSchema`, `feedQuerySchema`.
5. Add `jobs.errors.ts`: helpers returning `AppError` with stable codes.
6. Add `jobs.mapper.ts`: `JobRecord` → `JobDto`; feed mapper accepting optional company + `is_saved`.
7. Add thin `jobs.controller.ts` / `jobs.service.ts` stubs that throw 'Not implemented' only if needed — prefer implementing `create/list` in B2 immediately after scaffold.
8. Add `jobs.routes.ts` with `authenticate` on all routes; mount path order documented.
9. Export from `index.ts`; change `src/routes/index.ts` to import `jobsRouter` from `modules/jobs` (delete or gut placeholder `src/routes/jobs.ts`).
10. Document contracts in this spec §4; prepare Swagger stubs for B5.

Files expected to change / create

- Create: `src/modules/jobs/*` (constants, types, validation, errors, mapper, service, controller, routes, index)
- Modify: `src/routes/index.ts` (import path)
- Remove or deprecate: `src/routes/jobs.ts` placeholder

Exit checklist

#	Criterion	Done when
1	Module folder exists	<code>src/modules/jobs/*</code> scaffold present
2	Placeholder replaced	<code>POST /jobs</code> no longer returns <code>placeholder-job-id</code>
3	Auth gates wired	Unauthenticated → 401; student POST → 403
4	Contracts typed	<code>JobDto</code> / Zod schemas match §4

Milestone B2 — Company Job CRUD

Goal: Verified companies can create, list, update, publish, close, and delete their own jobs. **Depends on:** B1, `companiesRepository.findById`, `requireVerifiedCompany`.

Rationale

Posting is the company half of the marketplace. Draft-then-publish prevents incomplete descriptions from appearing in the student feed. Ownership checks are mandatory because `company_id` is not the same as auth user id (`companies.id` $\neq$ `users.id`).

Steps

1. In service helpers: `resolveCompanyId(userId)` via `companiesRepository.findById`; throw `COMPANY_NOT_FOUND` / `PENDING` handled by middleware.
2. Implement `createJob`: `map body → jobsRepository.create({ companyId, ..., status: 'draft' });` return `JobDto`.
3. Implement `listMine`: `jobsRepository.listByCompany(companyId)`.
4. Implement `getMine(jobId)`: `findById`; if null or `company_id` mismatch $\rightarrow$ `JOB_NOT_FOUND` / `JOB_FORBIDDEN`.
5. Implement `updateMine`: only allowed fields; never allow changing `company_id`; status changes only via `publish/close` endpoints.
6. Implement `publish`: only draft $\rightarrow$ open; else `INVALID_JOB_TRANSITION`.
7. Implement `close`: only open $\rightarrow$ closed; else `INVALID_JOB_TRANSITION`.
8. Implement `deleteMine`: ownership check then `jobsRepository.deleteById`.
9. Wire routes with `authorize(Role.COMPANY)` + `requireVerifiedCompany` on all `/me*` mutating and listing routes.
10. Manual smoke: approved company creates draft $\rightarrow$ publish $\rightarrow$ appears conceptually as open; pending company gets 403 `PENDING_VERIFICATION`.

Files expected to change

- Modify: `src/modules/jobs/jobs.service.ts`, controller, routes
- Possibly extend: `src/database/jobs.repository.ts` if update needs partial-null clearing
- Tests (later B5): `src/__tests__/phase6.jobs.crud.test.ts`

Exit checklist

#	Criterion	Done when
1	Create draft	POST <code>/jobs</code> $\rightarrow$ 201 with status draft
2	List own	GET <code>/jobs/me</code> returns only this company's jobs
3	Ownership	Company B cannot PATCH/DELETE company A's job
4	Publish/close	Valid transitions 200; invalid $\rightarrow$ 409
5	Verification gate	Pending company $\rightarrow$ 403 <code>PENDING_VERIFICATION</code>

Milestone B3 — Student Discovery Feed

Goal: Authenticated students (and other roles) can list open jobs with filters and open a public job detail that includes an approved company card. **Depends on:** B2 (open jobs exist), Phase 5 company public mapper.

Rationale

Discover is the student half of the marketplace. Filtering by `job_type` / `location` / `min_cgpa` / text search makes the Phase 3 indexes useful. Embedding a company summary avoids N+1 frontend calls to GET `/companies/:id` for every card.

Steps

1. Extend `jobsRepository` with `listOpenFiltered({ q, jobType, location, minCgpa, limit, offset })` — keep SQL/filters inside repository.
2. Service `listFeed(viewer)`: call repository; for each job load company (batch by `company_ids`); skip non-approved companies defensively; map `JobFeedCardDto`; set `is_saved` via `savedJobsRepository.exists` when viewer is student.

3. Service `getPublic(jobId)`: `findById`; if `status !== 'open'` → `JOB_NOT_FOUND`; load company; if not approved → `JOB_NOT_FOUND`; return detail DTO.
4. Routes: `GET /` and `GET /:id` with `authenticate`; authorize `STUDENT` for feed preferred, or any authenticated role (document choice — recommend any authenticated for admin preview, student for save flags).
5. Validate query params with `feedQuerySchema` (coerce numbers; clamp limit).
6. Manual smoke: publish a job → `GET /jobs` returns it → `GET /jobs/:id` includes `company_name` / `logo_url`.

Files expected to change

- Modify: `src/database/jobs.repository.ts` (filtered list)
- Modify: `src/modules/jobs/jobs.service.ts`, `mapper`, `validation`, `routes`
- Reuse: `companiesRepository.findById` / Phase 5 public card fields

Exit checklist

#	Criterion	Done when
1	Open only	Draft/closed jobs never appear in <code>GET /jobs</code>
2	Filters	<code>job_type</code> / <code>q</code> / location change result set
3	Detail	<code>GET /jobs/:id</code> returns company summary for open jobs
4	404 hygiene	Unknown id or draft id → 404 <code>JOB_NOT_FOUND</code> (no leak)

Milestone B4 — Saved Jobs API

Goal: Students can bookmark open jobs and list bookmarks. **Depends on:** B3 (public job existence checks), savedJobsRepository.

Rationale

Saved jobs are already modeled and seeded in Phase 3B. Wiring them unblocks the frontend Saved screen and gives Discover a heart/bookmark control without inventing client-only state.

Steps

1. Service save(studentUserId, jobId): ensure job is open; resolve student profile id (students.id === users.id in this schema); savedJobsRepository.save; return { saved: true }.
2. Service unsave: savedJobsRepository.unsave; 404 if not exists (or idempotent 200 — pick one and document; recommend idempotent).
3. Service listSaved: listByStudent; hydrate jobs + companies into JobFeedCardDto[]; drop rows whose job was deleted/closed (or show closed badge — prefer filter closed).
4. Routes: POST/DELETE /jobs/:id/save and GET /jobs/saved with authorize(Role.STUDENT); register /saved before /:id.
5. Optional repo helper: listByStudentWithJobs join — only if N+1 becomes painful; otherwise hydrate in service for B4.

Files expected to change

- Modify: jobs.service / routes / mapper
- Possibly extend: src/database/savedJobs.repository.ts
- Tests: src/__tests__/phase6.saved.test.ts

Exit checklist

#	Criterion	Done when
1	Save open job	POST → 200; row in saved_jobs
2	Cannot save draft	404/400 with stable code
3	List	GET /jobs/saved returns hydrated cards
4	Unsave	DELETE removes bookmark
5	Role gate	Company JWT cannot save (403)

Milestone B5 — Swagger, Hardening & Test Matrix

Goal: Document every Phase 6 endpoint in OpenAPI, harden validation/CORS/route order, and ship a green test:phase6 suite without regressing Phase 4/5.

Rationale

Phase 4 and 5 used a final matrix milestone so contracts stay honest. Job posting touches verification, ownership, and public/private status — regressions here break trust in the marketplace.

Steps

1. Extend src/config/swagger.ts with JobDto schemas and all §4 paths (security + examples).
2. Confirm Zod .strip().strict() on bodies; unknown keys cannot set status via PATCH.
3. Confirm CORS allows Vite origins used in local dev (5173/5174) — already updated in Phase 5 hotfix; keep listed.
4. Add src/__tests__/phase6.*.test.ts: crud, feed filters, saved jobs, swagger presence, matrix file listing module files.
5. Add npm script test:phase6 in package.json.
6. Write documentation/PHASE_6_DOCUMENTATION.md as milestones complete (implementation log, like Phase 5).
7. Run npm run test:phase5, test:phase4, and typecheck — all green.

Files expected to change

- Modify: swagger.ts, package.json
- Create: phase6 test files + PHASE_6_DOCUMENTATION.md

Exit checklist

#	Criterion	Done when
1	OpenAPI	All Phase 6 paths visible at /api/docs
2	test:phase6	Jest suite green in CI/local
3	No regressions	phase4 + phase5 scripts still green
4	Docs	PHASE_6_DOCUMENTATION.md started/updated

6. Frontend Milestones — Detailed Steps

Build on Phase 5 patterns: typed clients in `src/lib/api/`, screens under `src/app/screens/`, react-router + RoleGate, ErrorBanner / LoadingSpinner / EmptyState.

Milestone F1 — jobsApi & savedJobsApi

Goal: Typed API clients matching §4 contracts. **Depends on:** B1 contracts stable (can stub until B2/B3 land).

Rationale

Phase 5 proved that screens stay thin when fetch logic lives in `lib/api`. Job screens must not re-implement token headers or envelope parsing.

Steps

1. Add `JobDto` / `JobFeedCardDto` / `CreateJobInput` types to `src/lib/api/types.ts`.
2. Create `jobsApi.ts`: `create`, `listMine`, `getMine`, `updateMine`, `publish`, `close`, `remove`, `listFeed`, `getById`.
3. Create `savedJobsApi.ts` or methods on `jobsApi`: `save`, `unsave`, `listSaved`.
4. Export from `src/lib/api/index.ts`.
5. Map new error codes in `errorMessages.ts` (`JOB_NOT_FOUND`, `PENDING_VERIFICATION`, `INVALID_JOB_TRANSITION`, ...).

Files expected to change

- Create: `jobsApi.ts` (+ optional `savedJobsApi.ts`)
- Modify: `types.ts`, `index.ts`, `errorMessages.ts`

Exit checklist

#	Criterion	Done when
1	Clients export	<code>jobsApi</code> callable from screens
2	Types compile	<code>tsc --noEmit</code> clean for new files
3	Errors mapped	User-facing strings for Phase 6 codes

Milestone F2 — Company Job Posting UI

Goal: Replace mock Job Post screen with live create (and edit) against `POST/PATCH /jobs`. **Depends on:** B2, F1, RoleGate COMPANY.

Rationale

Companies need a real path from dashboard → post a role. Draft-first UX matches backend defaults and avoids publishing incomplete posts.

Steps

1. Extract/create `src/app/screens/JobPostPage.tsx` from prototype Job Post UI.
2. Wire form submit → `jobsApi.create`; show `ErrorBanner` on failure (especially `PENDING_VERIFICATION`).
3. After create, navigate to manage list or detail; offer `Publish` button calling `jobsApi.publish`.
4. Support edit mode via route param when `GET /jobs/me/:id + PATCH`.
5. Keep visual language consistent with `CompanyProfilePage` (no new design system).

Files expected to change

- Create/Modify: `JobPostPage.tsx`
- Modify: `App.tsx` routes (`/app/job-post`), `prototypeScreens.tsx` (remove/replace mock)

Exit checklist

#	Criterion	Done when
1	Create works	Approved company creates draft visible via API
2	Pending blocked	Clear message when verification pending
3	Validation errors	Inline / banner from API codes

Milestone F3 — Company Manage Jobs

Goal: Company can see all own jobs and publish / close / delete from a list. **Depends on:** B2, F2.

Rationale

Without a manage list, drafts are stranded after create. Closing jobs is required when a role is filled so they leave the student feed.

Steps

1. Add CompanyJobsPage (or section on company dashboard) calling jobsApi.listMine.
2. Actions: Publish (draft), Close (open), Edit, Delete with confirm.
3. EmptyState when no jobs; LoadingSpinner while fetching.
4. Link from CompanyDashboard quick actions.

Exit checklist

#	Criterion	Done when
1	List live	Shows statuses draft/open/closed
2	Transitions	Publish/close update UI without full reload bugs
3	Delete	Removes row after confirm

Milestone F4 — Student Discover Feed (Live)

Goal: Replace mock Discover cards with GET /jobs feed. **Depends on:** B3, F1.

Rationale

Discover is the primary student job surface. Keeping swipe gestures as visual chrome is fine, but the underlying cards must be real open jobs — swipe persistence itself is Phase 7.

Steps

1. Create/update DiscoverPage to fetch jobsApi.listFeed on mount.
2. Add filter controls: job_type, location text, optional min_cgpa, search q.
3. Render company logo/name from nested company object.
4. Bookmark control → jobsApi.save / unsave; optimistic UI optional.
5. EmptyState when no open jobs; ErrorBanner on failure.
6. Mark remaining swipe-only behavior with // MOCK: Phase 7 if still local-only.

Files expected to change

- Modify: Discover route component (prototypeScreens or new screens/DiscoverPage.tsx)
- Modify: App.tsx if route element changes

Exit checklist

#	Criterion	Done when
1	Live cards	Published jobs appear after refresh
2	Filters work	Query params change results
3	Mocks scoped	No hardcoded COMPANY seed cards for feed data

Milestone F5 — Saved Jobs Wiring

Goal: Saved screen uses GET /jobs/saved and can unsave. **Depends on:** B4, F4 bookmark control.

Rationale

Phase 5 left Saved as mockSavedJobs. Students expect bookmarks to survive reload — that requires the API.

Steps

1. Replace mockSavedJobs usage with jobsApi.listSaved.
2. Unsave button → DELETE /jobs/:id/save; remove from list.
3. Click-through to job detail (F6) or company public profile.
4. Delete or quarantine mockSavedJobs.ts once unused.

Exit checklist

#	Criterion	Done when
1	List persists	Reload still shows bookmarks
2	Unsave works	Row disappears and feed is_saved updates
3	Mock removed	No import of mockSavedJobs in live route

Milestone F6 — Job Detail, Polish & Documentation

Goal: Job detail page, consistent loading/error/empty states, update INTEGRATION.md, and finish PHASE_6_DOCUMENTATION.md. **Depends on:** F2–F5.

Rationale

Feed cards are not enough for decisions — students need full description + company context. Documentation keeps the monorepo operable for the next teammate (same standard as Phase 5 F8).

Steps

1. Add JobDetailPage at /app/jobs/:id (or modal) using jobsApi.getById.
2. Show save toggle, company card link to public company profile when approved.
3. Audit Discover / Job Post / Saved / Manage for LoadingSpinner, ErrorBanner, EmptyState.
4. Update frontend/INTEGRATION.md live-vs-mock table (Discover/Saved/Job Post → Live).
5. Update frontend/README.md phase status.
6. Complete kupc-backend/documentation/PHASE_6_DOCUMENTATION.md with decisions + exit evidence.
7. Manual smoke checklist end-to-end (see §7).

Exit checklist

#	Criterion	Done when
1	Detail page	Open job renders full description + company
2	UX polish	No raw failed-to-fetch without ErrorBanner
3	Docs updated	INTEGRATION.md + PHASE_6_DOCUMENTATION.md
4	Mock labels	Swipe/chat/kanban still marked Phase 7+

7. Phase 6 Exit Checklist (Whole Phase)

#	Criterion	Owner
1	B1–B5 complete; npm run test:phase6 green	Backend
2	Swagger documents all Phase 6 job endpoints	Backend
3	Verified company: create draft → publish → appears in student feed	Both
4	Pending company cannot POST /jobs (403 PENDING_VERIFICATION)	Backend
5	Student feed filters + job detail with company card	Both
6	Save / unsave / list saved persists across reload	Both
7	Company can close/delete own jobs; cannot mutate others'	Backend
8	Frontend Discover / Job Post / Saved no longer use mock job data	Frontend
9	INTEGRATION.md + PHASE_6_DOCUMENTATION.md written	Both
10	test:phase4 and test:phase5 still green; tsc clean	Both

7.1 Manual smoke script

1. Approve a company in Supabase (or admin flow) so requireVerifiedCompany passes.
2. Company login → Job Post → create role → Publish.
3. Student login → Discover → see the job → open detail → Save.
4. Open Saved → confirm job → Unsave → confirm gone.
5. Company Manage → Close job → student feed no longer lists it.
6. Pending company account → Job Post submit → clear pending-verification error.

8. Phase 7 Preview — Swipe Engine

After Phase 6, implement transactional swipe recording on open jobs (swipes table already exists), dedupe, optional undo window, and prepare mutual-right detection for the Matching phase. Discover UI swipe gestures become persistent API calls instead of local-only mock state.

End of KUPC Phase 6 Specification · Generated July 17, 2026 · Implement milestones in order; update PHASE_6_DOCUMENTATION.md as each milestone ships.