```
Parsed Rules
```

(47) type → STRING

```
program → prolog FUNC func_list_pre MAIN '(' ')' '{' EOL body '}' EOL func_list EOF
     prolog → PACKAGE MAIN EOL
(3) func_list_pre → ε
(4) func_list_pre → FUNC_ID '(' param_list ')' func_def_type EOL FUNC func_list_pre
(5) func_list \rightarrow \epsilon
(6) func_list → func_def func_list
(7) func_def → FUNC FUNC_ID '(' param_list ')' func_def_type EOL
(8) param_list \rightarrow \varepsilon
(9) param_list → VAR_ID type next_param
(10) next_param \rightarrow \epsilon
(11) next_param → ',' VAR_ID type next_param
(12) func_def_type → '{' EOL body '}'
(13) func_def_type → '(' func_def_ret
(14) func_def_ret → ')' '{' EOL body '}'
(15) func_def_ret → ret_list ')' '{' EOL body RETURN expr_list '}'
(16) ret_list → type next_ret
(17) next_ret \rightarrow \epsilon
(18) next_ret → ',' type next_ret
(19) body → E
(20) body → command EOL body
(21) command → VAR_ID var_
(22) command → if
(23) command → cycle
(24) command → func_call
(25) var_ → var_def
(26) var_ → var_move
(27) var_def \rightarrow ':=' EXPR
(28) var move → next id '=' expr list
(29) next_id \rightarrow \epsilon
(30) next_id → ',' VAR_ID next_id
(31) if → IF COND '{' EOL body '}' ELSE '{' EOL body '}'
(32) cycle → FOR for_def ';' COND ';' for_move '{' EOL body '}'
(33) for_def → ε
(34) for_def → VAR_ID var_def
(35) for_move \rightarrow \varepsilon
(36) for move → VAR ID var move
(37) return → RETURN ret
(38) ret → ε
(39) ret → expr_list
(40) func_call → FUNC_ID '(' expr_list ')'
(41) expr_list → EXPR next_expr
(42) expr_list → func_call
(43) next_expr → ε
(44) next_expr → ',' EXPR next_expr
(45) type → INT
(46) type \rightarrow FLOAT64
```