

CLAUDE.md

This file provides guidance to Claude Code (claude.ai/code) when working with code in this repository.

Security Rules

- You are strictly confined to the current directory.
- Never attempt to read or write files outside of this folder.
- Do not use absolute paths (e.g., C:...).
- If a task requires accessing external data, ask the user for permission or to provide the file.

Project Overview

This is a project to create a webpage simulating the user's income in a scenario with global policies towards sustainable convergence, based on Chancel et al. (2026) and Bothe et al. (2026), both part of the Global Justice Report.

Data sources

Data was fetched on May 24, 2026:

- Chancel et al. (2026): <https://wseed.world/data.html>
- Bothe et al. (2026): <https://wid.world/document/replication-package-working-paper-2026-11/>

Workflow / Pipeline

Key Data Files

- global income distribution in different scenarios, years, and countries:
Chanceletal2026Appendix_MacroScenarios > sheets A
- within-country income and wealth distributions: Botheetal2026AppendixDistribution > sheets I and K. (-
global sectoral composition of GNE in different scenarios, years, and countries:
Chanceletal2026Appendix_MacroScenarios > sheets G
- global temperature in different scenarios and years: Chanceletal2026Appendix_Emission_Output >
sheets SC/PI/PC)

R Code Style

- Always start an R session by running `.Rprofile` and loading `.RData` before running any script. These provide shared utility functions and pre-loaded objects used throughout.
- Use `snake_case` for all variable and function names.
- Always use the native pipe `|>` (R 4.1+), never `%>%`.
- Prefer compact, single-line expressions where readable.
- Document functions with roxygen2 style.
- Explicitly handle `NA` values.

Key Rules

- Never read or modify `.RData` files or any file listed in `.gitignore`.
- Before writing 500+ lines of code, provide a summary of the logic first.
- After completing a TODO item, tick its checkbox in `TODO.md`.
- When referencing `@Folder`, analyze files to ensure consistency between the cleaning script and the analysis script.
- Don't compile `.tex` files in `/papers` but in `papers/build/`: there should be no auxiliary files in `/papers`.