

1. Select the memory component from which memory may be allocated for: Session memory for the shared server buffers for I/O slaves Oracle Database Recovery Manager (RMAN) backup and restore operations

- A. Redo Log Buffer
- B. Database Buffer Cache
- C. Program Global Area (PGA)
- D. Large Pool

Answer: D. Large Pool

2. SQL> CREATE TABLE orders(oid NUMBER(6) PRIMARY KEY, odate DATE, cdate NUMBER(6), oamt NUMBER(10,2)) TABLESPACE USERS; Which two statements are true about the effect of the above command? (Choose two.)

- A. A CHECK constraint is created on the OID column
- B. The ORDER table is the only object created in the USERS database
- C. A NOT NULL constraint is created on the OID column
- D. The ORDER table and a unique index are created in the USERS database
- E. The ORDER table is created in the USERS tablespace and a unique index is created on the OID column in the SYSTEM tablespace

Answer: C and D

(C: PRIMARY KEY implies NOT NULL constraint; D: Both the table and the unique index for the primary key are created in the USERS tablespace)

3. If you perform a clean shut down of the database instance for maintenance, you mount the database and then execute a command to open the database: SQL> ALTER DATABASE OPEN; Which two statements are true? (Choose two.)

- A. The online redo log files and online data files are opened
- B. The path and existence of all the log file members are checked before opening the correct statement
- C. Instance recovery is performed before opening the database
- D. All the online data files headers are checked for consistency

Answer: A and D

(With clean shutdown, no instance recovery is needed; data file headers are checked for consistency)

4. Identify the statements that are true regarding undo tablespaces? (Choose two.)

- A. The UNDO_TABLESPACE parameter is valid in both automatic and manual undo management
- B. The database can have more than one undo tablespace
- C. Undo segments automatically grow and shrink as needed, acting as circular storage buffer for their assigned transactions

D. An undo tablespace is automatically created if the UNDO_TABLESPACE parameter is not set and the UNDO_MANAGEMENT parameter is set to AUTO during the database instance start up

Answer: B and D

(Database can have multiple undo tablespaces but only one active; Oracle auto-creates an undo tablespace if none exists and AUTO is set)

5. Select three statements that are correct about temporary tables? (Choose three.)

- A. Both the data and structure of temporary tables can be exported
- B. The data stored into a temporary table in a session is available to other sessions
- C. Temporary tables are always created in a user's temporary tablespace
- D. Indexes and views can be created on temporary tables
- E. Data Manipulation Language (DML) locks are never acquired on the data of temporary tables

Answer: C, D, and E

(Temporary tables are created in temporary tablespace; indexes/views can be created; DML locks are not acquired)

6. What is the memory region that contains data and control information for a background process?

- A. PGA
- B. Shared pool
- C. Large Pool
- D. SGA

Answer: D. SGA

(Background processes access SGA, not PGA)

7. If you want to install Oracle Grid Infrastructure and Oracle Database Without any mandatory tasks must be completed before you perform these installations? (Choose two.)

- A. Setting the ORACLE_SID environment variable
- B. Creating an operating system user to be the owner of the Oracle installation
- C. Creating the Oracle Inventory and OSDBAs groups in the operating system

Answer: B and C

(OS user and groups are mandatory pre-installation tasks)

8. During the creation of the ORACLE_BASE environment variable to an existing directory

- A. Setting the ORACLE_SID environment variable
- B. Creating an operating system user to be the owner of the Oracle installation
- C. Creating the Oracle Inventory and OSDBAs groups in the operating system

Answer: This question appears incomplete/corrupted. Cannot provide accurate answer.

9. In setting the ORACLE_SID environment variable

- A. The ORACLE_HOME environment variable is used
- B. The ORACLE_BASE environment variable is used
- C. The ORACLE_OCM environment variable is used
- D. The ORACLE_DBMS environment variable is used

Answer: This question appears incomplete/corrupted. Cannot provide accurate answer.

10. You cannot create a new user with the following privileges:

- A. Create a new user
- B. Modify the password of an existing user
- C. Grant the SELECT privilege to a new user
- D. Grant the INSERT privilege to a new user

Answer: Question appears incomplete/corrupted. Cannot provide accurate answer.

11. When creating a new user, you should ensure that the user has sufficient privileges to perform the required tasks.

- A. The user must have the necessary privileges to perform the required tasks
- B. The user must have the necessary privileges to perform the required tasks and the user must also have the necessary privileges to perform the required tasks

Answer: Question appears incomplete/corrupted with duplicate text. Cannot provide accurate answer.

12. Which of the following is true about the Oracle Database Configuration Assistant?

- A. It is a graphical tool for configuring the Oracle Database
- B. It is a command-line tool for configuring the Oracle Database
- C. It is a web-based tool for configuring the Oracle Database

Answer: A. It is a graphical tool for configuring the Oracle Database

13. Which of the following is true about the Oracle Database Configuration Assistant?

- A. It is a graphical tool for configuring the Oracle Database
- B. It is a command-line tool for configuring the Oracle Database
- C. It is a web-based tool for configuring the Oracle Database

Answer: A. It is a graphical tool for configuring the Oracle Database

14. Which of the following is true about the Oracle Database Configuration Assistant?

- A. It is a graphical tool for configuring the Oracle Database
- B. It is a command-line tool for configuring the Oracle Database
- C. It is a web-based tool for configuring the Oracle Database

Answer: A. It is a graphical tool for configuring the Oracle Database

15. Which of the following is true about the Oracle Database Configuration Assistant?

- A. It is a graphical tool for configuring the Oracle Database
- B. It is a command-line tool for configuring the Oracle Database
- C. It is a web-based tool for configuring the Oracle Database

Answer: A. It is a graphical tool for configuring the Oracle Database

E. The Oracle server dynamically generates the necessary statistics on tables as part of query optimization.

Answer: This appears to be part of an incomplete question. Cannot provide accurate answer.

12. What is read in the Database Buffer Cache from the data files

- A. Blocks
- B. Caches
- C. Data
- D. Buffers

Answer: A. Blocks

(Oracle reads data in blocks from data files into buffer cache)

13. If the automatic Shared Memory Management is disabled for your database instance and you realize that there are cases of SQL statements performing poorly because of repeated parsing activity, resulting in degradation of performance. What would be your next step to improve performance?

- A. Run the SQL Access Advisor
- B. Run the memory Advisor for the SGA
- C. Run the memory Advisor for the PGA
- D. Run the memory advisor for the shared pool

Answer: D. Run the memory advisor for the shared pool
(Repeated parsing indicates shared pool/library cache issues)

F. Krun the memory advisor for the buffer cache

Answer: This appears to be a corrupted/misplaced option. Cannot provide accurate answer.

14. For which situation may the UNDO_RETENTION parameter be ignored, even if it is set to a value?

- A. When the data file of the undo table space is autoextensible
- B. When the undo table space is of a fixed size and retention guarantee is not enabled
- C. When there are more than one undo table space available in the database
- D. When the undo table space is autoextensible and retention guarantee is not enabled

Answer: B. When the undo table space is of a fixed size and retention guarantee is not enabled

15. Given the following structures in your database: i. Extents ii. OS blocks iii. Tablespace iv. Segments v. Oracle database Which option has the correct arrangement of these structures from smallest to largest?

- A. i, ii, v, iii, vi
- B. i, ii, iii, vi, v
- C. v, ii, i, iii, vi
- D. ii, i, v, vi, iii

Answer: D. ii, i, iv, iii, v (Note: The options in the question appear corrupted. The correct order is: OS blocks → Extents → Segments → Tablespace → Oracle Database)

16. If a user session was terminated abnormally in the middle of a transaction. What does Oracle database do to recover it?

- A. Uses undo data for roll forward
- B. Uses undo data to roll back the transaction
- C. Uses SMON to perform instance recovery
- D. Uses online redo logs to roll back transaction
- E. Uses Flashback Log for recovery

Answer: B. Uses undo data to roll back the transaction

(PMON performs transaction recovery using undo)

17. Using an external table, which two operations can be performed on it? (Choose two.)

- A. Create an index on the table
- B. Create a view on the table
- C. Add a virtual column to the table
- D. Create an image of the table
- E. Create a synonym on the table

Answer: B and E

(Views and synonyms can be created on external tables; indexes cannot)

18. The Process monitor process:

- A. Writes a redo log buffer to a redo log file
- B. Automatically resolves all in-doubt transactions
- C. Performs process recovery when user a process fails
- D. Performs recovery at instance startup

Answer: C. Performs process recovery when a user process fails

19. If you have recently collected statistics on certain objects of a schema in your database. But you observe suboptimal execution plans for the queries on these objects after two days of statistics collection. The optimizer statistics retention period is set to its default value. Which action would help to use the previous set of statistics on the objects?

- A. Restore statistics from statistics history.
- B. Reduce the optimizer statistics retention period by 4 days.
- C. Set the OPTIMIZER_PENDING_STATISTICS parameter to false.
- D. Reduce the Automatic Workload Repository (AWR) retention period by 1 day.

Answer: A. Restore statistics from statistics history

20. Select two statements which are true regarding listeners? (Choose two.)

- A. Listeners use only the TCP/IP protocol.
- B. Multiple listener processes can run simultaneously on a host.
- C. The listener-related errors can be traced only at the administrative level.
- D. Only one database instance can be registered with a single listener at any time.
- E. Multiple database instances can be registered with a single listener.

Answer: B and E

(Multiple listeners can run on one host; multiple instances can register with one listener)

21. Regarding the server parameter file select two true statements? (Choose two.)

- A. An SPFILE cannot contain static parameters
- B. An SPFILE can not store changes persistently across instance restarts
- C. An SPFILE is a binary file
- D. An SPFILE can be read by the database server, but it is not written to by the server
- E. An SPFILE cannot reside on a client

Answer: C and E

(SPFILE is binary and resides on the server, not client)

22. SQL>ALTER USER bh ACCOUNT LOCK; Which statement is true after the command is executed?

- A. The other users can access the objects owned by the BIH user, on which they have access
- B. The BIH user can log in to the database instance
- C. The objects owned by the BIH user are not accessible to any user
- D. The password for the BIH user expires and the user is forced to change the password at the next log in

Answer: A. The other users can access the objects owned by the BIH user, on which they have access

(Locking account prevents login but doesn't revoke existing privileges on objects)

23. Select 2 statements that correctly describe the relation between logical database and the data file structures? (Choose two.)

- A. Segment cannot spread across data files.
- B. A data file can belong to only one tablespace.
- C. A data file can have only one segment created.
- D. A data block can spread across multiple data files as it can consist of multiple operating system (OS) blocks.
- E. An extent cannot spread across data files.

Answer: B and E

(Data file belongs to one tablespace; extent cannot span data files)

24. Due to power failure in your quarter, an instance abnormally terminates. Which statement is true about redo log files during instance recovery?

- A. All redo log entries after the last checkpoint are applied from redo log files to data files
- B. Inactive and current redo log files are required to accomplish recovery
- C. Online and archived redo files are required to accomplish instance recovery
- D. All redo log entries recorded in the current log file until the checkpoint position are applied to data files

Answer: A. All redo log entries after the last checkpoint are applied from redo log files to data files

25. ASM file is accessed by which type of instances?

- A. RDBMS instances only
- B. ASM instance only
- C. Both RDBMS & ASM instances
- D. None

Answer: C. Both RDBMS & ASM instances

26. Paul executes the following command to drop a table in your database: SQL>DROP TABLE trans; While the drop table operation is in progress; Mary executes the following command on the same table: SQL>DELETE FROM trans WHERE tr_type='SL'; Which statement is true regarding the DELETE command?

- A. It fails to delete the records because the records are locked in the SHARE mode.
- B. It fails to delete the record because the table is locked in EXCLUSIVE mode.
- C. It deletes the rows successfully because the table is locked in the SHARE mode.
- D. It deletes the rows successfully because the table is locked in SHARE ROW EXCLUSIVE mode.

Answer: B. It fails to delete the record because the table is locked in EXCLUSIVE mode

(DROP TABLE acquires an exclusive lock on the table)

27. The database is open and the LISTENER listener is running. Another DBA of the system stops the listener by using the command: LSNRCTL>STOP What happens to the sessions that are presently connected to the database instance?

- A. The sessions are able to perform only queries
- B. The sessions are terminated and the active transactions are rolled back

- C. The sessions are not allowed to perform any operations till the listener is started
- D. The sessions are not affected and continue to function normally

Answer: D. The sessions are not affected and continue to function normally

(Listener is only for new connections; existing sessions continue unaffected)