## G94-P545-A01 - GDDR3, DVI/VGA + DVI/VGA + Display port + HDMI

sec	u	VARIANT	NVPN	ASSEMBLY	
г	В	BASE	600-10545-base-100	P545 BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL	
	1	SKU9100	600-10545-9100-100	G94-400 650MHz/1000MHz 512MB 16Mx32 BGA136 GDDR3, DVI-I-DL+DVI-I-DL+DTV-Out (Bring Up SKU)	
1	2	SKU0000	600-10545-0000-100	G94-400 650MHz/1000MHz 512MB 16Mx32 BGA136 GDDR3, DVI-I-DL+DVI-I-DL+HDTV-Out	
	3	SKU0010	600-10545-0010-100	G94:300 500MHz/800MHz 512MB 16Mx32 BGA136 GDDR3, DVI-I-DL+DTVI-Out	
1	4	SKU0020	600-10545-0020-100	G94-200 500MHz/800MHz 384MB 16Mx32 BGA136 GDDR3, DVI-I-DL+DDVI-I-DL+HDTV-Out	
	5	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
1	6	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
1	7	<undefined></undefined>	<undefined></undefined>	«UNDEFINED»	
1	8	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
1	9	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
10	1	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
11		<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
12	2	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
13	3	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
14	:	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	
15	5	<undefined></undefined>	<undefined></undefined>	«UNDEFINED»	
_					

## Table of Contents:

Page 1: Overview

Page 2: PCI Express

Page 3: MEMORY: GPU Partition A/B Page 4: MEMORY: GPU Partition C/D

Page 5: FBA Partition

Page 6: FBA Partition Decoupling

Page 7: FBB Partition

Page 8: FBB Partion Decoupling

Page 9: FBC Partition

Page 10: FBC Partition Decoupling

Page 11: FBD Partition

Page 12: FBD Partition Decoupling

Page 13: FB Net Properties Page 14: DACA Interface

Page 15: DACC Interface

Page 16: IFP A/B Interface -- DVI Connector South

Page 17: IFP C/D Interface -- DVI Connector MID

Page 18: IFP E/F Interface -- Unused

Page 19: DACB and HDTV/SDTV-Out Page 20: MIO A/B Interface

Page 21: MISC: GPIO, I2C, ROM, HDCP, and XTAL

Page 22: Strap Configuration

Page 23: PWR and GND Signals

Page 24: NVVDD and FBVDDQ Decoupling

Page 25: SPDIF Input, Backdrive Protection, and IFP\_IOVDD Power Supply

Page 26: PS I: 3V3, 12V, and 12V EXT Power Supply Filter

Page 27: PS II: PEX\_VDD, IFP\_PLLVDD, 2V5, 5V, and DDC\_5V Power Supply

Page 28: PS III: FBVDDQ Power Supply

Page 29: PS IV: NVVDD VID Control

Page 30: PS V: NVVDD Power Supply Page 31: Thermal Diode and Fan Control

Page 32: Thermal, Mechanical, and Bracket

Page 33: FBA -1Partition

Page 34: FBB-1 Partition

Page 35: FBC-1 Partition Page 36: FBD-1 Partition V145-0A Base on V135-100 and P545

1.PAGE21: Remove HD Audio circuit.

2.PAGE19: Remove DACB HDTV circuit.

3.PAGE18: Modify DP\_Power circuit and AUX channel circuit

4.PAGE 27:Phase adjustment by loading circuit

5.PAGE15: Remove DACC D-Sub connector

6.PAGE16,17: Add J5 Dual DVI connector

7.PAGE 25 add Optical Spidf in connector.

8.PAGE 28 Change FBVDD power solution to UP6205 and PEX\_VDD to UP7706

9.PAGE 29 add Winbond W83L786G Hardware monitor

10.PAGE 30 Change NVVDD power solution to ISL6334

PAGE DETAIL

ALL MIGHO DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPHRATELY, MATERIALS) ARE SEING PROVIDED XS IS: THE MATERIALS MAY CONTAIN MOINT AND INCOMING AND INCOMING OTHERWISE WITH RESPECT TO THE MATERIALS OR OTHERWISE, AND EXPERSELY DISCLAMS ALL MINELD WARRANTES INCLUDING, WITHOUT LIAITATION, THE WARRANTES OF DESIGN, OF NONINFROSEIRM, MAY MATERIAL STREAM ADDRESS OR A PARTICULAR PROVIDE, OR ARISING FROM COURSE OF DELINIAR TAGE USEGS. THAN EXPORTED AND THE PROVIDED AND ADDRESS OF THE PARTICULAR AND A

Number MS-V145

Micro-Star International Co., LTD.







































































