GTX1060 (CG410L) Repair Guide

KENT 12/29


Model List

Model name	60PN	GPU	Date
STRIX-GTX1060-DC26G	YV0A60	CG410L	2016/12/29
STRIX-GTX1060-DC206G	YV0A62	CG410L	2016/12/29
PH-GTX1060-6G	YV0A68	CG410L	2018/2/27

STANDARD APPEARANCE

STRIX-GTX1060-DC26G & STRIX-GTX1060-DC2O6G PH-GTX1060-6G









PH-GTX1060-6G






BLOCK DIAGRAM




POWER FLOW



I (max)<15A, Iocp=3*I(max)
15A<I (max)<50A, Iocp=2.5*I(max)
50A<I (max)<80A, Iocp=2*I(max)
80A<I (max), Iocp=1.5*I(max)


asuscri ii

VOLTAGE MEASURE POINT



BGA REFLOW PROFILE

Setpoints (Ce	elsius)									
Zone	1	2	3	4	5	6	7	8	9	10
Top	100	125	150	170	190	215	235	250	255	200
Bottom	100	125	150	170	190	215	235	250	255	200
Conveyor Sp	eyor Speed (inch/min):									



PWI= 95%	Max Ricing Slope		Max Falling Slope		Preheat 138-220C		Reflow Time /220C		Peak Temp		Tot Time /230C	
U4 CEN - 1	1.80	-28%	-2.69	18%	116.36	71%	86.97	84%	243.84	38%	67.38	43%
M2 - 1	2.07	-17%	-3.28	-13%	120.00	78%	86.84	83%	246.08	61%	68.78	47%
J7 - 2	2.15	-14%	-3.41	-21%	121.51	80%	84.73	78%	245.34	53%	68.12	45%
L7 - 2	2.35	-8%	-3.76	-38%	115.18	71%	89.37	95%	248.28	83%	63,36	68%
Delta	0.66	0.744.00	1.06	1000000	8.35	10000000	4.85	1000000	4.44	1832123	8.00	1 23400