REV HISTORY P283: LOW PROFILE NV44/G3-64, TSOP MEMORY x16 Page1: P262 Overview Page2: PCI Express Interface Page3: Frame Buffer Interface Page4: Memory 1st bank 0..31 Page5: Memory 1st bank 32..63 Page6: DACA VGA Page7: DACB RGB Page8: TMDS LINK A Page9: TMDS LINK C Page10:TVO Connector Page11: GPIO, PLL, BIOS Page12: MIO Page13: STRAPS, Mechanical Parts Page14: NVVDD & FBVDDQ Page15: TMDS_IOVDD,TMDS_PLLVDD,5V,F3V3 ASSEMICY

ASSEMICY (GROWN) CO-MANT ONLY, COMMON & NO, STUFF ASSEMBLY NOTES AND BOM NOT FRALL

NOS BRUZO

SRUET - INVEL OR SAL VORH-FOTY, 2007/278842, 6486 6488 MEMORY SYTERFACE

«UNDEFINED»

«UNDEFINED» MOVED SOURCE SOU BASE

WORSTATION, SRUDO

OURSTATION, SRUDO

OURSTATION

AUDEFINED
MANDEFINED
MANDEFINED-BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL PAGE DETAIL ALL WIDDA DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWNINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEING PROVIDED AS IS: THE MATERIALS MAY CONTAINAND/IN AND UNNOUNNIVOLATIONS OR REVIATIONS OF REVIATIONS OF

























