J523 EVT: MLB-B

| REV	ECN	DESCRIPTION OF REVISION	CK APPD
8			DATE 2020-08-31

1. ALL RESISTANCE VALUES ARE IN OHMS, 0.1 WATT +/- 5%.
2. ALL CAPACITANCE VALUES ARE IN MICROFARADS.
3. ALL CRYSTALS & OSCILLATOR VALUES ARE IN HERTZ.

LAST_MODIFICATION=Mon Aug 31 16:04:42 2020   LAST_MODIFICATION=Mon Aug 31 16:04:42 2020   LAST_MODIFICATION=Mon Aug 31 16:04:42 2020

SCH AND BOARD P/N

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
051-05858	1	SCHEM,MLB-B,NY,J523	SCH1	CRITICAL	
820-02156	1	PCBF,MLB-B,NY,J523	PCB1	CRITICAL	

PACKAGING OPTIONS

PACK_OPTIONS TO INCLUDE IN NETLIST
J523

SYNC_MASTER=MLB_P0   SYNC_DATE=07/17/2017

DRAWING TITLE

SCHEM,MLB-B,NY,J523

J517/J522 | System Block Diagram

Apple Confidential

Updated: February 27, 2020

Tonga [H13G]
8GB/16GB MCM 2502BGA

SEP EEPROM — Ocelot 🔒

2DBL Boost — Lume (J522 Only)

Gyro & Accel — Kobol
Magnetometer — Molybdenum 25
Altimeter — Phosphorus 2

LS NVT0202JK

Display + Touch Panel — Grape RX / TX
2388x1668 [J517]
2732x2048 [J52x]
2DBL Silicon (J522 Only)
Atrani
Avellino
Sorento x2
Solerno x9

Touch IC — Lanai/Kona
LDO Dombra
Boost Dombra

Main PMU — Sera

Charger — Potomac

Battery
1S2P/1S4P
29.5WHr (J517)
40.7WHr (J520)
40.7WHr (J522)

Gas Gauge — TI SN27546

LS LSF0101

Aux PMU — Simetra

Mass Storage 1 — S5E + NAND
Mass Storage 2 — S5E + NAND

CIO Retimer — Burnside Bridge

USB Type-C

ACC Power, USBPD, USB2.0 MUX — Ace2

eUSB to USB — Parrot

Smart Contacts — Bellatrix2

Σ-Δ ADC to PDM — FAN38522

LDCM — Signal Conditioning

Scorpius — Dotara

Borris (Master) — Speaker Amp Boost
Borris (Slave) — Speaker Amp Boost

FH-L Speaker Amps x2 — Ardee
FH-R Speaker Amps x2 — Ardee
CN-L Speaker Amps x2 — Ardee
CN-R Speaker Amps x2 — Ardee

BOOST SYNC / ARDEE SYNC

Right side

Rear Cam Wide — Indiana
Camera Flash — Libra
Rear Depth — Jasper
Jasper Driver — Will
Rear Cam SuperWide — Ohio

RCam PMU — Adams
FCam PMU — Adams

Σ-Δ ADC to PDM — FAN38522
Flicker Sensor — Penrose

Super Wide Front Camera — Pennsylvania
IR Camera — Juliet (Savage)

VCSEL Driver — Rigel
VCSEL Safety — Mama Bear
VCSEL Aragon
Sensor — Homer
Titus Module

VCSEL2 — Valencia
E-Fuse — Yogi
Prox — Doppler
Rosaline Module

ALS Corner 3 — Redbird
ALS Corner 4 — Redbird

WiFi/BT — Peroni

Baseband, GPS — MAV20

Cell 4, FH-L — LB/MB/HB/UHB/2.4GHz/UWB(ToF)
Cell 3, FH-R — MLB/MB/HB/UHB/GPS/5GHz
Cell 1, CH-L — MLB/MB/HB/UHB/5GHz
Cell 2, CH-R — LB/MB/HB/UHB/2.4GHz/UWB(ToF)

mmWave, FH Edge — 26GHz, 28GHz, 39GHz
mmWave, RS Rear — 26GHz, 28GHz, 39GHz
mmWave, RS Front — 26GHz, 28GHz, 39GHz
mmWave, CH Edge — 26GHz, 28GHz, 39GHz

UWB — Expedition
PDoA Array — 6.5GHz/8GHz

Secure Element — Ceres Pay

HES A Panel
HES C Panel

DMic1 (Left Spline) — Sentry
DMic2 (Right Spline) — Sentry
DMic3 (CG) — Sentry
DMic4 (Rear) — Sentry
DMic5 (Landscape) — Crystal

Sheik — DMIC Gating Logic

Signal labels

SEP SI2C0
AOP_SPI0
DISP_SPMI (J52X Only)
AOP_UART
AP_SPI2
AP_SPI4
DISP_SPI (J52X Only)
LPDP-TX
AP_I2C4
NUB_SPMI0
SMC_I2C0
SMC_I2C2
NUB_SPMI1
AP_SPI0
ST0_PCIe
ST1_PCIe
CIO
JTAG_SWD
eUSB
AOP Debug USB2
AP_I2C0
SMC_I2C1
AP_UART
AP_I2C2
AOP_PDM
AOP_PDM
AOP_I2C1
AP_I2C1
AP_I2C3
AP_I2S0
AP_I2S3
AOP_PDM

LPDPRX
ISP_SPMI
ISP_SPMI
LPDPRX
LPDPRX
AOP_PDM
LPDPRX
MIPIC
AOP_I2C0
GP_PCIe
AOP_SPMI
GP_PCIe
SWD
AOP_UART
I2S
AOP_SPI
AOP_SPMI
AOP_PDM
AOP_PDM
AOP_PDM

Connection annotations

x2 Lanes @ 6.6Gbps
x1 Lane @ 2.7Gbps
x2 Lanes @ 6.6Gbps
I2C1 I2C2 I2C3 I2C4
I2C2 I2C3 I2C4
x2 Lanes @ 5.4Gbps
x2 Lanes @ 720Mbps
Gen3 x1 Lane
Gen4 x1 Lane
PDM @ 2.4MHz
PDM @ 2.4MHz
PDM @ 2.4MHz
1.8V / 1.2V / 1.2V
Kona@TBDMHz
Lanai@24MHz
(J517) 56 Rx/40 Tx
(J52x) 64 Rx/48 Tx
x4 Lanes @ 4.2Gbps (J51x)
X4 Lanes @ 5.6Gbps (J52x)
1.8V
x16 Strings (J517)
BL
24MHz
Gen4 x1 Lane
Gen4 x1 Lane
CIO x4 @ 20Gbps
CIO x4 @ 20Gbps
I2C
Type-C HS x2
Type-C SBU x2
Type-C CC x2
VBUS
2.5V
5V Boost @ 3A
5V Boost @ 2A
15V Boost @ 0.55A
TDM @ 12.3MHz
TDM @ 12.3MHz

BOM_COST_GROUP=NO_COST_ITEMS

SYNC_MASTER=J518_MLB_4.0.2
SYNC_DATE=08/20/2020
PAGE TITLE
BLOCK DIAGRAM

BOM TABLES: SOC, PMU, NAND

SOC

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
998-22422	1	IC,TONGA+8G,B0,L,DEV,M,S	U0600	CRITICAL	NAND:ULTIMATE
998-22422	1	IC,TONGA+8G,B0,L,DEV,M,S	U0600	CRITICAL	NAND:SUPREME_TB
998-22422	1	IC,TONGA+8G,B0,L,DEV,M,S	U0600	CRITICAL	NAND:SUPREME_HY
998-22422	1	IC,TONGA+8G,B0,L,DEV,M,S	U0600	CRITICAL	NAND:EXTREME_TB
998-22422	1	IC,TONGA+8G,B0,L,DEV,M,S	U0600	CRITICAL	NAND:EXTREME_HY

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
998-22436	1	IC,TONGA+16G,B0,L,DEV,M,S	U0600	CRITICAL	X_VERSION

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
998-22423	998-22422		U0600	4G MICRON ATK LP
998-22424	998-22422		U0600	4G HYNIX SCK LP
998-22425	998-22422		U0600	4G HYNIX ATK LP
998-22426	998-22422		U0600	4G MICRON SCK HP
998-22427	998-22422		U0600	4G MICRON ATK HP
998-22428	998-22422		U0600	4G HYNIX SCK HP
998-22429	998-22422		U0600	4G HYNIX ATK HP

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
998-22437	998-22436		U0600	8G MICRON ATK LP
998-22438	998-22436		U0600	8G HYNIX SCK LP
998-22439	998-22436		U0600	8G HYNIX ATK LP
998-22440	998-22436		U0600	8G MICRON SCK HP
998-22441	998-22436		U0600	8G MICRON ATK HP
998-22442	998-22436		U0600	8G HYNIX SCK HP
998-22443	998-22436		U0600	8G HYNIX ATK HP

PMU-SERA

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
998-22364	1	IC,PMU,SERA,A0,OTP-BPC,CSP440	U8100	CRITICAL	J517&J518
998-22363	1	IC,PMU,SERA,B0,OTP-APG,CSP440	U8100	CRITICAL	J522&J523

PMU-SIMETRA

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
998-22366	1	IC,PMU,SIMETRA,A0,OTP-BPC,CSP196	U7700	CRITICAL	J517&J518
998-22365	1	IC,PMU,SIMETRA,A1,OTP-APE,CSP196	U7700	CRITICAL	J522&J523

CHARGER-POTOMAC

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
343S00388	1	IC,CHRGR,POTOMAC,D2559A0,OTP-HC,CSP182	U8500	CRITICAL	J517&J518
343S00389	1	IC,CHRGR,POTOMAC,D2559A0,OTP-1C,CSP182	U8500	CRITICAL	J522&J523

ADAMS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
338S00589	1	IC,PMU,ADAMS REAR,D2657B0,OTP-GD	U6100	CRITICAL	J517&J518
338S00588	1	IC,PMU,ADAMS FRONT,D2657B0,OTP-GC	U6900	CRITICAL	J517&J518
338S00591	1	IC,PMU,ADAMS REAR,D2657B0,OTP-HD	U6100	CRITICAL	J522&J523
338S00590	1	IC,PMU,ADAMS FRONT,D2657B0,OTP-HC	U6900	CRITICAL	J522&J523

NAND

ULTIMATE NAND CONFIGURATIONS (U1900 NOSTUFF)   128GB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00462	1	TOSHIBA,BICS4P5,4DP	U1800	CRITICAL	NAND:ULTIMATE

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
335S00437	335S00462	NAND:ULTIMATE	U1800	HYNIX,3DV5,2DP

SUPREME-TB NAND CONFIGURATIONS   256GB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00480	1	TOSHIBA,BICS4P5,5DP	U1800	CRITICAL	NAND:SUPREME_TB
335S00462	1	TOSHIBA,BICS4P5,4DP	U1900	CRITICAL	NAND:SUPREME_TB

SUPREME-HY NAND CONFIGURATIONS   256GB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00437	2	HYNIX,3DV5,2DP	U1800,U1900	CRITICAL	NAND:SUPREME_HY

EXTREME-TB NAND CONFIGURATIONS   512GB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00481	1	TOSHIBA,BICS4P5,9DP	U1800	CRITICAL	NAND:EXTREME_TB
335S00464	1	TOSHIBA,BICS4P5,8DP	U1900	CRITICAL	NAND:EXTREME_TB

EXTREME-HY NAND CONFIGURATIONS   512GB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00482	1	HYNIX,3DV5,5DP	U1800	CRITICAL	NAND:EXTREME_HY
335S00438	1	HYNIX,3DV5,4DP	U1900	CRITICAL	NAND:EXTREME_HY

PRIME-TB NAND CONFIGURATIONS   1TB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00466	2	TOSHIBA,BICS4P5,16DP	U1800,U1900	CRITICAL	NAND:PRIME_TB

PRIME-HY NAND CONFIGURATIONS   1TB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00483	1	HYNIX,3DV5,9DP	U1800	CRITICAL	NAND:PRIME_HY
335S00439	1	HYNIX,3DV5,8DP	U1900	CRITICAL	NAND:PRIME_HY

DOUBLE PRIME CONFIGURATIONS   2TB

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00468	2	TOSHIBA,BICS4P5,16DP	U1800,U1900	CRITICAL	NAND:DBL_PRIME

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
335S00458	335S00468	NAND:DBL_PRIME	U1800,U1900	HYNIX,3DV5,16DP

PAGE TITLE

BOM TABLES: SOC/PMU/NAND

BOM TABLES: MECHANICAL, BARCODES, DISCRETES, ETC.

CKPLUS WAIVE TABLE

CKPLUS RULE EXCEPTIONS	REQUIRED
SCHEMATIC DEFINED CONSTRAINTS (YES/NO)	NO

MECHANICAL PARTS

TODO: ADD MECHANICAL PARTS TABLE FOR EVT

BARCODE LABEL/EEEE CODES

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
825-7691	1	EEEE 639-11797 (ULTIMATE.BY.CN./523)	EEEE_Q2GK	CRITICAL	EEEE:/523_US_ULTIMATE
825-7691	1	EEEE 639-10618 (SUPREME-TB.BY.US./523)	EEEE_PHW3	CRITICAL	EEEE:/523_US_SUPREME_TB
825-7691	1	EEEE 639-11796 (SUPREME-BY.BY.US./523)	EEEE_Q2GJ	CRITICAL	EEEE:/523_US_SUPREME_BY
825-7691	1	EEEE 639-11796 (EXTREME-TB.BY.US./523)	EEEE_Q2GL	CRITICAL	EEEE:/523_US_EXTREME_TB
825-7691	1	EEEE 639-11798 (EXTREME-BY.BY.US./523)	EEEE_Q2GM	CRITICAL	EEEE:/523_US_EXTREME_BY
825-7691	1	EEEE 639-11800 (PRIME-TB.BY.US./523)	EEEE_Q2GN	CRITICAL	EEEE:/523_US_PRIME_TB
825-7691	1	EEEE 639-11801 (PRIME-BY.BY.US./523)	EEEE_Q2GP	CRITICAL	EEEE:/523_US_PRIME_BY
825-7691	1	EEEE 639-11802 (DOUBLE-PRIME.BY.US./523)	EEEE_Q2GQ	CRITICAL	EEEE:/523_US_DBL_PRIME

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
825-7691	1	EEEE 639-12904 (ULTIMATE.BY.ROW./524)	EEEE_Q8YH	CRITICAL	EEEE:/524_ROW_ULTIMATE
825-7691	1	EEEE 639-12903 (SUPREME-TB.BY.ROW./524)	EEEE_Q8YG	CRITICAL	EEEE:/524_ROW_SUPREME_TB
825-7691	1	EEEE 639-12911 (SUPREME-BY.BY.ROW./524)	EEEE_Q4NL	CRITICAL	EEEE:/524_ROW_SUPREME_BY
825-7691	1	EEEE 639-12905 (EXTREME-TB.BY.ROW./524)	EEEE_Q8YJ	CRITICAL	EEEE:/524_ROW_EXTREME_TB
825-7691	1	EEEE 639-12906 (EXTREME-BY.BY.ROW./524)	EEEE_Q8YK	CRITICAL	EEEE:/524_ROW_EXTREME_BY
825-7691	1	EEEE 639-12907 (PRIME-TB.BY.ROW./524)	EEEE_Q8YL	CRITICAL	EEEE:/524_ROW_PRIME_TB
825-7691	1	EEEE 639-12908 (PRIME-BY.BY.ROW./524)	EEEE_Q8YM	CRITICAL	EEEE:/524_ROW_PRIME_BY
825-7691	1	EEEE 639-12909 (DOUBLE-PRIME.BY.ROW./524)	EEEE_Q8YN	CRITICAL	EEEE:/524_ROW_DBL_PRIME

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
825-7691	1	EEEE 639-14784 (ULTIMATE.BY.CN./524)	EEEE_07P7	CRITICAL	EEEE:/524_CN_ULTIMATE
825-7691	1	EEEE 639-14783 (SUPREME-TB.BY.CN./524)	EEEE_07P6	CRITICAL	EEEE:/524_CN_SUPREME_TB
825-7691	1	EEEE 639-14792 (SUPREME-BY.BY.CN./524)	EEEE_07P5	CRITICAL	EEEE:/524_CN_SUPREME_BY
825-7691	1	EEEE 639-14785 (EXTREME-TB.BY.CN./524)	EEEE_07P8	CRITICAL	EEEE:/524_CN_EXTREME_TB
825-7691	1	EEEE 639-14786 (EXTREME-BY.BY.CN./524)	EEEE_07P9	CRITICAL	EEEE:/524_CN_EXTREME_BY
825-7691	1	EEEE 639-14787 (PRIME-TB.BY.CN./524)	EEEE_07PC	CRITICAL	EEEE:/524_CN_PRIME_TB
825-7691	1	EEEE 639-14788 (PRIME-BY.BY.CN./524)	EEEE_07PD	CRITICAL	EEEE:/524_CN_PRIME_BY
825-7691	1	EEEE 639-14789 (DOUBLE-PRIME.BY.CN./524)	EEEE_07PF	CRITICAL	EEEE:/524_CN_DBL_PRIME

CAPS

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
138S00143	138S00144	C7740,ETC	22UF 4V KYOCERA	
138S00163	138S00144	C7740,ETC	22UF 4V TAIYO YUDEN	
132S00211	132S00092	C3204,ETC	270PF 16V KYOCERA	
132S00212	132S00092	C3204,ETC	270PF 16V TAIYO YUDEN	
132S00233	132S00014	C1144,ETC	0.22UF 6.3V	
132S00304	132S00014	C1144,ETC	0.22UF 6.3V	
138S00148	138S00149	C1220,ETC	15UF 4V KYOCERA	
138S00150	138S00149	C1220,ETC	15UF 4V SAMSUNG	
138S00151	138S00149	C1220,ETC	15UF 4V TAIYO YUDEN	
138S0614	138S0732	C2218,ETC	1UF 10V 0402	
132S000088	132S0639	C2221,ETC	0.47UF 25V TAIYO YUNDEN	
138S0706	138S0739	C1215,ETC	1UF 10V 0201 MURATA	
138S0945	138S0739	C1215,ETC	1UF 10V 0201 KYOCERA	
131S00299	131S00118	C3334,ETC	180PF 50V TAIYO YUDEN	
128S00094	128S00067	C77DF,ETC	150UF 6.3V TOKIN	
128S00069	128S00067	C77DF,ETC	150UF 6.3V ROHM	
138S00215	138S1068	C2350,ETC	4.7UF 16V TAIYO YUDEN	
131S00172	131S00164	C1232,ETC	220PF 16V KYOCERA	
131S00173	131S00164	C1232,ETC	220PF 16V TAIYO YUDEN	
131S00142	131S00019	C3236,ETC	150PF 50V 0201	
131S0730	131S0831	C40A7	15PF 50V 0201	
138S00139	138S00138	C12D1,C12F0	4UF 4V MURATA	
138S00164	138S00138	C12D1,C12F0	4UF 4V TAIYO YUDEN	
138S00084	138S00060	C8563,ETC	47UF 6.3V TAIYO YUDEN	
131S00313	131S0824	C4632	330PF 25V TAIYO YUNDEN	
132S00175	132S00202	C4000,ETC	0.22UF KYOCERA ONLY	
132S00154	132S0683	C6352,ETC	0.1UF 01005 TAIYO	
138S0641	138S0700	C2206,ETC	2.2UF 10V 0402 TAIYO	
132S0316	132S00107	C3828,C3829	.1UF 6.3V 01005 TAIYO	
131S00164	131S00172	C2711,C2713	220PF 16V 01005 MURATA	
131S00173	131S00172	C2711,C2713	220PF 16V 01005 TAIYO	
138S00048	138S00003	C6000,ETC.	15UF 6.3V 0402 KYOCERA	
138S0888	138S00003	C6000,ETC.	15UF 6.3V 0402 TAIYO	
138S0711	138S00020	C8513	10UF 6.3V 0402 TAIYO	
128S00093	128S00009	C3034,ETC.	33UF 16V TOKIN	
128S00103	128S00009	C3034,ETC.	33UF16V SAMSUNG	
132S00200	132S00199	C77E2,ETC.	0.1UF 10V 01005 TAIYO	
132S00204	132S00199	C77E2,ETC.	0.1UF 10V 01005 KYO.	
132S00064	132S0409	C3207,ETC.	0.1UF 16V 0201 MUR.	
132S00262	132S0664	C2228,ETC.	0.047UF 25V 0201 KYO.	
132S00263	132S0664	C2228,ETC.	0.047UF 25V 0201 YAG.	
138S00117	138S00071	C7993,ETC	4UF 6.3V KYOCERA	
138S00116	138S00071	C7993,ETC	4UF 6.3V TAIYO	
138S00128	138S00133	C3801,ETC	.47UF 6.3V 01005 KYO.	
138S00269	138S00133	C3801,ETC	.47UF 6.3V 01005 TY	
138S00164	138S00139	C1200,ETC	4UF 4V 0201 TY	
138S00140	138S00141	C2858,ETC	3.9UF 6.3V 0201 KYO.	
138S00211	138S00242	C4633,ETC	6.8UF 6.3V 0402 MUR.	
138S00049	138S0831	C1141,ETC	2.2UF 6.3V 0201 KYO.	
138S00056	138S1100	C1310,ETC	10UF 4V 3-TERM TY.	
138S00101	138S00095	C3800,ETC	25UF 6.3V 0402 TY.	
138S00229	138S00107	C7820,ETC	20UF 10V 0402 KYO.	
138S00221	138S00146	C4197,ETC	18UF 6.3V 0402 KYO.	

INDUCTORS

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
152S00963	152S00885	L77A0,L8490	0.47UH TAIYO YUDEN	
152S00964	152S00888	L7741,ETC	0.15UH TAIYO YUDEN	
152S01003	152S00888	L7741,ETC	0.15UH SUNLORD	
152S01090	152S01085	L3900	0.68UH 2016 CHIS.	

FERRITE BEADS

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
155S00593	155S0755	FL2771,ETC	0.9 DCR TAIYO YUDEN	
155S0664	155S00018	FL2748,ETC	0.18 DCR MURATA	
155S00097	155S00018	FL2748,ETC	0.17 DCR TDK	
155S0660	155S0513	FL2761,ETC	0.04 DCR MURATA	
155S00194	155S00400	FL2602,ETC	0.69 DCR 01005 TDK	
155S00616	155S0686	FL2102,ETC	0.7 DCR 01005 TDK	
155S00414	155S0876	FL1800,ETC	0.05 DCR 01005 TDK	

MOSFETS

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
376S00319	376S00104	Q2201	DIODES	
376S00182	376S00126	Q8580	DIODES	
376S00071	376S00126	Q8580	DIODES	
376S00314	376S00125	Q8051	DIODES	
376S00182	376S00070	Q8581	DIODES	
376S00190	376S00119	Q8000	DIODES	
376S1245	376S1102	Q6260,ETC	DIODES	

DIODES

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
371S00133	371S00046	D8710	DIODES	
371S0685	371S00176	DZ8051	NXP	
377S0155	377S0184	DZ4014,ETC	ONSEMI	
371S00190	371S00085	D3800	DIODES	

NTCS

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
107S00298	107S0208	R8422 ETC.	TDK 10K NTC	

LEVEL TRANSLATOR

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
311S00212	311S00230	U2370,U4030	TI SINGLE UNI. LT	

PAGE TITLE

BOM TABLES: MECH/DISC/ETC

BOM_COST_GROUP=NO_COST_ITEMS

BOOT CONFIG ID

PP1V2 IO

NOSTUFF
R0502 4.7K 1/32W 5% MF 01005
R0501 4.7K 1/32W 5% MF 01005
R0500 4.7K 1/32W 5% MF 01005

SPI NAND TO AP MISO BOOT CFG2
SPI AP TO NAND MOSI BOOT CFG1
SPI AP TO NAND SCLK BOOT CFG0

BOOT_CFG[3:0]	MODE
000	SPI0 NOR
001	SPI0 NOR TEST
010	SPI0 NAND
(PROTO) ---> 011	SPI0 NAND TEST
100	SPI1 NOR (40MHZ)
101	SPI1 NOR (40MHZ) TEST
110	SPI1 NOR (6MHZ)
111	SPI1 NOR (6MHZ) TEST

S/W READ FLOW
1. SET GPIO AS INPUT
2. DISABLE PU AND ENABLE PD
3. READ

BOARD ID

PP1V2 IO

R0514 1.00K 5% 1/32W MF 01005
R0513 1.00K 5% 1/32W MF 01005
R0512 1.00K 5% 1/32W MF 01005
R0511 1.00K 5% 1/32W MF 01005
NOSTUFF R0510 1.00K 5% 1/32W MF 01005

GPIO BRD ID4
GPIO BRD ID3
GPIO BRD ID2
GPIO BRD ID1
GPIO BRD ID0

BRD_ID[4-0]	
01000	J517 AP
01001	J517 DEV
01010	J517X AP
01011	J517X DEV
01100	J518 AP
01101	J518 DEV
01110	J518X AP
01111	J518X DEV
11000	J522 AP
11001	J522 DEV
11010	J522X AP
11011	J522X DEV
11100	J523 AP
11101	J523 DEV
11110	J523X AP
11111	J523X DEV

CURRENT SETTING --->

S/W READ FLOW
1. SET GPIO AS INPUT
2. DISABLE PU AND ENABLE PD
3. READ

BOARD REVISION

GPIO BRD REV0
GPIO BRD REV1
GPIO BRD REV2
GPIO BRD REV3

R0523 1.00K 5% 1/32W MF 01005
NOSTUFF R0522 1.00K 5% 1/32W MF 01005
NOSTUFF R0521 1.00K 5% 1/32W MF 01005
R0520 1.00K 5% 1/32W MF 01005

BRD_REV[3-0]	
0000	P0 WAVE 1
0001	P0 WAVE 2 LOCAL
0010	P0 WAVE 2 CHINA
0011	P1
0100	P2 PRE
0101	P2
0110	EVT
0111	UNUSED
1000	UNUSED
1001	UNUSED
1010	UNUSED

CURRENT SETTING --->

NOTE: STUFFING RESISTOR MEANS 0

S/W READ FLOW
1. SET GPIO AS INPUT
2. ENABLE PU AND DISABLE PD
3. READ

I2C0

DEVICE	8-BIT	7-BIT
ACE(ONE-ACE)	0X70	0X38
ACE(ALL)	0XD6	0X6B

I2C0 SCL — MAKE_BASE=TRUE — I2C0 SCL
I2C0 SDA — MAKE_BASE=TRUE — I2C0 SDA

I2C1

DEVICE	8-BIT	7-BIT
SKR AMP CNRT	0X78	0X3C
SKR AMP CNRW	0X7A	0X3D
SKR AMP CNLT	0X7C	0X3E
SKR AMP CNLW	0X7E	0X3F
SKR BOOST MST	0X60	0X30
SKR BOOST SLV	0X62	0X31

I2C1 SCL — 0.00 R0550 — I2C1 SCL R
I2C1 SDA — 0.00 R0551 — I2C1 SDA R
I2C1 SCL R — MAKE_BASE=TRUE — I2C1 SCL R
I2C1 SDA R — MAKE_BASE=TRUE — I2C1 SDA R

I2C2

DEVICE	8-BIT	7-BIT
BELLATRIX	0X26	0X13

I2C2 SCL — MAKE_BASE=TRUE — I2C2 SCL
I2C2 SDA — MAKE_BASE=TRUE — I2C2 SDA

I2C3

DEVICE	8-BIT	7-BIT
SKR AMP FHRT	0X70	0X38
SKR AMP FHRW	0X72	0X39
SKR AMP FHLT	0X74	0X3A
SKR AMP FHLW	0X76	0X3B

I2C3 SCL — 0.00 R0560 — I2C3 SCL R
I2C3 SDA — 0.00 R0561 — I2C3 SDA R
I2C3 SCL R — MAKE_BASE=TRUE — I2C3 SCL R
I2C3 SDA R — MAKE_BASE=TRUE — I2C3 SDA R

I2C4

DEVICE	8-BIT	7-BIT
TCON(LARKSPUR)	0X10	0X08
TEMP(U2400)	0XE2	0X71
TEMP(U2401)	0XE0	0X70
TEMP(U2402)	0XE4	0X72

I2C4 SCL 1V8 — MAKE_BASE=TRUE — I2C4 SCL 1V8
I2C4 SDA 1V8 — MAKE_BASE=TRUE — I2C4 SDA 1V8

AOP I2C0

DEVICE	8-BIT	7-BIT
ALS - C4	0X52	0X29
ALS - C3	0X72	0X39
YOGI(ROSALINE)	0X66	0X33
DOPPLER (ROSA)	0XB0	0X58

I2C AOP I2CM0 SCL — MAKE_BASE=TRUE — I2C AOP I2CM0 SCL
I2C AOP I2CM0 SDA — MAKE_BASE=TRUE — I2C AOP I2CM0 SDA

AOP I2C1

DEVICE	8-BIT	7-BIT
SCOR. DOTARA	0X72	0X39

I2C AOP I2CM1 SCL — MAKE_BASE=TRUE — I2C AOP I2CM1 SCL
I2C AOP I2CM1 SDA — MAKE_BASE=TRUE — I2C AOP I2CM1 SDA

SMC I2C0

DEVICE	8-BIT	7-BIT
POTOMAC	0XEA	0X75

I2C SMC I2CM0 SCL — MAKE_BASE=TRUE — I2C SMC I2CM0 SCL
I2C SMC I2CM0 SDA — MAKE_BASE=TRUE — I2C SMC I2CM0 SDA

SMC I2C1

DEVICE	8-BIT	7-BIT
ACE2	0X70	0X38

I2C SMC I2CM1 SCL — MAKE_BASE=TRUE — I2C SMC I2CM1 SCL
I2C SMC I2CM1 SDA — MAKE_BASE=TRUE — I2C SMC I2CM1 SDA

SMC I2C2

DEVICE	8-BIT	7-BIT
GASGAUGE	0XAA	0X55

I2C SMC I2CM2 SCL — I2C SMC I2CM2 SCL
I2C SMC I2CM2 SDA — I2C SMC I2CM2 SDA

SMC I2C3

NOT USED

SMC I2C4

NOT USED

RPMU I2C1

DEVICE	8-BIT	7-BIT
RCAM1(FOCUS)	0X18	0X0C
RCAM1(IN)	0X20	0X10
STROBE1	0XC6	0X63
STROBE2	0XCE	0X67

I2C1 RCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C1 RCAM PMU SCL 1V8
I2C1 RCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C1 RCAM PMU SDA 1V8

RPMU I2C2

DEVICE	8-BIT	7-BIT
JA PERISCOPE	0X20	0X10
JA RIKER	0X66	0X33
JA EEPROM	0XA2	0X51

I2C2 RCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C2 RCAM PMU SCL 1V8
I2C2 RCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C2 RCAM PMU SDA 1V8

RPMU I2C3

DEVICE	8-BIT	7-BIT
WILL	0X80	0X40

I2C3 RCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C3 RCAM PMU SCL 1V8
I2C3 RCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C3 RCAM PMU SDA 1V8

RPMU I2C4

DEVICE	8-BIT	7-BIT
RCAM2(OH)	0X40	0X20

I2C4 RCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C4 RCAM PMU SCL 1V8
I2C4 RCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C4 RCAM PMU SDA 1V8

FPMU I2C1

DEVICE	8-BIT	7-BIT
WIDE FCAM	0X20	0X10

WIDE FCAM NON-POR

FPMU I2C2

DEVICE	8-BIT	7-BIT
SWIDE FCAM	0XE0	0X70

I2C2 FCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C2 FCAM PMU SCL 1V8
I2C2 FCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C2 FCAM PMU SDA 1V8

FPMU I2C3

DEVICE	8-BIT	7-BIT
JULIET	0X30	0X18

I2C3 FCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C3 FCAM PMU SCL 1V8
I2C3 FCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C3 FCAM PMU SDA 1V8

FPMU I2C4

DEVICE	8-BIT	7-BIT
TITUS	0XCC	0X66
RIGEL2	0XAA	0X55

I2C4 FCAM PMU SCL 1V8 — MAKE_BASE=TRUE — I2C4 FCAM PMU SCL 1V8
I2C4 FCAM PMU SDA 1V8 — MAKE_BASE=TRUE — I2C4 FCAM PMU SDA 1V8

WDOG SOC
R0531 0.00 1/32W 01005
GPIO SOC TO PMU WDOG

NOSTUFF R0532 240 1/32W MF 01005
TP JTAG SOC TRST L

R0533 240 1/32W MF 01005
JTAG SOC SEL

R0534 240 1/32W MF 01005
SOC TESTMODE

MAKE_BASE=TRUE — GND

SOC: MAIN

U0600
TMLR68B0-B01
BGA
SYM 1 OF 23
OMIT_TABLE

RESET

80 72 18 IN RESET PMU TO SYSTEM L — R2 LP4_IN_RESET_N
80 77 72 38 GPIO FORCE DFU — AA49 FORCE_DFU
72 GPIO PMU TO SOC BTN ONOFF L — AK55 REQUEST_DFU1
72 GPIO PMU TO SOC BTN VOL DOWN L — AJ54 REQUEST_DFU2
80 5 SOC TESTMODE — AD2 TESTMODE
80 72 38 GPIO PMU TO SYSTEM ACTIVE READY — AL54 CFSB
5 GND — AC1 HOLD_RESET
AB49 KIS_DFU_SELECT

DFU_STATUS V51 GPIO 1V2 SOC2ACE DFU STATUS OUT 36 80

85 USB E SOC P — BB54 ATC0_USB_EDP
85 USB E SOC N — BB55 ATC0_USB_EDM
USB C0 LSRX IN — BE18 USB_C0_LSRX
USB C0 LSTX OUT — BE13 USB_C0_LSTX
ATC0 USB RESREF — BB53 ATC0_USB_RESREF
TP TMU CLK OUT — V48 USB_C0_HPD/TMU_CLK_OUT0
NC ATC1 USB EDP — BC54 ATC1_USB_EDP
NC ATC1 USB EDM — BC55 ATC1_USB_EDM
NC USB C1 LSRX — BD3 USB_C1_LSRX
NC USB C1 LSTX — BE10 USB_C1_LSTX
ATC1 USB RESREF — BC53 ATC1_USB_RESREF
NC USB C1 HPD — R48 USB_C1_HPD/TMU_CLK_OUT1
EUSB VBUS DETECT — AG1 EUSB_VBUS_DETECT

CLOCKS
XIO BE36 XTAL SOC 24M IN
XO0 BF36 XTAL SOC 24M OUT
TST_CLKOUT P54 TST CLKOUT OUT
ANALOGMUX_OUT AL48 NC ADC SOC ANALOGMUX OUT

SWD
SWD_TCK_OUT1 AJ1 SWD AP TCK
SWD_TMS2 U54 SWD_NAND_SWDIO BI 17 18
SWD_TMS3 V54 SWD_BB_SWDIO BI 78
SWD_TMS4 AH3 NC SWD TMS4

FPW
FPWM0/MASTER_SYNC_GEN_0 V50 GPIO WLAN TO SOC TIME SYNC IN 78
FPWM1 Y49 NC FPWM1
FPWM2 U50 NC FPWM2

ATC
85 CIO HS SOC RX0 P IN — BE50 ATCPHY0_RX0_P
85 CIO HS SOC RX0 N IN — BF50 ATCPHY0_RX0_N
85 CIO HS SOC TX0 C P OUT — BC49 ATCPHY0_TX0_P
85 CIO HS SOC TX0 C N OUT — BD49 ATCPHY0_TX0_N
85 CIO HS SOC RX1 P IN — BE48 ATCPHY0_RX1_P
85 CIO HS SOC RX1 N IN — BF48 ATCPHY0_RX1_N
85 CIO HS SOC TX1 C P OUT — BC47 ATCPHY0_TX1_P
85 CIO HS SOC TX1 C N OUT — BD47 ATCPHY0_TX1_N
CIO SOC AUXCH P — AY51 ATCPHY0_AUX_P
CIO SOC AUXCH N — AY52 ATCPHY0_AUX_N
ATCPHY0 RCAL POS — BE52 ATCPHY0_RCAL_P
ATCPHY0 RCAL NEG — BF52 ATCPHY0_RCAL_N
NC — BF44 ATCPHY1_RX0_P
NC — BE44 ATCPHY1_RX0_N
NC — BD43 ATCPHY1_TX0_P
NC — BC43 ATCPHY1_TX0_N
NC — BF46 ATCPHY1_RX1_P
NC — BE46 ATCPHY1_RX1_N
NC — BD45 ATCPHY1_TX1_P
NC — BC45 ATCPHY1_TX1_N
NC — BA52 ATCPHY1_AUX_P
NC — BA51 ATCPHY1_AUX_N
ATCPHY1 RCAL POS — BF42 ATCPHY1_RCAL_P
ATCPHY1 RCAL NEG — BE42 ATCPHY1_RCAL_N

PP1V2 IO

R0697
1.00K
1%
1/32W
MF
01005

DC-BLOCKING CAPS LOCATION OFF-PAGE

ATC0 USB RESREF
R0696
200
1%
1/32W
MF
01005

ATC1 USB RESREF
R0695
200
1%
1/32W
MF
01005

ATCPHY0 RCAL POS
R0699
200
1%
1/32W
MF
01005

ATCPHY0 RCAL NEG
C0699
10PF
5%
16V
NP0/COG
01005

FROM SANJEEVM EMAIL DATED 06/23/19

ATCPHY1 RCAL POS
R0698
200
1%
1/32W
MF
01005

ATCPHY1 RCAL NEG
C0698
10PF
5%
16V
NP0/COG
01005

CRITICAL
R0651
499
1%
1/32W
MF
01005

SOC_24M_O

CRITICAL
Y0600
1.60X1.20MM
24.000MHZ-20PPM-9.5PF-60OHM

C0650
12PF
5%
16V
NP0/COG
01005-1

C0651
12PF
5%
16V
NP0/COG
01005-1

XTAL DAMPING RESISTOR R0651 CHANGED FROM 1K
TO 500 OHMS PER EMAIL FROM MOON JUNG KIM ON 07/16/19

R1032
33
5%
1/32W
MF
01005
SWD AP TCK — SWD NAND1 SWCLK OUT 17

R1035
33
5%
1/32W
MF
01005
DUAL_NAND
SWD AP TCK — SWD NAND2 SWCLK OUT 18

PP1V25 S2

C1033
0.1UF
20%
6.3V
X5R-CERM
01005

U1034
74AUP1G34GX
SOT1226
PACK_OPTION=J518,J523

R1034
33
5%
1/32W
MF
01005
PACK_OPTION=J518,J523
SWD AP TCK — SWD PER BB SWCLK R — SWD BB SWCLK OUT 78

PAGE TITLE

SOC: MAIN

BOM_COST_GROUP=SOC

SOC: GPIO

U0600
TMLR68B0-B01
BGA
SYM 3 OF 23

I2S

I2S_SOC_TO_SPKRAMP_FH_BCLK_R   AK4 I2S0_BCLK
I2S_SPKRAMP_FH_TO_SOC_DOUT   AJ3 I2S0_DIN
I2S_SOC_TO_SPKRAMP_FH_DOUT   AJ5 I2S0_DOUT
I2S_SOC_TO_SPKRAMP_FH_LRCK_R   AJ4 I2S0_LRCK
I2S_SOC_TO_SPKRAMP_FH_MCLK_R   AK3 I2S0_MCK

NC_I2S1_BCLK   AG3 I2S1_BCLK
NC_I2S1_DIN   AF3 I2S1_DIN
NC_I2S1_DOUT   AG4 I2S1_DOUT
NC_I2S1_LRCK   AF2 I2S1_LRCK
NC_I2S1_MCK   AG2 I2S1_MCK

I2S_BB_TO_SOC_BCLK   AK5 I2S2_BCLK
I2S_BB_TO_SOC_DOUT   AL6 I2S2_DIN
I2S_SOC_TO_BB_DOUT   AJ7 I2S2_DOUT
I2S_BB_TO_SOC_LRCK   AM4 I2S2_LRCK
NC_I2S2_MCK   AK6 I2S2_MCK

I2S_SPKRAMP_CN_TO_SOC_DOUT   AH6 I2S3_BCLK
I2S_SPKRAMP_CN_TO_SOC_DOUT   AH4 I2S3_DIN
I2S_SOC_TO_SPKRAMP_CN_DOUT   AG5 I2S3_DOUT
I2S_SOC_TO_SPKRAMP_CN_LRCK_R AJ6 I2S3_LRCK
I2S_SOC_TO_SPKRAMP_CN_MCLK_R AF5 I2S3_MCK

I2C

I2C0_SCL W52 I2C0_SCL
I2C0_SDA V52 I2C0_SDA
I2C1_SCL AA48 I2C1_SCL
I2C1_SDA Y48 I2C1_SDA
I2C2_SCL AB50 I2C2_SCL
I2C2_SDA Y50 I2C2_SDA
I2C3_SCL AF6 I2C3_SCL
I2C3_SDA AE6 I2C3_SDA
I2C4_SCL_1V8 AF50 I2C4_SCL
I2C4_SDA_1V8 AG49 I2C4_SDA

SPI

SPI0_MISO AL4 SPI_NAND_TO_AP_MISO_BOOT_CFG2
SPI0_MOSI AK2 SPI_AP_TO_NAND_MOSI_BOOT_CFG1_R
SPI0_SCLK AK1 SPI_AP_TO_NAND_SCLK_BOOT_CFG0_R

SPI1_MISO AD4 NC
SPI1_MOSI AE4 NC
SPI1_SCLK AF4 NC
SPI1_DOUT AE3 NC

SPI2_MISO AF53 SPI_SOC_TO_KONA_S_MISO_1V8
SPI2_MOSI AF54 SPI_SOC_TO_KONA_S_MOSI_R_1V8
SPI2_SCLK AF55 SPI_SOC_TO_KONA_S_SCLK_R_1V8
SPI2_SSIN AF52 SPI_SOC_TO_KONA_S_CS_1V8_L

SPI3_MISO Y1   NC
SPI3_MOSI W1   NC
SPI3_SCLK AB1 NC
SPI3_SSIN AA1 NC

SPI4_MISO AC4 SPI_SOC_TO_GRAPE_MISO
SPI4_MOSI AD4 SPI_SOC_TO_GRAPE_MOSI_R
SPI4_SCLK AA4 SPI_SOC_TO_GRAPE_SCLK_R
SPI4_SSIN AB3 SPI_SOC_TO_GRAPE_CS_L

SGPIO0 AC3 DBL_CLICK_DET
SGPIO1 AC2 NC

SI2C0_SCL Y5 I2C_OCELOT_SCL_1V2
SI2C0_SDA Y4 I2C_OCELOT_SDA_1V2

SSPI0_MISO AC5 NC
SSPI0_MOSI AD5 NC
SSPI0_SCLK AD6 NC

THROTTLE

SOCHOT1 AK52 SOCHOT1_SOC_TO_PMU_L

THROTTLE_TRIGGER0/MTR_ADC_DOUT   AK53 GPIO_PMU_TO_SOC_TRIGGER_0
THROTTLE_TRIGGER1/MTR_ADC_CLKOUT AL53 GPIO_PMU_TO_SOC_TRIGGER_2
THROTTLE_TRIGGER2/PLL_DIGOBS_0   AJ55 SIMETRA_UVWARN_L
THROTTLE_TRIGGER3/PLL_DIGOBS_1   AJ53 GPIO_PMU_TO_SOC_TRIGGER_3
THROTTLE_TRIGGER4   AJ49 GPIO_PMU_TO_SOC_TRIGGER_4

NC AK7 AP_SPMI2_SCLK
NC AL7 AP_SPMI2_SDATA

U0600
TMLR68B0-B01
BGA
SYM 2 OF 23

GPIO

GPIO_PMU_TO_SOC_BTN_VOL_UP_L
R0740 0.00 1/32W 01005

NC_SOC_TO_SCORPIUSMCU_BOOT0   AJ51 GPIO[0]
GPIO_PMU_TO_SOC_BTN_VOL_UP_L_R AA50 GPIO[1]
SWD_ACE_SWCLK   V53   GPIO[2]
GPIO_SOC_TO_GRAPE_RESET_L   U53   GPIO[3]
NC_GPIO_DOTARA_OTP_WREN   T53   GPIO[4]
NC_GPIO5   W53   GPIO[5]
NC_GPIO6   W50   GPIO[6]
GPIO_BST_SLAVE_TO_SOC_IRQ_L   U52   GPIO[7]
NC_GPIO8   AC48 GPIO[8]
GPIO_BST_MASTER_TO_SOC_IRQ_L   R53   GPIO[9]
GPIO_ACE_TO_SOC_IRQ_L   R52   GPIO[10]
SWD_ACE_SWDIO   N55   GPIO[11]
SWD_SCORPIUS_SWDIO   AH54 GPIO[12]
NC_GPIO13   Y52   GPIO[13]
NC_GPIO14   AA51 GPIO[14]
NC_GPIO15   R54   GPIO[15]
NC_GPIO16   AC50 GPIO[16]
GPIO_SOC_TO_SPKRBST_RESET_L   U51   GPIO[17]
SWD_SCORPIUS_SWCLK   AK50 GPIO[18]
GPIO_SOC_TO_SPKRAMP_RESET_L   T52   GPIO[19]
NC_GPIO_SOC_GPIO20   V49   GPIO[20]
NC_GPIO21   AJ52 GPIO[21]
GPIO_SPKRAMP_TO_SOC_IRQ_L   AJ50 GPIO[22]
NC_GPIO_SOC_GPIO23   AC49 GPIO[23]
GPIO_SOC_TO_BT_TO_GRAPE_TS_SYNC R51   GPIO[24]
NC_GPIO_SOC_GPIO25   AL49 GPIO[25]
NC_GPIO_SOC_GPIO26   AF49 GPIO[26]

BOARD ID

GPIO_BRD_ID0 W49 BOARD_ID0/SOC_DEBUG1
GPIO_BRD_ID1 R55 BOARD_ID1/SOC_DEBUG2
GPIO_BRD_ID2 T55 BOARD_ID2/SOC_DEBUG3
GPIO_BRD_ID3 V55 BOARD_ID3/SPI0_SSIN
GPIO_BRD_ID4 U55 BOARD_ID4

UART

UART0_RXD AB53 UART_DEBUG_TO_SOC_TX
UART0_TXD AC53 UART_SOC_TO_DEBUG_TX
UART1_CTSN AC54 GPIO_SOC_TO_BELLATRIX2_BOOST_EN_1V8
UART1_RTSN AA53 NC
UART1_RXD AA54 NC
UART1_TXD AC55 GPIO_KONA_S_TO_SOC_IRQ_1V8_L
UART2_CTSN W55   GPIO_BRD_REV0
UART2_RTSN Y54   GPIO_BRD_REV1
UART2_RXD Y53   GPIO_BRD_REV2
UART2_TXD Y55   GPIO_BRD_REV3
UART3_CTSN AC51 NC
UART3_RTSN AC52 NC
UART3_RXD AF48 UART_BELLATRIX2_TO_SOC_TX
UART3_TXD AB52 UART_SOC_TO_BELLATRIX2_TX
UART4_CTSN AJ48 NC
UART4_RTSN AK48 NC
UART4_RXD AL52 NC
UART4_TXD AL50 NC
UART6_RXD AF51 NC
UART6_TXD AG50 NC
UART7_RXD AM2   NC
UART7_TXD AJ2   NC

NAND

NAND_SYS_CLK0 AG52 CLK_NAND1_24MHZ
NAND_SYS_CLK1 AH53 CLK_NAND2_24MHZ
SSD_BFH   AH51 GPIO_SOC_TO_NAND_FW_STRAP
SSD_RESETN   AG53 GPIO_SOC_TO_NAND_RESET_L

R0704 0.00 I2S_SOC_TO_SPKRAMP_CN_LRCK_R → I2S_SOC_TO_SPKRAMP_CN_LRCK
R0705 0.00 I2S_SOC_TO_SPKRAMP_FH_LRCK_R → I2S_SOC_TO_SPKRAMP_FH_LRCK
R0706 0.00 I2S_SOC_TO_SPKRAMP_CN_BCLK_R → I2S_SOC_TO_SPKRAMP_CN_BCLK
R0700 33   I2S_SOC_TO_SPKRAMP_FH_BCLK_R → I2S_SOC_TO_SPKRAMP_FH_BCLK
R0703 33   I2S_SOC_TO_SPKRAMP_CN_MCLK_R → I2S3_SOC_TO_BSTMSTR_CN_MCLK
R0701 33   I2S_SOC_TO_SPKRAMP_FH_MCLK_R → I2S0_SOC_TO_BSTSLV_FH_MCLK

R0702 33 SPI_AP_TO_NAND_SCLK_BOOT_CFG0_R → SPI_AP_TO_NAND_SCLK_BOOT_CFG0
R0711 33 SPI_SOC_TO_GRAPE_SCLK_R → SPI_SOC_TO_GRAPE_SCLK
R0712 33 SPI_AP_TO_NAND_MOSI_BOOT_CFG1_R → SPI_AP_TO_NAND_MOSI_BOOT_CFG1
R0720 33 SPI_SOC_TO_GRAPE_MOSI_R → SPI_SOC_TO_GRAPE_MOSI
R0713 33 SPI_SOC_TO_KONA_S_SCLK_R_1V8 → SPI_SOC_TO_KONA_S_SCLK_1V8
R0714 33 SPI_SOC_TO_KONA_S_MOSI_R_1V8 → SPI_SOC_TO_KONA_S_MOSI_1V8

R0732 33 CLK_NAND1_24MHZ → CLK_SOC_TO_NAND1_24MHZ
R0730 33 CLK_NAND2_24MHZ → CLK_SOC_TO_NAND2_24MHZ
DUAL_NAND

OCELOT B0

PP1V8_SW1_IO
PP1V2_IO

R0760 4.7K
R0761 4.7K
C07C0 0.47UF

VCC 335S00487 U0702 STOCT WLCSP-1

I2C_OCELOT_SCL_1V2 R0762 0.00 I2C_OCELOT_SCL_1V2_R → SCL VIO C2 PP1V2_IO
I2C_OCELOT_SDA_1V2 R0763 0.00 I2C_OCELOT_SDA_1V2_R → SDA NC NC

C07B0 56PF C07A0 56PF NOSTUFF NP0-C0G-CERM 01005

VSS

TUNING OPTION

R0791 47.0K 1/32W 01005

SOCHOT1_SOC_TO_PMU_L
PP1V2_IO

R0790 47.0K R0789 47.0K R0788 47.0K R0787 47.0K R0786 47.0K

GPIO_PMU_TO_SOC_TRIGGER_0
GPIO_PMU_TO_SOC_TRIGGER_1
GPIO_PMU_TO_SOC_TRIGGER_2
GPIO_PMU_TO_SOC_TRIGGER_3
GPIO_PMU_TO_SOC_TRIGGER_4

PP1V2_IO
PP1V8_SW1_IO

R0752 2.2K R0753 2.2K R0754 2.2K R0755 2.2K R0758 2.2K R0759 2.2K R0756 1.00K R0757 1.00K

I2C1_SCL
I2C1_SDA
I2C2_SCL
I2C2_SDA
I2C3_SCL
I2C3_SDA
I2C4_SCL_1V8
I2C4_SDA_1V8

PULLED TO SLEEP 1V2 RAIL, REQUESTED BY WILL F.

PP1V25_S2
R0750 2.2K R0751 2.2K

I2C0_SCL
I2C0_SDA

PAGE TITLE

SOC: I/OS

U0600
TMLR68B0-B01
BGA
SYM 5 OF 23

Pin	Signal
Y2	ISP_I2C0_SCL/ISP_GPIO_8 — NC
Y3	ISP_I2C0_SDA/ISP_GPIO_9 — NC
AA5	ISP_I2C1_SCL/ISP_GPIO_10 — NC
AA6	ISP_I2C1_SDA/ISP_GPIO_11 — NC
AA3	ISP_I2C2_SCL — GPIO_BB_TO_SOC_RESET_DET_L (IN 78)
AA2	ISP_I2C2_SDA — GPIO_AP_TO_BB_GPS_TIME_MARK (OUT 78)
AA7	ISP_I2C3_SCL — NC_GPIO_UNUSED_SOC_BT_DEVICE_WAKE
AB7	ISP_I2C3_SDA — BT_TO_SOC_TIME_SYNC (IN 78)
Y6	ISP_GPIO_0 — GPIO_AP_TO_BBPMU_PEAK_POWER_IND (OUT 78)
W6	ISP_GPIO_1 — GPIO_ISP_TO_ADAMS_FRONT_RESET_L (OUT 62)
Y7	ISP_GPIO_2 — GPIO_ISP_TO_ADAMS_REAR_RESET_L (OUT 56)
W7	ISP_GPIO_3 — NC_GPIO_ISP_TO_JASPER_SHTDWN_L (OUT 60)
AG7	ISP_SPMI0_SCLK/ISP_GPIO_5 — SPMI_ISP_ADAMS_FRONT_SCLK (OUT 62)
AF7	ISP_SPMI0_SDATA/ISP_GPIO_4 — SPMI_ISP_ADAMS_FRONT_SDATA (BI 62)
AG6	ISP_SPMI1_SCLK/ISP_GPIO_7 — SPMI_ISP_ADAMS_REAR_SCLK (OUT 56)
AH7	ISP_SPMI1_SDATA/ISP_GPIO_6 — SPMI_ISP_ADAMS_REAR_SDATA (BI 56)
AD1	SENSOR0_CLK — CLK_SOC_TO_ADAMS_FRONT_12MHZ_R (8)
AE1	SENSOR1_CLK — CLK_SOC_TO_ADAMS_REAR_12MHZ_R (8)
AD3	SENSOR2_CLK — NC_CLK_SPARE_SENSOR2_12MHZ_R
AF1	SENSOR3_CLK — NC_CLK_SPARE_SENSOR3_12MHZ_R

Pin	Signal
L15	MIPI0C_DPCLK — MIPI_PEARL_TO_SOC_CLK_P (IN 40 82)
L14	MIPI0C_DNCLK — MIPI_PEARL_TO_SOC_CLK_N (IN 40 82)
K15	MIPI0C_DPDATA0 — MIPI_PEARL_SOC_DATA_P<0> (IN 40 82)
K14	MIPI0C_DNDATA0 — MIPI_PEARL_SOC_DATA_N<0> (IN 40 82)
M14	MIPI0C_DPDATA1 — MIPI_PEARL_SOC_DATA_P<1> (IN 40 82)
M15	MIPI0C_DNDATA1 — MIPI_PEARL_SOC_DATA_N<1> (IN 40 82)
L11	MIPI1C_DPCLK — NC_MIPI_FCAM1_CAM_TO_SOC_CLK_P
L12	MIPI1C_DNCLK — NC_MIPI_FCAM1_CAM_TO_SOC_CLK_N
M12	MIPI1C_DPDATA0 — NC_MIPI_FCAM1_CAM_TO_SOC_DATA_P<0>
M11	MIPI1C_DNDATA0 — NC_MIPI_FCAM1_CAM_TO_SOC_DATA_N<0>
K11	MIPI1C_DPDATA1 — NC_MIPI_FCAM1_CAM_TO_SOC_DATA_P<1>
K12	MIPI1C_DNDATA1 — NC_MIPI_FCAM1_CAM_TO_SOC_DATA_N<1>
K9	MIPID_DPCLK — NC
K8	MIPID_DNCLK — NC
L9	MIPID_DPDATA0 — NC
L8	MIPID_DNDATA0 — NC
K17	MIPI0C_REXT — MIPI0C_REXT
L17	MIPI1C_REXT — MIPI1C_REXT
M9	MIPID_REXT — MIPID_REXT

PLACE_NEAR=U0600.M9:8MM
PLACE_NEAR=U0600.L17:8MM
PLACE_NEAR=U0600.K17:8MM

R0800 200 1% 1/32W MF 01005 NOSTUFF
R0820 200 1% 1/32W MF 01005
R0830 200 1% 1/32W MF 01005

LPDPTX_RCAL_POS
R0890 200 1% 1/32W MF 01005
C0890 10PF 5% 16V NP0/COG 01005
LPDPTX_RCAL_NEG

LPDPRX0_RCAL_POS
R0891 200 1% 1/32W MF 01005
C0891 10PF 5% 16V NP0/COG 01005
LPDPRX0_RCAL_NEG

LPDPRX1_RCAL_POS
R0893 200 1% 1/32W MF 01005
C0893 10PF 5% 16V NP0/COG 01005
LPDPRX1_RCAL_NEG

U0600
TMLR68B0-B01
BGA
SYM 4 OF 23

Pin	Signal
AP7	LPDPRX_AUX_D0_P — LPDP_SOC_TO_RCAM1_WIDE_AUX (BI 82 58)
AR7	LPDPRX_AUX_D1_P
AT7	LPDPRX_AUX_D2_P — LPDP_SOC_TO_JASPER_AUX (BI 82 60)
AV7	LPDPRX_AUX_D3_P — NC_LPDPRX_AUX3 (NC)
AW7	LPDPRX_AUX_D4_P — NC_LPDPRX_AUX4
AY7	LPDPRX_AUX_D5_P — NC_LPDPRX_AUX5
AP8	LPDPRX_AUX_D6_P — LPDP_SOC_TO_RCAM2_SWIDE_AUX (BI 82 59)
AR8	LPDPRX_AUX_D7_P — NC_LPDPRX_AUX7
AT8	LPDPRX_AUX_D8_P — NC_LPDPRX_AUX8
AV8	LPDPRX_AUX_D9_P — LPDP_SOC_TO_FCAM2_SWIDE_AUX (BI 82 26)
AW8	LPDPRX_AUX_D10_P — NC_LPDPRX_AUX10
AY8	LPDPRX_AUX_D11_P — NC_LPDPRX_AUX11
AP1	LPDPRX_RX_D0_P — LPDP_RCAM1_WIDE_TO_SOC_DATA_P<0> (IN 82 58)
AP2	LPDPRX_RX_D0_N — LPDP_RCAM1_WIDE_TO_SOC_DATA_N<0> (IN 82 58)
AR1	LPDPRX_RX_D1_P — LPDP_RCAM1_WIDE_TO_SOC_DATA_P<1> (IN 82 58)
AR2	LPDPRX_RX_D1_N — LPDP_RCAM1_WIDE_TO_SOC_DATA_N<1> (IN 82 58)
AT1	LPDPRX_RX_D2_P — LPDP_JASPER_TO_SOC_DATA_P (IN 82 60)
AT2	LPDPRX_RX_D2_N — LPDP_JASPER_TO_SOC_DATA_N (IN 82 60)
AV1	LPDPRX_RX_D3_P
AV2	LPDPRX_RX_D3_N
AW1	LPDPRX_RX_D4_P
AW2	LPDPRX_RX_D4_N
AY1	LPDPRX_RX_D5_P
AY2	LPDPRX_RX_D5_N
AP4	LPDPRX_RX_D6_P — LPDP_RCAM2_SWIDE_TO_SOC_DATA_P<0> (IN 82 59)
AP5	LPDPRX_RX_D6_N — LPDP_RCAM2_SWIDE_TO_SOC_DATA_N<0> (IN 82 59)
AR4	LPDPRX_RX_D7_P — LPDP_RCAM2_SWIDE_TO_SOC_DATA_P<1> (IN 82 59)
AR5	LPDPRX_RX_D7_N — LPDP_RCAM2_SWIDE_TO_SOC_DATA_N<1> (IN 82 59)
AT4	LPDPRX_RX_D8_P
AT5	LPDPRX_RX_D8_N
AV4	LPDPRX_RX_D9_P — LPDP_FCAM2_SWIDE_TO_SOC_DATA_P<0> (IN 82 26)
AV5	LPDPRX_RX_D9_N — LPDP_FCAM2_SWIDE_TO_SOC_DATA_N<0> (IN 82 26)
AW4	LPDPRX_RX_D10_P — LPDP_FCAM2_SWIDE_TO_SOC_DATA_P<1> (IN 82 26)
AW5	LPDPRX_RX_D10_N — LPDP_FCAM2_SWIDE_TO_SOC_DATA_N<1> (IN 82 26)
AY4	LPDPRX_RX_D11_P
AY5	LPDPRX_RX_D11_N
AU1	LPDPRX0_RCAL_P — LPDPRX0_RCAL_POS (8)
AU2	LPDPRX0_RCAL_N — LPDPRX0_RCAL_NEG (8)
AU4	LPDPRX1_RCAL_P — LPDPRX1_RCAL_POS (8)
AU5	LPDPRX1_RCAL_N — LPDPRX1_RCAL_NEG (8)

Pin	Signal
AR55	LPDP_TX0P — LPDP_SOC_TO_TCON_DATA_P<0> (OUT 43)
AR54	LPDP_TX0N — LPDP_SOC_TO_TCON_DATA_N<0> (OUT 43)
AT55	LPDP_TX1P — LPDP_SOC_TO_TCON_DATA_P<1> (OUT 43)
AT54	LPDP_TX1N — LPDP_SOC_TO_TCON_DATA_N<1> (OUT 43)
AU54	LPDP_TX2P — LPDP_SOC_TO_TCON_DATA_P<2> (OUT 43)
AU55	LPDP_TX2N — LPDP_SOC_TO_TCON_DATA_N<2> (OUT 43)
AV55	LPDP_TX3P — LPDP_SOC_TO_TCON_DATA_P<3> (OUT 43)
AV54	LPDP_TX3N — LPDP_SOC_TO_TCON_DATA_N<3> (OUT 43)
AW55	LPDP_TX4P — NC_LPDP_SOC_TO_TCON_DATA_P<4> (OUT 79)
AW54	LPDP_TX4N — NC_LPDP_SOC_TO_TCON_DATA_N<4> (OUT 79)
AX55	LPDP_TX5P — NC_LPDP_SOC_TO_TCON_DATA_P<5> (OUT 79)
AX54	LPDP_TX5N — NC_LPDP_SOC_TO_TCON_DATA_N<5> (OUT 79)
AU52	LPDP_AUX_P — LPDP_SOC_TO_TCON_AUX_P (BI 43)
AU51	LPDP_AUX_N — LPDP_SOC_TO_TCON_AUX_N (BI 43)
AV52	LPDP_RCAL_P — LPDPTX_RCAL_POS
AV51	LPDP_RCAL_N — LPDPTX_RCAL_NEG
AG55	DISP_HPD — LPDP_TCON_TO_SOC_HPD (IN 43)
AH55	DISP_POL — NC_UNUSED_DISPLAY_POL
AC6	DISP_SPI_MISO/DWI_CLK — ATRANI_SPI_MISO (IN 45 81)
AC7	DISP_SPI_MOSI/DWI_DO — ATRANI_SPI_MOSI (OUT 45 81)
AD7	DISP_SPI_SCLK/DISP_I2C_SCL — ATRANI_SPI_SCLK (OUT 45 81)
AB6	DISP_SPI_SSIN/DISP_I2C_SDA — ATRANI_SPI_CS (OUT 45 81)
W4	DISP_SPMI_SCLK — LUME_SPMI_SCLK_R (8 79)
W3	DISP_SPMI_SDATA — LUME_SPMI_SDATA (BI 44)
T49	DISP_FSYNC — DISP_FSYNC (OUT 45 81)
R50	DISP_LSYNC — DISP_LSYNC (OUT 45 81)
T50	DISP_TOUCH_BSYNC0 — GPIO_SOC_TO_LANAI_DISPLAY_BSYNC0 (OUT 20 82)
R49	DISP_TOUCH_BSYNC1 — GPIO_SOC_TO_LANAI_DISPLAY_BSYNC1 (OUT 42 56 70 78)
U49	DISP_TOUCH_EB — GPIO_SOC_TO_DISPLAY_TOUCH_EB (OUT 20 82)
AM5	DFR_BSYNC/DISP_INT — GPIO_ATRANI_TO_SOC_DISP_INT (IN 44)
AL51	DFR_DISP_TE — NC

PACK_OPTION=J522,J523
R0813 33 1/32W 5% MF 01005
LUME_SPMI_SCLK_R (79 8) — LUME_SPMI_SCLK (OUT 44)
PLACE_NEAR=U0600.W4:100MM

R0812 33 1/32W 5% MF 01005
CLK_SOC_TO_ADAMS_FRONT_12MHZ_R (8) — CLK_ISP_TO_FCAM_PMU_12MHZ (OUT 62)
C0812 15PF 5% 16V NP0/COG 01005-1
PLACE_NEAR=U0600.AD1:100MM

R0811 33 1/32W 5% MF 01005
CLK_SOC_TO_ADAMS_REAR_12MHZ_R (8) — CLK_ISP_TO_RCAM_PMU_12MHZ (OUT 54)
C0811 15PF 5% 16V NP0/COG 01005-1
PLACE_NEAR=U0600.AE1:100MM

BOM_COST_GROUP=SOC

PAGE TITLE
SOC: LPDP & MIPI

SOC: PCIE

U0600
TMLR68B0-B01
BGA
SYM 6 OF 23

PCIE GEN4 - ST LINK 0

DC BLOCKING CAPS ON NAND PAGE

GND_VOID=TRUE
0.22UF 2 | 1 C0930
6.3V   10%
01005 CER-X5R
ROOM=SOC

85_PCIE_SOC_TO_NAND1_TX_P
85_PCIE_SOC_TO_NAND1_TX_N

0.22UF 2 | 1 C0931
6.3V   10%
01005 CER-X5R
ROOM=SOC
GND_VOID=TRUE

17 IN 85_PCIE_NAND1_TO_SOC_TX_P   BE26 ST_PCIE_RX0_P
17 IN 85_PCIE_NAND1_TO_SOC_TX_N   BF26 ST_PCIE_RX0_N
       85_PCIE_SOC_TO_NAND1_C_TX_P   BC27 ST_PCIE_TX0_P
       85_PCIE_SOC_TO_NAND1_C_TX_N   BD27 ST_PCIE_TX0_N
17 OUT 85_PCIE_SOC_TO_NAND1_REFCLK_P   BB37 ST_PCIE_REF_CLK0_P
17 OUT 85_PCIE_SOC_TO_NAND1_REFCLK_N   BF37 ST_PCIE_REF_CLK0_N
17 9 IN PCIE_NAND1_TO_SOC_CLKREQ_L   AH50 ST_PCIE_CLKREQ0_N
82 18 17 OUT PCIE_SOC_TO_NAND_PERST_L AH52 ST_PCIE_PERST0_N

PCIE ST0   PCIE GP0

GP_PCIE_RX0_P   BE30 PCIE_WLAN_TO_SOC_TX_P   IN 78 82
GP_PCIE_RX0_N   BF30 PCIE_WLAN_TO_SOC_TX_N   IN 78 82
GP_PCIE_TX0_P   BC31 PCIE_SOC_TO_WLAN_TX_C_P
GP_PCIE_TX0_N   BD31 PCIE_SOC_TO_WLAN_TX_C_N
GP_PCIE_REF_CLK0_P BE40 PCIE_SOC_TO_WLAN_REFCLK_P OUT 78 82
GP_PCIE_REF_CLK0_N BF40 PCIE_SOC_TO_WLAN_REFCLK_N OUT 78 82
GP_PCIE_CLKREQ0_N   AB55 PCIE_WLAN_TO_SOC_CLKREQ_L 9 78
GP_PCIE_PERST0_N   AA52 PCIE_SOC_TO_WLAN_RESET_L   OUT 9 78

0.1UF 2 | 1 C0940
01005   20%
6.3V   X5R-CERM
GND_VOID=TRUE
PCIE_SOC_TO_WLAN_TX_P   OUT 78 82

0.1UF 2 | 1 C0941
01005   20%
6.3V   X5R-CERM
PCIE_SOC_TO_WLAN_TX_N   OUT 78 82

WLAN/BT

DUAL_NAND
GND_VOID=TRUE
0.22UF 2 | 1 C0932
6.3V   10%
01005 CER-X5R
ROOM=SOC

85_PCIE_SOC_TO_NAND2_TX_P
85_PCIE_SOC_TO_NAND2_TX_N

0.22UF 2 | 1 C0933
6.3V   10%
01005 CER-X5R
ROOM=SOC
DUAL_NAND
GND_VOID=TRUE

DC BLOCKING CAPS ON NAND PAGE

18 IN 85_PCIE_NAND2_TO_SOC_TX_P   BE28 ST_PCIE_RX1_P
18 IN 85_PCIE_NAND2_TO_SOC_TX_N   BF28 ST_PCIE_RX1_N
       85_PCIE_SOC_TO_NAND2_C_TX_P   BC29 ST_PCIE_TX1_P
       85_PCIE_SOC_TO_NAND2_C_TX_N   BD29 ST_PCIE_TX1_N
18 OUT 85_PCIE_SOC_TO_NAND2_REFCLK_P   BB38 ST_PCIE_REF_CLK1_P
18 OUT 85_PCIE_SOC_TO_NAND2_REFCLK_N   BC38 ST_PCIE_REF_CLK1_N
18 9 IN PCIE_NAND2_TO_SOC_CLKREQ_L   AH49 ST_PCIE_CLKREQ1_N
       NC_PCIE_SOC_TO_NAND2_PERST_L   AH48 ST_PCIE_PERST1_N

PCIE ST1   PCIE GP1

GP_PCIE_RX1_P   BE32 PCIE_BB_TO_SOC_TX_P   IN 78
GP_PCIE_RX1_N   BF32 PCIE_BB_TO_SOC_TX_N   IN 78
GP_PCIE_TX1_P   BC33 PCIE_SOC_TO_BB_TX_C_P OUT 78
GP_PCIE_TX1_N   BD33 PCIE_SOC_TO_BB_TX_C_N OUT 78
GP_PCIE_REF_CLK1_P BE38 PCIE_SOC_TO_BB_REFCLK_P OUT 78
GP_PCIE_REF_CLK1_N BF38 PCIE_SOC_TO_BB_REFCLK_N OUT 78
GP_PCIE_CLKREQ1_N   AA55 PCIE_BB_TO_SOC_CLKREQ_L IN 78
GP_PCIE_PERST1_N   P55   PCIE_SOC_TO_BB_PERST_L   OUT 78

BASEBAND
AC COUPLING CAPS ARE IN CONNECTOR PAGE

PCIE GP2

GP_PCIE_RX2_P   BE34 NC
GP_PCIE_RX2_N   BF34 NC
GP_PCIE_TX2_P   BC35 NC
GP_PCIE_TX2_N   BD35 NC
GP_PCIE_REF_CLK2_P BE39 NC
GP_PCIE_REF_CLK2_N BF39 NC
GP_PCIE_CLKREQ2_N   AH1   NC
GP_PCIE_PERST2_N   AE7   GPIO_SOC_TO_BB_COREDUMP OUT 78

9 PCIE_RCAL_ST_POS   BC24 ST_PCIE_RCAL_P
9 PCIE_RCAL_ST_NEG   BB24 ST_PCIE_RCAL_N

GP_PCIE_RCAL_P   BC25 PCIE_RCAL_GP_POS 9
GP_PCIE_RCAL_N   BB25 PCIE_RCAL_GP_NEG 9

NC AM3 PAD_MTR_ANALOG_TEST_P
NC AL3 PAD_MTR_ANALOG_TEST_N
NC AL1 PAD_MTR_VREF_P
NC AM1 PAD_MTR_VREF_N

MTR

84 76 67 44 24 7 6 5 PP1V2_IO

9 PCIE_RCAL_ST_POS

R0940
20K
5%
1/20W
MF
201

R0990
200
1%
1/32W
MF
01005

9 PCIE_RCAL_ST_NEG

78 9 PCIE_WLAN_TO_SOC_CLKREQ_L

C0990
10PF
5%
16V
NP0/C0G
01005

84 18 17 PP1V2_NAND

R0950
20K
5%
1/20W
MF
201

R0930
20K
5%
1/20W
MF
201

17 9 PCIE_NAND1_TO_SOC_CLKREQ_L
18 9 PCIE_NAND2_TO_SOC_CLKREQ_L

78 9 PCIE_SOC_TO_WLAN_RESET_L

R0941
100K
5%
1/32W
MF
01005

9 PCIE_RCAL_GP_POS

R0989
200
1%
1/32W
MF
01005

9 PCIE_RCAL_GP_NEG

C0989
10PF
5%
16V
NP0/C0G
01005

82 18 17 PCIE_SOC_TO_NAND_PERST_L

R0952
47.0K
5%
1/32W
MF
01005

BOM_COST_GROUP=SOC
PAGE TITLE
SOC: PCIE

SOC: AOP

ALS IRQ PULL-UPS

PP1V25_S2

NOSTUFF R0690 47.0K 1/32W MF 01005
NOSTUFF R0691 47.0K 1/32W MF 01005

GPIO ALS FH1 TO AOP IRQ L
GPIO ALS FH2 TO AOP IRQ L

AOP I2C PULL-UPS

PP1V25_S2

R1050 2.2K 5% 1/32W MF 01005
R1051 2.2K 5% 1/32W MF 01005
R1052 2.2K 5% 1/32W MF 01005
R1053 2.2K 5% 1/32W MF 01005

I2C_AOP_I2CM0_SCL
I2C_AOP_I2CM0_SDA
I2C_AOP_I2CM1_SCL
I2C_AOP_I2CM1_SDA

SPI_SENSORS_MOSI — R1020 33 5% 1/32W MF 01005
SPI_SENSORS_SCLK — R1025 33 5% 1/32W MF 01005

PP1V25_S2

R0683 10K 5% 1/32W MF 01005
C0683 0.1UF 20% 6.3V X5R-CERM 01005 NOSTUFF FOR CFSB ISSUE

RESET_PMU_TO_SYSTEM_L

PP1V25_S2

R0684 47.0K 5% 1/32W MF 01005

SMC I2C PULL-UPS

PP1V25_S2

R85A1 2.2K 5% 1/32W MF 01005
R85A0 2.2K 5% 1/32W MF 01005
RB164 2.2K 5% 1/32W MF 01005
RB163 2.2K 5% 1/32W MF 01005
RB902 2.2K 5% 1/32W MF 01005
RB906 2.2K 5% 1/32W MF 01005

I2C_SMC_I2CM0_SCL
I2C_SMC_I2CM0_SDA
I2C_SMC_I2CM1_SCL
I2C_SMC_I2CM1_SDA
I2C_SMC_I2CM2_SCL
I2C_SMC_I2CM2_SDA

U0600
TMLR68B0-B01
BGA
SYM 7 OF 23

AOP GPIO
Signal	Pin	Port
GPIO PHOSPHORUS TO AOP IRQ	BB18	AOP_FUNC[0]
GPIO MOLY TO AOP IRQ	BC16	AOP_FUNC[1]
GPIO KOBOL TO AOP INT	BC12	AOP_FUNC[2]
GPIO KOBOL TO AOP MOTION INT	BC13	AOP_FUNC[3]
SPI PHOSPHORUS CS L	BA16	AOP_FUNC[4]
SPI MOLY CS L	BA15	AOP_FUNC[5]
SPI KOBOL CS L	BA13	AOP_FUNC[6]
GPIO GRAPE TO AOP IRQ L	BD13	AOP_FUNC[7]
GPIO AOP TO WLAN CONTEXT A	BD16	AOP_FUNC[8]
GPIO AOP TO WLAN CONTEXT B	BA14	AOP_FUNC[9]
AOP TO BBPMU FORCE PWM	BB12	AOP_FUNC[10]
NC AOP FUNC11	BD20	AOP_FUNC[11]
GPIO ALS FH1 TO AOP IRQ L	BA11	AOP_FUNC[12]
GPIO ALS FH2 TO AOP IRQ L	BD18	AOP_FUNC[13]
NC GPIO GRAPE TO AOP TIME SYNC	BA10	AOP_FUNC[14]

AOP I2C
Signal	Pin	Port
I2C AOP I2CM0 SCL	BC20	AOP_I2CM0_SCL
I2C AOP I2CM0 SDA	BB19	AOP_I2CM0_SDA
I2C AOP I2CM1 SCL	BB16	AOP_I2CM1_SCL
I2C AOP I2CM1 SDA	BE15	AOP_I2CM1_SDA

AOP PDM
Signal	Pin	Port
CLK AOP TO LDCM PDM	BB9	AOP_PDM_IN_CLK1/AOP_I2S1_BCLK
PDM DMIC TOP L SCLK	BC9	AOP_PDM_IN_CLK2/AOP_I2S0_MCK
PDM DMIC TOP R SCLK	BC6	AOP_PDM_IN_CLK3/AOP_I2S0_LRCK
PDM DMIC FRONT SCLK	BD9	AOP_PDM_IN_CLK4/AOP_I2S0_DOUT
PDM DMIC BACK SCLK	BC8	AOP_PDM_IN_CLK5/AOP_I2S0_DIN
PDM DMIC SIDE SCLK	BD8	AOP_PDM_IN_CLK6/AOP_I2S0_BCLK
LDCM TO AOP DATA1 PDM	BE21	AOP_PDM_IN_DATA1/AOP_I2S1_MCK
PDM DMIC TOP L R SD	BE16	AOP_PDM_IN_DATA2/AOP_I2S1_LRCK
PDM DMIC FRONT BACK SD	BE19	AOP_PDM_IN_DATA3/AOP_I2S1_DOUT/AOP_PDM_IN_CLK7
PDM DMIC SIDE SD	BD5	AOP_PDM_IN_DATA4/AOP_I2S1_DIN/AOP_PDM_IN_CLK8

AOP SPI
Signal	Pin	Port
SPI SENSORS MISO	BF15	AOP_SPI0_MISO
SPI SENSORS MOSI R	BF14	AOP_SPI0_MOSI
SPI SENSORS SCLK R	BF17	AOP_SPI0_SCLK

AOP SPMI
Signal	Pin	Port
SPMI0 AOP SCLK WIFI BT NFC	BF18	AOP_SPMI0_SCLK/AOP_UART0_TXD
SPMI0 AOP SDATA WIFI BT NFC	BF19	AOP_SPMI0_SDATA/AOP_UART0_RXD
UART AOP TO BB TX	BF20	AOP_SPMI1_SCLK/AOP_UART1_TXD
UART BB TO AOP TX	BF21	AOP_SPMI1_SDATA/AOP_UART1_RXD

AOP UART
Signal	Pin	Port
UART GRAPE TO AOP TX	BB3	AOP_UART2_RXD
UART AOP TO GRAPE TX	BB4	AOP_UART2_TXD

AOP RESET
Signal	Pin	Port
CLK PMU TO AOP 32K	BE6	RT_CLK32768
RESET PMU TO SYSTEM L	BF10	CFSB_AON
RESET PMU TO SYSTEM L	BB5	COLD_RESETN
NC AON SLEEP1 RESET L	BB21	AON_SLEEP1_RESETN
WDOG SOC	BF12	WDOG

AOP DEBUG
Signal	Pin	Port
DBG PROBE VALID	BF6	DBG_PROBE_VALID
85 USB E KIS P	BF24	DBG_USB_EDP
85 USB E KIS N	BE24	DBG_USB_EDM
DBG USB RESREF	BE23	DBG_USB_RESREF

PLACE_NEAR=U0600.BE23:6MM
R09A5 200 1% 1/32W MF 01005

NUB GPIO
Signal	Pin	Port
NUB_CLK_OUT0	BA17	CLK GRAPE 24MHZ R
NUB_DOCK_ATTENTION/CTM_TRIGGER	BC15	GPIO AOP TO ORION HWEN
NUB_DOCK_CONNECT	BC17	GPIO 1V2 ACE2SOC DOCK CONNECT
NUB_GPIO_0/AOP_FUNC15/NUB_CLK_OUT1	BD14	GPIO AOP TO PARROT RECOVERY STATUS
NUB_GPIO_1/AOP_PDM_IN_CLK0	BD15	PDM PENROSE SCLK
NUB_GPIO_2/AOP_PDM_IN_DATA0	BD21	PDM PENROSE SD
NUB_GPIO_3/AOP_LEAP_MADI_IN	BD17	GPIO KONA S TO SCORPIUS TIME SYNC AOP
NUB_GPIO_4/AOP_LEAP_MADI_OUT	BB13	GPIO TITUS TO AOP B2B DETECT
NUB_GPIO_5/AOP_PDM_OUT_CLK0	BD19	GPIO LDCM TO AOP INVALID
NUB_GPIO_6/AOP_PDM_OUT_DATA0/AOP_FUNC16	BD22	AOP TO LDCM DATA0 PDM
NUB_GPIO_7/AOP_FUNC17	BB10	PROX BI AP AOP INT L PWM LVT
NUB_GPIO_8/AOP_FUNC18	BD12	NC AOP TO LDCM AFE EN 1V2
NUB_GPIO_9/AOP_FUNC19	BD11	GPIO ORION TO AOP IRQ
NUB_GPIO_10/AOP_FUNC20	BC10	DOTARA WAKE HEART BEAT
NUB_GPIO_11/KIS_GPIO0/AOP_FUNC21	BB7	SLG TO AOP DMIC DISABLE WARN L
NUB_GPIO_12/KIS_GPIO1/AOP_FUNC22	BD10	GPIO SCORPIUS TO AOP INT

PLACE_NEAR=U0600.BA17:1000MM
R0731 33 2 CLK SOC TO GRAPE 24MHZ
DEV PURPOSES, NOSTUFF CONNECTION TO USBC DC

NUB SPMI
Signal	Pin	Port
NUB SPMI0 SCLK	BB15	NUB_SPMI0_SCLK
NUB SPMI0 SDATA	BC14	NUB_SPMI0_SDATA
NUB SPMI1 SCLK	BA12	NUB_SPMI1_SCLK
NUB SPMI1 SDATA	BC11	NUB_SPMI1_SDATA

NUB SWD
Signal	Pin	Port
SWD PERIPHERAL SWCLK	BC18	NUB_SWD_TCK_OUT0
SWD PMU SWDIO	BC19	NUB_SWD_TMS0
SWD GRAPE SWDIO	BC21	NUB_SWD_TMS1

PP1V25 S2
R0681 47.0K 5% 1/32W MF 01005
R0680 47.0K 5% 1/32W MF 01005
R0682 47.0K 5% 1/32W MF 01005

JTAG
Signal	Pin	Port
JTAG SOC SEL	BE4	JTAG_SEL
JTAG SOC TCK	BF5	JTAG_TCK
TP JTAG SOC TDI	BF16	JTAG_TDI
TP JTAG SOC TDO	BC1	JTAG_TDO
JTAG SOC TMS	BB1	JTAG_TMS
TP JTAG SOC TRST L	BF7	JTAG_TRSTN

SMC I2C
Signal	Pin	Port
I2C SMC I2CM0 SCL	BC3	SMC_I2CM0_SCL
I2C SMC I2CM0 SDA	BC2	SMC_I2CM0_SDA
I2C SMC I2CM1 SCL	BD4	SMC_I2CM1_SCL/SMC_UART1_TXD
I2C SMC I2CM1 SDA	BB2	SMC_I2CM1_SDA/SMC_UART1_RXD
I2C SMC I2CM2 SCL	BD6	SMC_I2CM2_SCL
I2C SMC I2CM2 SDA	BC5	SMC_I2CM2_SDA
NC	BC7	SMC_I2CM3_SCL
NC	BD7	SMC_I2CM3_SDA
NC	BE7	SMC_I2CM4_SCL
NC	BF9	SMC_I2CM4_SDA

SMC UART
Signal	Pin	Port
NC	BF4	SMC_UART0_RXD
NC	BF8	SMC_UART0_TXD

SMC GPIO
Signal	Pin	Port
GPIO POTOMAC TO SOC TO PMU IRQ L	BF11	SMC_GPIO0
GPIO ACE TO SMC IRQ L	BF13	SMC_GPIO1
NC SMC FPWM0	BE12	SMC_FPWM0
NC	BE9	SMC_FPWM1

PP1V2_S2_TOUCH
C1034 0.1UF 20% 6.3V X5R-CERM 01005

U1033 74AUP1G34GX SOT1226
NC

SWD_PERIPHERAL_SWCLK — R1040 33 5% 1/32W MF 01005 SWD PER KONA SWCLK R — SWD GRAPE SWCLK
PLACE_NEAR=U0600.AK3:100MM
NO SWCLK BUFFER FOR PMU DUE TO PROXIMITY AND LOAD

PP1V2_S2_TOUCH

PP1V2_S2_TOUCH
R0612 1.00K 5% 1/32W MF 01005
SWD GRAPE SWDIO

NUB SPMI SERA SCLK — R79C1 33 5% 1/32W MF 01005 — NUB SPMI0 SCLK
PLACE_NEAR=U0600.BB15:100MM
NUB SPMI SERA SDATA — R79D1 33 5% 1/32W MF 01005 — NUB SPMI0 SDATA
PLACE_NEAR=U0600.BC14:100MM

NUB SPMI1 SIMETRA SCLK — R79C2 33 1/32W 5% MF 01005 — NUB SPMI1 SCLK
PLACE_NEAR=U0600.BA12:100MM
NUB SPMI1 SIMETRA SDATA — R79D2 33 1/32W 5% MF 01005 — NUB SPMI1 SDATA
PLACE_NEAR=U0600.BC11:100MM

AOP SPMI0 SCLK NFC — R78E1 33 1/32W 5% MF 01005 — SPMI0 AOP SCLK WIFI BT NFC
PLACE_NEAR=U0600.BF18:100MM
AOP SPMI0 SDATA NFC — R78F1 33 1/32W 5% MF 01005 — SPMI0 AOP SDATA WIFI BT NFC
PLACE_NEAR=U0600.BF19:100MM

R1098 1.00M 1/32W MF 01005
R1099 1.00M 1/32W MF 01005
PLACE_NEAR=U0600.BF18:100MM

AOP SPMI0 SCLK WIFI BT — R78C1 33 1/32W 5% MF 01005
PLACE_NEAR=U0600.BF18:100MM
AOP SPMI0 SDATA WIFI BT — R78D1 33 1/32W 5% MF 01005
PLACE_NEAR=U0600.BF19:100MM

BOM_COST_GROUP=SOC

PAGE TITLE

SOC: AOP

84 65 11 PPVDD_S1_QL

C110Y
100PF
5%
25V
COG
0201

C110Z
12PF
5%
25V
NP0-COG
0201

U0600
TMLR68B0-B01
BGA
SYM 8 OF 23

C1112 4.3UF 20% 4V CERM 0402
C1113 4.3UF 20% 4V CERM 0402
C1110 4.3UF 20% 4V CERM 0402
C1111 4.3UF 20% 4V CERM 0402

C1120 4.3UF 20% 4V CERM 0402
C1121 4.3UF 20% 4V CERM 0402
C1122 4.3UF 20% 4V CERM 0402
C1123 4.3UF 20% 4V CERM 0402
C1124 4.3UF 20% 4V CERM 0402
C1125 4.3UF 20% 4V CERM 0402
C1126 4.3UF 20% 4V CERM 0402

Pin	Net	Net	Pin
AA14	VDDQL_S1	VDDQL_S1	K53
AA16	VDDQL_S1	VDDQL_S1	L23
AA40	VDDQL_S1	VDDQL_S1	L25
AB15	VDDQL_S1	VDDQL_S1	L31
AB41	VDDQL_S1	VDDQL_S1	L33
AC16	VDDQL_S1	VDDQL_S1	L4
AC40	VDDQL_S1	VDDQL_S1	L50
AD15	VDDQL_S1	VDDQL_S1	L52
AE16	VDDQL_S1	VDDQL_S1	L6
AF15	VDDQL_S1	VDDQL_S1	M24
AG14	VDDQL_S1	VDDQL_S1	M26
AH15	VDDQL_S1	VDDQL_S1	M3
AK15	VDDQL_S1	VDDQL_S1	M30
AL14	VDDQL_S1	VDDQL_S1	M32
AM16	VDDQL_S1	VDDQL_S1	M5
AM17	VDDQL_S1	VDDQL_S1	M51
B21	VDDQL_S1	VDDQL_S1	M53
B23	VDDQL_S1	VDDQL_S1	N25
B33	VDDQL_S1	VDDQL_S1	N31
B35	VDDQL_S1	VDDQL_S1	N4
B50	VDDQL_S1	VDDQL_S1	N52
B6	VDDQL_S1	VDDQL_S1	T16
B8	VDDQL_S1	VDDQL_S1	T18
C22	VDDQL_S1	VDDQL_S1	T20
C24	VDDQL_S1	VDDQL_S1	T22
C3	VDDQL_S1	VDDQL_S1	T26
C32	VDDQL_S1	VDDQL_S1	T28
C34	VDDQL_S1	VDDQL_S1	T32
C49	VDDQL_S1	VDDQL_S1	T38
C5	VDDQL_S1	VDDQL_S1	T40
C51	VDDQL_S1	VDDQL_S1	U14
C53	VDDQL_S1	VDDQL_S1	U15
C7	VDDQL_S1	VDDQL_S1	U17
D23	VDDQL_S1	VDDQL_S1	U19
D25	VDDQL_S1	VDDQL_S1	U21
D31	VDDQL_S1	VDDQL_S1	U23
D33	VDDQL_S1	VDDQL_S1	U25
D4	VDDQL_S1	VDDQL_S1	U27
D50	VDDQL_S1	VDDQL_S1	U29
D52	VDDQL_S1	VDDQL_S1	U31
D6	VDDQL_S1	VDDQL_S1	U33
E24	VDDQL_S1	VDDQL_S1	U35
E26	VDDQL_S1	VDDQL_S1	U37
E3	VDDQL_S1	VDDQL_S1	U39
E30	VDDQL_S1	VDDQL_S1	V16
E32	VDDQL_S1	VDDQL_S1	V22
E51	VDDQL_S1	VDDQL_S1	V24
E53	VDDQL_S1	VDDQL_S1	V26
K24	VDDQL_S1	VDDQL_S1	V32
K26	VDDQL_S1	VDDQL_S1	V34
K3	VDDQL_S1	VDDQL_S1	V40
K30	VDDQL_S1	VDDQL_S1	W14
K32	VDDQL_S1	VDDQL_S1	W40
K5	VDDQL_S1	VDDQL_S1	Y15
K51	VDDQL_S1		

84 65 11 PP1V8_S2

C1130 1UF 20% 10V X5R 0201
C1131 1UF 20% 10V X5R 0201
C1132 1UF 20% 10V X5R 0201
C1133 12PF 5% 25V NP0-COG 0201
C1134 100PF 5% 25V COG 0201

C1135 14UF 20% 4V X5R 0402-D2X-1
C1136 14UF 20% 4V X5R 0402-D2X-1
C1137 14UF 20% 4V X5R 0402-D2X-1

U0600
TMLR68B0-B01
BGA
SYM 9 OF 23

Pin	Net
D21	VDD1_S2
D22	VDD1_S2
D48	VDD1_S2
D49	VDD1_S2
D7	VDD1_S2
D8	VDD1_S2
E21	VDD1_S2
E35	VDD1_S2
E48	VDD1_S2
E8	VDD1_S2
D34	VDD1_S2
D35	VDD1_S2

84 12 PP1V2_SOC_LN

C1140 0.1UF 20% 6.3V X5R-CERM 01005
C1141 2.2UF 20% 6.3V X5R-CERM 0201
C1142 0.1UF 20% 6.3V X5R-CERM 01005

C1143 1.0UF 20% 6.3V X5R 0201-1
C1144 0.22UF 10% 6.3V CER-X5R 01005
C1145 0.01UF 10% 6.3V X5R 01005
C1146 18PF 5% 16V 01005 COG

Pin	Net
AJ19	VDDIO12_PLL_DDR0
AG19	VDDIO12_PLL_DDR1
AE13	VDDIO12_PLL_DDR2
T25	VDDIO12_PLL_DDR3
AA29	VDDIO12_PLL_DDR4
Y31	VDDIO12_PLL_DDR5
T33	VDDIO12_PLL_DDR6
AC43	VDDIO12_PLL_DDR7
AJ14	VDDIO11_RET_DDR0_S2
AH14	VDDIO11_RET_DDR1_S2
AC14	VDDIO11_RET_DDR2_S2
R25	VDDIO11_RET_DDR3_S2
T29	VDDIO11_RET_DDR4_S2
T30	VDDIO11_RET_DDR5_S2
T36	VDDIO11_RET_DDR6_S2
AA42	VDDIO11_RET_DDR7_S2

84 65 11 PP1V06_S2

Net	Pin	Net
DDR0_RREF	J1	DDR0_RREF
DDR1_RREF	H1	DDR1_RREF
DDR2_RREF	G1	DDR2_RREF
DDR3_RREF	A26	DDR3_RREF
DDR4_RREF	A31	DDR4_RREF
DDR5_RREF	A32	DDR5_RREF
DDR6_RREF	G55	DDR6_RREF
DDR7_RREF	H55	DDR7_RREF
DDR0_ZQ	A5	DDR0_ZQ[0]
DDR1_ZQ	A7	DDR1_ZQ[0]
DDR4_ZQ	A33	DDR4_ZQ[0]
DDR5_ZQ	A35	DDR5_ZQ[0]
DDR0_ZQ1	A6	DDR0_ZQ[1]
DDR1_ZQ1	A8	DDR1_ZQ[1]
DDR4_ZQ1	A34	DDR4_ZQ[1]
DDR5_ZQ1	A36	DDR5_ZQ[1]

65 84 PP1V06_S2

C1150 4.3UF 20% 4V CERM 0402
C1151 4.3UF 20% 4V CERM 0402
C1152 4.3UF 20% 4V CERM 0402
C1153 4.3UF 20% 4V CERM 0402
C1154 4.3UF 20% 4V CERM 0402

C1155 4.3UF 20% 4V CERM 0402
C1156 4.3UF 20% 4V CERM 0402
C1157 4.3UF 20% 4V CERM 0402
C1158 4.3UF 20% 4V CERM 0402
C1159 4.3UF 20% 4V CERM 0402

Net	Pin
VDD2_S2	B30
VDD2_S2	B31
VDD2_S2	B52
VDD2_S2	F23
VDD2_S2	F25
VDD2_S2	F50
VDD2_S2	F52
VDD2_S2	G24
VDD2_S2	G26
VDD2_S2	G51
VDD2_S2	G53
VDD2_S2	H23
VDD2_S2	H25
VDD2_S2	H50
VDD2_S2	H52
VDD2_S2	J24
VDD2_S2	J26
VDD2_S2	J51
VDD2_S2	J53
VDD2_S2	P5
VDD2_S2	P24
VDD2_S2	P32
VDD2_S2	P51
VDD2_S2	B4
VDD2_S2	B3
VDD2_S2	B25
VDD2_S2	B26
VDD2_S2	B53
VDD2_S2	F4
VDD2_S2	F6
VDD2_S2	F31
VDD2_S2	F33
VDD2_S2	G3
VDD2_S2	G5
VDD2_S2	G30
VDD2_S2	G32
VDD2_S2	H4
VDD2_S2	H6
VDD2_S2	H31
VDD2_S2	H33
VDD2_S2	J3
VDD2_S2	J5
VDD2_S2	J30
VDD2_S2	J32
VDD2_S2	P6
VDD2_S2	P23
VDD2_S2	P33
VDD2_S2	P50

84 65 11 PPVDD_S1_QL

R0661 240 1% 1/32W MF 01005
R0662 240 1% 1/32W MF 01005
R0663 240 1% 1/32W MF 01005
R0664 240 1% 1/32W MF 01005
R0665 240 1% 1/32W MF 01005
R0666 240 1% 1/32W MF 01005
R0667 240 1% 1/32W MF 01005
R0668 240 1% 1/32W MF 01005

11 DDR0_ZQ PLACE_NEAR=U0600.A5.5MM
11 DDR1_ZQ PLACE_NEAR=U0600.A7.5MM
11 DDR4_ZQ PLACE_NEAR=U0600.A33.5MM
11 DDR5_ZQ PLACE_NEAR=U0600.A35.5MM
11 DDR0_ZQ1 PLACE_NEAR=U0600.A6.5MM
11 DDR1_ZQ1 PLACE_NEAR=U0600.A8.5MM
11 DDR4_ZQ1 PLACE_NEAR=U0600.A34.5MM
11 DDR5_ZQ1 PLACE_NEAR=U0600.A36.5MM

84 65 11 PPVDD_S1_QL

R0669 240 1% 1/32W MF 01005
R0670 240 1% 1/32W MF 01005
R0671 240 1% 1/32W MF 01005
R0672 240 1% 1/32W MF 01005
R0673 240 1% 1/32W MF 01005
R0674 240 1% 1/32W MF 01005
R0675 240 1% 1/32W MF 01005
R0676 240 1% 1/32W MF 01005

11 DDR0_RREF PLACE_NEAR=U0600.J1.5MM
11 DDR1_RREF PLACE_NEAR=U0600.H1.5MM
11 DDR2_RREF PLACE_NEAR=U0600.G1.5MM
11 DDR3_RREF PLACE_NEAR=U0600.A26.5MM
11 DDR4_RREF PLACE_NEAR=U0600.A31.5MM
11 DDR5_RREF PLACE_NEAR=U0600.A32.5MM
11 DDR6_RREF PLACE_NEAR=U0600.G55.5MM
11 DDR7_RREF PLACE_NEAR=U0600.H55.5MM

BOM_COST_GROUP=SOC

PAGE TITLE
SOC: POWER (DDR,SRAM)

U0600
TMLR68B0-B01
BGA
SYM 13 OF 23

U0600
TMLR68B0-B01
BGA
SYM 14 OF 23

VDDIO006_GRPx RADAR #: 48907718
Cmin = 4.7uF
Loop R < 0.2 ohm
Loop L < 1nH

PP0V8 S1 SOC FIXED
C1260 4.3UF
C1261 0.1UF 20% 6.3V X5R-CERM 01005
C1262 0.1UF 20% 6.3V X5R-CERM 01005

C1270 2.2UF
C1271 0.1UF

C1280 2.2UF
C1281 0.1UF

R1290 0.00
C1290 2.2UF
C1291 0.1UF
PPVDD S1 FIXED PCIE R

C12A0 4.3UF
C12A1 0.1UF
C12A2 0.1UF

C1240 2.2UF
C1241 2.2UF
C1242 0.1UF
R1250 120-OHM-25%-250MA-0.5DCR

C1250 2.2UF
C1251 2.2UF
C1252 0.22UF
C1253 0.1UF
C1254 0.1UF
C125Z 220PF
PP0V8 S1 FIXED DDR PLL SOC FILT

R12B0 10
C12B0 4UF

C12C0 2.2UF

C12D0 14UF
C12D1 14UF
C12DY 12PF
C12DZ 100PF

R12E0 10 PP0V72_S2_VDDLOW_PLL_FLPPLL
R12F0 49.9 PP0V72_S2_VDDLOW_PLL_ULPPLL
C12F0 4.7UF
C12E0 0.47UF

C12G0 0.1UF

U0600 left pins (SYM 13):
AM28 VDD_FIXED_ECPU_S1
AW19 VDD_FIXED_LPDP_RX_S1
AW20 VDD_FIXED_LPDP_RX_S1
AW21 VDD_FIXED_LPDP_RX_S1
BA37 VDD_FIXED_LPDP_TX_S1
BA38 VDD_FIXED_LPDP_TX_S1
BA39 VDD_FIXED_LPDP_TX_S1
R11 VDD_FIXED_MIPIC_S1
R12 VDD_FIXED_MIPIC_S1
R13 VDD_FIXED_MIPIC_S1
R10 VDD_FIXED_MIPID_PLL_S1
P9 VDD_FIXED_MIPID_S1
R9 VDD_FIXED_MIPID_S1
AY18 VDD_FIXED_MTR_S1
AV33 VDD_FIXED_PCIE_REFBUF_S1
AV29 VDD_FIXED_PCIE_S1
AV30 VDD_FIXED_PCIE_S1
AV31 VDD_FIXED_PCIE_S1
AV32 VDD_FIXED_PCIE_S1
AL34 VDD_FIXED_PCPU_S1
AT32 VDD_FIXED_PLL_ANE_S1
AF29 VDD_FIXED_PLL_GPU_S1
AR20 VDD_FIXED_PLL_SOC_S1
AH13 VDD_FIXED_PLL_DDR0_S1
AG13 VDD_FIXED_PLL_DDR1_S1
AC13 VDD_FIXED_PLL_DDR2_S1
T24 VDD_FIXED_PLL_DDR3_S1
R28 VDD_FIXED_PLL_DDR4_S1
R29 VDD_FIXED_PLL_DDR5_S1
T34 VDD_FIXED_PLL_DDR6_S1
AC42 VDD_FIXED_PLL_DDR7_S1
BA32 VDD_FIXED_XTAL_S1
AD40 VDD_FIXED_S1
AG40 VDD_FIXED_S1
AJ39 VDD_FIXED_S1
AP17 VDD_FIXED_S1
AU32 VDD_FIXED_S1
AV39 VDD_FIXED_S1
AY16 VDD_FIXED_S1
V17 VDD_FIXED_S1
AV23 VDD_LOW_S2
AV25 VDD_LOW_S2
AV27 VDD_LOW_S2
AW26 VDD_LOW_S2
AV26 VDD_LOW_S2
BA23 VDD_LOW_S2
AW24 VDD_LOW_FLPPLL_S2
AW22 VDD_LOW_ULPPLL_S2
AW28 VDD_LOW_USB_DEBUG_S2
BA22 VDD_HIB_S4

Center section:
PPVDD_S2 CIO
C1210 0.1UF
C1211 0.1UF
C1212 4.3UF
C1213 4.3UF
PP1V2_S2 CIO
C1220 0.1UF
C1221 0.1UF
C1222 4.3UF
C1223 4.3UF
C1224 0.1UF
C1225 0.1UF
PPVDD_S2 CIO

AV34 VDD_CIO
AV36 VDD_CIO
AW35 VDD_CIO
AU42 VDD12_CIO_S2
AU43 VDD12_CIO_S2
AV42 VDD12_CIO_S2
AV43 VDD12_CIO_S2
AY34 VDD12_CIO_S2
AY36 VDD12_CIO_S2
BA35 VDD12_CIO_S2
AU34 VDD_CIO_USB
AU35 VDD_CIO_USB_S2
AT42 VDD12_AMUX
PP1V25 S2

C12H0 0.1UF
C12H1 0.1UF
C12H2 4.3UF
PP1V2 IO

AV11 VDD12_LPDP_RX
AV20 VDD12_LPDP_RX
AW11 VDD12_LPDP_RX
AW13 VDD12_LPDP_RX
AY13 VDD12_LPDP_RX
AY19 VDD12_LPDP_RX
AY20 VDD12_LPDP_RX
AY21 VDD12_LPDP_RX

C12L0 0.1UF
C12L1 2.2UF
PP1V2 SOC LN

AW37 VDD12_LPDP_TX
AW38 VDD12_LPDP_TX
AW39 VDD12_LPDP_TX
P11 VDD12_MIPIC
P12 VDD12_MIPIC
P13 VDD12_MIPIC
PP1V2 IO
PP1V2 IO

C12W0 0.1UF
C12W1 2.2UF
C12T0 2.2UF

P8 VDD12_MIPID
R8 VDD12_MIPID
AW18 VDD12_MTR

AY29 VDD12_PCIE
AY30 VDD12_PCIE
AY31 VDD12_PCIE
AY32 VDD12_PCIE
AY43 VDD12_PCIE
BA42 VDD12_PCIE
BA43 VDD12_PCIE

C12M0 0.1UF
C12M1 0.1UF
C12M2 4.3UF
C12M3 4.3UF
PP1V2 SOC LN

AW33 VDD12_PCIE_REFBUF
PP1V2 PCIE REFBUF FILT
R12V0 0.00
PP1V2 SOC LN

C12V0 0.1UF
C12V1 2.2UF

AP31 VDD12_PLL_ANE
AK34 VDD12_PLL_CPU
AG29 VDD12_PLL_GPU
AP19 VDD12_PLL_SOC
PP1V2 SOC LN

AK32 VDD12_TSADC_CPU

C12N0 0.1UF
C12N1 0.1UF
C12N2 2.2UF

U20 VDD12_TSADC_SOC0
Y33 VDD12_TSADC_SOC1
AH32 VDD12_TSADC_SOC2
AY15 VDD12_TSADC_SOC3
AE40 VDD12_TSADC_SOC4
PP1V2 IO

AW23 VDD12_ULPPLL_S2
R12P0 49.9 PP1V25 S2
PP1V25 S2
AY28 VDD12_USB_DEBUG_S2

BA33 VDD12_XTAL
C12Q0 0.1UF
C12P0 4.7UF

AU40 VDD12_EFUSE1
AT20 VDD12_EFUSE2
AB43 VDD12_EFUSE3
AU19 VDD12_FMON
FL12R0 240-OHM-25%-0.20A-1.0DCR
PP1V2_XTAL SOC FILT
PP1V2 IO

C12R0 0.1UF
C12R1 2.2UF
PP1V2_FMON FILT
R12S0 49.9
PP1V2 IO
C12S0 2.2UF

Right section (SYM 14):
PP0V6_S2 VDDIO006_GRP1
PP0V6_S2 VDDIO006_GRP2

C1200 4UF
C1201 4UF

C1230 2.2UF
C1231 0.1UF

C1232 14UF
C1233 14UF

PP1V25 S2

C12U0 2.2UF

PP1V2_IO
OMIT XW12J0 SHORT-20L-0.05MM-SM PP1V2 IO GRP3
C12J0 2.2UF
OMIT XW12J1 SHORT-20L-0.05MM-SM PP1V2 IO GRP4
C12J1 2.2UF
XW12J2 SHORT-20L-0.05MM-SM PP1V2 IO GRP5
C12JA 15UF
C12J2 2.2UF
PP1V8 SW1 IO
C12K0 2.2UF

AR40 VDD06_GRP1_S2
AP40 VDD06_GRP2_S2
BB22 VDDDIO_HIB_S4
AY23 VDDIO12_AOP_S2
AY25 VDDIO12_AOP_S2
AY27 VDDIO12_AOP_S2
BA24 VDDIO12_AOP_S2
BA26 VDDIO12_AOP_S2
AP39 VDDIO12_GRP1_S2
AF41 VDDIO12_GRP3
AG42 VDDIO12_GRP3
AH40 VDDIO12_GRP3
AL40 VDDIO12_GRP3
AN40 VDDIO12_GRP3
AT40 VDDIO12_GRP4
AV40 VDDIO12_GRP4
AP16 VDDIO12_GRP5
AR17 VDDIO12_GRP5
AT16 VDDIO12_GRP5
AU17 VDDIO12_GRP5
AV16 VDDIO12_GRP5
AW17 VDDIO12_GRP5
AP41 VDDIO18_GRP1
AR41 VDDIO18_GRP1

B10 VDD2_S2_SENSE1   TPT_VDD_S2_SENSE1
B37 VDD2_S2_SENSE2   TPT_VDD2_S2_SENSE2
AD36 VDD_PCPU_SENSE   TPT_VDD_PCPU_SENSE
AN23 VDD_ECPU_SENSE   TPT_VDD_ECPU_SENSE
AC23 VDD_GPU_SENSE   TPT_VDD_GPU_SENSE
AH22 VDD_SOC_S1_SENSE TPT_VDD_SOC_S1_SENSE
Y17 VDD_DISP_S1_SENSE TPT_VDD_DISP_S1_SENSE
AN17 VDD_DCS_SENSE   TPT_VDD_DCS_SENSE
AN15 VDDQL_SENSE   TPT_VDDQL_SENSE
AD37 VSS_PCPU_SENSE   TPT_VSS_PCPU_SENSE
AN16 VSS_DDR_SENSE   TPT_VSS_DDR_SENSE
B9 VSS_SENSE1   TPT_VSS_SENSE1
B36 VSS_SENSE2   TPT_VSS_SENSE2

PAGE TITLE
SOC: POWER (IO)

BOM_COST_GROUP=SOC

PPVDD_CPU

PPVDD_GPU

U0600
TMLR68B0-B01
BGA
SYM 11 OF 23

U0600
TMLR68B0-B01
BGA
SYM 12 OF 23

C130Y
100PF
5%
25V
C0G
0201

C130Z
12PF
5%
25V
NP0-C0G
0201

C133Z
12PF
5%
25V
NP0-C0G
0201

C133Y
100PF
5%
25V
C0G
0201

C1300	C1301	C1302	C1303	C1304
14UF	14UF	14UF	14UF	14UF
20%	20%	20%	20%	20%
4V	4V	4V	4V	4V
X5R	X5R	X5R	X5R	X5R
0402-D2X-1	0402-D2X-1	0402-D2X-1	0402-D2X-1	0402-D2X-1

C1305	C1306	C1307	C1308	C1309
14UF	14UF	14UF	14UF	14UF
20%	20%	20%	20%	20%
4V	4V	4V	4V	4V
X5R	X5R	X5R	X5R	X5R
0402-D2X-1	0402-D2X-1	0402-D2X-1	0402-D2X-1	0402-D2X-1

C1330	C1331	C1332	C1333
14UF	14UF	14UF	14UF
20%	20%	20%	20%
4V	4V	4V	4V
X5R	X5R	X5R	X5R
0402-D2X-1	0402-D2X-1	0402-D2X-1	0402-D2X-1

C1334	C1335	C1336	C1337
14UF	14UF	14UF	14UF
20%	20%	20%	20%
4V	4V	4V	4V
X5R	X5R	X5R	X5R
0402-D2X-1	0402-D2X-1	0402-D2X-1	0402-D2X-1

PPVDD_ECPU

C1310	C1311	C1312	C1313	C1314	C1315
9.1UF	9.1UF	9.1UF	9.1UF	9.1UF	9.1UF
20%	20%	20%	20%	20%	20%
4V	4V	4V	4V	4V	4V
CERM	CERM	CERM	CERM	CERM	CERM
0402	0402	0402	0402	0402	0402

PPVDD_S1_SOC

C132Z
100PF
5%
25V
C0G
0201

C1320	C1321	C1322	C1323
9.1UF	9.1UF	9.1UF	9.1UF
20%	20%	20%	20%
4V	4V	4V	4V
CERM	CERM	CERM	CERM
0402	0402	0402	0402

C1324	C1325	C1326	C1327
9.1UF	9.1UF	9.1UF	9.1UF
20%	20%	20%	20%
4V	4V	4V	4V
CERM	CERM	CERM	CERM
0402	0402	0402	0402

PPVDD_S1_DISP

C1340	C1341	C1342	C1343	C1344	C1345
9.1UF	9.1UF	9.1UF	9.1UF	9.1UF	9.1UF
20%	20%	20%	20%	20%	20%
4V	4V	4V	4V	4V	4V
CERM	CERM	CERM	CERM	CERM	CERM
0402	0402	0402	0402	0402	0402

Pin labels (CPU side): AE33 VDD_PCPU, AE35 VDD_PCPU, AE36 VDD_PCPU, AE37 VDD_PCPU, AF33 VDD_PCPU, AF36 VDD_PCPU, AF39 VDD_PCPU, AG34 VDD_PCPU, AG38 VDD_PCPU, AH34 VDD_PCPU, AH39 VDD_PCPU, AJ33 VDD_PCPU, AJ34 VDD_PCPU, AK29 VDD_PCPU, AK33 VDD_PCPU, AK35 VDD_PCPU, AK36 VDD_PCPU, AK38 VDD_PCPU, AK40 VDD_PCPU, AK41 VDD_PCPU, AK42 VDD_PCPU, AK43 VDD_PCPU, AK44 VDD_PCPU, AK45 VDD_PCPU, AK46 VDD_PCPU, AL30 VDD_PCPU, AL32 VDD_PCPU, AL37 VDD_PCPU, AL41 VDD_PCPU, AL42 VDD_PCPU, AL43 VDD_PCPU, AL44 VDD_PCPU, AL45 VDD_PCPU, AL46 VDD_PCPU, AM29 VDD_PCPU, AM34 VDD_PCPU, AM38 VDD_PCPU, AM41 VDD_PCPU, AM42 VDD_PCPU, AM43 VDD_PCPU, AM44 VDD_PCPU, AM45 VDD_PCPU, AM46 VDD_PCPU, AM47 VDD_PCPU, AM48 VDD_PCPU, AM49 VDD_PCPU, AM50 VDD_PCPU, AM51 VDD_PCPU, AM52 VDD_PCPU, AM53 VDD_PCPU, AM54 VDD_PCPU, AM55 VDD_PCPU, AN33 VDD_PCPU, AN34 VDD_PCPU, AN38 VDD_PCPU, AN42 VDD_PCPU, AN43 VDD_PCPU, AN44 VDD_PCPU, AN45 VDD_PCPU, AN46 VDD_PCPU, AN47 VDD_PCPU, AN48 VDD_PCPU, AN49 VDD_PCPU, AN50 VDD_PCPU, AN51 VDD_PCPU, AN52 VDD_PCPU, AN53 VDD_PCPU, AN54 VDD_PCPU, AN55 VDD_PCPU, AP29 VDD_PCPU, AP33 VDD_PCPU, AP38 VDD_PCPU, AP43 VDD_PCPU, AP44 VDD_PCPU

Right column (CPU): AP45 VDD_PCPU, AP46 VDD_PCPU, AP47 VDD_PCPU, AP48 VDD_PCPU, AP49 VDD_PCPU, AP50 VDD_PCPU, AP51 VDD_PCPU, AP52 VDD_PCPU, AR30 VDD_PCPU, AR32 VDD_PCPU, AR33 VDD_PCPU, AR35 VDD_PCPU, AR36 VDD_PCPU, AR37 VDD_PCPU, AR39 VDD_PCPU, AK25 VDD_ECPU, AL26 VDD_ECPU, AL28 VDD_ECPU, AL29 VDD_ECPU, AN24 VDD_ECPU, AN29 VDD_ECPU, AP25 VDD_ECPU, AR26 VDD_ECPU, AR28 VDD_ECPU, AB23 VDD_SOC_S1, AC33 VDD_SOC_S1, AC38 VDD_SOC_S1, AE23 VDD_SOC_S1, AE32 VDD_SOC_S1, AE38 VDD_SOC_S1, AF28 VDD_SOC_S1, AG23 VDD_SOC_S1, AG39 VDD_SOC_S1, AJ20 VDD_SOC_S1, AJ22 VDD_SOC_S1, AJ24 VDD_SOC_S1, AJ26 VDD_SOC_S1, AJ28 VDD_SOC_S1, AJ30 VDD_SOC_S1, AJ32 VDD_SOC_S1, AL20 VDD_SOC_S1, AL22 VDD_SOC_S1, AL24 VDD_SOC_S1, AM39 VDD_SOC_S1, AN18 VDD_SOC_S1, AN20 VDD_SOC_S1, AN22 VDD_SOC_S1, AR18 VDD_SOC_S1, AR22 VDD_SOC_S1, AR24 VDD_SOC_S1, AT33 VDD_SOC_S1, AT35 VDD_SOC_S1, AT37 VDD_SOC_S1, AU18 VDD_SOC_S1, AU20 VDD_SOC_S1, AU22 VDD_SOC_S1, AU24 VDD_SOC_S1, AU26 VDD_SOC_S1, AU28 VDD_SOC_S1, AU30 VDD_SOC_S1, AU38 VDD_SOC_S1, Y21 VDD_SOC_S1, Y26 VDD_SOC_S1, Y36 VDD_SOC_S1

GPU side (left): AA24 VDD_GPU, AA26 VDD_GPU, AA28 VDD_GPU, AA31 VDD_GPU, AA33 VDD_GPU, AA35 VDD_GPU, AA37 VDD_GPU, AB25 VDD_GPU, AB27 VDD_GPU, AB28 VDD_GPU, AB30 VDD_GPU, AB32 VDD_GPU, AB34 VDD_GPU, AB36 VDD_GPU, AC24 VDD_GPU, AC26 VDD_GPU, AC31 VDD_GPU, AC35 VDD_GPU, AC37 VDD_GPU, AD25 VDD_GPU, AD27 VDD_GPU, AD32 VDD_GPU, AD34 VDD_GPU, AD41 VDD_GPU, AD42 VDD_GPU, AD43 VDD_GPU, AD44 VDD_GPU, AD45 VDD_GPU, AD46 VDD_GPU, AD47 VDD_GPU, AD48 VDD_GPU, AD49 VDD_GPU, AD50 VDD_GPU, AD51 VDD_GPU, AD52 VDD_GPU, AD53 VDD_GPU, AD54 VDD_GPU, AD55 VDD_GPU, AE24 VDD_GPU

GPU side (right): AE26 VDD_GPU, AE27 VDD_GPU, AE29 VDD_GPU, AE30 VDD_GPU, AE31 VDD_GPU, AE42 VDD_GPU, AE43 VDD_GPU, AE44 VDD_GPU, AE45 VDD_GPU, AE46 VDD_GPU, AE47 VDD_GPU, AE48 VDD_GPU, AE49 VDD_GPU, AE50 VDD_GPU, AE51 VDD_GPU, AE52 VDD_GPU, AE53 VDD_GPU, AE54 VDD_GPU, AE55 VDD_GPU, AF24 VDD_GPU, AF32 VDD_GPU, AG25 VDD_GPU, AG27 VDD_GPU, AG31 VDD_GPU, AG33 VDD_GPU, AA19 VDD_DISP_S1, AA21 VDD_DISP_S1, AA23 VDD_DISP_S1, AB22 VDD_DISP_S1, AC19 VDD_DISP_S1, AD22 VDD_DISP_S1, AE19 VDD_DISP_S1, AE21 VDD_DISP_S1, AG21 VDD_DISP_S1

PPVDD_CPU_SRAM

C140Y
100PF
5%
25V
C0G
0201

C140Z
12PF
5%
25V
NP0-C0G
0201

PPVDD_S1_SRAM

C142Z
12PF
5%
25V
NP0-C0G
0201

C142Y
100PF
5%
25V
C0G
0201

U0600
TMLR68B0-B01
BGA
SYM 10 OF 23

C1400 9.1UF 20% 4V CERM 0402
C1401 9.1UF 20% 4V CERM 0402
C1402 9.1UF 20% 4V CERM 0402
C1403 9.1UF 20% 4V CERM 0402
C1404 9.1UF 20% 4V CERM 0402
C1405 9.1UF 20% 4V CERM 0402

C1420 9.1UF 20% 4V CERM 0402
C1421 9.1UF 20% 4V CERM 0402
C1422 9.1UF 20% 4V CERM 0402
C1423 9.1UF 20% 4V CERM 0402
C1424 9.1UF 20% 4V CERM 0402
C1425 9.1UF 20% 4V CERM 0402

Pin	Signal		Signal	Pin
AE34	VDD_CPU_SRAM		VDD_SRAM_S1	AA18
AE39	VDD_CPU_SRAM		VDD_SRAM_S1	AA32
AG36	VDD_CPU_SRAM		VDD_SRAM_S1	AB20
AH35	VDD_CPU_SRAM		VDD_SRAM_S1	AB24
AH37	VDD_CPU_SRAM		VDD_SRAM_S1	AB31
AJ36	VDD_CPU_SRAM		VDD_SRAM_S1	AB35
AJ38	VDD_CPU_SRAM		VDD_SRAM_S1	AC21
AK27	VDD_CPU_SRAM		VDD_SRAM_S1	AC28
AK31	VDD_CPU_SRAM		VDD_SRAM_S1	AC30
AK37	VDD_CPU_SRAM		VDD_SRAM_S1	AD20
AL33	VDD_CPU_SRAM		VDD_SRAM_S1	AD21
AL35	VDD_CPU_SRAM		VDD_SRAM_S1	AD24
AL38	VDD_CPU_SRAM		VDD_SRAM_S1	AD28
AM25	VDD_CPU_SRAM		VDD_SRAM_S1	AD30
AM26	VDD_CPU_SRAM		VDD_SRAM_S1	AD35
AM31	VDD_CPU_SRAM		VDD_SRAM_S1	AF20
AM36	VDD_CPU_SRAM		VDD_SRAM_S1	AF22
AN26	VDD_CPU_SRAM		VDD_SRAM_S1	AF26
AN27	VDD_CPU_SRAM		VDD_SRAM_S1	AF30
AN30	VDD_CPU_SRAM		VDD_SRAM_S1	AG28
AN32	VDD_CPU_SRAM		VDD_SRAM_S1	AH19
AN35	VDD_CPU_SRAM		VDD_SRAM_S1	AH21
AN37	VDD_CPU_SRAM		VDD_SRAM_S1	AH23
AP27	VDD_CPU_SRAM		VDD_SRAM_S1	AH25
AP36	VDD_CPU_SRAM		VDD_SRAM_S1	AH27
AR31	VDD_CPU_SRAM		VDD_SRAM_S1	AH29
AR34	VDD_CPU_SRAM		VDD_SRAM_S1	AH31
AR38	VDD_CPU_SRAM		VDD_SRAM_S1	AK19
			VDD_SRAM_S1	AK21
			VDD_SRAM_S1	AK23
			VDD_SRAM_S1	AM19
			VDD_SRAM_S1	AM21
			VDD_SRAM_S1	AM23
			VDD_SRAM_S1	AP21
			VDD_SRAM_S1	AP23
			VDD_SRAM_S1	AT19
			VDD_SRAM_S1	AT21
			VDD_SRAM_S1	AT23
			VDD_SRAM_S1	AT25
			VDD_SRAM_S1	AT27
			VDD_SRAM_S1	AT29
			VDD_SRAM_S1	AT31
			VDD_SRAM_S1	AT39
			VDD_SRAM_S1	AU36
			VDD_SRAM_S1	AV37

PPVDD_S1_DCS

C1412 9.1UF 20% 4V CERM 0402
C1413 9.1UF 20% 4V CERM 0402
C1414 9.1UF 20% 4V CERM 0402
C1415 9.1UF 20% 4V CERM 0402

Pin	Signal
AA39	VDD_DCS_S1
AB17	VDD_DCS_S1
AB38	VDD_DCS_S1
AC18	VDD_DCS_S1
AC39	VDD_DCS_S1
AD17	VDD_DCS_S1
AE18	VDD_DCS_S1
AF17	VDD_DCS_S1
AG18	VDD_DCS_S1
AJ18	VDD_DCS_S1
AK17	VDD_DCS_S1
AL18	VDD_DCS_S1
W17	VDD_DCS_S1
W22	VDD_DCS_S1
W24	VDD_DCS_S1
W26	VDD_DCS_S1
W31	VDD_DCS_S1
W33	VDD_DCS_S1
W35	VDD_DCS_S1
W39	VDD_DCS_S1
Y18	VDD_DCS_S1
Y20	VDD_DCS_S1
Y23	VDD_DCS_S1
Y25	VDD_DCS_S1
Y27	VDD_DCS_S1
Y29	VDD_DCS_S1
Y32	VDD_DCS_S1
Y34	VDD_DCS_S1
Y38	VDD_DCS_S1

BOM_COST_GROUP=SOC

PAGE TITLE
SOC: POWER (SRAM, SOC)

U0600 TMLR68B0-B01 BGA SYM 15 OF 23

U0600 TMLR68B0-B01 BGA SYM 16 OF 23

U0600 TMLR68B0-B01 BGA SYM 17 OF 23

U0600 TMLR68B0-B01 BGA SYM 18 OF 23

U0600 TMLR68B0-B01 BGA SYM 19 OF 23

VSS VSS

PAGE TITLE

SOC: GND

BOM_COST_GROUP=SOC

U0600
TMLR68B0-B01
BGA
SYM 20 OF 23

VSS

U0600
TMLR68B0-B01
BGA
SYM 21 OF 23

VSS

U0600
TMLR68B0-B01
BGA
SYM 22 OF 23

VSS

U0600
TMLR68B0-B01
BGA
SYM 23 OF 23

VSS

BOM_COST_GROUP=SOC

PAGE TITLE

SOC: GND-2

I_VCC = 1150mA MAX (1us PEAK POWER)

PP2V63 NAND

C1813	C1816	C1819	C1821	C1849	C1850	C1851	C1853
10UF	10UF	10UF	10UF	1.0UF	1.0UF	1.0UF	330PF
20%	20%	20%	20%	20%	20%	20%	10%
6.3V	6.3V	6.3V	6.3V	6.3V	6.3V	6.3V	16V
CERM-X5R	CERM-X5R	CERM-X5R	CERM-X5R	X5R	X5R	X5R	CER-X7R
0402	0402	0402	0402	0201-1	0201-1	0201-1	01005
				138S0692			

C1865	C1866	C1836	C1834	C1835
10UF	10UF	220PF	47PF	22PF
20%	20%	5%	5%	5%
6.3V	6.3V	25V	16V	16V
CERM-X5R	CERM-X5R	C0G	NP0-C0G	C0G
0402	0402	01005	01005	01005

335S00468
U1800 OMIT_TABLE
THGBY8T3EBMLFAI
LGA
SYM 2 OF 2

I_VDDIO1 (@ 1.2V) = 72mA MAX

PP1V2 NAND

C1841	C1824	C1826	C1810	C1811
2.2UF	2.2UF	2.2UF	0.1UF	220PF
20%	20%	20%	20%	5%
6.3V	6.3V	6.3V	6.3V	25V
X5R-CERM	X5R-CERM	X5R-CERM	X5R-CERM	C0G
0201	0201	0201	01005	01005

FL1801
10-OHM-1.1A
01005

C1856	C1857	C1858	C1825
330PF	47PF	22PF	2.2UF
10%	5%	5%	20%
16V	16V	16V	16V
CER-X7R	NP0-C0G	C0G	X5R-CERM
01005	01005	01005	0201

PP_NAND1_VDDIO1_F
VOLTAGE=1.8

R1863
2.0
5%
1/32W
MF
01005

PP_NAND1_VDDIO1_R
VOLTAGE=1.8

C1863
2.2UF
20%
16V
X5R-CERM
0201

I_VDDIO2 (@ 1.2V) = 384mA MAX

PP1V2 NAND

C1831	C1830	C1829	C1843	C1845	C1847
15UF	15UF	15UF	2.2UF	2.2UF	2.2UF
20%	20%	20%	20%	20%	20%
6.3V	6.3V	6.3V	16V	16V	16V
X5R	X5R	X5R	X5R-CERM	X5R-CERM	X5R-CERM
0402-0.1MM-1	0402-0.1MM-1	0402-0.1MM-1	0201	0201	0201

C1859	C1861	C1818	C1814
330PF	220PF	47PF	22PF
10%	5%	5%	5%
16V	25V	16V	16V
CER-X7R	C0G	NP0-C0G	C0G
01005	01005	01005	01005

I_VDD = 820mA MAX

PP0V88 NAND

C1848	C1802	C1805
15UF	15UF	15UF
20%	20%	20%
6.3V	6.3V	6.3V
X5R	X5R	X5R
0402-0.1MM-1	0402-0.1MM-1	0402-0.1MM-1

FL1800
10-OHM-1.1A
01005

PP0V88_NAND1_PLL
VOLTAGE=0.83

C1823
2.2UF
20%
6.3V
X5R-CERM
0201

NO CAP ON NAND SIDE IS ON PURPOSE
EXPLANATION FROM NAND PI TEAM

C1800	C1801	C1822	C1827	C1840	C1842	C1844	C1846
2.2UF	2.2UF	2.2UF	2.2UF	2.2UF	2.2UF	2.2UF	2.2UF
20%	20%	20%	20%	20%	20%	20%	20%
6.3V	6.3V	6.3V	6.3V	6.3V	6.3V	6.3V	6.3V
X5R-CERM	X5R-CERM	X5R-CERM	X5R-CERM	X5R-CERM	X5R-CERM	X5R-CERM	X5R-CERM
0201	0201	0201	0201	0201	0201	0201	0201

C1807	C1803	C1808	C1804
330PF	220PF	47PF	22PF
10%	5%	5%	5%
16V	25V	16V	16V
CER-X7R	C0G	NP0-C0G	C0G
01005	01005	01005	01005

VCC: D3 E12 G4 L12 R2

VDDIO_1: J2 K9 T5

PCIE_AVDD_H: J6

AVDD1X_PLL: L2

VDDIO_2: E10 E2 N2 P9 (VCCQ_ANI)

VDD: G6 G8 L6 L8 R6 R8 (VDD)

PCIE_VDD: J8 M9 N6 N8

VSS: A12 B1 B13 C12 C2 D1 D13 F1 F11 F13 F7 F9 H1 H11 H13 H3 H5 H9 J10 K1 K13 K5 K7 L10 M1 M13 M5 M7 N10 N4 P1 P11 P13 P3 P7 R10 T1 T13 T7 T9 U12 U2

VSS_R: A10 A4 A6 A8 U10 U4 U6 U8

VDD_PLL: R4

VPP: F3 — NC_PP_NAND1_VPP

VQPS: F5

VQPS used for fuse programming, GND in system

GPIO SOC TO NAND RESET L

R1820
47.0K
5%
1/32W
MF
01005
NOSTUFF

NOTES:
INT PU = internal pull up to VDDIO_1
INT PD = internal pull down to VSS
Internal pulls are 40kOhm (min), 80kOhm (typ), 165kOhm (max)

U1800
THGBY8T3EBMLFAI
LGA
SYM 1 OF 2
OMIT_TABLE
335S00468

CLK_SOC_TO_NAND1_24MHZ — M3 CLK_IN

GPIO_SOC_TO_NAND_RESET_L — L4 RESET*

G10 TRST* (INT PD)

85 PCIE SOC TO NAND1 REFCLK P — K11 PCIE_REFCLK_P
85 PCIE SOC TO NAND1 REFCLK N — J12 PCIE_REFCLK_N

PCIE NAND1 TO SOC CLKREQ L — P5 PCIE_CLKREQ*

GND_VOID=TRUE

85 PCIE SOC TO NAND1 TX P — M11 PCIE_RX0_P
85 PCIE SOC TO NAND1 TX N — N12 PCIE_RX0_N

GND_VOID=TRUE

PCIE NAND1 TO SOC TX C P — R12 PCIE_TX0_P
PCIE NAND1 TO SOC TX C N — T11 PCIE_TX0_N

GND_VOID=TRUE

PCIE SOC TO NAND PERST L — E8 EXT_NCE/PERST*

ANALOG_NAND1_PCIE_RESREF — H7 PCIE_RESREF (for dev)

C1820
10PF
1%
16V
NP0-C0G
01005

R1804
200
0.5%
1/32W
1K
01005

C10 ZQ_0
K3 ZQ_1

(for dev)
Keep ZQ trace DCR < 200mOhm

ANALOG_NAND1_ZQ_0
ANALOG_NAND1_ZQ_1

R1800
300
1%
1/32W
MF
01005-1

R1801
300
1%
1/32W
MF
01005-1

(INT PU) EXT_D0/BOOT0 — B3 GPIO PMU TO NAND LOW BATT L
(INT PD) EXT_D1/BOOT1 — C4 GPIO SOC TO NAND FW STRAP
EXT_D2/BOOT2/SPINAND_SCLK/SPI_SCLK — B5 SPI AP TO NAND SCLK BOOT CFG0
EXT_D3/SPINAND_MISO/SPI_MISO/SWD_UID — C6 SPI NAND TO AP MISO BOOT CFG2 R
EXT_D4/SPI_CS — B7
EXT_D5/SPINAND_MOSI/SPI_MOSI/SWD_UID1 — C8 SPI AP TO NAND MOSI BOOT CFG1
EXT_D6/BOOT3 — B9
EXT_D7/SPF_N — B11 SYS ALIVE
(INT PU) EXT_DQS/BCM_N — D11 NC NAND1 BCM L
(INT PU) EXT_NRE/JTAG_TMS — D7 SWD NAND SWDIO
(INT PU) EXT_NWE/JTAG_TCK — E6 SWD NAND1 SWCLK
EXT_RNB/JTAG_TDO — E4
(INT PU) EXT_CLE/JTAG_TDI — D5 NC NAND1 JTAG TDI
(INT PD) EXT_ALE/JTAG_SEL — D9
DROOP* — T3 TPT NAND1 DROOP L
WP* — G2 PP1V2 NAND

ANI0_VREF — G12 NAND1 ANI0 VREF
ANI1_VREF — J4 NAND1 ANI1 VREF

PLACE NEAR U1800 C8 100MM
R1805
33
1/32W 5% MF 01005

SPI NAND TO AP MISO BOOT CFG2 R — SPI NAND TO AP MISO BOOT CFG2

GND_VOID=TRUE GND_VOID=TRUE

0.22UF	C1880
20%	10%
01005	6.3V
	CER-X5R

PCIE NAND1 TO SOC TX C P — 85 PCIE NAND1 TO SOC TX P
PCIE NAND1 TO SOC TX C N — 85 PCIE NAND1 TO SOC TX N

0.22UF	C1881
01005	10%
	6.3V
	CER-X5R

GND_VOID=TRUE GND_VOID=TRUE

PAGE TITLE

NAND

S5E NAND 2

I_VCC = 1150mA MAX (1us PEAK POWER)

PP2V63 NAND

DUAL_NAND components:
- C1913 10UF 20% 6.3V CERM-X5R 0402
- C1916 10UF 20% 6.3V CERM-X5R 0402
- C1919 10UF 20% 6.3V CERM-X5R 0402
- C1921 10UF 20% 6.3V CERM-X5R 0402
- C1949 1.0UF 20% 6.3V X5R 0201-1
- C1950 1.0UF 20% 6.3V X5R 0201-1
- C1951 1.0UF 20% 6.3V X5R 0201-1
- C1953 330PF 10% 16V CER-X7R 01005

- C1965 10UF 20% 6.3V CERM-X5R 0402
- C1966 10UF 20% 6.3V CERM-X5R 0402
- C1936 220PF 5% 25V NP0-C0G 01005
- C1934 47PF 5% 25V NP0-C0G 01005
- C1935 22PF 5% 25V C0G 01005

U1900
335S00468
THGBY8T3EBMLFAI
LGA
SYM 2 OF 2
OMIT_TABLE

VCC: D3 E12 G4 L12 R2

I_VDDIO1 (@ 1.2V) = 72mA MAX
PP1V2 NAND

- C1941 2.2UF 20% 6.3V X5R-CERM 0201
- C1924 2.2UF 20% 6.3V X5R-CERM 0201
- C1926 2.2UF 20% 6.3V X5R-CERM 0201
- C1910 0.1UF 20% 6.3V X5R-CERM 0201
- C1911 220PF 5% 25V C0G 01005

VDDIO_1: J2 K9 T5

FL1901 10-OHM-1.1A 01005

- C1952 330PF 10% 16V CER-X7R 01005
- C1957 47PF 5% 16V NP0-C0G 01005
- C1958 22PF 5% 16V C0G 01005
- C1925 2.2UF 20% 6.3V X5R-CERM 0201

PP_NAND2_VDDIO1_F VOLTAGE=1.8   PCIE_AVDD_H J6   (VCCQ_IO)

R1963 2.0 5% 1/32W MF 01005

- C1963 2.2UF 20% 6.3V X5R-CERM 0201

PP_NAND2_VDDIO1_R VOLTAGE=1.8   AVDD1X_PLL L2

I_VDDIO2 (@ 1.2V) = 384mA MAX
PP1V2 NAND

VDDIO_2: E10 E2 N2 P9   (VCCQ_ANI)

- C1931 15UF 20% 6.3V X5R 0402-0.1MM-1
- C1930 15UF 20% 6.3V X5R 0402-0.1MM-1
- C1929 15UF 20% 6.3V X5R 0402-0.1MM-1
- C1943 2.2UF 20% 6.3V X5R-CERM 0201
- C1945 2.2UF 20% 6.3V X5R-CERM 0201
- C1947 2.2UF 20% 6.3V X5R-CERM 0201

VDD: G6 G8 L6 L8 R6 R8   (VDD)

- C1959 330PF 10% 16V CER-X7R 01005
- C1961 220PF 5% 25V C0G 01005
- C1918 47PF 5% 16V NP0-C0G 01005
- C1914 22PF 5% 25V C0G 01005

PCIE_VDD: J8 M9 N6 N8

I_VDD = 820mA MAX
PP0V88 NAND

- C1948 15UF 20% 6.3V X5R 0402-0.1MM-1
- C1902 15UF 20% 6.3V X5R 0402-0.1MM-1
- C1905 15UF 20% 6.3V X5R 0402-0.1MM-1

FL1900 10-OHM-1.1A 01005

PP0V88_NAND2_PLL VOLTAGE=0.83   VDD_PLL R4

- C1923 2.2UF 20% 6.3V X5R-CERM 0201
NO CAP ON NAND SIDE IS ON PURPOSE
EXPLANATION FROM NAND PI TEAM

- C1900 2.2UF 20% 6.3V X5R-CERM 0201
- C1901 2.2UF 20% 6.3V X5R-CERM 0201
- C1922 2.2UF 20% 6.3V X5R-CERM 0201
- C1927 2.2UF 20% 6.3V X5R-CERM 0201
- C1940 2.2UF 20% 6.3V X5R-CERM 0201
- C1942 2.2UF 20% 6.3V X5R-CERM 0201
- C1944 2.2UF 20% 6.3V X5R-CERM 0201
- C1946 2.2UF 20% 6.3V X5R-CERM 0201

- C1907 330PF 10% 16V CER-X7R 01005
- C1903 220PF 5% 25V C0G 01005
- C1908 47PF 5% 16V NP0-C0G 01005
- C1904 22PF 5% 25V C0G 01005

VPP F3 NC_PP_NAND2_VPP
VQPS F5

VQPS used for fuse
programming, GND in system

NOTES:
INT PU = internal pull up to VDDIO_1
INT PD = internal pull down to VSS
Internal pulls are 40kOhm (min), 80kOhm (typ), 165kOhm (max)

U1900
THGBY8T3EBMLFAI
LGA
SYM 1 OF 2
OMIT_TABLE
335S00468

CLK_SOC_TO_NAND2_24MHZ M3 CLK_IN
GPIO_SOC_TO_NAND_RESET_L L4 RESET*
G10 TRST* (INT PD)
GND_VOID=TRUE

85 PCIE_SOC_TO_NAND2_REFCLK_P K11 PCIE_REFCLK_P
85 PCIE_SOC_TO_NAND2_REFCLK_N J12 PCIE_REFCLK_N
PCIE_NAND2_TO_SOC_CLKREQ_L P5 PCIE_CLKREQ* (INT PU)

GND_VOID=TRUE

85 PCIE_SOC_TO_NAND2_TX_P M11 PCIE_RX0_P (INT PU)
85 PCIE_SOC_TO_NAND2_TX_N N12 PCIE_RX0_N (INT PU)

GND_VOID=TRUE

PCIE_NAND2_TO_SOC_TX_C_P R12 PCIE_TX0_P (INT PU)
PCIE_NAND2_TO_SOC_TX_C_N T11 PCIE_TX0_N

GND_VOID=TRUE

PCIE_SOC_TO_NAND_PERST_L E8 EXT_NCE/PERST*

ANALOG_NAND2_PCIE_RESREF (for dev) H7 PCIE_RESREF

C1920 10PF 5% 1/32W NP0-C0G 0201
R1904 200 0.5% 1/32W TK 01005

C10 ZQ_0
K3 ZQ_1

(for dev)
Keep ZQ trace DCR < 200mOhm

ANALOG_NAND2_ZQ_0
ANALOG_NAND2_ZQ_1

R1900 300 1% 1/32W MF 01005-1
R1901 300 1% 1/32W MF 01005-1

(INT PU) EXT_D0/BOOT0 B3 GPIO_PMU_TO_NAND_LOW_BATT_L
(INT PD) EXT_D1/BOOT1 C4 GPIO_SOC_TO_NAND_FW_STRAP
EXT_D2/BOOT2/SPINAND_SCLK/SPI_SCLK B5
EXT_D3/SPINAND_MISO/SPI_MISO/SWD_UID C6 PP1V2 NAND
EXT_D4/SPI_CS B7
EXT_D5/SPINAND_MOSI/SPI_MOSI/SWD_UID1 C8
EXT_D6/BOOT3 B9
EXT_D7/SPF_N B11 SYS_ALIVE
EXT_DQS/BCM_N D11 NC_NAND2_BCM_L

(INT PU) EXT_NRE/JTAG_TMS D7 SWD_NAND_SWDIO
(INT PU) EXT_NWE/JTAG_TCK E6 SWD_NAND2_SWCLK
EXT_RNB/JTAG_TDO E4
(INT PU) EXT_CLE/JTAG_TDI D5 NC_NAND2_JTAG_TDI
(INT PD) EXT_ALE/JTAG_SEL D9

DROOP* T3 TPT_NAND2_DROOP_L
WP* G2 PP1V2 NAND

ANI0_VREF G12 NAND2_ANI0_VREF
ANI1_VREF J4 NAND2_ANI1_VREF

DUAL_NAND
0.22UF 6.3V 01005 CER-X5R C1980 GND_VOID=TRUE
PCIE_NAND2_TO_SOC_TX_C_P 85 PCIE_NAND2_TO_SOC_TX_P
PCIE_NAND2_TO_SOC_TX_C_N 85 PCIE_NAND2_TO_SOC_TX_N
0.22UF 10% 01005 C1981
GND_VOID=TRUE GND_VOID=TRUE
DUAL_NAND

BOM_COST_GROUP=NAND

PAGE TITLE: NAND

SENSORS

KOBOL - ACCEL & GYRO
APN: 338S00367

COMPASS/DMIC FLEX B2B

MLB SIDE: 516S00176
FLEX SIDE: 516S00175

PRIMARY LANDING

OMIT_TABLE
FL2150
120-OHM-25%-250MA-0.5DCR
01005

PP1V8_S2_KOBOL_A_FILT   PP1V8_S2

R2155
100K
1/32W
MF
01005

C2153
0.1UF
20%
6.3V
X5R-CERM
01005

C2152
0.1UF
20%
6.3V
X5R-CERM
01005

C2151
2.2UF
20%
6.3V
X5R-CERM
0201

U2150
BMI282AA
LGA
VDD VDDIO
16   1

CS* 5
SM   15
INT 6
MOTION_INT 7
SCLK 2   SPI KOBOL SCLK 1V8
MOSI 3   SPI KOBOL MOSI 1V8
MISO 4   SPI IMU A MISO R 1V8
GND

SPI KOBOL CS L 1V8

KOBOL_A_INT_1V8
KOBOL_A_MOTION_INT_1V8

R2151 33

SPI KOBOL MISO 1V8

NOTE:
CONVERTED TO 1.15V
PUSH-PULL, ACTIVE HIGH

R2150 5.49K 1% 1/32W MF 01005
R2153 5.49K 1% 1/32W MF 01005
R2152 10K 5% 1/32W MF 01005
R2154 10K 5% 1/32W MF 01005

GPIO KOBOL TO AOP INT
GPIO KOBOL TO AOP MOTION INT

ALTERNATE LANDING

OMIT_TABLE
FL2160
120-OHM-25%-250MA-0.5DCR
01005

PP1V8_S2_KOBOL_B_FILT   PP1V8_S2

R2165
100K
1/32W
MF
01005

C2163
0.1UF
20%
6.3V
X5R-CERM
01005

C2162
0.1UF
20%
6.3V
X5R-CERM
01005

C2161
2.2UF
20%
6.3V
X5R-CERM
0201

U2160
BMI282AA
LGA
VDD VDDIO
16   1

CS* 5
SM   15
INT 6
MOTION_INT 7
SCLK 2   SPI KOBOL SCLK 1V8
MOSI 3   SPI KOBOL MOSI 1V8
MISO 4   SPI IMU B MISO R 1V8
GND

SPI KOBOL CS L 1V8

KOBOL_B_INT_1V8
KOBOL_B_MOTION_INT_1V8

R2161 33

SPI KOBOL MISO 1V8

NOTE:
CONVERTED TO 1.15V
PUSH-PULL, ACTIVE HIGH

R2160 5.49K 1% 1/32W MF 01005
R2163 5.49K 1% 1/32W MF 01005
R2162 10K 5% 1/32W MF 01005
R2164 10K 5% 1/32W MF 01005

GPIO KOBOL TO AOP INT
GPIO KOBOL TO AOP MOTION INT

NOTE: SENSOR FERRITES ARE ZERO OHMS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
117S0161	1	0 OHMS,5%,01005	FL2150		KOBOL:PRI
117S0161	1	0 OHMS,5%,01005	FL2160		KOBOL:ALT

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
117S0161	2	0 OHMS,5%,01005	FL2120,FL2121		

J2100
BM41P0.7-10DS-2-0.35V
F-ST-SM

PP1V2 S2 MOLY CMPS CONN   16 15   PP1V2 S2 MOLY CMPS CONN
                            12   11
GPIO MOLY TO AOP IRQ CONN   2   1   PP1V8 S2 DMIC CMPS CONN
SPI MOLY CS L CONN   4   3
SPI MOLY SCLK CONN   6   5   DMIC4 MIC SCLK CMPS CONN 1V8
SPI MOLY MOSI CONN   8   7   DMIC3 MIC SD CMPS CONN 1V8
SPI MOLY MISO CONN   10 9
PP1V8 S2 MOLY CMPS CONN   14 13   PP1V8 S2 MOLY CMPS CONN
                            18 17

R2101 0.00
SPI SENSORS MISO   R21A0 49.9   SPI MOLY MISO   R2100 33   GPIO MOLY TO AOP IRQ CONN
SPI SENSORS SCLK   R21A2 49.9   SPI MOLY SCLK   R2102 33   SPI MOLY MISO CONN
SPI SENSORS MOSI   R21A3 49.9   SPI MOLY MOSI   R2103 33   SPI MOLY SCLK CONN
                                                                SPI MOLY MOSI CONN

PLACE NEAR FORK   PLACE NEAR B2B

R2105 47.0K 5% 1/32W 01005
PP1V25 S2
R2104 0.00
SPI MOLY CS L   SPI MOLY CS L CONN

FL2143
120-OHM-25%-250MA-0.5DCR
PP1V25 S2   PP1V2 S2 MOLY CMPS CONN
C2107 1.0UF 20% 6.3V X5R 0201-1
C2108 220PF 10% 16V COG 01005

FL2103
120-OHM-25%-250MA-0.5DCR
PP1V8 S2   PP1V8 S2 MOLY CMPS CONN
C2105 1.0UF 20% 6.3V X5R 0201-1
C2106 220PF 10% 16V COG 01005

FL2100 0.00 0% 1/32W MF 01005
PDM DMIC SIDE SCLK 1V8   DMIC4 MIC SCLK CMPS CONN 1V8
C2100 27PF NP0-COG NOSTUFF

FL2101 0.00 0% 1/32W MF 01005
DMIC3 MIC SD UNSEC 1V8   DMIC3 MIC SD CMPS CONN 1V8
C2101 27PF 16V NP0-COG 01005-1 NOSTUFF

NOTE: SENTRY DMICS USE PP1V8 INPUT SUPPLY WITH 1V2 INT LDO'ED IO

FL2102
120-OHM-25%-250MA-0.5DCR
PP1V8 S2   PP1V8 S2 DMIC CMPS CONN
C2103 1.0UF 20% 6.3V X5R 0201-1
C2104 220PF 10% 16V COG 01005

SENTRY JUMPER

R2170 0.00 0% 1/32W MF 01005
PDM DMIC SIDE SCLK   PDM DMIC SIDE SCLK 1V8

DMIC CLK VT

LVT FOR DMIC DATA IS ON GPM PAGE (CSA 76)

PP1V25 S2   PP1V8 S2
C2170 NOSTUFF 0.1UF 20% 6.3V X5R-CERM 01005
C2171 0.1UF 20% 6.3V X5R-CERM 01005

U2170
74AVC1T45
SOT886
VCCA VCCB
1   6
A   B
DIR
GND

PDM DMIC SIDE SCLK   PDM DMIC SIDE SCLK 1V8

LVT / TRANSCEIVER
DIR HIGH: A TO B

PHOSPHORUS2
PHOSPHORUS2 APN: 338S00334

OMIT_TABLE
FL2120
120-OHM-25%-250MA-0.5DCR
01005

PP1V8 S2   PP1V8_PHOS_FILT

OMIT_TABLE
FL2121
120-OHM-25%-250MA-0.5DCR
01005

PP1V2_PHOS_FILT   PP1V25 S2

C2125 1.0UF 20% 6.3V X5R 0201-1
C2120 0.1UF 6.3V X5R-CERM 01005
C2121 0.1UF 6.3V X5R-CERM 01005
C2126 1.0UF 20% 6.3V X5R 0201-1

PP1V2 PHOS FILT

R2120 47.0K 5% 1/32W MF 01005

U2120
BMP284BA
LGA
VDD VDDIO
8   6
SDI   SDO 5   SPI PHOSPHORUS MISO
SCK   4
CS*   2
IRQ   7
GND

R2122 33 5% 1/32W MF 01005   SPI SENSORS MISO

C2127 10PF 5% 16V NP0/COG 01005 NOSTUFF

SPI SENSORS MOSI
SPI SENSORS SCLK
SPI PHOSPHORUS CS L

PLACE NEAR U2120.5.4MM

GPIO PHOSPHORUS TO AOP IRQ

BOM_COST_GROUP=SENSORS

SENSOR: KOBOL, PHOS2, MOLY

LANAI MASTER

U2200
BCM15957A0
BGA
SYM 1 OF 2

U2200
BCM15957A0
BGA
SYM 2 OF 2

PP1V2 S2 TOUCH
R2250 10K 5% 1/32W 01005

GPIO SOC TO LANAI DISPLAY BSYNC0 — GPIO_00 E9
GPIO SOC TO GRAPE BSYNC1 — GPIO_01 F9
GPIO SOC TO DISPLAY TOUCH EB — GPIO_02 G9
UART DEBUG TO GRAPE TX — GPIO_03 A10
UART GRAPE TO DEBUG TX — GPIO_04 C10
LANAI GPIO5 FAILSAFE PU — GPIO_05 D10
GPIO SOC TO BT TO GRAPE TS SYNC — GPIO_06 E10
GPIO TOUCH TO BT SYNC — GPIO_07 F10
SPI SOC TO GRAPE CS L — GPIO_08 A11
UART GRAPE TO AOP TX — GPIO_09 B11
UART AOP TO GRAPE TX — GPIO_10 B12
KONA S TO LANAI M RESET DET 1V8 L — GPIO_11 C12
LANAI M TO KONA S TTW 1V8 — GPIO_12 H9
SPI LANAI M TO KONA S IPC1 1V8 — GPIO_13 J9
SPI LANAI M TO KONA S MISO 1V8 — GPIO_14 E11
SPI LANAI M TO KONA S SCLK 1V8 — GPIO_15 F11
SPI LANAI M TO KONA S CS 1V8 L — GPIO_16 G10
KONA S TO LANAI M INT 1V8 L — GPIO_17 H10
SPI LANAI M TO KONA S MOSI 1V8 — GPIO_18 H11
LANAI M TO KONA S IPC2 1V8 — GPIO_19 J10

1V2 IO
1V8 IO

SWD GRAPE SWDIO — JTAG_TRST K9
JTAG_TMS L10
JTAG_TDO J11
JTAG_TDI K10
SWD GRAPE SWCLK — JTAG_TCK K11
JTAG_SRST L9
LANAI M TEST MODE — JTAG_RTCK L11

R2271 0.00 01005 0% 1/32W NP0-C0G
C2216 33PF 1/32W 16V NP0-C0G 01005
XW2201 SHORT-8L-0.091MM-SM
CLK SOC TO GRAPE 24MHZ
CLK TOUCH_24MHZ
XW2202 SHORT-8L-0.091MM-SM
CLK KONA S 24MHZ
CLK TOUCH 24MHZ C
C2217 10PF NP0-C0G 01005
R2211 10K 1/32W MF 01005

XTALP L15
XTALN K15
XTAL_O_CLK_EXT L13

TEST_MODE D9
RESET* C9
PSE_SYNC G13

GPIO SOC TO GRAPE RESET L
PSE_SYNC_1V8

R2224 01005 1/32W 5% 10K
R2215 33 1/32W MF
SPI SOC TO GRAPE MISO — SPI SOC TO GRAPE MISO R
SPI SOC TO GRAPE MOSI — H_SDO E15
SPI SOC TO GRAPE SCLK — H_SDI D15
GPIO GRAPE TO AOP IRQ L — H_SCLK C15
SPI SOC TO GRAPE CS L — H_INT_L D14
H_CS_L E14
H_ALT_CS_L E13

I2C_SDA J12
I2C_SCL J13
1V2 IO

KMSI STRB IN 1V8 — KMSI_STRB_IN F14
KMSI STRB OUT 1V8 — KMSI_STRB_OUT G15
KMSI MOSI 1V8 — KMSI_MOSI G14
KMSI MISO 1V8 — KMSI_MISO F15
V8 IO

BOOT OPTION

PP1V2 S2 TOUCH
R2203 10K 5% 1/32W MF 01005

PP3V3 GRAPE FILT
R2214 1.00M 1/32W MF 01005

LANAI BOOT1_M A9
LANAI BOOT0_M B9
NC_LANAI_BOOST_EN C14
NC_LANAI_BOOST_VBAT A12
NC_LANAI_BOOST_NGATE C13
NC_LANAI_BOOST_ISENSE A13
NC_LANAI_BOOST_FBIN A14
LANAI_BOOST_ATEST B14

AFE_IO_BGBIAS 1V8 IO P10
IFO_CLK_EXT F12
CORE_PMU_O_AON_TEST_PMU H12

LANAI BOOT1_M
LANAI BOOT0_M
R2202 10K 5% 1/32W 01005

PAD_I_TOUCH55 P6
PAD_I_TOUCH54 P5
PAD_I_TOUCH53 P4
... GRAPE RX<0> ... GRAPE RX<11>
... GRAPE RX<12> ... GRAPE RX<27>
NC LANAI TOUCH27 ... NC LANAI TOUCH16
GRAPE TX<32> ... GRAPE TX<47>

PAD_I_SELFCAPEXT N8 NC
PAD_O_GUARDBUFFER P8 NC

DOMBRA BST/LDO

U2280
SN1705004A0
DSBGA

GPIO DOMBRA BST FPWM 1V8 — MODE A4
GPIO KONA S DOMBRA BST EN 1V8 — EN B4
DOMBRA ILIM — ILIM A3
R2286 10K 1% 1/32W MF
R2288 909K 1% 1/32W MF 01005

VIN D4
BST C4
SW C1
SW C2
SW C3
VOUT D1
VOUT D2
VOUT D3
FB A1 — DOMBRA FB
COMP A2 — DOMBRA COMP
GND B1 B2 B3

C2282 0.1UF 10% 25V X5R-CERM 0201
DOMBRA_BST
L2280 2.2UH-20% 2016
DOMBRA LX
DIDT=TRUE
SWITCH_NODE=TRUE

R2282 909K 1% 1/32W MF 01005
R2284 75K 1% 1/32W MF 01005
R2280 33K 1/32W MF
R2283 69.8K 1% 1/32W MF
Q2280 NTNS3190NZ XLLGA
DOMBRA_FB_FET
DOMBRA_COMP_RC
C2288 1000PF 10% 6.3V X5R-CERM 01005 NOSTUFF
C2280 1000PF 10% 6.3V X5R-CERM 01005
R2285 47.0K 1% 1/32W MF 01005

GPIO DOMBRA BST FB CTRL 1V8

PPVCC MAIN
C2284 0.1UF 20% 25V X5R-CERM 0201
C2283 4.7UF 20% 16V X5R-CERM 0402-1
C2283 47UF CER-X5R 0603
C2285 47UF CER-X5R 0603
C2286 47UF CER-X5R 0603
PP15V0_TOUCH
C2292 10UF X5R-CERM 0603
C2293 10UF X5R-CERM 0603
C2294 10UF X5R-CERM 0603
C2295 10UF X5R-CERM 0603
C2298 180PF NP0-C0G 0201
C2299 68PF 0201

ADP7112ACBZ-1.2-R7
U22A1
ADP7112
WLCSP
353S02157
VIN A1
VOUT A2 — TOUCH LDO ADJ
EN C1
SENSE/ADJ B2
SS B1 — DOMBRA LDO_SS
GND
GPIO13 KONA LDO EN 1V8
SS=380US WHEN FLOATING

PP15V0_TOUCH_LDO
NOSTUFF
C22A2 220PF 25V C0G 01005
R22A1 90.9K 1% 1/32W MF 01005
C2289 4.7UF 25V X5R 0402-0P1MM 138S00070
C2290 4.7UF 25V X5R 0402-0P1MM 138S00070
C2291 4.7UF 25V X5R 0402-0P1MM 138S00070
C220A 4.7UF 25V X5R 0402-0P1MM 138S00070
R22A2 15.8K 1% 1/32W MF 01005
Q22A0 NTNS3190NZ XLLGA
TOUCH LDO ADJ FET
R22A3 15.8K 1% 1/32W MF 01005
R22A4 47.0K 5% 1/32W MF 01005
C22A1 1000PF 10% 6.3V X5R-CERM 01005 NOSTUFF
GPIO12_KONA_LDO_ADJ_1V8

Q22A0 OFF:
   VOUT = 1.2V X (1 + 90.9/15.8) = 8.1V
Q22A0 ON:
   VOUT = 1.2V X (1 + 90.9/(15.8//15.8)) = 15V

PP15V0 TOUCH LDO
R2222 3.3 5% 1/16W MF-LF 402 CRITICAL
PP15V0 TOUCH FILT
C2221 0.47UF 25V CER-X5R 0201
C2222 0.47UF 25V CER-X5R 0201
C2223 0.47UF 25V CER-X5R 0201
C2232 0.47UF 25V CER-X5R 0201
C2233 0.47UF 25V X5R-CERM 0201
C2234 0.47UF 25V X5R-CERM 0201
C2235 0.47UF 25V X5R-CERM 0201
C2236 100PF 16V X5R-CERM 0201
C2237 12PF 16V NP0-C0G 0201

L2204 FERR-220-OHM 0402
PP3V3 S2 TOUCH
PP3V3 GRAPE FILT
C2238 100PF 25V C0G 0201
C2239 12PF 25V NP0-C0G 0201
C2224 0.1UF 10V X5R-CERM 0201
C2225 0.1UF 16V X5R-CERM 0201
C2231 0.22UF 16V CERM-X5R 0201

PP2V8 LANAI M VDDANA
C2278 100PF 25V C0G 0201
C2279 220PF 50V C0G 0201
C2201 0.1UF 10V X5R-CERM 0201
C2202 0.1UF 10V X5R-CERM 0201

C2203 0.1UF X5R-CERM 0201
C2204 0.1UF X5R-CERM 0201
C2205 0.1UF X5R-CERM 0201
C2206 2.2UF 6.3V X5R-CERM 0201
LANAI M VDDADC CAP

C2229 10UF X5R-CERM 0402

L2203 FERR-220-OHM 0402
PP1V8 GRAPE XTAL FILT
C2227 0.1UF 10% 16V X5R 0201
C2228 0.047UF 10% 25V X5R 0201

PP1V8 S2 TOUCH
C2248 100PF 5% C0G 0201
C2249 220PF 25V C0G 0201
C2207 2.2UF 6.3V X5R-CERM 0201
C2208 2.2UF 6.3V X5R-CERM 0201
C2209 0.1UF 20% 10V CERM-X5R 0201

R2281 100 1/20W 201
PP1V8 GRAPE AON RC
C2281 2.2UF 20% 6.3V X5R-CERM 0201

PP1V2 S2 TOUCH
C2260 100PF 5% C0G 0201
C2261 220PF 25V C0G 0201
C2262 2.2UF 6.3V X5R-CERM 0201
C2263 2.2UF 6.3V X5R-CERM 0201
C2264 2.2UF 20% X5R-CERM 0201

PP1V2 S2 TOUCH
C2218 1UF 10% 10V X5R-CERM 0402
C2219 0.1UF 10% 6.3V CERM-X5R 0402

VSS pins: A8 A15 B7 B8 B13 C7 C8 D2 D8 F5 F6 F12 G2 G8 G11 H6 H8 J6 J8 L2 K13 L3 L8 M7 M8 P2 M9 M10 M11 M12 M13

AFE_I_VDDHV15_EXT
OTP_TMON_I_VDDA_3P3_EXT
AFE_PMU_I_VDDA_3P3_EXT
BOOST_VDDA B15
E12
P14

AFE_I_VDDANA_3P3_AFE_PMU
AFE_PMU_O_VDDANA_3P3_PMU
AFE_PMU_O_AVDD1P2_CAP

XTAL_AVSS
CORE_PMU_I_AVSS
PAD_I_AVSS

XTAL_PLL_AVDD1P8_I_VDDLDO_1P8_EXT K14
XTAL_PLL_AVDD1P8_I_VDDLDO_1P8_EXT L14

KMSI_VDDIO_1P8_EXT F13
AFE_PMU_I_VDDLDO_1P8_EXT N12
I2C_VDDIO_1P8_EXT K12
ASPI_VDDIO_1P2_1P8_EXT C11
GPIO_VDDIO_1P2_1P8_EXT D11
HSPI_VDDIO_1P2_1P8_EXT D13
JTAG_VDDIO_1P8_EXT L12
MISC_VDDIO_1P2_1P8_EXT B10
CORE_PMU_I_AON_VDDIO_1P8_3P3_EXT G12
CORE_PMU_I_VDDLDO_1P8_EXT H14
CORE_PMU_O_VDDCORE_1P2_CAP H15

BOM COST GROUP=TOUCH

PAGE TITLE

TOUCH: LANAI MASTER

KONA: SLAVE

U2301
BCM15900B0K
BGA
SYM 1 OF 2

U2301
BCM15900B0K
BGA
SYM 2 OF 2

BOOT OPTION

PP1V8 S2 TOUCH

R2301
10K
5%
1/32W
MF
01005

R2303
10K
5%
1/32W
MF
01005

KONA_BOOT0_S_1V8
KONA_BOOT1_S_1V8

GPIO_GRAPE_TO_SCORPIUS_TIME_SYNC_1V8

SCORPIUS IS 1V8 ONLY, BUT AOP IS 1V2

R2380
5.49K
1%
1/32W
MF
01005

R2381
10K
1%
1/32W
MF
01005

GPIO_KONA_S_TO_SCORPIUS_TIME_SYNC_AOP

SPI_SOC_TO_KONA_S_MISO_1V8

R2315
33
5%
1/32W
MF
01005
PLACE_NEAR_U2301:88.5MM

PP1V8 S2 TOUCH

R2382
10K
5%
1/32W
MF
01005

GPIO_KONA_S_TO_SOC_IRQ_1V8_L

PP1V8 S2 TOUCH

C2371
0.1UF
20%
6.3V
X5R-CERM
01005

PP1V2 S2 TOUCH

C2370
0.1UF
20%
6.3V
X5R-CERM
01005

PU ON LANAI SIDE
GPIO_SOC_TO_GRAPE_RESET_L

U2370
74AVC1T45
X2SON
311S00230

VCCA   VCCB

DIR=1: A->B
DIR=0: B->A

DIR

GND

R2371
10K
5%
1/32W
MF
01005

GPIO_SOC_TO_KONA_RESET_1V8_L
KONA_S_TEST_MODE

R2305
10K
5%
1/32W
MF
01005

KONA_BOOT0_S_1V8
KONA_BOOT1_S_1V8

LANAI_KONA_BGBIAS_1V8

CLK_KONA_S_24MHZ

C2301
10PF
5%
16V
NP0/C0G
01005

Pin	Signal
E11	AUXADC_REF
G12	AUXBUF_AIO_INPUT_3V
F13	AUXBUF_AIO_OUTPUT
D10	GPIO_ADC_00
D12	GPIO_ADC_01
D11	GPIO_ADC_02
F12	GPIO_ADC_03
E10	GPIO_ADC_04
F10	GPIO_ADC_05
G10	GPIO_ADC_06
G9	GPIO_ADC_07
F8	GPIO_08
H11	GPIO_09
J9	GPIO_10
R7	GPIO_11
H9	GPIO_12
F7	GPIO_13
J10	GPIO_14
A6	GPIO_15
C6	GPIO_16
D9	GPIO_17
E8	GPIO_18
C9	GPIO_19
C5	
A7	H_INT*
A8	H_SCLK
A9	H_SDI
B8	H_SDO
B6	H_CS*
B5	H_ALT_CS*
A5	I2C_SCL
A4	I2C_SDA
A12	KMSI_MISO
B13	KMSI_MOSI
B12	KMSI_STRB_IN
A13	KMSI_STRB_OUT
C14	PSE_SYNC
B14	BOOST_ATEST
A15	BOOST_FBIN
B15	BOOST_ISENSE
D13	BOOST_NGATE
F3	BOOST_VBAT
D14	BOOST_VBAT_EN
E9	JTAG_RTCK
J7	JTAG_TCK
E7	JTAG_TMS
P11	JTAG_TDI
H8	JTAG_TDO
G6	JTAG_TRST*
C7	JTAG_SRST*
H7	RESET*
K9	TEST_MODE
K7	BOOT_CFG_0
J8	BOOT_CFG_1
R5	AFE_IO_BGBIAS
J15	XTALN
K15	XTALP
J13	XTAL_O_CLK_EXT
B4	IFO_CLK_EXT

LANAI_M_TO_KONA_S_IPC1_1V8
LANAI_M_TO_KONA_S_IPC2_1V8
KONA_S_TO_LANAI_M_RESET_DET_1V8_L
LANAI_S_TO_KONA_S_TTW_1V8
SPI_LANAI_M_TO_KONA_S_CS_1V8_L
GPIO_DOMBRA_BST_FB_CTRL_1V8
GPIO_DOMBRA_BST_FPWM_1V8
GPIO_KONA_S_DOMBRA_BST_EN_1V8
GPIO12_KONA_LDO_ADJ_1V8
GPIO13_KONA_LDO_EN_1V8
GPIO_GRAPE_TO_TCON_FORCE_PWM_1V8
TESTPOINT_KONA_S_UART_RX_1V8
TESTPOINT_KONA_S_UART_TX_1V8
SPI_LANAI_M_TO_KONA_S_MOSI_1V8
SPI_LANAI_M_TO_KONA_S_SCLK_1V8
SPI_LANAI_M_TO_KONA_S_CS_1V8_L
KONA_S_TO_LANAI_M_INT_1V8_L
SPI_LANAI_M_TO_KONA_S_MISO_1V8
SPI_SOC_TO_KONA_S_CS_1V8_L
GPIO_KONA_S_TO_SOC_IRQ_1V8_L
SPI_SOC_TO_KONA_S_SCLK_1V8
SPI_SOC_TO_KONA_S_MOSI_1V8
SPI_SOC_TO_KONA_S_MISO_R_1V8
SPI_SOC_TO_KONA_S_CS_1V8_L
KMSI_MOSI_1V8
KMSI_MISO_1V8
KMSI_STRB_OUT_1V8
KMSI_STRB_IN_1V8
PSE_SYNC_1V8
TPT_SWD_KONA_SWCLK_1V8
TPT_SWD_KONA_SWDIO_1V8

Pin	Signal	Pin	Signal
J5	PAD_I_TOUCH0	GRAPE RX<33>	
H3	PAD_I_TOUCH1	GRAPE RX<62>	
J2	PAD_I_TOUCH2	GRAPE RX<61>	
J3	PAD_I_TOUCH3	GRAPE RX<60>	
J4	PAD_I_TOUCH4	GRAPE RX<59>	
K5	PAD_I_TOUCH5	GRAPE RX<58>	
K4	PAD_I_TOUCH6	GRAPE RX<57>	
K3	PAD_I_TOUCH7	GRAPE RX<56>	
M5	PAD_I_TOUCH8	GRAPE RX<55>	
L5	PAD_I_TOUCH9	GRAPE RX<54>	
M1	PAD_I_TOUCH10	GRAPE RX<53>	
K1	PAD_I_TOUCH11	GRAPE RX<52>	
L6	PAD_I_TOUCH12	GRAPE RX<51>	
N1	PAD_I_TOUCH13	GRAPE RX<50>	
N6	PAD_I_TOUCH14	GRAPE RX<49>	
R8	PAD_I_TOUCH15	GRAPE RX<48>	
N7	PAD_I_TOUCH16	GRAPE RX<47>	
R8	PAD_I_TOUCH17	GRAPE RX<46>	
P7	PAD_I_TOUCH18	GRAPE RX<45>	
M6	PAD_I_TOUCH19	GRAPE RX<44>	
P7	PAD_I_TOUCH20	GRAPE RX<43>	
M7	PAD_I_TOUCH21	GRAPE RX<42>	
N9	PAD_I_TOUCH22	GRAPE RX<41>	
P9	PAD_I_TOUCH23	GRAPE RX<40>	
M9	PAD_I_TOUCH24	GRAPE RX<39>	
R9	PAD_I_TOUCH25	GRAPE RX<38>	
N10	PAD_I_TOUCH26	GRAPE RX<37>	
M10	PAD_I_TOUCH27	GRAPE RX<36>	
P10	PAD_I_TOUCH28	GRAPE RX<35>	
R10	PAD_I_TOUCH29	GRAPE RX<34>	
D2	PAD_I_TOUCH30	GRAPE TX<30>	
D1	PAD_I_TOUCH31	GRAPE RX<31>	
C2	PAD_I_TOUCH32	VCOM LCD TO GRAPE R C	
C1	PAD_I_TOUCH33	NC KONA TOUCH33	
B1	PAD_I_TOUCH34	GRAPE RX<63>	
P3	PAD_I_TOUCH35	GRAPE RX<32>	
N2	PAD_I_TOUCH36	GRAPE RX<31>	
P1	PAD_I_TOUCH37	GRAPE RX<30>	
P2	PAD_I_TOUCH38	GRAPE RX<29>	
P4	PAD_I_TOUCH39	GRAPE RX<28>	
G3	PAD_I_TOUCH40	GRAPE RX<29>	
D4	PAD_I_TOUCH41	GRAPE RX<28>	
D3	PAD_I_TOUCH42	GRAPE TX<27>	
G4	PAD_I_TOUCH43	GRAPE TX<26>	
E4	PAD_I_TOUCH44	GRAPE TX<25>	
E3	PAD_I_TOUCH45	GRAPE TX<24>	
F1	PAD_I_TOUCH46	GRAPE TX<23>	
F4	PAD_I_TOUCH47	GRAPE TX<22>	
F3	PAD_I_TOUCH48	GRAPE TX<21>	
H5	PAD_I_TOUCH49	GRAPE TX<20>	
F2	PAD_I_TOUCH50	GRAPE TX<19>	
G2	PAD_I_TOUCH51	GRAPE TX<18>	
G1	PAD_I_TOUCH52	GRAPE TX<17>	
H1	PAD_I_TOUCH53	GRAPE TX<16>	
P11	PAD_I_TOUCH54	GRAPE TX<15>	
N15	PAD_I_TOUCH55	GRAPE TX<14>	
N12	PAD_I_TOUCH56	GRAPE TX<13>	
P13	PAD_I_TOUCH57	GRAPE TX<12>	
P12	PAD_I_TOUCH58	GRAPE TX<11>	
R12	PAD_I_TOUCH59	GRAPE TX<10>	
M14	PAD_I_TOUCH60	GRAPE TX<9>	
M12	PAD_I_TOUCH61	GRAPE TX<8>	
E3	PAD_I_TOUCH62	GRAPE TX<7>	
L13	PAD_I_TOUCH63	GRAPE TX<6>	
P14	PAD_I_TOUCH64	GRAPE TX<5>	
M14	PAD_I_TOUCH65	GRAPE TX<4>	
M13	PAD_I_TOUCH66	GRAPE TX<3>	
N14	PAD_I_TOUCH67	GRAPE TX<2>	
M15	PAD_I_TOUCH68	GRAPE TX<1>	
R14	PAD_I_TOUCH69	GRAPE TX<0>	

N5	PAD_I_SELFCAPEXT	NC
N4	PAD_O_GUARDBUFFER	NC
C11	CORE_PMU_O_AON_TEST_PMU	NC

PP15V0 TOUCH FILT

C2311	C2312	C2313	C2317
0.47UF	0.47UF	0.47UF	0.47UF
20%	20%	20%	20%
25V	25V	25V	25V
CER-X5R	CER-X5R	CER-X5R	CER-X5R
0201	0201	0201	0201

C2333	C2334	C2335
0.47UF	0.47UF	0.47UF
20%	20%	20%
25V	25V	25V
CER-X5R	CER-X5R	CER-X5R
0201	0201	0201

PP3V3 GRAPE FILT

C2315	C2316	C2320
0.1UF	0.1UF	0.22UF
10V	10V	20%
X5R-CERM	X5R-CERM	6.3V
0201	0201	X5R
		0201

PP2V8 KONA S VDDANA

C2378	C2379	C2302	C2303
100PF	12PF	0.1UF	0.1UF
5%	5%	10%	10%
16V	25V	25V	25V
C0G	NP0-C0G	X5R-CERM	X5R-CERM
0201	0201	0201	0201

C2304	C2305	C2306	C2307
0.1UF	0.1UF	0.1UF	2.2UF
10V	10V	10V	20%
X5R-CERM	X5R-CERM	X5R-CERM	6.3V
0201	0201	0201	X5R-CERM
			0201

KONA S VDDADC CAP

C2318
1UF
10%
X5R-CERM
0402

Pin	Signal
B3	AFE_I_VDDHV15_EXT
C4	AFE_I_VDDHV15_EXT
L7	AFE_I_VDDHV15_EXT
E5	AFE_I_VDDHV15_EXT
M11	AFE_I_VDDHV15_EXT
H2	AFE_I_VDDHV15_EXT
K6	AFE_I_VDDHV15_EXT
L1	AFE_I_VDDHV15_EXT
L9	AFE_I_VDDHV15_EXT
M3	AFE_I_VDDHV15_EXT
E2	AFE_I_VDDHV15_EXT
N3	AFE_I_VDDHV15_EXT
L12	AFE_I_VDDHV15_EXT
G5	AFE_I_VDDHV15_EXT
R15	AFE_I_VDDHV15_EXT
E13	BOOST_VDDA
C12	OTP_TMON_I_VDDA_3P3_EXT
R1	AFE_PMU_I_VDDA_3P3_EXT
G13	AUXBUF_PMU_I_VDDA_3P3_EXT
G14	AUXBUF_I_VDDHV_AUX_EXT
G15	AUXBUF_PMU_O_VDD_AUX_CAP
C3	AFE_I_VDDANA_3P3_AFE_PMU
D5	AFE_I_VDDANA_3P3_AFE_PMU
H6	AFE_I_VDDANA_3P3_AFE_PMU
L4	AFE_I_VDDANA_3P3_AFE_PMU
L3	AFE_I_VDDANA_3P3_AFE_PMU
L8	AFE_I_VDDANA_3P3_AFE_PMU
M2	AFE_I_VDDANA_3P3_AFE_PMU
R11	AFE_I_VDDANA_3P3_AFE_PMU
M8	AFE_I_VDDANA_3P3_AFE_PMU
N8	AFE_I_VDDANA_3P3_AFE_PMU
J6	AFE_I_VDDANA_3P3_AFE_PMU
L11	AFE_I_VDDANA_3P3_AFE_PMU
L14	AFE_I_VDDANA_3P3_AFE_PMU
R6	AFE_I_VDDANA_3P3_AFE_PMU
R2	AFE_PMU_I_VDDANA_3P3_PMU
R4	AFE_PMU_O_AVDD1P2_CAP

F14	AUXBUF_AVSS
C10	AUXADC_AVSS
D6	VSS
D8	VSS
F6	VSS
F9	VSS
G8	VSS
H10	VSS
K8	VSS
A14	VSS
E14	VSS
A1	VSS
A3	VSS
B7	VSS
H12	VSS
H13	VSS
K11	VSS
K12	VSS
K13	VSS
D15	VSS
E15	VSS
F15	VSS
G11	VSS
J11	VSS
J12	VSS
K10	VSS
H15	XTAL_AVSS
K14	XTAL_AVSS
B10	CORE_PMU_I_AVSS
H14	AUXBUF_PMU_I_AVSS
B2	PAD_I_AVSS
E1	PAD_I_AVSS
J1	PAD_I_AVSS
N11	PAD_I_AVSS
L2	PAD_I_AVSS
P15	PAD_I_AVSS
K2	PAD_I_AVSS
L15	PAD_I_AVSS
M4	PAD_I_AVSS
F5	PAD_I_AVSS
P5	PAD_I_AVSS
P8	PAD_I_AVSS
H4	PAD_I_AVSS

PP1V8 GRAPE XTAL FILT

C2321	C2322
0.1UF	0.047UF
10%	10%
25V	X5R
X5R	0201
0201	

J14 XTAL_PLL_AVDD1P8_I_VDDLDO_1P8_EXT

PP1V8 S2 TOUCH

C2308	C2309	C2310
0.1UF	0.1UF	0.1UF
10%	10%	10%
6.3V	6.3V	6.3V
CERM-X5R	CERM-X5R	CERM-X5R
0201	0201	0201

Pin	Signal
F11	AUXADC_AVDDC_I_VDDIO_1P8_3P3_EXT
E12	AUXADC_AVDD_I_VDDIO_1P8_3P3_EXT
R3	AFE_PMU_I_VDDLDO_1P8_EXT
B9	AON_PAD_I_VDDIO_1P8_3P3_EXT
D7	AON_PAD_I_VDDIO_1P8_3P3_EXT
E6	AON_PAD_I_VDDIO_1P8_3P3_EXT
A2	I2C_PAD_I_VDDIO_1P8_3P3_EXT
C13	CORE_PAD_I_VDDIO_1P8_3P3_EXT
C8	CORE_PAD_I_VDDIO_1P8_3P3_EXT
B11	CORE_PMU_I_AON_VDDIO_1P8_3P3_EXT
A10	CORE_PMU_I_VDDLDO_1P8_EXT
A11	CORE_PMU_O_VDDCORE_1P2_CAP

PP1V8 GRAPE AON RC

PP1V2 S2 TOUCH

C2325	C2314
1UF	0.1UF
10%	10%
100	6.3V
X5R-CERM	CERM-X5R
0402	0201

PGGOD SIGNAL GOES TO PMU ADC INPUT

PP15V0 TOUCH LDO

R23A1
118S00136
60.4K
1%
1/32W
7K
01005

R23A2
10K
1%
1/32W
MF
01005

DOMBRA_LDO_8V_PGOOD_FET

C23A0
100PF
5%
25V
C0G-CERM
01005

REMOVED 1.2V EXT BUCK, USING LDO14

PAGE TITLE

TOUCH: KONA SLAVE

BOM_COST_GROUP=TOUCH

J517 TOUCH FLEX CONNECTOR (SENSE)

MATCHES J517_GRAPE_FLEX_LS 2.0.0
MLB: 516S00419
FLEX: 516S00420

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

J2400
BM28P0.6-56DS-2-0.35V
F-ST-SM

57   58 CRITICAL

GRAPE RX<0>   GRAPE RX<1>
GRAPE RX<2>   3   2   GRAPE RX<3>
GRAPE RX<4>   5   4   GRAPE RX<5>
GRAPE RX<6>   7   6   GRAPE RX<7>
GRAPE RX<8>   9   8   GRAPE RX<9>
GRAPE RX<10> 11   10 GRAPE RX<11>
GRAPE RX<12> 13   12 GRAPE RX<13>
GRAPE RX<14> 15   14 GRAPE RX<15>
GRAPE RX<16> 17   16 GRAPE RX<17>
GRAPE RX<18> 19   18 GRAPE RX<19>
GRAPE RX<20> 21   20 GRAPE RX<21>
GRAPE RX<22> 23   22 GRAPE RX<23>
GRAPE RX<24> 25   24 GRAPE RX<25>
GRAPE RX<26> 27   26 GRAPE RX<27>
GRAPE RX<55> 29   28 GRAPE RX<54>
GRAPE RX<53> 31   30 GRAPE RX<52>
GRAPE RX<51> 33   32 GRAPE RX<50>
GRAPE RX<49> 35   34 GRAPE RX<48>
GRAPE RX<47> 37   36 GRAPE RX<46>
GRAPE RX<45> 39   38 GRAPE RX<44>
GRAPE RX<43> 41   40 GRAPE RX<42>
GRAPE RX<41> 43   42 GRAPE RX<40>
GRAPE RX<39> 45   44 GRAPE RX<38>
GRAPE RX<37> 47   46 GRAPE RX<36>
GRAPE RX<35> 49   48 GRAPE RX<34>
GRAPE RX<33> 51   50 GRAPE RX<32>
GRAPE RX<31> 53   52 GRAPE RX<30>
GRAPE RX<29> 55   54 GRAPE RX<28>
              59   60

J522 TOUCH FLEX CONNECTOR (SENSE)

FLEX: 516S00375
MLB: 516S00374

PACK_OPTION=J522,J523

J2400
AA37D-S060VA2
F-ST-SM

65   66

GRAPE RX<1>   61 PWR 62   GRAPE RX<0>
GRAPE RX<3>   1   2   GRAPE RX<2>
GRAPE RX<5>   3   4   GRAPE RX<4>
GRAPE RX<7>   5   6   GRAPE RX<6>
GRAPE RX<9>   7   8   GRAPE RX<8>
GRAPE RX<11>   9   10   GRAPE RX<10>
GRAPE RX<13> 11   12   GRAPE RX<12>
GRAPE RX<15> 13   14   GRAPE RX<14>
GRAPE RX<17> 15   16   GRAPE RX<16>
GRAPE RX<19> 17   18   GRAPE RX<18>
GRAPE RX<21> 19   20   GRAPE RX<20>
GRAPE RX<23> 21   22   GRAPE RX<22>
GRAPE RX<25> 23   24   GRAPE RX<24>
GRAPE RX<27> 25   26   GRAPE RX<26>
GRAPE RX<29> 27   28   GRAPE RX<28>
GRAPE RX<31> 29   30   GRAPE RX<30>
GRAPE RX<62> 31   32   GRAPE RX<61>
GRAPE RX<60> 33   34   GRAPE RX<59>
GRAPE RX<58> 35   36   GRAPE RX<57>
GRAPE RX<56> 37   38   GRAPE RX<55>
GRAPE RX<54> 39   40   GRAPE RX<53>
GRAPE RX<52> 41   42   GRAPE RX<51>
GRAPE RX<50> 43   44   GRAPE RX<49>
GRAPE RX<48> 45   46   GRAPE RX<47>
GRAPE RX<46> 47   48   GRAPE RX<45>
GRAPE RX<44> 49   50   GRAPE RX<43>
GRAPE RX<42> 51   52   GRAPE RX<41>
GRAPE RX<40> 53   54   GRAPE RX<39>
GRAPE RX<38> 55   56   GRAPE RX<37>
GRAPE RX<36> 57   58   GRAPE RX<35>
GRAPE RX<34> 59   60   GRAPE RX<33>
GRAPE RX<32> 63   64
              67 PWR 68

J517 TOUCH FLEX CONNECTOR (DRIVE)

MATCHES J517_GRAPE_FLEX_LS 2.0.0
MLB: 516S00099
FLEX: 516S00098

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

J2401
505066-5022
F-ST-SM

51   52
      CRITICAL

GRAPE TX<20>   3   2
GRAPE TX<19>   5   4
GRAPE TX<18>   7   6
GRAPE TX<17>   9   10   GRAPE TX<39>
GRAPE TX<16> 11   12   GRAPE TX<38>
GRAPE TX<15> 13   14   GRAPE TX<37>
GRAPE TX<14> 15   16   GRAPE TX<36>
GRAPE TX<13> 17   18   GRAPE TX<35>
GRAPE TX<12> 19   20   GRAPE TX<34>
GRAPE TX<11> 21   22   GRAPE TX<33>
GRAPE TX<10> 23   24   GRAPE TX<32>
GRAPE TX<9>   25   26   GRAPE TX<31>
GRAPE TX<8>   27   28   GRAPE TX<30>
GRAPE TX<7>   29   30   GRAPE TX<29>
GRAPE TX<6>   31   32   GRAPE TX<28>
GRAPE TX<5>   33   34   GRAPE TX<27>
GRAPE TX<4>   35   36   GRAPE TX<26>
GRAPE TX<3>   37   38   GRAPE TX<25>
GRAPE TX<2>   39   40   GRAPE TX<24>
GRAPE TX<1>   41   42   GRAPE TX<23>
GRAPE TX<0>   43   44   GRAPE TX<22>
             45   46   GRAPE TX<21>
             47   48
             49   50
             53   54

J522 TOUCH FLEX CONNECTOR (DRIVE)

FLEX: 516S00380
MLB: 516S00379

PACK_OPTION=J522,J523

J2401
BB35L-RA56-3A
F-ST-SM

58 CRITICAL 61
             57
     2   1
     4   3
GRAPE TX<47>   6   5   GRAPE TX<0>
GRAPE TX<46>   8   7   GRAPE TX<1>
GRAPE TX<45> 10   9   GRAPE TX<2>
GRAPE TX<44> 12   11   GRAPE TX<3>
GRAPE TX<43> 14   13   GRAPE TX<4>
GRAPE TX<42> 16   15   GRAPE TX<5>
GRAPE TX<41> 18   17   GRAPE TX<6>
GRAPE TX<40> 20   19   GRAPE TX<7>
GRAPE TX<39> 22   21   GRAPE TX<8>
GRAPE TX<38> 24   23   GRAPE TX<9>
GRAPE TX<37> 26   25   GRAPE TX<10>
GRAPE TX<36> 28   27   GRAPE TX<11>
GRAPE TX<35> 30   29   GRAPE TX<12>
GRAPE TX<34> 32   31   GRAPE TX<13>
GRAPE TX<33> 34   33   GRAPE TX<14>
GRAPE TX<32> 36   35   GRAPE TX<15>
GRAPE TX<31> 38   37   GRAPE TX<16>
GRAPE TX<30> 40   39   GRAPE TX<17>
GRAPE TX<29> 42   41   GRAPE TX<18>
GRAPE TX<28> 44   43   GRAPE TX<19>
GRAPE TX<27> 46   45   GRAPE TX<20>
GRAPE TX<26> 48   47   GRAPE TX<21>
GRAPE TX<25> 50   49   GRAPE TX<22>
GRAPE TX<24> 52   51   GRAPE TX<23>
             54   53
             56   55
             60   59
             62

BOM_COST_GROUP=TOUCH

PAGE TITLE

TOUCH: GRAPE CONN

J517 LANAI RX/TX ALIAS

J517 KONA RX/TX ALIAS

J522 LANAI RX/TX ALIAS

J522 KONA RX/TX ALIAS

TOUCH: SENSE & DRIVE ALIAS

BOM_COST_GROUP=TOUCH
PAGE TITLE

R2390
300

C2390
100PF

C2391
100PF

VCOM_LCD_TO_GRAPE
VCOM_LCD_TO_GRAPE_R
VCOM_LCD_TO_GRAPE_R_C

PENROSE ADC (FAN)

PP1V2 IO   84 76 67 44 9 7 6 5

PP3V0 PENROSE   25 84

FL2602
FERR-150OHM-25%-200MA

FL2603
FERR-150OHM-25%-200MA

81 25 IN PENROSE VIS IR VOUT1

81 25 IN PENROSE IR VOUT2

NOSTUFF
C2602
56PF
5%
25V
NP0/C0G
01005

NOSTUFF
C2603
56PF
5%
25V
NP0/C0G
01005

01005

01005

PENROSE VIS IR VOUT1 R

PENROSE IR VOUT2 R

C2600
0.1UF
20%
6.3V
X5R-CERM
01005

C2601
0.1UF
20%
6.3V
X5R-CERM
01005

U2600
353302530
FAN38522UCX
WLCSP

VDDIO VDD
B1   A2

C3 IN1   CLK A1
C2 IN2   DATA A3
C1 SEL   NC B2

GND
B3

PDM PENROSE SCLK   IN 10 82
PDM PENROSE SD   OUT 10 82

NC

R2606
1.00M
5%
1/32W
MF
01005

NOTE: DATA OUTPUT CONNECTED TO AOP (ON IN SLEEP), 1V8 SUPPLY IS ACTIVE ONLY.
DEVICE IS IN SLEEP MODE WHEN VDD IS OFF.

BOM_COST_GROUP=CAMERA

PAGE TITLE

CAMERA: PENROSE ADC

BACK DMIC FLEX

MLB APN: 516S00186
FLEX APN: 516S00185

516S00186
J2720
BM28P0.6-6DS/2-0.35V
F-ST-SM

PWR/GND
SIGNAL
NC
NC
NC
PWR/GND

PP1V8 S2 DMIC C3 CONN
DMIC2 MIC SCLK CONN 1V8
DMIC2 MIC SD CONN 1V8

PINOUT PER HYDRA STROBE FLEX REV 0.6

HYDRA STROBE FLEX B2B

MLB APN: 516S00267
FLEX APN: 516S00268

516S00267
J2710
AA36D-S010VA1
F-ST-SM

PWR
PPSTROBE LED WARM2 CONN   PPSTROBE LED WARM1 CONN
SIGNAL
LED DRIVER NTC CONN
PP3V0_PENROSE_CONN
PENROSE IR VOUT2
PENROSE VIS IR VOUT1   GPIO BTN ONOFF L CONN 1V8
PWR
PPSTROBE LED COOL2 CONN   PPSTROBE LED COOL1 CONN

J51X VOLUME BUTTON FLEX B2B

MLB APN: 516S00321
FLEX APN: 516S00322

PACK_IGNORE=TRUE
PACK_OPTION=J511
516S00321
J2730
5054130610
F-ST-SM

NC   NC
NC   GPIO BTN VOL UP L CONN 1V8
NC   GPIO BTN VOL DOWN L CONN 1V8
NC

J52X VOLUME BUTTON FLEX B2B

MLB APN: 516S00186
FLEX APN: 516S00185

PACK_IGNORE=TRUE
PACK_OPTION=J522
516S00186
J2730
BM28P0.6-6DS/2-0.35V
F-ST-SM

NC   NC
NC   GPIO BTN VOL UP L CONN 1V8
NC   GPIO BTN VOL DOWN L CONN 1V8
NC

BUTTON FILTERS/ESD

PP3V0_PENROSE
FL2710
10-OHM-750MA
01005-1
155S0576
PP3V0_PENROSE_CONN

C2710 2.2UF 20% 6.3V X5R-CERM 0201
C2711 220PF 5% 16V C0G 01005

FL2730 240-OHM-25%-0.20A-1.0DCR
GPIO BTN VOL DOWN L 1V8   GPIO BTN VOL DOWN R L 1V8
R2730 100 5% 1/32W MF 01005
GPIO BTN VOL DOWN L CONN 1V8
DZ2730 0201 12.8V-100PF

FL2713
10-OHM-750MA
01005-1
155S0576
PP1V8 S2   PP1V8_S2_DMIC_C3_CONN

C2713 220PF 5% 16V C0G 01005

NOTE: SENTRY DMICS USE PP1V8 INPUT SUPPLY WITH 1V2 INT LDO'ED IO

FL2731 240-OHM-25%-0.20A-1.0DCR
GPIO BTN VOL UP L 1V8   GPIO BTN VOL UP R L 1V8
R2731 100 5% 1/32W MF 01005
GPIO BTN VOL UP L CONN 1V8
DZ2731 0201 12.8V-100PF

L2720 240-OHM-25%-0.20A-1.0DCR
GPIO BTN ONOFF L 1V8   GPIO BTN ONOFF R L 1V8
R2720 100 5% 1/32W MF 01005
GPIO BTN ONOFF L CONN 1V8
DZ2720 0201 12.8V-100PF

RFFE FILTERS

NOTE: RFFE FILTERS NOW ON BB PAGES

C3 HFX SENSOR

PP1V8 S2
C2701 0.1UF 10% 6.3V X7R 0201

U2701 HGDEDM033A SM 353S00786
VDD
OUT1 SOUTH HALL
OUT2 NORTH HALL
GND
OUT1: SOUTH
OUT2: NORTH

NOSTUFF
R2701 0 1/20W MF 0201
R2702 0 1/20W MF 0201
GPIO CPANEL HALL TO PMU IRQ L

MIC#4 FILTERS

PDM DMIC BACK SCLK 1V8
FL2703 33 5% 1/32W MF 01005
DMIC2 MIC SCLK CONN 1V8

C2703 27PF 5% 16V NP0-C0G 01005 NOSTUFF

DMIC2 MIC SD UNSEC 1V8
FL2704 0.00 0% 1/32W MF 01005
DMIC2 MIC SD CONN 1V8

C2704 27PF 5% 16V NP0-C0G 01005 NOSTUFF

SENTRY JUMPERS

PDM DMIC BACK SCLK
R2752 0.00 0% 1/32W MF 01005
PDM DMIC BACK SCLK 1V8 R

PDM DMIC FRONT SCLK
R2753 0.00 0% 1/32W MF 01005
PDM DMIC FRONT SCLK 1V8 R

DMIC CLOCK LVT FOR FRONT AND BACK CLK

PP1V25 S2
NOSTUFF
C2750 0.1UF 20% 6.3V X5R-CERM 01005

PP1V8 S2
NOSTUFF
C2751 0.1UF 20% 6.3V X5R-CERM 01005

U2750 74AVC2T45GX X2SON
VCCA VCCB
A1 B1
A2 B2
DIR
GND
NOSTUFF
LVT / TRANSCEIVER
DIR HIGH: A TO B

PDM DMIC BACK SCLK
PDM DMIC FRONT SCLK

PDM DMIC BACK SCLK 1V8 R
PDM DMIC FRONT SCLK 1V8 R

R2750 33 5% 1/32W MF 01005 PLACE NEAR-U2750.7.20MM
PDM DMIC BACK SCLK 1V8

R2751 33 5% 1/32W MF 01005 PLACE NEAR-U2750.6.20MM
PDM DMIC FRONT SCLK 1V8

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
155S00097	155S00018	FL2723,FL2725	FERR 80OHM 500MA 0.18DCR 0201	
155S0664	155S00018	FL2723,FL2725	FERR 80OHM 500MA 0.18DCR 0201	

BOM_COST_GROUP=CAMERA

PAGE TITLE
CAMERA: B2B STROBE & MISC

FRONT SWIDE CAMERA

LPDP AC COUPLING CAPS

FRONT SWIDE CAM CONN
FLEX SIDE: 516S00396
MLB SIDE: 516S00395

J2850
BB35AA-RA18-3A
F-ST-SM

PP1V215 FRONT SWIDE CAM CONN

CLK_FCAM2_PMU_TO_SWIDE_12M_CONN
LPDP_SOC_TO_FCAM2_AUX_CONN
PP2V85 FRONT SWIDE CAM CONN
PP1V8 FRONT SWIDE CAM CONN
LPDP_FCAM2_TO_SOC_DATA_C_P<1>   GND_VOID=TRUE
LPDP_FCAM2_TO_SOC_DATA_C_N<1>   GND_VOID=TRUE
GPIO_FCAM_JULIET_TO_ACE_SYNC_1V8
ISP_FCAM2_SWIDE_SHUTDOWN_L_CONN
LPDP_FCAM2_TO_SOC_DATA_C_P<0>   GND_VOID=TRUE
I2C_FCAM2_SWIDE_SDA_CONN
LPDP_FCAM2_TO_SOC_DATA_C_N<0>   GND_VOID=TRUE
I2C_FCAM2_SWIDE_SCL_CONN

LPDP_SOC_TO_FCAM2_SWIDE_AUX
GND_VOID=TRUE   GND_VOID=TRUE
C2870   0.1UF
01005 6.3V 20% X5R-CERM
LPDP_SOC_TO_FCAM2_AUX_CONN
NOSTUFF
C2871
220PF
5%
16V
C0G
01005

LPDP_FCAM2_SWIDE_TO_SOC_DATA_N<0>
GND_VOID=TRUE   GND_VOID=TRUE
C2872   0.1UF
01005 6.3V 20% X5R-CERM
LPDP_FCAM2_TO_SOC_DATA_C_N<0>

LPDP_FCAM2_SWIDE_TO_SOC_DATA_P<0>
GND_VOID=TRUE   GND_VOID=TRUE
C2873   0.1UF
01005 6.3V 20% X5R-CERM
LPDP_FCAM2_TO_SOC_DATA_C_P<0>

LPDP_FCAM2_SWIDE_TO_SOC_DATA_N<1>
GND_VOID=TRUE   GND_VOID=TRUE
C2874   0.1UF
01005 6.3V 20% X5R-CERM
LPDP_FCAM2_TO_SOC_DATA_C_N<1>

LPDP_FCAM2_SWIDE_TO_SOC_DATA_P<1>
GND_VOID=TRUE   GND_VOID=TRUE
C2875   0.1UF
01005 6.3V 20% X5R-CERM
LPDP_FCAM2_TO_SOC_DATA_C_P<1>

POWER FILTERS

FL2850
FERR-22-OHM-1A-0.055OHM
PP1V8_FCAM_PMU_IO_SW
PP1V8 FRONT SWIDE CAM CONN
0201
C2851
1.0UF
20%
6.3V
X5R
0201-1
C2850
220PF
5%
16V
C0G
01005

FL2851
FERR-22-OHM-1A-0.055OHM
PP2V85_SWIDE_FCAM2_AVDDH1
PP2V85 FRONT SWIDE CAM CONN
0201
C2853 C2856 C2858 C2852
4UF   4UF   4UF   220PF
20%   20%   20%   5%
6.3V   6.3V   6.3V   16V
CERM-X5R CERM-X5R CERM-X5R C0G
0201   0201   0201   01005

FL2852
FERR-22-OHM-1A-0.055OHM
PP1V215_FCAM2_SWIDE_VDDL
PP1V215 FRONT SWIDE CAM CONN
0201
C2855 C2857 C2854
4UF   4UF   220PF
20%   20%   5%
6.3V   6.3V   16V
CERM-X5R CERM-X5R C0G
0201   0201   01005

FL2860
120-OHM-25%-250MA-0.5DCR
GPIO_FCAM_PMU_TO_FCAM_SWIDE_SHUTDOWN_L_1V8
ISP_FCAM2_SWIDE_SHUTDOWN_L_CONN
01005
R2860
100K
5%
1/32W
MF
01005

IO FILTERS

FL2861
70-OHM-300MA
I2C2_FCAM_PMU_SCL_1V8
CKPLUS_WAIVE=I2C_PULLUP
I2C_FCAM2_SWIDE_SCL_CONN
01005-1

FL2862
70-OHM-300MA
I2C2_FCAM_PMU_SDA_1V8
CKPLUS_WAIVE=I2C_PULLUP
I2C_FCAM2_SWIDE_SDA_CONN
01005-1

R2863
22
5%
1/32W
MF
01005
CLK_FCAM_PMU_TO_SWIDE_12M_1V8
CLK_FCAM2_PMU_TO_SWIDE_12M_CONN
C2860
56PF
5%
25V
NP0/C0G
01005

BOM_COST_GROUP=CAMERA

PAGE TITLE

CAMERA: B2B FRONT

STROBE CIRCUITRY

LED DRIVER 1

APN: 353S00558

PPVCC MAIN

C2902
10UF
20%
6.3V
CERM-X5R
0402

C2904
10UF
20%
6.3V
CERM-X5R
0402

L2900
0.47UH-20%-3.8A-0.048OHM
PIQA20121T-SM
PPSTROBE1 LX
SWITCH_NODE=TRUE   DIDT=TRUE

U2900
LM3566
DSBGA

IN A2
SW B1
HWEN C2   300K INT PD
STROBE B2   300K INT PD
TX D2   300K INT PD
SDA A3
SCL B3
TORCH/TEMP C3
GND A1

OUT C1
LED1 D3
LED2 D1

5.00V
PPSTROBE1 BST

C2907
10UF
20%
6.3V
CERM-X5R
0402

C2910
10UF
20%
6.3V
CERM-X5R
0402

GPIO RCAM PMU TO STROBE DRIVER HWEN 1V8
WIDE AND SWIDE TO STROBE DRIVER STROBE 1V8
NOTE: BB IO FOR THIS NET IS 1V8 BASED ON NETNAME
GPIO BB TO STROBE GSM BURST IND 1V8
I2C1 RCAM PMU SDA 1V8
I2C1 RCAM PMU SCL 1V8

PPSTROBE LED COOL1 CONN
PPSTROBE LED WARM1 CONN

C2909
220PF
5%
16V
X7R
01005

C2906
220PF
5%
16V
X7R
01005

LED DRIVER NTC

FL2904
120-OHM-25%-250MA-0.5DCR
01005

LED DRIVER NTC CONN

R2940
27K
0.5%
1/32W
MF
01005

C2919
100PF
5%
25V
C0G-CERM
01005

LED DRIVER 2

APN: 353S00868

PPVCC MAIN

C2952
10UF
20%
6.3V
CERM-X5R
0402

C2954
10UF
20%
6.3V
CERM-X5R
0402

L2950
0.47UH-20%-3.8A-0.048OHM
PIQA20121T-SM
PPSTROBE2 LX
SWITCH_NODE=TRUE   DIDT=TRUE

U2950
LM35662
DSBGA

IN A2
SW B1
HWEN C2   300K INT PD
STROBE B2   300K INT PD
TX D2   300K INT PD
SDA A3
SCL B3
TORCH/TEMP C3
GND A1

OUT C1
LED1 D3
LED2 D1

5.00V
PPSTROBE2 BST

C2957
10UF
20%
6.3V
CERM-X5R
0402

C2960
10UF
20%
6.3V
CERM-X5R
0402

GPIO RCAM PMU TO STROBE DRIVER HWEN 1V8
WIDE AND SWIDE TO STROBE DRIVER STROBE 1V8
NOTE: BB IO FOR THIS NET IS 1V8 BASED ON NETNAME
GPIO BB TO STROBE GSM BURST IND 1V8
I2C1 RCAM PMU SDA 1V8
I2C1 RCAM PMU SCL 1V8

PPSTROBE LED COOL2 CONN
PPSTROBE LED WARM2 CONN

C2959
220PF
5%
16V
X7R
01005

C2956
220PF
5%
16V
X7R
01005

LED DRIVER NTC

BOM_COST_GROUP=STROBE

PAGE TITLE

CAMERA: STROBE

BORRIS BOOST

BOOST MASTER

BOOST SLAVE

CS35L91 (ARDEE)			
ADDR PIN PULL	RESISTOR	I2C ADDRESS	
GND	0K	0X70	AMP1 FHRT
VDD	0K	0X72	AMP2 FHRW
GND	4.99K	0X74	AMP3 FHLT
VDD	4.99K	0X76	AMP4 FHLW
GND	20K	0X78	AMP5 CNRT
VDD	20K	0X7A	AMP6 CNRW
GND	100K	0X7C	AMP7 CNLT
VDD	100K	0X7E	AMP8 CNLW

CS37L90 (BORRIS)			
ADDR PIN PULL	RESISTOR	I2C ADDRESS	
GND	0K	0X60	MASTER
DVDD	0K	0X62	SLAVE

CAP RESERVOIR

U3000 CS37L90C WLCSP 343S00377

U3001 CS37L90C WLCSP 343S00377

PPVCC_MAIN
PP1V8_SW1_IO
PP1V2_IO
PPV_BST_AUDIO

BST_1_MAINT_EN
GPIO_SOC_TO_SPKRBST_RESET_L
ARDEE_TO_BORRIS_BYPASS_EN

R3000 47.0K
R3001 47.0K
R3002 0.00

GPIO_SOC_TO_SPKRBST_RESET_L RESET* G5
BST_1_MAINT_EN MAINT_EN D4
I2S3_SOC_TO_BSTMSTR_CN_MCLK CLKI C5
BST_CLK_SYNC_1V8 CLK_SYNC D5
I2C1_SCL_R I2C_SCL B5
I2C1_SDA_R I2C_SDA A5
I2C_ADDR G4
GPIO_BST_MASTER_TO_SOC_IRQ_L IRQ* C4
BST_SYNC_R_1V8 BST_SYNC E5

PHASE1_LX L3000 1UH-20%-5.3A-0.025OHM PIIB25201B-SM
PHASE2_LX L3001 1UH-20%-5.3A-0.025OHM PIIB25201B-SM

GPIO_SOC_TO_SPKRBST_RESET_L RESET* G5
MAINT_EN D4
I2S0_SOC_TO_BSTSLV_FH_MCLK CLKI C5
BST_CLK_SYNC_1V8 CLK_SYNC D5
I2C1_SCL_R I2C_SCL B5
I2C1_SDA_R I2C_SDA A5
PP1V8_SW1_IO I2C_ADDR G4
GPIO_BST_SLAVE_TO_SOC_IRQ_L IRQ* C4
BST_SYNC_R_1V8 BST_SYNC E5

PHASE3_LX L3002 1UH-20%-5.3A-0.025OHM PIIB25201B-SM
PHASE4_LX L3003 1UH-20%-5.3A-0.025OHM PIIB25201B-SM

C300A 180PF C3001 0.1UF C300B 220PF C3000 1.0UF
C3002 0.1UF C3003 0.1UF C3006 10UF C300C 180PF
C3004 0.1UF C3005 0.1UF C3008 10UF
C300E C3016 10UF C3015 10UF C3014 10UF C3013 10UF
C300D 180PF C3012 10UF C3011 10UF C3010 10UF C3009 10UF

C303A 180PF C3032 0.1UF C303B 220PF C3033 1.0UF
C3022 0.1UF C3021 0.1UF C3018 10UF C303C 180PF
C3023 0.1UF C3020 0.1UF C3019 10UF
C303E 180PF C3031 10UF C3028 10UF C3026 10UF C3025 10UF
C303D 180PF C3030 10UF C3029 10UF C3027 10UF C3024 10UF

CRITICAL C3034 39UF CRITICAL C3035 39UF NOSTUFF C3036 39UF CRITICAL C3037 39UF NOSTUFF C3038 39UF CRITICAL C3039 39UF
CRITICAL C3045 39UF CRITICAL C3044 39UF CRITICAL C3043 39UF CRITICAL C3042 39UF CRITICAL C3041 39UF
CRITICAL C3051 39UF CRITICAL C3050 39UF CRITICAL C3049 39UF CRITICAL C3048 39UF
CRITICAL C3034 33UF CRITICAL C3035 33UF CRITICAL C3036 33UF CRITICAL C3037 33UF CRITICAL C3038 33UF CRITICAL C3043 33UF

PAGE TITLE
AUDIO: BORRIS BOOST
BOM_COST_GROUP=AUDIO

DMIC CONN AND FILTERS

PINOUT PER MIC FH FLEX REV 0.3

MIC FLEX B2B

MLB APN: 516S00186
FLEX APN: 516S00185

J3100
BM28P0.6-6DS/2-0.35V
F-ST-SM

PWR/GND

7   8
SIGNAL
PP1V8 S2 DMIC CONN   1   2   DMIC1 TOP R MIC SCLK CONN 1V8
DMIC1 MIC SD CONN 1V8   3   4   DMIC1 MIC SD CONN 1V8
DMIC1 TOP L MIC SCLK CONN 1V8   5   6   PP1V8 S2 DMIC CONN

PWR/GND

9   10

ROUTING	BUS	SELECT	LOCATION	DATA ASSERTS ON	DATA LATCHED ON
MIC#1	PDM0	HIGH	LEFT	CLK RISING EDGE	CLK FALLING EDGE
MIC#2	PDM0	LOW	RIGHT	CLK FALLING EDGE	CLK RISING EDGE
MIC#3	PDM1	HIGH	FRONT(ON TM)	CLK RISING EDGE	CLK FALLING EDGE
MIC#4	PDM1	LOW	REAR(C3)	CLK FALLING EDGE	CLK RISING EDGE
MIC#5	PDM2	HIGH	LANDSCAPE	CLK RISING EDGE	CLK FALLING EDGE

DMIC2 FILTERS

FL3101
0.00
PDM DMIC TOP L SCLK 1V8   1   2   DMIC1 TOP L MIC SCLK CONN 1V8 [OUT]
0%
1/32W   MF 01005

C3101
27PF
5%
18V
NP0-C0G
01005-1
NOSTUFF

FL3102
0.00
[OUT] DMIC1 MIC SD UNSEC 1V8   1   2   DMIC1 MIC SD CONN 1V8 [IN]
0%
1/32W   MF 01005

C3102
27PF
5%
16V
NP0-C0G
01005-1
NOSTUFF

FL3103
0.00
PDM DMIC TOP R SCLK 1V8   1   2   DMIC1 TOP R MIC SCLK CONN 1V8 [OUT]
0%
1/32W   MF 01005

C3103
27PF
5%
16V
NP0-C0G
01005-1
NOSTUFF

FL3154
PP1V8 S2   1   2   PP1V8 S2 DMIC CONN
01005
120-OHM-25%-250MA-0.5DCR

NOTE: SENTRY DMICS USE PP1V8 INPUT SUPPLY WITH 1V2 INT LDO'ED IO

C3154
1.0UF
20%
6.3V
X5R
0201-1

C3155
220PF
5%
16V
C0G
01005

PP1V25 S2

C3150
0.1UF
20%
6.3V
X5R-CERM
01005

NOSTUFF

PP1V8 S2

C3151
0.1UF
20%
6.3V
X5R-CERM
01005

NOSTUFF

U3150
74AVC2T45GX
X2SON

VCCA   VCCB

PDM DMIC TOP L SCLK   2 A1   B1 1   PDM DMIC TOP L SCLK 1V8
PDM DMIC TOP R SCLK   3 A2   B2 6   PDM DMIC TOP R SCLK 1V8

5 DIR
NOSTUFF
GND
4

LVT / TRANSCEIVER
DIR HIGH: A TO B

SENTRY JUMPERS

R3150
0.00
PDM DMIC TOP L SCLK   1   2   PDM DMIC TOP L SCLK 1V8
0%
1/32W   MF 01005

R3151
0.00
PDM DMIC TOP R SCLK   1   2   PDM DMIC TOP R SCLK 1V8
0%
1/32W   MF 01005

CN L TWEETER SPEAKER AMP

CN-L-T DESENSE CAP CONFIG

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3231,C3232	CRITICAL	J522&J523

C3231 & C3232 NOSTUFF FOR J517&J518

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00019	1	150PF 0201 DESENSE CAP	C3236	CRITICAL	J517&J518

C3236 NOSTUFF FOR J522&J523

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S0731	2	100PF 0201 DESENSE CAP	C3233,C3234	CRITICAL	J517&J518
131S00117	2	120PF 0201 DESENSE CAP	C3233,C3234	CRITICAL	J522&J523

U3200
CS35L91A
WLCSP
338S00585

CN L WOOFER SPEAKER AMP

U3250
CS35L91A
WLCSP
338S00585

J522 CONNECTOR CONFIGURATION

J3200
CFX3104-0302E
F-ST-SM

SPKRAMP CN L W OUT P
SPKRAMP CN L W OUT N
SPKRAMP CN L T OUT P
SPKRAMP CN L T OUT N

PACK_OPTION=J522,J523

J517 CONNECTOR CONFIGURATION

J3200
CFX3102-0221E
F-ST-SM

SPKRAMP CN L T OUT P
SPKRAMP CN L T OUT N

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

J3250
CFX3102-0221E
F-ST-SM

SPKRAMP CN L W OUT N
SPKRAMP CN L W OUT P

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

CN-L-W DESENSE CAP CONFIG

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3281,C3282	CRITICAL	J522&J523

C3281 & C3282 NOSTUFF FOR J517&J518

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00019	1	150PF 0201 DESENSE CAP	C3286	CRITICAL	J517&J518

C3286 NOSTUFF FOR J522&J523

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3283,C3284	CRITICAL	J517&J518

C3283 & C3284 NOSTUFF FOR J522&J523

BOM_COST_GROUP=AUDIO

PAGE TITLE
AUDIO: SPEAKER AMPS (CNL)

CN R TWEETER SPEAKER AMP

PPV BST AUDIO
PPVCC_MAIN

C3306 10UF 20% 50V X5R-CERM 0603
C3307 0.1UF 20% 16V X6S-CERM 0201
C3308 180PF 2% 50V NP0-C0G 0201
C3300 10UF 20% 6.3V CERM-X5R 0402-9
C3301 0.1UF 20% 6.3V X10C6 0201
C3302 270PF 10% 50V X5R-CERM 01005

PP1V8 SW1 IO
PP1V2 IO

C3303 1UF 20% 10V X5R 0201
C3305 1UF 20% 10V X5R 0201

U3300 CS35L91A WLCSP 338S00585

VDD_A VDD_SPK VDD_SPK VDD_BATT VIO_ASP

I2C1 SCL R — B2 I2C_SCL
I2C1 SDA R — B3 I2C_SDA
SPKRAMP_CN ADDRESS R T — D5 I2C_ADDR
ARDEE TO BORRIS BYPASS EN — C4 BYP_EN
I2S SPKRAMP CN R T TO SOC DOUT — A2 ASP_DOUT
I2S SOC TO SPKRAMP CN DOUT — A1 ASP_DIN
I2S SOC TO SPKRAMP CN LRCK — A3 ASP_FSYNC
I2S SOC TO SPKRAMP CN BCLK — A4 ASP_BCLK
GPIO SPKRAMP TO SOC IRQ L — B4 IRQ*
GPIO SOC TO SPKRAMP RESET L — C5 RESET*

SPKRAMP CN VREFC1 R T — E4 VREF_FILT
ARDEE SYNC — B5 SYNC

VSNSP_SPK E1
VSNSN_SPK E2
OUTP_SPK D2
OUTN_SPK C2

GND_A GND_SPK GND_SPK GND_SPK
E3 C3 D3 D4

R3301 33 5% 1/32W MF 01005

C3309 1.0UF 20% 6.3V X5R 0201-1

SPKRAMP_CN_R_T_VSNS_P
SPKRAMP_CN_R_T_VSNS_N

XW3300 SHORT-10L-0.1MM-SM
XW3301 SHORT-10L-0.1MM-SM

SPKRAMP_CN_R_T_OUT_P
SPKRAMP_CN_R_T_OUT_N

C3336 150PF 50V NP0-C0G 0201 NOSTUFF

C3331 180PF 2% 50V NP0-C0G 0201
C3332 180PF 2% 50V NP0-C0G 0201

C3333 180PF 2% 50V NP0-C0G 0201
C3334 180PF 2% 50V NP0-C0G 0201

C3337 180PF 2% 50V NP0-C0G 0201

TP3300 A
TP3301 A
TP3302 A
TP3303 A

CN R WOOFER SPEAKER AMP

PPV BST AUDIO
PPVCC_MAIN

C3389 10UF 20% 20V X5R-CERM 0603
C3390 0.1UF 2% 16V X6S-CERM 0201
C3391 180PF 2% 50V NP0-C0G 0201
C3392 10UF 20% 6.3V CERM-X5R 0402-9
C3393 0.1UF 20% 6.3V X5R-CERM 01005
C3394 270PF 10% 50V CERM-X7R 01005

PP1V8 SW1 IO
PP1V2 IO

C3395 1UF 20% 10V X5R 0201
C3397 1UF 20% 10V X5R 0201

R3303 20.0K 5% 1/32W MF 01005
SPKRAMP_CN_ADDRESS_R_W
SPKRAMP_CN_ADDRESS_R_T
R3351 20.0K 5% 1/32W MF 01005

U3350 CS35L91A WLCSP 338S00585

VDD_A VDD_SPK VDD_SPK VDD_BATT VIO_ASP
E5 C1 D1 B1 A5

I2C1 SCL R — B2 I2C_SCL
I2C1 SDA R — B3 I2C_SDA
SPKRAMP_CN ADDRESS R W — D5 I2C_ADDR
ARDEE TO BORRIS BYPASS EN — C4 BYP_EN
I2S SPKRAMP CN R W TO SOC DOUT — A2 ASP_DOUT
I2S SOC TO SPKRAMP CN DOUT — A1 ASP_DIN
I2S SOC TO SPKRAMP CN LRCK — A3 ASP_FSYNC
I2S SOC TO SPKRAMP CN BCLK — A4 ASP_BCLK
GPIO SPKRAMP TO SOC IRQ L — B4 IRQ*
GPIO SOC TO SPKRAMP RESET L — C5 RESET*

SPKRAMP CN VREFC1 R W — E4 VREF_FILT
ARDEE SYNC — B5 SYNC

R3360 33 5% 1/32W MF 01005
I2S SPKRAMP CN TO SOC DOUT

VSNSP_SPK E1
VSNSN_SPK E2
OUTP_SPK D2
OUTN_SPK C2

GND_A GND_SPK GND_SPK GND_SPK
E3 C3 D3 D4

C3380 1.0UF 20% 6.3V X5R 0201-1

SPKRAMP CN R W VSNS P
SPKRAMP CN R W VSNS N

XW3350 SHORT-10L-0.1MM-SM
XW3351 SHORT-10L-0.1MM-SM

SPKRAMP CN R W OUT P
SPKRAMP CN R W OUT N

C3386 150PF 2% 50V NP0-C0G 0201
C3387 180PF 2% 50V NP0-C0G 0201 NOSTUFF

C3381 180PF 2% 50V NP0-C0G 0201
C3382 180PF 2% 50V NP0-C0G 0201

C3383 180PF 2% 50V NP0-C0G 0201
C3384 180PF 2% 50V NP0-C0G 0201

TP3304 A
TP3305 A
TP3306 A
TP3307 A

J522 CONNECTOR CONFIGURATION

J3300 CFX3104-0302E F-ST-SM

SPKRAMP CN R W OUT N
SPKRAMP CN R W OUT P
SPKRAMP CN R T OUT N
SPKRAMP CN R T OUT P

PACK_OPTION=J522,J523

J517 CONNECTOR CONFIGURATION

J3300 CFX3102-0221E F-T-SM
SPKRAMP CN R T OUT P
SPKRAMP CN R T OUT N
PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

J3350 CFX3102-0221E F-T-SM
SPKRAMP CN R W OUT P
SPKRAMP CN R W OUT N
PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

PAGE TITLE
AUDIO: SPEAKER AMPS (CNR)
BOM_COST_GROUP=AUDIO

FH L TWEETER SPEAKER AMP

FH-L-T DESENSE CAP CONFIG

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3431,C3432	CRITICAL	J522&J523

C3431 & C3432 NOSTUFF FOR J517&J518

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00019	1	150PF 0201 DESENSE CAP	C3436	CRITICAL	J517&J518

C3436 NOSTUFF FOR J522&J523

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3433,C3434	CRITICAL	J517&J518

C3433 & C3434 NOSTUFF FOR J522&J523

PPV BST AUDIO
PPVCC_MAIN

C3406 10UF 20% 25V X5R-CERM 0603
C3407 0.1UF 20% 16V X6S-CERM 0201
C3408 180PF 2% 50V NP0-COG 0201
C3400 10UF 20% 6.3V CERM-X5R 0402-9
C3401 0.1UF 20% 16V X5R-CERM 0201
C3402 270PF 10% 16V CERM-X7R 01005

PP1V8 SW1 IO
PP1V2_IO

C3403 1UF 20% 10V X5R 0201
C3405 1UF 20% 10V X5R 0201

U3400
CS35L91A
WLCSP
338S00585

VDD_A VDD_SPK VDD_SPK VDD_BATT VIO_ASP

I2C3_SCL_R — B2 — I2C_SCL
I2C3_SDA_R — B3 — I2C_SDA
SPKRAMP_FH_ADDRESS_L_T — D5 — I2C_ADDR
ARDEE TO BORRIS BYPASS EN — C4 — BYP_EN

R3401 33 5% 1/32W MF 01005

I2S SPKRAMP FH TO SOC DOUT
I2S SPKRAMP FH L T TO SOC DOUT — A2 — ASP_DOUT
I2S SOC TO SPKRAMP FH DOUT — A1 — ASP_DIN
I2S SOC TO SPKRAMP FH LRCK — A3 — ASP_FSYNC
I2S SOC TO SPKRAMP FH BCLK — A4 — ASP_BCLK
GPIO SPKRAMP TO SOC IRQ L — B4 — IRQ*
GPIO SOC TO SPKRAMP RESET L — C5 — RESET*

SPKRAMP FH VREFC1 L T — E4 — VREF_FILT
ARDEE SYNC — B5 — SYNC

VSNSP_SPK — E1
VSNSN_SPK — E2
OUTP_SPK — D2
OUTN_SPK — C2

GND_A GND_SPK GND_SPK GND_SPK
E3 C3 D3 D4

C3409 1.0UF 20% 6.3V X5R 0201-1

XW3400 SHORT-10L-0.1MM-SM
XW3401 SHORT-10L-0.1MM-SM

TP3400
TP3401
TP3402
TP3403

SPKRAMP_FH_L_T_VSNS_P
SPKRAMP_FH_L_T_VSNS_N
SPKRAMP_FH_L_T_OUT_P

C3436 150PF 2% 50V NP0-COG 0201

SPKRAMP_FH_L_T_OUT_N

C3431 180PF 2% 50V NP0-COG 0201
C3432 180PF 2% 50V NP0-COG 0201
C3433 180PF 2% 50V NP0-COG 0201
C3434 180PF 2% 50V NP0-COG 0201
OMIT_TABLE

PP1V8_SW1_IO

R3451 4.99K 1% 1/32W MF 01005

SPKRAMP FH ADDRESS L W
SPKRAMP FH ADDRESS L T

R3403 4.99K 1% 1/32W MF 01005

J3400 CFX3104-0302E F-ST-SM

SPKRAMP FH L W OUT N
SPKRAMP FH L W OUT P
SPKRAMP FH L T OUT P
SPKRAMP FH L T OUT N

FH L WOOFER SPEAKER AMP

PPV BST AUDIO
PPVCC_MAIN

C3489 10UF 20% 25V X5R-CERM 0603
C3490 0.1UF 20% 16V X6S-CERM 0201
C3491 180PF 2% 50V NP0-COG 0201
C3492 10UF 20% 6.3V CERM-X5R 0402-9
C3493 0.1UF 20% 16V X5R-CERM 0201
C3494 270PF 10% 16V CERM-X7R 01005

PP1V8 SW1 IO
PP1V2_IO

C3495 1UF 20% 10V X5R 0201
C3497 1UF 20% 10V X5R 0201

U3450
CS35L91A
WLCSP
338S00585

VDD_A VDD_SPK VDD_SPK VDD_BATT VIO_ASP

I2C3_SCL_R — B2 — I2C_SCL
I2C3_SDA_R — B3 — I2C_SDA
SPKRAMP_FH_ADDRESS_L_W — D5 — I2C_ADDR
ARDEE TO BORRIS BYPASS EN — C4 — BYP_EN

R3460 33 5% 1/32W MF 01005

I2S SPKRAMP FH TO SOC DOUT
I2S SPKRAMP FH L W TO SOC DOUT — A2 — ASP_DOUT
I2S SOC TO SPKRAMP FH DOUT — A1 — ASP_DIN
I2S SOC TO SPKRAMP FH LRCK — A3 — ASP_FSYNC
I2S SOC TO SPKRAMP FH BCLK — A4 — ASP_BCLK
GPIO SPKRAMP TO SOC IRQ L — B4 — IRQ*
GPIO SOC TO SPKRAMP RESET L — C5 — RESET*

SPKRAMP FH VREFC1 L W — E4 — VREF_FILT
ARDEE SYNC — B5 — SYNC

VSNSP_SPK — E1
VSNSN_SPK — E2
OUTP_SPK — D2
OUTN_SPK — C2

GND_A GND_SPK GND_SPK GND_SPK
E3 C3 D3 D4

C3480 1.0UF 20% 6.3V X5R 0201-1

XW3450 SHORT-10L-0.1MM-SM
XW3451 SHORT-10L-0.1MM-SM

TP3404
TP3405
TP3406
TP3407

SPKRAMP FH L W VSNS P
SPKRAMP FH L W VSNS N
SPKRAMP FH L W OUT P

C3486 150PF 2% 50V NP0-COG 0201

SPKRAMP FH L W OUT N

C3481 180PF 2% 50V NP0-COG 0201
C3482 180PF 2% 50V NP0-COG 0201
C3483 180PF 2% 50V NP0-COG 0201
C3484 180PF 2% 50V NP0-COG 0201
OMIT_TABLE

FH-L-W DESENSE CAP CONFIG

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3481,C3482	CRITICAL	J522&J523

C3481 & C3482 NOSTUFF FOR J517&J518

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00019	1	150PF 0201 DESENSE CAP	C3486	CRITICAL	J517&J518

C3486 NOSTUFF FOR J522&J523

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3483,C3484	CRITICAL	J517&J518

C3483 & C3484 NOSTUFF FOR J522&J523

BOM_COST_GROUP=AUDIO

PAGE TITLE
AUDIO: SPEAKER AMPS (FHL)

FH R TWEETER SPEAKER AMP

FH-R-T DESENSE CAP CONFIG

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00019	1	150PF 0201 DESENSE CAP	C3536	CRITICAL	J517&J518

C3536 NOSTUFF FOR J522&J523

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00117	2	1200PF 0201 DESENSE CAP	C3533,C3534	CRITICAL	J517&J518
131S00118	2	180PF 0201 DESENSE CAP	C3533,C3534	CRITICAL	J522&J523

PPV BST AUDIO

C3506	C3507	C3508
10UF	0.1UF	180PF
20%	20%	2%
25V	16V	50V
X5R-CERM	X6S-CERM	NP0-COG
0603	0201	0201

PPVCC_MAIN

C3500	C3501	C3502
10UF	0.1UF	270UF
20%	20%	10%
6.3V	16V	16V
CERM-X5R	X5R-CERM	CERM-X7R
0402-9	01005	01005

PP1V8 SW1 IO

C3503 1UF 20% 10V X5R 0201

PP1V2_IO

C3505 1UF 10V X5R 0201

U3500
CS35L91A
WLCSP
338S00585

VDD_A VDD_SPK VDD_SPK VDD_BATT VIO_ASP

E5 D1 B1 A5

I2C3_SCL_R — B2 I2C_SCL
I2C3_SDA_R — B3 I2C_SDA
SPKRAMP_FH_ADDRESS_R_T — D5 I2C_ADDR
ARDEE_TO_BORRIS_BYPASS_EN — C4 BYP_EN

I2S_SPKRAMP_FH_R_T_TO_SOC_DOUT — A2 ASP_DOUT
I2S_SOC_TO_SPKRAMP_FH_DOUT — A1 ASP_DIN
I2S_SOC_TO_SPKRAMP_FH_LRCK — A3 ASP_FSYNC
I2S_SOC_TO_SPKRAMP_FH_BCLK — A4 ASP_BCLK

GPIO_SPKRAMP_TO_SOC_IRQ_L — B4 IRQ*
GPIO_SOC_TO_SPKRAMP_RESET_L — C5 RESET*

SPKRAMP_FH_VREFC1_R_T — E4 VREF_FILT

ARDEE_SYNC — B5 SYNC

VSNSP_SPK E1
VSNSN_SPK E2
OUTP_SPK D2
OUTN_SPK C2

GND_A GND_SPK GND_SPK GND_SPK
E3 D3 D4

I2S_SPKRAMP_FH_TO_SOC_DOUT

R3501 33 5% 1/32W MF 01005

C3509 1.0UF 20% 6.3V X5R 0201-1

R3551 0.00 0% 1/32W MF 01005

PP1V8 SW1 IO

SPKRAMP_FH_ADDRESS_R_W
SPKRAMP_FH_ADDRESS_R_T

R3503 0.00 0% 1/32W MF 01005

XW3500 SHORT-10L-0.1MM-SM
XW3501 SHORT-10L-0.1MM-SM

SPKRAMP_FH_R_T_VSNS_P
SPKRAMP_FH_R_T_VSNS_N

NO_KNET_CONNECTION=1

TP3500 TP3501 TP3502 TP3503

SPKRAMP_FH_R_T_OUT_P
SPKRAMP_FH_R_T_OUT_N

OMIT_TABLE C3536 150PF 2% 50V NP0-COG 0201

C3537 180PF 2% 50V NP0-COG 0201 NOSTUFF

C3531 180PF 2% 50V NP0-COG 0201

C3532 180PF 2% 50V NP0-COG 0201

OMIT_TABLE C3533 180PF 2% 50V NP0-COG 0201

OMIT_TABLE C3534 180PF 2% 50V NP0-COG 0201

FH R WOOFER SPEAKER AMP

PPV BST AUDIO

C3589	C3590	C3591
10UF	0.1UF	180PF
20%	20%	2%
25V	16V	50V
X5R-CERM	X6S-CERM	NP0-COG
0603	0201	0201

PPVCC_MAIN

C3592	C3593	C3594
10UF	0.1UF	270UF
20%	20%	10%
6.3V	16V	16V
CERM-X5R	X5R-CERM	CERM-X7R
0402-9	01005	01005

PP1V8 SW1 IO

C3595 1UF 20% 10V X5R 0201

PP1V2_IO

C3597 1UF 10V X5R 0201

U3550
CS35L91A
WLCSP
338S00585

VDD_A VDD_SPK VDD_SPK VDD_BATT VIO_ASP
E5 D1 B1 A5

I2C3_SCL_R — B2 I2C_SCL
I2C3_SDA_R — B3 I2C_SDA
SPKRAMP_FH_ADDRESS_R_W — D5 I2C_ADDR
ARDEE_TO_BORRIS_BYPASS_EN — C4 BYP_EN

I2S_SPKRAMP_FH_R_W_TO_SOC_DOUT — A2 ASP_DOUT
I2S_SOC_TO_SPKRAMP_FH_DOUT — A1 ASP_DIN
I2S_SOC_TO_SPKRAMP_FH_LRCK — A3 ASP_FSYNC
I2S_SOC_TO_SPKRAMP_FH_BCLK — A4 ASP_BCLK

GPIO_SPKRAMP_TO_SOC_IRQ_L — B4 IRQ*
GPIO_SOC_TO_SPKRAMP_RESET_L — C5 RESET*

SPKRAMP_FH_VREFC1_R_W — E4 VREF_FILT

ARDEE_SYNC — B5 SYNC

VSNSP_SPK E1
VSNSN_SPK E2
OUTP_SPK D2
OUTN_SPK C2

GND_A GND_SPK GND_SPK GND_SPK
E3 D3 D4

I2S_SPKRAMP_FH_TO_SOC_DOUT

R3560 33 5% 1/32W MF 01005

C3580 1.0UF 20% 6.3V X5R 0201-1

XW3550 SHORT-10L-0.1MM-SM
XW3551 SHORT-10L-0.1MM-SM

SPKRAMP_FH_R_W_VSNS_P
SPKRAMP_FH_R_W_VSNS_N

NO_KNET_CONNECTION=1

TP3504 TP3505 TP3506 TP3507

SPKRAMP_FH_R_W_OUT_P
SPKRAMP_FH_R_W_OUT_N

OMIT_TABLE C3586 150PF 2% 50V NP0-COG 0201

C3587 180PF 2% 50V NP0-COG 0201 NOSTUFF

C3581 180PF 2% 50V NP0-COG 0201

C3582 180PF 2% 50V NP0-COG 0201

OMIT_TABLE C3583 82PF 2% 50V NP0-COG 0201

OMIT_TABLE C3584 82PF 2% 50V NP0-COG 0201

J3500
CFX3102-0221E
F-ST-SM

SPKRAMP_FH_R_T_OUT_N
SPKRAMP_FH_R_T_OUT_P

J3550
CFX3102-0221E
F-ST-SM

SPKRAMP_FH_R_W_OUT_N
SPKRAMP_FH_R_W_OUT_P

FH-R-W DESENSE CAP CONFIG

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00019	1	150PF 0201 DESENSE CAP	C3586	CRITICAL	J517&J518

C3586 NOSTUFF FOR J522&J523

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
131S00118	2	180PF 0201 DESENSE CAP	C3583,C3584	CRITICAL	J517&J518
131S00018	2	82PF 0201 DESENSE CAP	C3583,C3584	CRITICAL	J522&J523

ACE BOOST

PPVCC_MAIN

L3600
0.47UH-20%-8.4A-0.024OHM
1 ACE_BOOST_SW
3225

C362A
10UF
20%
10V
X5R-CERM
0402-0.1MM

C362B
10UF
20%
10V
X5R-CERM
0402-0.1MM

C362C
0.1UF
10%
10V
X5R-CERM
0201

C362D
220PF
5%
16V
COG
01005

U3620
SN2001042
VQFN
353S02281

7 VIN
2 SW
6 MODE
5 EN

VOUT 3
FB 4

GND 1

C3620
220PF
5%
16V
COG
01005

C3621
47UF
20%
6.3V
CER-X5R
0603

C3622
47UF
20%
6.3V
CER-X5R
0603

C3623
47UF
20%
6.3V
CER-X5R
0603

C3624
47UF
20%
6.3V
CER-X5R
0603

R3624
768K
1%
1/20W
MF
201

C3629
47PF
5%
16V
NP0-COG
01005

PP5V2_ACE_BOOST_OUT

ACE_BOOST_LP_MODE

R362E
100K
5%
1/20W
MF
201

GPIO_3V3_ACE2BOOST_EN

R3621
100K
5%
1/32W
MF
01005

ACE_BOOST_FB

R3625
100K
1%
1/20W
MF
201

PAGE TITLE

IO: ACE PERIPHERALS

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
372S0194	372S0187		Q3790,Q6990	XSTR,N-CHN,34V,500MA

ACE_SBU1_CONN
ACE_SBU2_CONN
ACE_CC1_CONN
ACE_CC2_CONN

GND_VOID=TRUE   GND_VOID=TRUE

DZ3711 DZ3712 DZ3710 DZ3713
ESDL20-1BF4 ESDL20-1BF4 ESDL20-1BF4 ESDL20-1BF4
377S00060 377S00060 377S00060 377S00060

USB CONN FILTERS

USB TYPE-C PORT PROTECTION

PPVBUS_USB_EMI

PP3V3_ACE_LDO

C37A7
15PF
50V
C0G
0201

R37A5
100K
5%
1/20W
MF
201

CRITICAL
DZ37A8
27V-100PF-4A
0402

C37A6
0.1UF
50V
X5R-CERM
0402

C37A8
0.01UF
50V
X7R
402

C37A9
180PF
2%
50V
NP0-C0G
0201

VBIAS_USBC_PROT

132S00261
C3751
0.1UF
10%
50V
CERM-X7R
0402

C3750
1.0UF
20%
6.3V
X5R
0201-1

VBIAS   VPWR
U3750
TPD6S300A
WQFN

R3761 USBC_TX1_CONN_C_P C3761 0.22UF USBC_TX1_CONN_P
R3760 USBC_TX1_CONN_C_N C3760 0.22UF USBC_TX1_CONN_N
R3763 USBC_RX1_CONN_C_P C3763 0.33UF USBC_RX1_CONN_P
R3762 USBC_RX1_CONN_C_N C3762 0.33UF USBC_RX1_CONN_N

USBC_TX1_CONN_CR_P
USBC_TX1_CONN_CR_N
USBC_RX1_CONN_CR_P
USBC_RX1_CONN_CR_N

D3762 D3763 D3760 D3761

R3765 R3764 R3767 R3766
220K 220K 220K 220K

ACE_CC1_CONN
ACE_CC2_CONN

C3752
220PF
10%
50V
X7R-CERM
201

C3753
220PF
10%
50V
X7R-CERM
201

C_SBU1
C_SBU2
C_CC1
C_CC2
RPD_G1
RPD_G2

FLT
SBU1
SBU2
CC1
CC2
D1
D2
NC
NC
NC

ACE_CC1
ACE_CC2

GND   EPAD

B2B CONNECTOR TO I/O FLEX

R3791 USBC_TX2_CONN_C_P C3791 0.22UF USBC_TX2_CONN_P
R3790 USBC_TX2_CONN_C_N C3790 0.22UF USBC_TX2_CONN_N
R3793 USBC_RX2_CONN_C_P C3793 0.33UF USBC_RX2_CONN_P
R3792 USBC_RX2_CONN_C_N C3792 0.33UF USBC_RX2_CONN_N

USBC_TX2_CONN_CR_P
USBC_TX2_CONN_CR_N
USBC_RX2_CONN_CR_P
USBC_RX2_CONN_CR_N

D3792 D3793 D3790 D3791

R3795 R3794 R3797 R3796
220K 220K 220K 220K

J3700
20875-028E-01
F-ST-SMM

MLB 516S00686
FLEX 516S00687

PPVBUS_USB_EMI   29 PWR 30   ACE_CC2_CONN
ACE_SBU1_CONN
ANA_LDCM_TRACE2
ACE_USB_TOP_CONN_N
ACE_USB_TOP_CONN_P
ACE_USB_BOT_CONN_P
ACE_USB_BOT_CONN_N
ACE_SBU2_CONN
ANA_LDCM_TRACE1
PPVBUS_USB_EMI   31 PWR 32   ACE_CC1_CONN

USBC_RX2_CONN_P
USBC_RX2_CONN_N
USBC_TX2_CONN_N
USBC_TX2_CONN_P
USBC_RX1_CONN_N
USBC_RX1_CONN_P
USBC_TX1_CONN_N
USBC_TX1_CONN_P

TRANSIENT SUPPRESSION

ACE_USB_BOT_CONN_P
ACE_USB_BOT_CONN_N
ACE_USB_TOP_CONN_P
ACE_USB_TOP_CONN_N

PPVBUS_USB_EMI

C3780
0.022UF
10%
50V
X7R
0402

CRITICAL
Q3780
ZXTN3035CLP
DFN10063

TRANS_DET_BASE

R3780
3.0K
1%
1/32W
MF
01005

CRITICAL CRITICAL CRITICAL CRITICAL
DZ3714 DZ3715 DZ3716 DZ3717
5.5V-0.28PF 5.5V-0.28PF 5.5V-0.28PF 5.5V-0.28PF
0201 0201 0201 0201
APN 377S0184 APN 377S0184
0.28PF 0.28PF

BOM_COST_GROUP=USB-C

PAGE TITLE

IO: IOFLEX B2B & SIM B2B

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
311S0612	311S000057		U3890	AND GATE NXP

PPVBUS PROT

PP5V2 ACE BOOST OUT

15V
PPVBUS USB EMI

C3808
1UF
100
100V
X5R
0402

D3800
DSN2
NSR20F40NX_G
CRITICAL
REVERSE VOLTAGE = 40V MAX

U3800
CD3217B12BCE
FCBGA

PP_5V0   PP_CABLE   PP_HV   VBUS

GPIO 1V2 ACE HRESET — B13 — HRESET
A14 — MRESET
GPIO 3V3 ACE2BSB PARROT RESET L — B17 — RESET*
ACE GPIO0 NOT USED — A2 — GPIO0
B1

GPIO 3V3 ACE2BSB FLASH BUSY L — D1 — GPIO1   3V3 IO
GPIO 1V2 I2C INT L — F1 — GPIO2
GPIO 3V3 ACE2BOOST EN — C2 — GPIO3
GPIO 3V3 ACE2BSB FORCE PWR — E2 — GPIO4   3V3 IO
GPIO 3V3 ACE2ORION ACC PWR EN L — B3 — GPIO5
ACE ORION TO CHARGER OVP SW EN L — C4 — GPIO6
GPIO 1V2 ACE2SOC DOCK CONNECT — D3 — GPIO7
GPIO 1V2 ACE2PMU RESET — E4 — GPIO8   1V2 IO
GPIO 1V2 SOC2ACE DFU STATUS — F3 — GPIO9
GPIO 1V2 ACE2SOC FORCE DFU — F7 — GPIO10

DIGITAL CORE I/O & CONTROL

POWER

VIN_3V3 — C20 — PP3V3 S2 ACE PARROT
VDDIO — A12 — PP1V25 S2
VDDIO_CFG — D11
LDO_3V3 — C22 / D21 — PP3V3 ACE LDO
VIN_LV — L20 — PP1V8 S2
VOUT_LV — L18 — ACE TO PMU LDO1 EN R 1V8 / ACE TO PMU LDO1 EN 1V8
VRET — C16
SS — L22 — ACE SS
LDO_CORE — E22
VBUS_OPT — D5
PP_HV_OPT — F5

R3891
100K
1005
5%
1/32W

1.55V
PP LDO CORE

C3800 25UF C3801 0.47UF C3802 25UF C3803 0.1UF C3804 10UF C3805 0.68UF C3850 0.47UF

BELLATRIX TO ACE ACC PWR PRESENT L 3V3 — A18 — BUSPOWER
M19 — I2C_ADDR
R3802 15K — M21 — R_OSC / ACE_ROSC
GPIO FORCE DFU — R3841 100

TYPE-C

C_CC1 — M15/N16 — ACE CC1
C_CC2 — M17/N18 — ACE CC2
RPD_G1 — L14
RPD_G2 — L16
C_USB_TP — K19 — ACE USB TOP P
C_USB_TN — K21 — ACE USB TOP N
C_USB_BP — J20 — ACE USB BOT P
C_USB_BN — J22 — ACE USB BOT N
C_SBU1 — J16 — ACE_SBU1_CONN
C_SBU2 — H15 — ACE_SBU2_CONN

C3806 220PF   C3807 220PF

L3800 CRITICAL ACE USB TOP CONN P / N NOSTUFF
L3801 CRITICAL ACE USB BOT CONN P / N NOSTUFF

I2C 3V3 ACE M SDA — A16 — I2CM_SDA_CNFG
I2C 3V3 ACE M SCL — B15 — I2CM_SCL_CNFG   3V3 IO
I2C0 SDA — 0.00 R38D0 — B5 — I2C_SDA1 / I2C ACE SDA 1V2 R
I2C0 SCL — 0.00 R38D1 — A4 — I2C_SCL1 / I2C ACE SCL 1V2 R
GPIO ACE TO SOC IRQ L — D7 — I2C_IRQ1*   1V2 IO
I2C SMC I2CM1 SDA — 0.00 R38D2 — B7 — I2C_SDA2 / I2C SMC ACE2 SDA 1V2 R
I2C SMC I2CM1 SCL — 0.00 R38D3 — A6 — I2C_SCL2 / I2C SMC ACE2 SCL 1V2 R
GPIO ACE TO SMC IRQ L — C8 — I2C_IRQ2*

SPI 3V3 ACE CLK — B9 — SPI_CLK
SPI 3V3 ACE MOSI — B11 — SPI_MOSI   3V3 IO
SPI 3V3 ACE MISO — A10 — SPI_MISO
SPI 3V3 ACE CS L — A8 — SPI_SSZ

SWD_ACE_SWDIO — R3850 0.00 — E20 — SWD_DATA / ACE SWD DATA R
SWD_ACE_SWCLK — R3851 0.00 — E16 — SWD_CLK / ACE SWD CLK R   1V2 IO

ACE_UART_RX — B19 — UART_RX
ACE_UART_TX — A20 — UART_TX

PORT_MUX

85 USB SOC P — R38B0 0.00 — H19 — USB_RP1_P
85 USB SOC N — H21 — USB_RP1_N
85 USB KIS P — R38B1 0.00 — G20 — USB_RP2_P
85 USB KIS N — G22 — USB_RP2_N
90 AP TO BB USB P — R3880 0.00 — F19 — USB_RP3_P
90 AP TO BB USB N — F21 — USB_RP3_N

ACE AUXP2BSB SBU1 — R3880 — J12 — AUX_P / SOC TO ACE AUX P
ACE AUXN2BSB SBU2 — R3881 — H11 — AUX_N / SOC TO ACE AUX N
SPI 3V3 ACE WP L — C12 — HPD   3V3 IO

GND

GND_OPT — C18
GND_OPT — E18
GND_OPT — D17
GND_OPT — G18

UART SOC TO DEBUG TX — G12 — DEBUG0
UART DEBUG TO SOC TX — F11 — DEBUG1   1V2 IO
JTAG SOC TCK — E8 — DEBUG2
JTAG SOC TMS — E12 — DEBUG3
ANA ACE2LDCM DEBUG4 — G16 — DEBUG4   ANALOG
ANA ACE2LDCM DEBUG5 — F15 — DEBUG5
UART GRAPE TO DEBUG TX — D15 — DEBUG6   1V2 IO
UART DEBUG TO GRAPE TX — D19 — DEBUG7

GND
A22 H9 N20 B21 K15 N22

PARROT/BSB TO ACE INT

PP1V25 S2

R3895 10K
C3890 0.1UF

GPIO 1V2 PARROT2ACE INT L
GPIO 3V3 BSB2ACE I2C INT L — R3896 0.00 — GPIO 3V3 BSB2ACE I2C INT L R — **U3890** 74AUP1G08FS3 X2-DFN0808 — GPIO 1V2 I2C INT L
R3897 100K NOSTUFF

NOTE: REMOVED VOLTAGE DIVIDER AND PASSING 3V3
AND GATE U3890 HAS VMAX 3.6V (ABS MAX OF 4.6V)
REQUESTED BY ACE ARCHITECTURE TEAM (AVOID POWER LOSS)

ACE & SOC/CHARGER/ORION ALIAS

GPIO 1V2 SOC2ACE DFU STATUS — GPIO 1V2 SOC2ACE DFU STATUS
GPIO 1V2 ACE2PMU RESET — GPIO 1V2 ACE2PMU RESET
GPIO 1V2 ACE2SOC DOCK CONNECT — GPIO 1V2 ACE2SOC DOCK CONNECT

SUPPORT PULLS

R3811 100K — GPIO 1V2 ACE HRESET
R3814 100K — GPIO 1V2 ACE2PMU RESET
R3815 100K — GPIO 1V2 ACE2SOC DOCK CONNECT
R3816 100K — GPIO 1V2 SOC2ACE DFU STATUS
R3817 2.21M — SWD ACE SWDIO
R3818 2.21M — SWD ACE SWCLK
R3870 100K NOSTUFF — ACE ORION TO CHARGER OVP SW EN L

R3824 100K NOSTUFF — ACE AUXP2BSB SBU1
R3825 1.00M — ACE UART RX
R3860 100K NOSTUFF — ACE AUXN2BSB SBU2

PP3V3 S2 ACE PARROT
R3833 100K NOSTUFF — ACE AUXN2BSB SBU2

PP3V3 ACE LDO
R3827 100K — BELLATRIX TO ACE ACC PWR PRESENT L 3V3

PP1V25 S2
R3830 1.00M — UART SOC TO DEBUG TX
R3831 1.00M — UART DEBUG TO SOC TX
R3832 1.00M — UART GRAPE TO DEBUG TX
R3835 1.00M — GPIO ACE TO SOC IRQ L
UART DEBUG LOOPBACK
ACE_UART_RX — R3834 0.00 — ACE UART TX

BOM_COST_GROUP=USB-C

PAGE TITLE
IO: ACE USB-C CONTROLLER

BURNSIDE BRIDGE

USBC HIGH-SPEED 1 AC COUPLING

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
197S00047	197S00036		Y3900	25MHZ XTAL KYO.

U3900
9999HH
BGA
SYM 1 OF 2

85 CIO HS SOC TX0 C P
C3920 0.22UF
85 CIO HS SOC TX0 C N
C3921 0.22UF
85 CIO HS SOC TX1 C P
C3922 0.22UF
85 CIO HS SOC TX1 C N
C3923 0.22UF
85 CIO HS SOC RX0 P
C3924 0.22UF
85 CIO HS SOC RX0 N
C3925 0.22UF
85 CIO HS SOC RX1 P
C3926 0.22UF
85 CIO HS SOC RX1 N
C3927 0.22UF

USBC SOC TO BSB TX1 C P   J1 ASSRXP1
USBC SOC TO BSB TX1 C N   J2 ASSRXN1
USBC SOC TO BSB TX2 C P   C1 ASSRXP2
USBC SOC TO BSB TX2 C N   C2 ASSRXN2
USBC BSB TO SOC TX1 C P   G1 ASSTXP1
USBC BSB TO SOC TX1 C N   G2 ASSTXN1
USBC BSB TO SOC TX2 C P   E1 ASSTXP2
USBC BSB TO SOC TX2 C N   E2 ASSTXN2

J12 BSSRXP1 USBC RX1 CONN CR P
J11 BSSRXN1 USBC RX1 CONN CR N
C12 BSSRXP2 USBC RX2 CONN CR P
C11 BSSRXN2 USBC RX2 CONN CR N
G12 BSSTXP1 USBC TX1 CONN CR P
G11 BSSTXN1 USBC TX1 CONN CR N
E12 BSSTXP2 USBC TX2 CONN CR P
E11 BSSTXN2 USBC TX2 CONN CR N

L8 PA_AUX_P   NO INTERNAL CAPS, PU, PD AVAILABLE
M8 PA_AUX_N
M7 PA_LSTX_SBU1
L7 PA_LSRX_SBU2

M10 BSBU1 ACE AUXP2BSB SBU1
L10 BSBU2 ACE AUXN2BSB SBU2

PP3V3 BSB
R3974 R3973 R3972 R3971
10K   10K   10K   10K
1/32W 1/32W 1/32W 1/32W
MF   MF   MF   MF
01005 01005 01005 01005

B8 PERST*   GPIO 3V3 PMU2BSB PERST L
L11 RESET*   GPIO 3V3 ACE2BSB PARROT RESET L

A10 I2C_INT   GPIO 3V3 BSB2ACE I2C INT L
C9 I2C_SCL   I2C 3V3 ACE M SCL
E7 I2C_SDA   I2C 3V3 ACE M SDA

A3 TDI   BSB JTAG TDI
C3 TMS   BSB JTAG TMS
B5 TCK   BSB JTAG TCK
C5 TDO   BSB JTAG TDO

B9 POC_GPIO_5   BSB GPIO 5
A8 POC_GPIO_6   BSB GPIO 6
A4 POC_GPIO_10   BSB FLASH SHARE EN
A5 POC_GPIO_11   BSB FLASH MSTR H SLV L
A6 POC_GPIO_12   BSB GPIO 12

C6 EE_DI   SPI 3V3 BSB MOSI
B4 EE_DO   SPI 3V3 BSB MISO
B6 EE_CS*   SPI 3V3 BSB CS L
C7 EE_CLK   SPI 3V3 BSB CLK
To SPI Flash

CIO SOC AUXCH P
C3910 0.1UF
CIO SOC AUXCH N
C3911 0.1UF

CIO SOC AUXCH R P
CIO SOC AUXCH R N

USBC 3V3 SOC2BSB HSX LSTX
USBC 3V3 BSB2SOC HSX LSRX

R3910 33K
R3911 33K
C39A0 27PF
C39A1 27PF
R3912 100K
R3913 100K

NOSTUFF NOSTUFF
R3908   R3909
1M   1M

PP3V3 BSB

M11 THERMDA   BSB_THERMDA
PP3901 P3MM SM
R3903

BB XTAL

BSB XTAL25M IN R   BSB XTAL25M IN   L9 XTAL_25_IN
C3903 20PF   M9 XTAL_25_OUT
C3902 20PF
Y3900
25MHZ-25PPM-20PF-50OHM
2.00X1.60-SM
R3902
BSB XTAL25M OUT R   BSB XTAL25M OUT

B11 TEST_EN
B3 TEST_PWR_GOOD   BSB TEST PWR GOOD
L4 RBIAS   BSB_RBIAS
L5 RSENSE   BSB_RSENSE
4.75K   R3907
R3906 100
PP3V3 BSB NOSTUFF R3930 10K

A1 ATEST_P   NC
A2 ATEST_N   NC

B10 FORCE_PWR   GPIO 3V3 ACE2BSB FORCE PWR

L12 MONDC_SVR
A11 MONDC
M12 TEST_EDM

A12 NC_A12
J6 NC_J6
L3 NC_L3
J5 NC_J5

A9 FLASH_BUSY*   GPIO 3V3 ACE2BSB FLASH BUSY L
B2 FUSE_VQPS_64
R3931 10K

A7 SMBUS_SCL   BSB_SMBUS_SCL
B7 SMBUS_SDA   BSB_SMBUS_SDA

U3900
9999HH
BGA
SYM 2 OF 2

PP0V9 BSB SVR
C396A C3960 C3961 C3962 C3963 C3964 C3965 C3966 C3967 C3968 C3969 C396Z
22UF 22UF 22UF 22UF 22UF 4UF   4UF   4UF   4UF   4UF   4UF   18PF

F6
G6 VCC0P9_SVR_ANA
E9
G9 VCC0P9_SVR_PB_ANA

E6 VCC3P3_SX
J7 VCC3P3A
M4 VCC3P3_SVR
M5
E3 VCC0P9_SVR
G3
M2 SVR_VSS
M3
L1 SVR_IND
M1
F7
G7 PP0V9 BSB SVR IND

C3943 C3930 C3931
12PF 2.2UF 10UF

C3936 C3937
2.2UF 2.2UF

PP3V3 BSB
XW3901 NO_XNET_CONNECTION=1

C3934 C3932 C3933
2.2UF 22UF 22UF
PP3V3 BSB S0 SVR

XW3900 SHORT-1OL-0.1MM-SM
P0V9_BSB_SVR_PGND
NO_XNET_CONNECTION=1
PP0V9 BSB SVR
VOLTAGE=0.9V
DIDT=TRUE

C3938 C3939 C3941
12PF 4UF   4UF

L3900
0.68UH-20%-4.3A-0.043OHM
0805

C3940 22UF

PP3V3 ACE LDO
R3940 100K   GPIO 3V3 ACE2BSB FLASH BUSY L

PP0V9 BSB LVR   L6 VCC0P9_LVR
C3954 10UF   M6 VCC0P9_LVR_SENSE
C3955 2.2UF

PP3V3 BSB ANA   E5 VCC3P3_LC
PP0V9 BSB LC   L2 VCC3P3_ANA
                 J3 VCC0P9_LC

PP3V3 BSB LC
C3956 C3957 C3958
2.2UF 2.2UF 2.2UF

F3
F5 VSS
G5
B1
B12
D11
D12
D2
F1
F11
F12
F2

H1
H11
H12
H2
J9 VSS_ANA
K1
K11
K12
K2

VSS_ANA

PP3V3 BSB
R3952 100K   BSB FLASH MSTR H SLV L
R3923 2.2K   GPIO 3V3 BSB2ACE I2C INT L
R3920 2.2K   BSB_SMBUS_SCL
R3924 2.2K   BSB_SMBUS_SDA
R3945 100K   BSB GPIO 12
R3943 100K   BSB FLASH SHARE EN
R3941 10K NOSTUFF   BSB GPIO 6
R3951 10K NOSTUFF
R3926 0.00
R3946 100K NOSTUFF   GPIO 3V3 PMU2BSB PERST L
R3947 100K NOSTUFF
R3948 100K NOSTUFF   GPIO 3V3 ACE2BSB PARROT RESET L
R3949 100K NOSTUFF
R3950 100K   BSB GPIO 5

CONNECT TO GND PIN
CLOSEST TO THERMDA PIN

BOM_COST_GROUP=USB-C

PAGE TITLE
IO: USB-C HIGH SPEED

LEVEL SHIFTER FOR I2C ACE <-> PARROT

PP3V3 ACE LDO
PP1V25 S2

R4010 1.00M /32W MF 01005
R4011 1.00M /32W 5% MF 01005
C4011 0.22UF 10% 6.3V CER-X5R 01005
R4013 4.7K 5% 1/32W MF 01005
R4014 4.7K 5% 1/32W MF 01005

NOTE: ACE HAS INTERNAL PU'S

U4010 LSF0101 X2SON

VBIAS 6
SDAB 5   SDAA 2
SCLB 4   SCLA 3
GND 1

I2C_3V3_ACE_M_SDA   CKPLUS_WAIVE=I2C_PULLUP   I2C_1V2_ACE2PARROT_SDA
I2C_3V3_ACE_M_SCL   CKPLUS_WAIVE=I2C_PULLUP   I2C_1V2_ACE2PARROT_SCL

LEVEL SHIFTER FOR BSB <-> SOC LSRX/LSTX

PP1V25 S2   PP3V3_BSB
NOTE: SHOULD THIS BE ACTIVE?

C4021 0.22UF 10% 6.3V CER-X5R 01005
C4020 0.22UF 10% 6.3V CER-X5R 01005
C4022 0.1UF 10% 16V CER 0201

U4020 FXL2TD245L10X UQFN

VCCB VCCA 10
B0 9   A0 2
B1 8   A1 3
T/R0 4
T/R1 6
OE* 7
GND 5

USB_C0_LSTX   USBC_3V3_SOC2BSB_HSX_LSTX
USB_C0_LSRX   USBC_3V3_BSB2SOC_HSX_LSRX

HSX_BSB_EN_L

R4020 10K 5% 1/32W MF 01005

LEVEL SHIFTER FOR BSB <-> PMU ACTIVE RDY

PP1V25 S2   PP3V3_BSB

C4030 0.22UF 10% 6.3V CER-X5R 01005
C4031 0.22UF 10% 6.3V CER-X5R 01005

U4030 74AVC1T45 X2SON

VCCA VCCB 6
A 3   B 4
DIR 5
GND 2

GPIO_PMU_TO_SYSTEM_ACTIVE_READY   GPIO_3V3_PMU2BSB_PERST_L

LVT / TRANSCEIVER
DIR HIGH: A TO B

ACE/BSB FLASH

0.00
R4071 1/32W MF 01005 0%
PP3V3 ACE LDO
P3V3 ROM

R4072 3.3K 5% 1/32W MF 01005
R4073 3.3K 5% 1/32W MF 01005
R4074 3.3K 5% 1/32W MF 01005
R4075 3.3K 5% 1/32W MF 01005
C4071 1.0UF 20% 6.3V X5R 0201-1

U4070 8MBIT-3.0V W25Q80DVUXIE USON

VCC
CLK 6
CS* 1
WP*(IO2) 3
HOLD*(IO3) 7
DI(IO0) 5
DO(IO1) 2
GND 4 EPAD 9

SPI_3V3_ACE_CLK   R407E 5% 01005 2 15 1/32W MF
SPI_3V3_BSB_CLK   R4077 5% 01005 2 15 1/32W MF   ROM_CLK
SPI_3V3_BSB_CS_L   R4078 5% 01005 2 15 1/32W MF   ROM_CS_L
SPI_3V3_ACE_CS_L   R407D 5% 01005 2 15 1/32W MF   ROM_WP_L
SPI_3V3_ACE_WP_L   R407C 5% 01005 2 15 1/32W MF   ROM_HOLD_L

ROM_MOSI   R407A 1/32W MF 2 15 01005 5%   SPI_3V3_ACE_MOSI
ROM_MISO   R4076 1/32W MF 2 15 01005 5%   SPI_3V3_BSB_MOSI
                R4079 1/32W MF 2 15 01005 5%   SPI_3V3_BSB_MISO
                R407B 1/32W MF 2 15 01005 5%   SPI_3V3_ACE_MISO

OR-GATE LEVEL SHIFTER FOR ACE <-> BSB RESET

PP1V25 S2
C4051 0.22UF 10% 6.3V CER-X5R 01005
U4051 311S00275 SN74AUP1G32 X2SON

GPIO_3V3_ACE2BSB_PARROT_RESET_L   A 2   Y 4   GPIO_1V2_ACE2BSB_PARROT_RESET_L_R
PP1V25 S2   B 3
C4050 0.22UF 10% 6.3V CER-X5R 01005

R4040 200 1/32W MF 01005
GPIO_1V2_ACE2BSB_PARROT_RESET_L

U4050 311S00275 SN74AUP1G32 X2SON

GPIO_1V2_SOC2ACE_DFU_STATUS   A 2   Y 4   PARROT_STATUS
GPIO_AOP_TO_PARROT_RECOVERY_STATUS   B 3

100K EXT PD ON BSB PAGE
100K EXT PD ON ACE2 PAGE

R4051 100K 5% 1/32W MF 01005
R4052 100K 5% 1/32W MF 01005

USB REPEATER
PARROT
PLACE PARROT NEAR SOC (<40MM)

PP3V3_S2_ACE_PARROT   PP1V8_S2

C4000 0.22UF 10% 6.3V CER-X5R 01005
C4001 0.22UF 10% 6.3V CER-X5R 01005
C4002 0.22UF 10% 6.3V CER-X5R 01005
C4003 0.22UF 10% 6.3V CER-X5R 01005

U4000 338S00625 CD2E224B DSBGA

VDD3V3 (B2 D2)   VDD1V8 (B4 D4)

GPIO_1V2_PARROT2ACE_INT_L   A4 INT   GPIO0 E2   TPT_GPIO0_PARROT
I2C_1V2_ACE2PARROT_SCL   A3 SCL   GPIO1 E3   TPT_GPIO1_PARROT
I2C_1V2_ACE2PARROT_SDA   A2 SDA

MISSION EUSB
85_USB_E_SOC_P   A1 EDP0   DPA A5   85_USB_SOC_P   GND_VOID=TRUE
85_USB_E_SOC_N   B1 EDN0   DNA B5   85_USB_SOC_N   GND_VOID=TRUE
                      GND_VOID=TRUE

NOSTUFF R4002 100K 1/32W 01005
BACK UP OPTION - ALWAYS HAVE PARROT OUT OF RESET
TO ENABLE THIS OPTION, FOLLOWING BOM REQUIRED:
STUFF : R4002
NOSTUFF: R4001,D4051,R4040

CROSS C2   LOW: EUSB0 <-> USBA / EUSB1 <-> USBB
                HIGH: EUSB0 <-> USBB / EUSB1 <-> USBA

DEBUG EUSB
85_USB_E_KIS_P   E1 EDP1   DPB E5   85_USB_KIS_P   GND_VOID=TRUE
85_USB_E_KIS_N   D1 EDN1   DNB D5   85_USB_KIS_N   GND_VOID=TRUE
                      GND_VOID=TRUE

GPIO_1V2_ACE2BSB_PARROT_RESET_L   E4 RESET*
C3 VIOSEL   VPP/VSS C4
NOSTUFF R4001 100K 1/32W MF 01005

VSS (C1 B3 D3 C5)

BOM_COST_GROUP=USB-C

Rigel Driver

PPVCC_MAIN

C4197
18UF
20%
6.3V
CER-X5R
0402-0.1MM
ROOM=RIGEL

C4194
4UF
20%
6.3V
CER-X5R
0201
ROOM=RIGEL

C4193
4UF
20%
6.3V
CER-X5R
0201
ROOM=RIGEL

C4192
4UF
20%
6.3V
CER-X5R
0201
ROOM=RIGEL

C4191
4UF
20%
6.3V
CER-X5R
0201
ROOM=RIGEL

Terminate @ Cap via on VDD_MAIN plane.

OMIT
XW4100
SHORT-10L-0.1MM-SM
ROOM=RIGEL
PP_RIGEL_VINCORE

C4190
1UF
20%
10V
X5R
0201
ROOM=RIGEL

PP1V8_S2

PP_VANA
4.5V

PPVCC_HIGH

C4195
1UF
20%
10V
X5R
0201
ROOM=RIGEL

C4196
1UF
20%
10V
X5R
0201
ROOM=RIGEL

C4198
4UF
20%
6.3V
CER-X5R
0201
ROOM=RIGEL

U4100
STB601A0
WLCSP
ROOM=RIGEL

VCC4 - G9
VCC3 - G2
VIN_LVT - H8
VDDIO - G5
VANA - H4
VINVCORE2 - H5
VINCORE - F5
VINSDB - F2
VINSDB - F1
VINSDB - E2
VINSUB - A3
VINSUB - A2
VINSUB - A1
VINSUA - A9
VINSUA - A8
VINSUA - A10
VINSDA - F9
VINSDA - F10
VINSDA - E9

VK - K4
VK - K5
VK - K6
VK - K7
VK - K8
NTC - G4
OTPHV - C4
TAMP - D4
ENA - B3 200K INT PD
XEF1 - C8
XEF0 - C7
THROT - B8
STROBE - A4
TESTMODE - B7
TESTMODE2 - B5
TEST - B6
MCLK - A7
INT - B4
SCL - A5
SDA - A6
PD0 - G5
PD1 - G6
LSCP - H7

PP_TITUS_CATHODE

TITUS_TO_RIGEL_VCSEL_NTC

GPIO_FCAM_PMU_TO_RIGEL_ENABLE_1V8
YOGI_TO_RIGEL_STATUS_1V8
MAMA_BEAR_BI_RIGEL_STATUS_1V8

JULIET_PMU_TO_RIGEL_STROBE_1V8

10K
R4101 RIGEL_TESTMODE_EN

CLK_FCAM_PMU_TO_RIGEL_12M_1V8
GPIO_RIGEL_INT_TO_FPMU_1V8
I2C4_FCAM_PMU_SCL_1V8
ISP_TITUS_RIGEL_SDA_R

R4100
33
5%
1/32W
MF
01005

I2C4_FCAM_PMU_SDA_1V8

RIGEL_LSCP

C4122
0.01UF
10%
6.3V
X5R
01005
ROOM=RIGEL

PP_RIGEL_BUCK_BOOST_A
4.8V

VBBOUTA - H10
VBBOUTA - J10
VBBOUTA - K10
VLXA - D10
VLXA - D9
VLXA - E10
VCXA - B10
VCXA - B9
BOOSTSDA - E8
BULKSDA - D8
BULKSDB - D3
BOOSTSDB - E3
VCXB - B1
VCXB - B2
VLXB - D1
VLXB - D2
VLXB - E1
VBBOUTB - J1
VBBOUTB - J2
VBBOUTB - J3
IOUT0 - H9
IOUT0 - K9
IOUT0 - J9
IOUT1 - H1
IOUT1 - H2
IOUT1 - H3
IOUT2 - K1
IOUT2 - K2
IOUT2 - K3
IOUT3 - G1
IOUT4 - G10

RIGEL_VLXA

C4105
4.7UF
20%
16V
X5R
0402
ROOM=RIGEL

L4100
0.47UH-20%-4A-0.048OHM
PIWA20120H-SM
DIDT=TRUE

C4100
4.7UF
20%
16V
X5R
0402
ROOM=RIGEL

C4101
220PF
5%
16V
C0G
01005
ROOM=RIGEL

RIGEL_VCXA

C4120
0.01UF
10%
6.3V
X5R
01005
ROOM=RIGEL

RIGEL_BOOSTSDA
RIGEL_BULKSDA
RIGEL_BULKSDB
RIGEL_BOOSTSDB

RIGEL_VCXB

C4121
0.01UF
10%
6.3V
X5R
01005
ROOM=RIGEL

C4110
4.7UF
20%
16V
X5R
0402

RIGEL_VLXB

L4101
0.47UH-20%-4A-0.048OHM
PIWA20120H-SM
DIDT=TRUE

PP_RIGEL_BUCK_BOOST_B
4.8V

C4111
4.7UF
20%
16V
X5R
0402
ROOM=RIGEL

C4112
220PF
5%
16V
C0G
01005
ROOM=RIGEL

PP_TITUS_DENSE_ANODE

PP_TITUS_SPARSE_ANODE

PP_ROSALINE_ANODE

PP_TITUS_A_ANODE

PP_TITUS_B_ANODE

PGNDK
PGNDK
PGNDK
PGNDK
PGNDK
GNDCORE4
GNDCORE3
GNDCORE2
GNDCORE
GNDD
GNDS
GNDS
GNDS
GNDS
GNDS
GNDS
GNDS
GNDS
GNDS
PGNDB
PGNDB
PGNDA
PGNDA

XW4101
SHORT-10L-0.135MM-SM
998-17721
PLACE_NEAR=U4100.F6.5MM

RIGEL_QUIET_GND

PAGE TITLE
PEARL: RIGEL DRIVER

TITUS POWER FILTERING

PP TITUS B ANODE

PP TITUS A ANODE

PP TITUS DENSE ANODE

PP TITUS SPARSE ANODE

PP TITUS CATHODE

PP3V1 PEARL

C4292 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL
C4293 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL
C4294 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL
C4295 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL
C4296 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL
C4297 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

JEWEL CONNECTOR

MLB: 516S00267
FLEX: 516S00268
MATCH J317_JEWEL_FLEX A.1.0

J4200
AA36D-S010VA1
F-ST-SM

PP TITUS SPARSE ANODE — 16 — 15 — PP TITUS SPARSE ANODE

PWR — 12 — 11

PP3V1 PEARL — SIGNAL — 2 — 1 — PP TITUS B ANODE
MAMA BEAR BI RIGEL STATUS CONN 1V8 — 4 — 3 — PP TITUS A ANODE
I2C3_ISP_BI MAMA BEAR SDA CONN — 6 — 5
I2C3_ISP TO MAMA BEAR SCL CONN — 8 — 7
TITUS TO RIGEL VCSEL NTC CONN — 10 — 9 — TITUS TO AOP B2B DETECT CONN

PWR — 14 — 13

PP TITUS DENSE ANODE — 18 — 17 — PP TITUS DENSE ANODE
PP TITUS CATHODE

TITUS I/O

ISP TITUS_RIGEL I2C

FL4254 155S00400 FERR-150OHM-25%-200MA
GPIO_TITUS_TO_AOP_B2B_DETECT — TITUS_TO_AOP_B2B_DETECT_CONN
AOP INT PU, IF GND -->CONNECTED
C4254 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL
01005 ROOM=B2B_PEARL

FL4252 70-OHM-300MA
I2C4_FCAM_PMU_SCL_1V8 — I2C3_ISP_TO_MAMA_BEAR_SCL_CONN
01005-1 ROOM=B2B_PEARL

FL4253 70-OHM-300MA
I2C4_FCAM_PMU_SDA_1V8 — I2C3_ISP_BI_MAMA_BEAR_SDA_CONN
01005-1

FL4255 155S00400 FERR-150OHM-25%-200MA
TITUS TO RIGEL VCSEL NTC — TITUS_TO_RIGEL_VCSEL_NTC_CONN
01005 ROOM=B2B_PEARL
C4255 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

ISP JULIET I2C

R4256 10K 5% 1/32W MF 01005
PP1V8 S2

FL4256 155S00400 FERR-150OHM-25%-200MA
MAMA BEAR BI RIGEL STATUS 1V8 — MAMA_BEAR_BI_RIGEL_STATUS_CONN_1V8
01005 ROOM=B2B_PEARL
C4256 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

FL4250 70-OHM-300MA ROOM=B2B_PEARL
I2C3_FCAM_PMU_SCL_1V8 — ISP_JULIET_SCL_CONN_1V8
01005-1

FL4251 70-OHM-300MA ROOM=B2B_PEARL
I2C3_FCAM_PMU_SDA_1V8 — ISP_JULIET_SDA_CONN_1V8
01005-1

R4260 0.00 0% 1/32W MF 01005 ROOM=B2B_PEARL
GPIO_FPMU_TO_JULIET_SHUTDOWN_L_1V8 — AP_TO_JULIET_SHUTDOWN_L_CONN_1V8
C4260 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

JULIET CONNECTOR

FLEX SIDE: 516S00396
MLB SIDE: 516S00395
MATCH J317_JULIET_FLEX A.0.0

R4261 22 5% 1/32W MF 01005
CLK_FCAM_PMU_TO_JULIET_12M_1V8 — AP_TO_JULIET_CLK_CONN_1V8
C4262 56PF 5% 25V NP0/C0G 01005 ROOM=B2B_PEARL

Juliet Power and I/O

XW4270 SHORT-01005
PP1V215_JULIET_VDDL — PP1V215_JULIET_DVDD_CONN
ROOM=B2B_PEARL
C4270 0.1UF 20% 6.3V X5R-CERM 01005 ROOM=B2B_PEARL
C4271 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

FL4272 10-OHM-750MA
PP2V85_JULIET_AVDDH1 — PP2V85_JULIET_AVDD_CONN
01005-1 ROOM=B2B_PEARL
2.85V
C4272 0.1UF 20% 6.3V X5R-CERM 01005 ROOM=B2B_PEARL
C4273 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

FL4274 10-OHM-750MA
PP1V8_JULIET_VDDIO — PP1V8_JULIET_VDDIO_CONN
01005-1 ROOM=B2B_PEARL
C4274 0.1UF 20% 6.3V X5R-CERM 01005 ROOM=B2B_PEARL
C4275 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

R4263 0.00 0% 1/32W MF 01005 ROOM=B2B_PEARL
JULIET_PMU_TO_RIGEL_STROBE_1V8 — JULIET_PMU_TO_RIGEL_STROBE_CONN_1V8
C4263 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

GPIO_FCAM_JULIET_TO_ACE_SYNC_1V8
C4264 220PF 5% 16V C0G 01005 ROOM=B2B_PEARL

J4230
BB35AA-RA18-3A
F-ST-SM

PP1V215_JULIET_DVDD_CONN — 20 — 19 — 23

AP_TO_JULIET_CLK_CONN_1V8 — 2 — 1
ISP_JULIET_SCL_CONN_1V8 — 4 — 3 — GND,VOID=TRUE — MIPI_PEARL_SOC_DATA_N<1>
ISP_JULIET_SDA_CONN_1V8 — 6 — 5 — GND,VOID=TRUE — MIPI_PEARL_SOC_DATA_P<1>
AP_TO_JULIET_SHUTDOWN_L_CONN_1V8 — 8 — 7
PP1V8_JULIET_VDDIO_CONN — 10 — 9 — GND,VOID=TRUE — MIPI_PEARL_TO_SOC_CLK_N
— 12 — 11 — GND,VOID=TRUE — MIPI_PEARL_TO_SOC_CLK_P
PP2V85_JULIET_AVDD_CONN — 14 — 13
GPIO_FCAM_JULIET_TO_ACE_SYNC_1V8 — 16 — 15 — GND,VOID=TRUE — MIPI_PEARL_SOC_DATA_P<0>
JULIET_PMU_TO_RIGEL_STROBE_CONN_1V8 — 18 — 17 — GND,VOID=TRUE — MIPI_PEARL_SOC_DATA_N<0>

22 — 21
24

BOM_COST_GROUP=PEARL

PAGE TITLE
PEARL: B2B TITUS + JULIET

YOGI SIGNALS

PP1V8_S2

R4350
10K
5%
1/32W
MF
01005

FL4350
155S00400
FERR-150OHM-25%-200MA

YOGI_TO_RIGEL_STATUS_1V8

YOGI_TO_RIGEL_STATUS_CONN_1V8

C4350
220PF
5%
16V
C0G
01005
ROOM=B2B_PEARL

01005
ROOM=B2B_PEARL

ROSALINE(AARM) CONNECTOR

MLB: 516S00150
FLEX: 516S00149
MATCH J417_AARM_FLEX A.0.0

J4300
AA37D-S014VA1
F-ST-SM

PP_ROSALINE_ANODE   PP_ROSALINE_ANODE

I2C0_AOP_TO_PROX_ALS_YOGI_SCL_CONN_1V8
I2C0_AOP_BI_PROX_ALS_YOGI_SDA_CONN_1V8   YOGI_TO_RIGEL_STATUS_CONN_1V8
PP3V0_YOGI_PROX_ALS_CONN   PROX_BI_AP_AOP_INT_CONN_L_1V8
                                                     ALS_C4_TO_SOC_INT_CONN_L
DMIC2_MIC_SD_ROS_CONN
DMIC3_MIC_SCLK_ROS_CONN_1V8
PP1V8_S2_DMIC_CONN   ALS_C3_TO_SOC_INT_CONN_L

PP1V8 DMIC FILTERING SHARED WITH 2MIC FLEX B2B FILTERS

I2C LEVEL TRANSLATOR

PP1V25_S2   PP1V8_S2

C4320
0.1UF
20%
6.3V
X5R-CERM
01005

R4320
1.5K
5%
1/32W
MF
01005

R4321
1.5K
1%
1/32W
MF
01005

311S00233
U4320
LSF0101
X2SON

VBIAS

FL4301
01005-1
70-OHM-300MA

R4322
0.00
0% 01005   MF 1/32W

I2C_AOP_I2CM0_SDA

I2C0_AOP_SDA_1V2_R   SDAA   SDAB   I2C0_AOP_SDA_1V8   I2C0_AOP_BI_PROX_ALS_YOGI_SDA_CONN_1V8
                                                                                 CKPLUS_WAIVE=I2C_PULLUP

R4323
0.00
0% 01005   MF 1/32W

I2C_AOP_I2CM0_SCL

I2C0_AOP_SCL_1V2_R   SCLA   SCLB   I2C0_AOP_SCL_1V8   I2C0_AOP_TO_PROX_ALS_YOGI_SCL_CONN_1V8
                                                                                 CKPLUS_WAIVE=I2C_PULLUP

GND

FL4300
70-OHM-300MA
01005-1

PROX & ALS POWER

3.0V

R4311
0.00
0%
1/32W
MF
01005
ROOM=B2B_PEARL

PP3V0_S2_ALS   PP3V0_YOGI_PROX_ALS_CONN

C4313
2.2UF
20%
6.3V
X5R-CERM
0201
ROOM=B2B_PEARL

C4314
220PF
5%
16V
C0G
01005
ROOM=B2B_PEARL

PP_ROSALINE_ANODE

C4360
220PF
5%
16V
C0G
01005
ROOM=B2B_PEARL

DMIC1 FILTERS ROSALINE CONN

PROX/ALS I/O

PROX FROM SOC IS PWM SIGNAL APROX 10MS TYP HIGH PULSE PERIOD.
PROX FROM ROSALINE IS INT WITH INTERNAL 50K PU.

R4319
200K
1%
1/32W
MF
01005

PP1V8_S2

PP1V25_S2

R4317
117S0104
4.7K
5%
1/20W
MF
201

C4315
0.1UF
20%
6.3V
X5R-CERM
01005

PP1V8_S2_LT_R

C4316
0.1UF
20%
6.3V
X5R-CERM
01005

R4318
117S0157
10K
5%
1/32W
MF
01005

U4310
LSF0101
X2SON

VBIAS   PIN6:EN
               PIN5:VREF_B

PIN2:VREF_A   SDAA   SDAB

PROX_BI_AP_AOP_INT_L_PWM_LVT   SCLA   SCLB   PROX_BI_AP_AOP_INT_L_PWM_1V8

GND

APN: 311S00233
AUTO BI DIRECTIONAL
OPEN-DRAIN 3MA CONFIGURATION

FL4321
33
5%
1/32W
MF
01005

PDM_DMIC_FRONT_SCLK_1V8   DMIC3_MIC_SCLK_ROS_CONN_1V8

C4321
56PF
5%
25V
NP0/C0G
01005
NOSTUFF

FL4322
0.00
0%
1/32W
MF
01005

DMIC2_MIC_SD_UNSEC_1V8   DMIC2_MIC_SD_ROS_CONN

C4322
27PF
5%
25V
NP0-C0G
01005-1
NOSTUFF

FL4318
155S00400
FERR-150OHM-25%-200MA

GPIO_ALS_FH1_TO_AOP_IRQ_L   ALS_C3_TO_SOC_INT_CONN_L

01005
ROOM=B2B_PEARL
MAKE_BASE=TRUE
155S00400

C4318
220PF
5%
16V
C0G
01005
ROOM=B2B_PEARL

R4380
0.00
0%
1/32W
MF
01005

PROX_BI_AP_AOP_INT_L_PWM_1V8   PROX_BI_AP_AOP_INT_CONN_L_1V8

C4380
220PF
5%
10V
C0G-CERM
01005
NOSTUFF

FL4319
155S00400
FERR-150OHM-25%-200MA

GPIO_ALS_FH2_TO_AOP_IRQ_L   ALS_C4_TO_SOC_INT_CONN_L

01005
ROOM=B2B_PEARL
MAKE_BASE=TRUE

C4319
220PF
5%
16V
C0G
01005
ROOM=B2B_PEARL

NOTE: ALS IRQS ARE OD, INT 1V2 PU REQUIRED AT AOP

BOM_COST_GROUP=PEARL

PAGE TITLE
PEARL: B2B ROSALINE + MISC

EDP FLEX FILTERS AND CONNECTORS

GPIO SOC TO LANAI DISPLAY BSYNC1

R4502
2 0.00 1
0%
1/32W   MF
01005

GPIO SOC TO GRAPE BSYNC1

J522 EDP CONN MLB SIDE 39+2 PIN B2B

FLEX APN: 516S00359
MLB APN: 516S00358

PACK_OPTION=J522,J523

J4520
BM28P0.6-40DS-2-0.35V
F-ST-SM

GPIO GRAPE TO TCON FORCE PWM 1V8

R4508
2 0.00 1
0%
1/32W   MF
01005

SYSTEM TO TCON FORCE PWM 1V8

LPDP AUX EMI CONN P   GND_VOID=TRUE
LPDP AUX EMI CONN N   GND_VOID=TRUE   PP1V8 S3 HALL TCON CONN
                                                 GPIO APANEL HALL TO PMU IRQ L
LPDP DATA EMI CONN P<0>   GND_VOID=TRUE
LPDP DATA EMI CONN N<0>   GND_VOID=TRUE
                                                 I2C TCON SCL CONN 1V8
                                                 I2C TCON SDA CONN 1V8
LPDP DATA EMI CONN P<1>   GND_VOID=TRUE   LPDP HPD EMI CONN 1V8
LPDP DATA EMI CONN N<1>   GND_VOID=TRUE   SYSTEM TO TCON FORCE PWM 1V8
LPDP DATA EMI CONN P<2>   GND_VOID=TRUE   NC   TCON BYSNC 1 NOT USED, NC FOR NOW
LPDP DATA EMI CONN N<2>   GND_VOID=TRUE   VCOM_LCD_TO_GRAPE
LPDP DATA EMI CONN P<3>   GND_VOID=TRUE
LPDP DATA EMI CONN N<3>   GND_VOID=TRUE   GPIO PMU TO LCD PWREN 1V8
PPVCC MAIN LCD SW CONN   PPVCC MAIN LCD SW CONN

TCON I2C FILTERS

FL4534
70-OHM-300MA

I2C4 SDA 1V8   I2C TCON SDA CONN 1V8
01005-1

C4534
27PF
5%
16V
NP0-C0G
01005-1

FL4535
70-OHM-300MA

I2C4 SCL 1V8   I2C TCON SCL CONN 1V8
01005-1

C4535
27PF
5%
16V
NP0-C0G
01005-1

HALL PWR FILTER

FL4548
80-OHM-25%-0.5A-0.13DCR

PP1V8 S2   PP1V8 S3 HALL TCON CONN
0201

C454A   C454B
1.0UF   220PF
20%   5%
6.3V   16V
X5R   C0G
0201-1   01005

J517 EDP CONN MLB SIDE 46+2 PIN B2B

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518
FLEX APN: 516S00365
MLB APN: 516S00364

J4520
BM28P0.6-46DS-0.35V
F-ST-SM1

PPVCC_MAIN_LCD_SW_CONN   47   48   PPVCC MAIN LCD SW CONN

J517 BL CONN MLB SIDE 18+2 PIN B2B

FLEX APN: 516S00363
MLB APN: 516S00362
PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

J4500
BM28P0.6-18DS-2-0.35V
F-ST-SM

PP1V8 S3 HALL TCON CONN   VCOM_LCD_TO_GRAPE
GPIO APANEL HALL TO PMU IRQ L   LPDP DATA EMI CONN P<0>
                                                 LPDP DATA EMI CONN N<0>
LED IO 10   19   20   LED IO 9   LPDP DATA EMI CONN P<1>
LED IO 3   LED IO 8   LPDP DATA EMI CONN N<1>
LED IO 4   LED IO 7
LED IO 5   LED IO 6   GPIO PMU TO LCD PWREN 1V8   LPDP DATA EMI CONN P<2>
LED IO 12   LED IO 0   SYSTEM TO TCON FORCE PWM 1V8 LPDP DATA EMI CONN N<2>
LED IO 13   LED IO 1   TCON BYSNC 1 NOT USED, NC FOR NOW NC
LED IO 14   LED IO 2   LPDP HPD EMI 1V8   LPDP DATA EMI CONN P<3>
LED IO 15   LPDP DATA EMI CONN N<3>
LED IO 16   17   18   I2C TCON SDA CONN 1V8
                                                 I2C TCON SCL CONN 1V8   LPDP AUX EMI CONN P
NC PPLED BACK REG   21   22   LPDP AUX EMI CONN N
                                                 49   50

LED DRIVER FILTERS

LED IO 12   LED IO 0   LED IO 6   LED IO 4
LED IO 13   LED IO 1   LED IO 7   LED IO 10
LED IO 14   LED IO 2   LED IO 8   LED IO 16
LED IO 15   LED IO 3   LED IO 9   LED IO 5

C4512 C4513 C4514 C4515   C4502 C4503 C4504 C4505   C4508 C4509 C4510 C4511   C4526 C4523 C4524 C4525
100PF 100PF 100PF 100PF   100PF 100PF 100PF 100PF   100PF 100PF 100PF 100PF   100PF 100PF 100PF 100PF
5%   5%   5%   5%   5%   5%   5%   5%   5%   5%   5%   5%   5%   5%   5%   5%
50V   50V   50V   50V   50V   50V   50V   50V   50V   50V   50V   50V   50V   50V   50V   50V
C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G   C0G
0201   0201   0201   0201   0201   0201   0201   0201   0201   0201   0201   0201   0201   0201   0201   0201

PACK_IGNORE=TRUE ... PACK_OPTION=J517,J518

BOM_COST_GROUP=DISPLAY
PAGE TITLE

DISPLAY: B2B CONN

EDP CONNECTOR SUPPORT

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
15SS0897	4	CMC,DISPLAY DESENSE	L4602,L4612,L4622,L4632	CRITICAL	
353S00764	1	IC,SLG5AP1445,PWR SW,GREENFET1,6A,TDFN8	U4600	CRITICAL	J522&J523
353S4272	1	IC,SLG5AP1423V,PWR SW,GREENFET1,6A,TDFN8	U4600	CRITICAL	J517&J518

J52X USES ACTIVE DISCHARGE VARIANT OF SILEGO LOAD SWITCH

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
15SS00512	15SS0897		L4602,ETC.	CMC MURATA

PP1V8_S2

C4653 0.1UF 10% 16V X5R-CERM 0201

R4654 10K 5% 1/32W 01005

R4652 10K 5% 1/32W MF 01005

SILEGO DELAY ELEMENT
QUIESCENT CURRENT : 0.5 UA

343S00293

VDD
U4601
SLG4AP41158
STQFN

GPIO_PMU_TO_LCD_PWREN_1V8

SL_DEL
SL_DEL0
SL_DEL1
SL_DEL2
SL_DEL3

SL_DEL_0

NC
NC
NC
NC

GND

R4651 10K 5% 1/32W MF 01005

R4657 10K 5% 1/32W 01005

GPIO_PMU_TO_LCD_PWREN_DELAY

R4605 100K 5% 1/32W 01005

PPVCC_MAIN

C4640 0.1UF 10% 16V X5R-CERM 0201

OMIT_TABLE 353S4272
VDD
U4600
SLG5AP1423V
TFN

SL_CAP
CAP
ON
GND

C4641 0.1UF 10% X5R-CERM 0201

LAYOUT NOTE:
PUT THERMAL VIAS AROUND U4600 IN CASE OF SHORTED CONDITION

C4670 4700PF 10% 25V CER-X5R 0201

FALLING EDGE CONFIG

SL_DEL0 - LOW , SL_DEL1 - LOW	N/A	
SL_DEL0 - LOW , SL_DEL1 - HIGH	50 MS	
SL_DEL0 - HIGH, SL_DEL1 - LOW	75 MS	
SL_DEL0 - HIGH, SL_DEL1 - HIGH	100 MS	

MIN OFF TIME

SL_DEL2 - LOW , SL_DEL3 - LOW	N/A	
SL_DEL2 - LOW , SL_DEL3 - HIGH	50 MS	
SL_DEL2 - HIGH, SL_DEL3 - LOW	100 MS	
SL_DEL2 - HIGH, SL_DEL3 - HIGH	150 MS	

L4601
FERR-220OHM-28%-8A
0603

PPVCC_MAIN_LCD_SW

R4601 51.1K 1% 1/32W MF 01005

C4603 0.1UF 10% 16V X5R-CERM 0201

C4602 10UF 20% 6.3V CERM-X5R 0402-9

C4630 100PF 5% 25V C0G-CERM 01005

C4631 330PF 5% 25V NP0-C0G 0201

C4632 330PF 5% 25V NP0-C0G 0201

C4633 6.8UF 20% 6.3V X5R 0402

C4634 6.8UF 20% 6.3V X5R 0402

PPVCC_MAIN_LCD_SW_CONN

NOTE: COMMON MODE CHOKES ARE NOSTUFFED AND 2X
ZERO OHMS (ON A DIFFERENT PAGE) ARE STUFFED
TO TEST WITHOUT A COMMON MODE CHOKE.

R4680 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_CONN_N<0>

R4681 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_CONN_P<0>

R4682 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_N<1>

R4683 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_P<1>

R4684 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_CONN_N<2>

R4685 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_CONN_P<2>

R4686 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_N<3>

R4687 1.00M 01005 GND_VOID=TRUE

LPDP_DATA_EMI_P<3>

LPDP_SOC_TO_TCON_AUX_P

C4650 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_AUX_EMI_P

LPDP_SOC_TO_TCON_AUX_N

C4651 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_AUX_EMI_N

R4641 100K 5% 1/32W MF 01005

R4643 100K 5% 1/32W MF 01005

L4642 NOSTUFF
3.25-OHM-0.1A-2.4GHZ
TAM0605-4SM-COMBO
CRITICAL

SYM_VER-2

LPDP_AUX_EMI_CONN_P
LPDP_AUX_EMI_CONN_N

LPDP_HPD_EMI_1V8

R4690 49.9K 1% 1/32W MF 01005

R4691 100K 1% 1/32W MF 01005

LPDP_TCON_TO_SOC_HPD

LPDP_SOC_TO_TCON_DATA_N<0>

C4643 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_N<0>

L4612
3.25-OHM-0.1A-2.4GHZ
TAM0605-4SM-COMBO
CRITICAL

LPDP_DATA_EMI_CONN_N<0>

LPDP_SOC_TO_TCON_DATA_P<0>

C4642 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_P<0>

OMIT_TABLE

LPDP_DATA_EMI_CONN_P<0>

LPDP_SOC_TO_TCON_DATA_N<1>

C4644 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_N<1>

L4622
3.25-OHM-0.1A-2.4GHZ
TAM0605-4SM-COMBO
CRITICAL

LPDP_DATA_EMI_CONN_N<1>

LPDP_SOC_TO_TCON_DATA_P<1>

C4645 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_P<1>

OMIT_TABLE

LPDP_DATA_EMI_CONN_P<1>

L4680
FERR-600OHM-25%-0.5A-0.34OHM
0402

NC_PPLED_OUT

NC_PPLED_BACK_REG

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

C4680 12PF 10V CERM 0201

C4681 220PF 10V C0G 0201

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

LPDP_SOC_TO_TCON_DATA_N<2>

C4646 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_N<2>

L4632
3.25-OHM-0.1A-2.4GHZ
TAM0605-4SM-COMBO
CRITICAL

LPDP_DATA_EMI_CONN_N<2>

LPDP_SOC_TO_TCON_DATA_P<2>

C4647 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_P<2>

OMIT_TABLE

LPDP_DATA_EMI_CONN_P<2>

LPDP_SOC_TO_TCON_DATA_N<3>

C4648 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_N<3>

L4602
3.25-OHM-0.1A-2.4GHZ
TAM0605-4SM-COMBO
CRITICAL

LPDP_DATA_EMI_CONN_N<3>

LPDP_SOC_TO_TCON_DATA_P<3>

C4649 0.1UF 01005 6.3V 20% X5R-CERM

LPDP_DATA_EMI_P<3>

OMIT_TABLE

LPDP_DATA_EMI_CONN_P<3>

BOM_COST_GROUP=DISPLAY

PAGE TITLE

DISPLAY: EDP SUPPORT

LUME BOOST

LOW OHMIC CONNECTION BETWEEN
VCORE/DVDD AND CP_OUT/VDD_BST

U4701
D2713A0
WLCSP

U4790
TLV758P
WSON

L4701
4.7UH-20%-2.8A-0.1OHM
4040

L4702
1UH-20%-6.4A-0.038OHM
PIKA3225IB-SM

L4703
1UH-20%-6.4A-0.038OHM
PIKA3225IB-SM

ONE CAP PER PHASE INPUT

PLACE CAPS IN FOLLOWING ORDER (AWAY FROM OUT PIN)
0.47UF CER, 4.7UF CER, 10UF CER, 4.7UF TANT

$VOUT = VFB*(1+R1/R2) = 0.55*(1+(130K/100K)) = 1.265V$

BOM_COST_GROUP=DISPLAY

PAGE TITLE

2DBL: LUME BOOST

BCON B2B CONN

APN:516S00222
MATING APN: 516S00223

NOTE: DUE TO HEIGHT LIMITATION, 0603 FERRITE WILL NOT FIT NEAR B2B

PAGE TITLE

2DBL: B2B CONN

BT CORE0

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
131S0372	1	CAP,0.7PF,+-0.05PF,16V,01005	C511_W	J523
152S00427	1	IND,FILM,2.0NH,+/-0.1NH,01005	R512_W	J523

BT CORE1

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
131S0372	1	CAP,0.7PF,+-0.05PF,16V,01005	C542_W	J523
152S00420	1	IND,FILM,1.3NH,+/-0.1NH,01005	R543_W	J523

RFFE

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
117S0182	1	RES,MF,22 OHM,5%,1/32W,01005	R260_W	J523
117S0182	1	RES,MF,22 OHM,5%,1/32W,01005	R261_W	J523
117S0182	1	RES,MF,22 OHM,5%,1/32W,01005	R262_W	J523
117S0182	1	RES,MF,22 OHM,5%,1/32W,01005	R263_W	J523

2G CORE0

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
152S00506	1	IND,FILM,3.2NH,+/-0.1NH,01005	C520_W	J523
131S0648	1	CAP,0.3PF,+/-0.05PF,16V,01005	C466_W	J523
152S01247	1	IND,FILM,1NH,+/-0.05NH,01005	R532_W	J523

2G CORE1

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
152S01247	1	IND,FILM,1NH,+/-0.05NH,01005	R563_W	J523
152S00506	1	IND,FILM,3.2NH,+/-0.1NH,01005	C552_W	J523
152S01247	1	IND,FILM,1NH,+/-0.05NH,01005	R473_W	J523
131S0648	1	CAP,0.3PF,+/-0.05PF,16V,01005	C476_W	J523

5G CORE0

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
152S00497	1	IND,FILM,0.5NH,+/-0.1NH,01005	R235_W	J523
131S0648	1	CAP,CER,C0G,0.3PF,01005,HQ	C228_W	J523
131S0893	1	CAP,CER,C0G,0.2PF,01005,HQ	C206_W	J523
152S00493	1	IND,FILM,0.9NH,SHQ,01005	R202_W	J523
131S0648	1	CAP,CER,C0G,0.3PF,01005	C205_W	J523
131S0648	1	CAP,CER,C0G,0.3PF,01005	C371_W	J523
152S00494	1	IND,FILM,0.8NH,SHQ,01005	R373_W	J523
131S00030	1	CAP,CER,C0G,0.4PF,01005	C376_W	J523
131S0893	1	CAP,CER,C0G,0.2PF,01005,HQ	C312_W	J523
152S00497	1	IND,FILM,0.5NH,+/-0.1NH,01005	R313_W	J523
131S0893	1	CAP,CER,C0G,0.2PF,01005,HQ	C310_W	J523
152S00496	1	IND,FILM,0.6NH,SHQ,01005	R312_W	J523
131S0648	1	CAP,CER,C0G,0.3PF,01005	C311_W	J523

5G CORE1

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
131S0893	1	CAP,CER,C0G,0.2PF,01005,HQ	C202_W	J523
152S01247	1	IND,FILM,1NH,SHQ,01005	R233_W	J523
131S00030	1	CAP,CER,C0G,0.4PF,01005	C201_W	J523
131S0648	1	CAP,CER,C0G,0.3PF,01005	C361_W	J523
152S01247	1	IND,FILM,1NH,SHQ,01005	R363_W	J523
131S0648	1	CAP,CER,C0G,0.3PF,01005	C362_W	J523
131S0893	1	CAP,CER,C0G,0.2PF,01005,HQ	C387_W	J523
152S00494	1	IND,FILM,0.8NH,+/-0.1NH,01005	R365_W	J523
131S0893	1	CAP,CER,C0G,0.2PF,01005,HQ	C388_W	J523

BOM Option

WIFI/BT
PERONI

U_WLAN_W
2103-602001-30
LGA
SYM 2 OF 2
ROOM=WLAN
339S00785

U_WLAN_W
2103-602001-30
LGA
SYM 1 OF 2
ROOM=WLAN
339S00785

PP1V25_S2   VOLTAGE=1.2
C250_W 27PF 5% 16V NP0-C0G 0100S-1 ROOM=WLAN

PP1V8_S2
C252_W 27PF 5% 16V NP0-C0G 0100S-1 ROOM=WLAN
C257_W 10PF 5% 16V NP0-C0G 0100S ROOM=WLAN

PPVCC_MAIN
C232_W 100PF 20% 10V X5R-CERM 0402-0.1MM ROOM=WLAN
C233_W 4.7PF +/-0.1PF 16V NP0-C0G 0100S ROOM=WLAN

PPVCC_MAIN
C245_W 10UF 20% 6V X5R-CERM 0402-0.1MM ROOM=WLAN
C247_W 2.2UF 20% 6V X5R 0201 ROOM=WLAN
C246_W 27PF 5% 16V NP0-C0G 0100S ROOM=WLAN

L253_W 2.2UH-20%-1.1A-0.293OHM 0603 ROOM=WLAN
PP_1V02_ABUCK_L VOLTAGE=1.02
C254_W 7.5UF 20% 4V CERM 0402 ROOM=WLAN

PP_1V02_ABUCK VOLTAGE=1.02
L255_W 2.2UH-20%-1.1A-0.293OHM 0603 ROOM=WLAN
PP_0V72_CBUCK_L VOLTAGE=0.72
C256_W 7.5UF 20% 4V CERM 0402 ROOM=WLAN

PP_0V72_CBUCK VOLTAGE=0.72
PP_3V3_BTLDO VOLTAGE=3.3
C270_W 27PF 5% 16V NP0-C0G ROOM=WLAN

VBAT
VBAT_RF
VDDIO_RF
VDDIOIP2
VDDIOIP8
ASR_VLX
ASR_VLX
ABUCK_WL2G_BT_IPV2
ABUCK_WL2G_BT_IPV2
ABUCK_WL5G_IPV2
ABUCK_WL5G_IPV2
CSR_VLX
CSR_VLX
CBUCK_IPV2
CBUCK_IPV2
CBUCK_IPV2
BTLDO3V3

ROOM=WLAN
339S00785

13 5G_C0_ANT
50_WLAN_A_C0_TXRX
41 5GTSSI_C0   ANALOG_LAT_5GC0_FEM_TO_WLAN_PDTS
11 5G_C1_ANT
50_WLAN_A_C1_TXRX
40 5GTSSI_C1   ANALOG_UAT_5GC1_FEM_TO_WLAN_PDTS
90 2G_C0_ANT
50_WLAN_G_C0_TXRX
88 2GTSSI_C0   ANALOG_UAT_2G_FEM_TO_WLAN_PDTS
45 2G_C1_ANT
50_WLAN_G_C1_TXRX_R
43 2GTSSI_C1   ANALOG_LAT_2G_FEM_TO_WLAN_PDTS

65 LNA_EN_5GC0   GPIO_WLAN_TO_LAT_5GC0_FEM_LNA_BYP_EN
49 LNA_EN_5GC1   GPIO_WLAN_TO_UAT_5GC1_FEM_LNA_BYP_EN
66 LNA_EN_2GC0   GPIO_WLAN_TO_UAT_2G_FEM_LNA_BYP_EN
21 LNA_EN_2GC1   GPIO_WLAN_TO_LAT_2G_FEM_LNA_BYP_EN

51 5G_C0_RESET   RFFE_WLAN_TO_LAT_5GC0_FEM_RST_L
35 2G_C0_RESET   RFFE_WLAN_TO_UAT_2G_FEM_RST_L
53 C0_MIPI_CLK   SHIELD_RFFE_WLAN_TO_UAT_FEMS_CLK_M
52 C0_MIPI_DATA   SHIELD_RFFE_WLAN_TO_FEMS_DATA_C0
20 5G_C1_RESET   RFFE_WLAN_TO_UAT_5GC1_FEM_RST_L
36 2G_C1_RESET   RFFE_WLAN_TO_LAT_2G_FEM_RST_L
38 C1_MIPI_CLK   SHIELD_RFFE_WLAN_TO_LAT_FEMS_CLK_M
37 C1_MIPI_DATA   SHIELD_RFFE_WLAN_TO_FEMS_DATA_C1

OMIT_TABLE ROOM=WLAN R260_W 0.00 0% 0100S
SHIELD_RFFE_WLAN_TO_UAT_FEMS_CLK
OMIT_TABLE ROOM=WLAN R261_W 0.00 0% 0100S
SHIELD_RFFE_WLAN_TO_2GC0_5GC0_FEMS_DATA
OMIT_TABLE ROOM=WLAN R262_W 0.00 0% 0100S
SHIELD_RFFE_WLAN_TO_LAT_FEMS_CLK
OMIT_TABLE ROOM=WLAN R263_W 0.00 0% 0100S
SHIELD_RFFE_WLAN_TO_2GC1_5GC1_FEMS_DATA

67 WL_GPIO_7/DAP_SEL
SM PP207_W P2MM-NSM ROOM=WLAN OMIT PLACE_SIDE=BOTTOM
128 WL_GPIO_18   WL_GPIO_18
112 WLBT_SECI_IN   UART_BB_TO_WLAN_COEX_1V2
127 WLBT_SECI_OUT UART_WLAN_TO_BB_COEX_1V2
157 WLAN_TIME_SYNC GPIO_WLAN_TO_SOC_TIME_SYNC
139 LHL_GPIO2
168 SPMI_IDC_CLK
154 SPMI_IDC_DAT

47 WLBT_WL_PCIE_PERST_L   PCIE_SOC_TO_WLAN_RESET_L
92 WLBT_WL_PCIE_CLKREQ_L PCIE_WLAN_TO_SOC_CLKREQ_L
31 90_WLBT_WL_PCIE_RD_P   PCIE_SOC_TO_WLAN_TX_P
16 90_WLBT_WL_PCIE_RD_N   PCIE_SOC_TO_WLAN_TX_N
76 90_WLBT_WL_PCIE_TD_P   PCIE_WLAN_TO_SOC_TX_C_P
61 90_WLBT_WL_PCIE_TD_N   PCIE_SOC_TO_WLAN_TX_C_N
121 90_WLBT_WL_PCIE_REFCLK_P PCIE_SOC_TO_WLAN_REFCLK_P
106 90_WLBT_WL_PCIE_REFCLK_N PCIE_SOC_TO_WLAN_REFCLK_N

C226_W 100PF 5% 16V NP0-C0G 0100S-1 ROOM=WLAN NOSTUFF

OMIT SM PP222_W P2MM-NSM ROOM=WLAN   PCIE_SOC_TO_WLAN_RESET_L
OMIT SM PP223_W P2MM-NSM ROOM=WLAN   PCIE_WLAN_TO_SOC_CLKREQ_L

82 ANT_DIVERSITY_CORE1_RFGPIO_8_1V8
50 C0_SAW_BYPASS_RFGPIO_3_1V8   2GC0_IS_SWITCH
81 C1_SAW_BYPASS_RFGPIO_9_1V8   2GC1_IS_SWITCH
184 CLK_REQ
150 BT_C0_ANT1 (BT_DEDICATED)   50_BT_DEDICATED_TRX
195 BT_C0_ANT2 (BT_C0_ANT)   50_BT_C0_TX
224 BT_C1_ANT   50_BT_C1_TX

R299_W 49.9 1% 1/32W 0100S-1

111 WLBT_WL_FAST_UART_RX   NC
80 WLBT_WL_FAST_UART_RTS_OUT NC
95 WLBT_WL_FAST_UART_CTS_IN   NC
96 WLBT_WL_FAST_UART_TX   NC
97 WLBT_WL_HOST_WAKE   GPIO_WLAN_TO_PMU_HOST_WAKE
186 WLBT_WL_REG_ON   GPIO_PMU_TO_WLAN_REG_ON   PP206_W P2MM-NSM SM OMIT ROOM=WLAN
79 WLAN_TDI/CXT_A   GPIO_AOP_TO_WLAN_CONTEXT_A PP211_W P2MM-NSM SM OMIT
64 WLAN_TDO/CXT_B   GPIO_AOP_TO_WLAN_CONTEXT_B PP202_W P2MM-NSM OMIT ROOM=WLAN
68 WLAN_TRST_L   JTAG_WLAN_TRST_L   PP203_W P2MM-NSM SM OMIT ROOM=WLAN
183 JTAG_SEL   JTAG_WLAN_SEL
110 WLAN_SCT/SWD_CLK   JTAG_WLAN_TCK   PP204_W P2MM-NSM SM OMIT ROOM=WLAN
83 WLAN_TMS/SWD_DAT   JTAG_WLAN_TMS   PP205_W P2MM-NSM SM OMIT ROOM=WLAN

156 WL_GPIO_21/BT_OVER_UART NC
189 WLBT_BT_UART_RXD   NC
190 WLBT_BT_UART_RTS_L   NC
188 WLBT_BT_UART_CTS_L   NC
187 WLBT_BT_UART_TXD   NC
202 WLBT_BT_DEV_WAKE   BT_TO_BOT_SPK_TRIG   PP210_W P2MM-NSM SM OMIT ROOM=WLAN
185 WLBT_BT_REG_ON   NC

124 1V2_WIFI_TO_SENSORA_COEX NC
143 1V2_BT_TO_SENSORA_COEX   NC

172 GPIO_SENSORB_TO_BT_SYNC   GPIO_TOUCH_TO_BT_SYNC   PP211_W P2MM-NSM SM OMIT ROOM=WLAN

126 SENSORC_TO_WIFI_COEX   NC
125 WIFI_TO_SENSORC_COEX   NC
171 BT_TO_SENSORC_TIME_SYNC NC
142 BT_TO_SENSORC_WAKE   NC

173 SOC_TO_BT_TIME_SYNC   GPIO_SOC_TO_BT_TO_GRAPE_TS_SYNC
203 BT_TO_AP_TIME_SYNC   BT_TO_SOC_TIME_SYNC

169 SE_I2C_CLK   NC_I2C_BT_TO_SE_SCL   CKPLUS_WAIVE=I2C_PULLUP
170 SE_I2C_DAT   NC_I2C_BT_TO_SE_SDA   CKPLUS_WAIVE=I2C_PULLUP

141 SPMI_HEB_CLK   AOP_SPMI0_SCLK_WIFI_BT   PP214_W P2MM-NSM SM OMIT
140 SPMI_HEB_DAT   SPMI_EVENTS_AOP_TO_WLAN_NFC_DATA   PP215_W P2MM-NSM SM OMIT ROOM=WLAN

155 WLBT_CLK_32K   CLK_PMU_TO_WLAN_32K
TCXO_IN   NC

GND pins column (left): 1 2 4 7 9 10 12 14 15 17 19 22 23 24 25 26 27 28 29 30 32 33 34 39 42 44 46 54 55 56 57 58 59 60 62 63 69 70 71 72 73 74 75 77 78 84 85 86 87 89 91 93 94 98 99 100 101 102 103 104 105 107 108 109

GND pins column (right): 113 114 115 116 117 118 119 120 122 123 129 130 132 133 134 135 136 137 138 144 145 147 148 149 152 153 158 159 160 162 163 164 165 166 167 174 175 176 177 178 179 180 182 191 192 193 194 198 200 201 205 206 207 208 209 210 211 213 215 217 220 223 225

GPIO_WLAN_TO_PMU_HOST_WAKE
R259_W 100K 5% 1/32W 0100S ROOM=WLAN
PP1V25_S2
R257_W 10K 5% 1/32W 0100S ROOM=WLAN NOSTUFF
JTAG_WLAN_SEL
NOSTUFF= JTAG DISABLED

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
339S00786	339S00785	ALT_PARTS	U_WLAN_W	?

BOM_COST_GROUP=WIFI
SYNC_MASTER=WIFI_MLB_0.44.0
SYNC_DATE=08/27/2020

PAGE TITLE
PERONI

J523 UAT 5GHZ CORE1 RFEM

78 51 50 49 47   PPVCC_MAIN

VOLTAGE=1.8V

PP1V8_S2   47 49 50 51 52 78 137

C305_W
10UF
20%
X5R-CERM
0402-0.1MM
ROOM=UAT_FEM

C306_W
33PF
5%
16V
NP0-COG
01005-1
ROOM=UAT_FEM

C309_W
1.0UF
20%
10V
X5R-CERM
0201-1
ROOM=UAT_FEM

C308_W
2.2UF
6.3V
X5R-CERM
0201
ROOM=UAT_FEM

C304_W
33PF
5%
16V
NP0-COG
01005-1
ROOM=UAT_FEM

52   50_WLAN_A_C1_TXRX_FEM_M

R363_W
0.00
0%
1/32W
MF
01005
OMIT_TABLE

C361_W
0.3PF
+/-0.05PF
16V
COG-CERM
01005
OMIT TABLE
ROOM=UAT_FEM

C362_W
0.3PF
+/-0.05PF
16V
COG-CERM
01005
OMIT TABLE
ROOM=UAT_FEM

119   50_LAA_RX_XCVR_PRX12

50_WLAN_A_UAT_TXRX_FEM

U_5G_C1_U_W
SKY55506
LGA

VBAT 3
VBAT 4
VDD_1V8 32

WLAN_TX/RX 20
LAA_RX 30
SAM_TX/RX 34

47   RFFE_WLAN_TO_UAT_5GC1_FEM_RST_L
50 48 47   SHIELD_RFFE_WLAN_TO_UAT_FEMS_CLK
SHIELD_RFFE_WLAN_TO_2GC1_5GC1_FEMS_DATA
47   GPIO_WLAN_TO_UAT_5GC1_FEM_LNA_BYP_EN

51 48 47

WLAN_RFFE_RST_L 28
WLAN_RFFE_CLK 23
WLAN_RFFE_DATA 24
WLAN_GPIO_0 22

LAA_RFFE_VIO 6
LAA_RFFE_CLK 16
LAA_RFFE_DATA 11
SAM_CTRL 10

ANT 26   50_WLAN_A_LAA_DPLXR_M

PDET/TSENSE 2   ANALOG_UAT_5GC1_FEM_TO_WLAN_PDTS   47 48

ANT 6 = UAT ANT
WLAN_A
LAA
R1

R365_W
0.00
0%
1/32W
MF
01005
OMIT_TABLE

C387_W
0.3PF
+/-0.05PF
16V
COG-CERM
01005
OMIT TABLE
ROOM=UAT_FEM

C388_W
0.3PF
+/-0.05PF
16V
COG-CERM
01005
OMIT TABLE
ROOM=UAT_FEM

50_WLAN_5G_TPLX_UAT   131

C389_W
10PF
5%
16V
CERM
01005
ROOM=UAT_FEM
NOSTUFF

C379_W
10PF
5%
16V
CERM
01005
ROOM=UAT_FEM
NOSTUFF

C380_W
18PF
5%
16V
NP0-COG
01005
ROOM=UAT_FEM
NOSTUFF

C381_W
18PF
5%
16V
NP0-COG
01005
ROOM=UAT_FEM
NOSTUFF

C382_W
0.01UF
10%
6.3V
X5R
01005
ROOM=UAT_FEM
NOSTUFF

GND

5 7 8 9 12 13 14 15 17 18 19 21 27 29 31 33 35

119   PP_VIO_RFFE_1V8_RX

R310_W
0.00 01005
ROOM=UAT_FEM

PP_VIO_LAA_FHEAD_1V8_R

119   SHIELD_RFFE3_SCLK_SDR
119   SHIELD_RFFE3_SDATA_SDR

C321_W
18PF
5%
16V
NP0/C0G
01005
ROOM=UAT_FEM
NOSTUFF

C322_W
18PF
5%
16V
NP0/C0G
01005
ROOM=UAT_FEM
NOSTUFF

C323_W
6.8PF
+/-0.1PF
16V
NP0-COG
01005
ROOM=UAT_FEM
NOSTUFF

OMIT SM **PP209_W**
P2MM-NSM
ROOM=WLAN
1   ANALOG_UAT_5GC1_FEM_TO_WLAN_PDTS   47 48

OMIT SM **PP218_W**
P2MM-NSM
ROOM=WLAN
1   SHIELD_RFFE_WLAN_TO_UAT_FEMS_CLK   47 48 50

OMIT SM **PP219_W**
P2MM-NSM
ROOM=WLAN
1   SHIELD_RFFE_WLAN_TO_2GC1_5GC1_FEMS_DATA   47 48 51

PAGE TITLE

J523 5G rFEM (UAT)

J523 LAT 5GHZ CORE0 RFEM

UAT 2.4 GHZ RFEM

OMIT SM PP216_W
P24MH-NSM
ROOM=WLAN
1 ANALOG_UAT_2G_FEM_TO_WLAN_PDTS 47 50

78 51 49 48 47 PPVCC MAIN

C405_W	C406_W	C407_W	C408_W	C404_W
10UF	33PF	1.0UF	2.2UF	33PF
20%	5%	20%	20%	5%
10V	16V	10V	6.3V	16V
X5R-CERM	NP0-C0G	X5R-CERM	X5R-CERM	NP0-C0G
0402-0.1MM	01005-1	0201-1	0201	01005-1
ROOM=UAT_FEM	ROOM=UAT_FEM	ROOM=UAT_FEM	ROOM=UAT_FEM	ROOM=UAT_FEM

VCC_WLAN_RF PP1V8_S2 47 48 49 51 52 78 137

52 50_WLAN_G_C0_TXRX_FEM_M

R463_W
0.00
0%
1/32W
MF
01005
ROOM=UAT_FEM

50_WLAN_G_UAT_TXRX_FEM

C461_W	C466_W
0.3PF	0.3PF
+/-0.05PF	+/-0.05PF
16V	16V
C0G-CERM	C0G-CERM
01005	01005
NOSTUFF	OMIT_TABLE
ROOM=UAT_FEM	ROOM=UAT_FEM

44 45 42
VBAT VBAT VDD_1V8

22 WLAN_TX/RX

ROOM=UAT_FEM
353S02415
U_2G_U_W
MDFEGYFB-132
LGA

47 RFFE_WLAN_TO_UAT_2G_FEM_RST_L   48 WLAN_RFFE_RST*
48 47 SHIELD_RFFE_WLAN_TO_UAT_FEMS_CLK 40 WLAN_RFFE_CLK
47 SHIELD_RFFE_WLAN_TO_2GC0_5GC0_FEMS_DATA 47 WLAN_RFFE_DATA
49 47 GPIO_WLAN_TO_UAT_2G_FEM_LNA_BYP_EN 33 WLAN_GPIO_0

ANT 28 50_WLAN_G_BT_ANT4_NPLXR1

R496_W
0.00
0%
1/32W
MF
01005
ROOM=UAT_FEM

50 TRX_WLAN24_TO_ANT4A 120

C499_W	C498_W
0.3PF	0.3PF
+/-0.05PF	+/-0.05PF
16V	16V
C0G-CERM	C0G-CERM
01005	01005
NOSTUFF	NOSTUFF
ROOM=UAT_FEM	ROOM=UAT_FEM

C479_W	C480_W	C481_W	C482_W
10PF	10PF	10PF	10PF
5%	5%	5%	5%
16V	16V	16V	16V
CERM	CERM	CERM	CERM
01005	01005	01005	01005
ROOM=UAT_FEM	ROOM=UAT_FEM	ROOM=UAT_FEM	ROOM=UAT_FEM
NOSTUFF	NOSTUFF	NOSTUFF	NOSTUFF

41 USID

PDET/TSENSE 8 ANALOG_UAT_2G_FEM_TO_WLAN_PDTS 47 50

C491_W
10PF
5%
16V
CERM
01005
NOSTUFF
ROOM=UAT_FEM

GND

1 2 3 4 5 6 7 9 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 30 31 32 34 35 36 37 38 39 43 46 49

LAT 2.4 GHZ RFEM

OMIT SM **PP217_W**
P2MM-NSM
ROOM=WLAN

ANALOG_LAT_2G_FEM_TO_WLAN_PDTS

78 50 49 48 47 PPVCC_MAIN

PP1V8_S2

C415_W
10UF
20%
10V
X5R-CERM
0402-0.1MM
ROOM=LAT_FEM

C416_W
33PF
5%
16V
NP0-C0G
01005-1
ROOM=LAT_FEM

C417_W
1.0UF
20%
10V
X5R-CERM
0201-1
ROOM=LAT_FEM

C418_W
2.2UF
20%
6.3V
X5R-CERM
0201
ROOM=LAT_FEM

C414_W
33PF
5%
16V
NP0-C0G
01005-1
ROOM=LAT_FEM

125 50_2GFEM_TRX_MCS

R473_W
0.00
0%
1/32W
MF
01005
OMIT_TABLE

50_WLAN_G_LAT_TXRX_FEM

C471_W
0.3PF
5%
16V
C0G-CERM
01005
NOSTUFF
ROOM=LAT_FEM

C476_W
0.3PF
5%
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=LAT_FEM

22 WLAN_TX/RX

VBAT VBAT VDD_1V8
44 45 42

ROOM=LAT_FEM
3S3SO2415
U_2G_L_W
MDFEGYFB-132
LGA

ANT 28 50_WLAN_G_BT_LAT

R466_W
0.00
0%
1/32W
MF
01005
ROOM=LAT_FEM

50_TRX_WLAN24_TO_ANT2A

C489_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=LAT_FEM

C490_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=LAT_FEM

47 RFFE_WLAN_TO_LAT_2G_FEM_RST_L   48 WLAN_RFFE_RST*
49 47 SHIELD_RFFE_WLAN_TO_LAT_FEMS_CLK   40 WLAN_RFFE_CLK
48 47 SHIELD_RFFE_WLAN_TO_2GC1_FEMS_DATA 47 WLAN_RFFE_DATA
47 GPIO_WLAN_TO_LAT_2G_FEM_LNA_BYP_EN 33 WLAN_GPIO_0

PDET/TSENSE 8 ANALOG_LAT_2G_FEM_TO_WLAN_PDTS

C483_W
10PF
5%
16V
C0G-CERM
01005
ROOM=LAT_FEM
NOSTUFF

C484_W
10PF
5%
16V
C0G-CERM
01005
ROOM=LAT_FEM
NOSTUFF

C485_W
10PF
5%
16V
C0G-CERM
01005
ROOM=LAT_FEM
NOSTUFF

C486_W
10PF
5%
16V
C0G-CERM
01005
ROOM=LAT_FEM
NOSTUFF

41 USID

C492_W
10PF
5%
16V
C0G-CERM
01005
NOSTUFF
ROOM=LAT_FEM

GND

J523 FRONT END

5G INTERSTATE BPFS

5G UAT

FL_ISG_U_W
155S00578
ACPF-7350-AP1
LGA

48 50_WLAN_A_C1_TXRX_FEM_M 4 TX/RX ANT 6 50_WLAN_A_C1_TXRX_BPF_R

R233_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=WLAN

50_WLAN_A_C1_TXRX 47

GND

C201_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

C202_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

ROOM=WLAN

5G LAT

FL_ISG_L_W
155S00578
ACPF-7350-AP1
LGA

R202_W
0.00

125 50_5GFEM_TRX_MCN 50_WLAN_A_C0_TXRX_BPF 4 TX/RX ANT 50_WLAN_A_C0_TXRX_BPF_R

R235_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=WLAN

50_WLAN_A_C0_TXRX 47

GND

C205_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

C206_W
0.3PF
16V
01005
NOSTUFF
ROOM=WLAN

C228_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

C241_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=WLAN

5GHZ LAT FEM OUTPUT

ANT 5 = LAT ANT
WLAN_A
LAA

BPF_L_W
155S00625
ACPF-7150-AP1
LGA

LAT_FEM

JANT5B_W
MM4829-2702B
F-ST-SM

50_WLAN_A_LAA_BPF 49 6 5G ANT 2 50_WLAN_A_C1_PBPF

R312_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=LAT_FEM

50_WLAN_A_LAA_ANT5 1

GND

C310_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=LAT_FEM

C311_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=LAT_FEM

2G INTERSTAGE

137 78 52 51 50 49 48 47 PP1V8_S2

C602_W
100PF
5%
16V
NP0-C0G
01005-1
ROOM=WLAN

50_BT_C0_TX_SW

R512_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=WLAN

50_BT_C0_TX 47

C510_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=WLAN

C511_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

353S02331
VDD

U601_W
QM12102
LGA

ROOM=WLAN

BPF_2GC0_IS_W
155S00664
SAFQG2G45MA0H57
SAW
LGA

50_WLAN_G_C0_TXRX_FEM_M 50 5 RFC RF1 3 RF2 1 50_WLAN_G_C0_SW

R522_W
0.00
1/32W
MF
01005
ROOM=WLAN

50_WLAN_G_C0_SAW_OUT UNB_PORT(ANT) UNB_PORT(PA) 4 50_WLAN_G_C0_SAW

R532_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=WLAN

50_WLAN_G_C0_TXRX 47

CTRL 6

GND

C520_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

GND

C530_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=WLAN

47 2GC0_IS_SWITCH

R607_W
100K
5%
1/32W
MF
01005
ROOM=WLAN

137 78 52 51 50 49 48 47 PP1V8_S2

C603_W
100PF
5%
16V
NP0-C0G
01005-1
ROOM=WLAN

50_BT_C1_TX_SW

R543_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=WLAN

50_BT_C1_TX 47

C541_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=WLAN

C542_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

353S02331
VDD

U602_W
QM12102
LGA

ROOM=WLAN

BPF_2GC1_IS_W
155S00664
SAFQG2G45MA0H57
SAW
LGA

R238_W
0.00

126 50_2GFEM_TRX_MCN 50_WLAN_G_C1_TXRX_SW_RFC 5 RFC RF1 3 RF2 1 50_WLAN_G_C1_SW

R553_W
0.00
1/32W
MF
01005
ROOM=WLAN

50_WLAN_G_C1_SAW_OUT UNB_PORT(ANT) UNB_PORT(PA) 4 50_WLAN_G_C1_SAW

R563_W
0.00
1/32W
MF
01005
OMIT_TABLE
ROOM=WLAN

50_WLAN_G_C1_TXRX_R 47

C231_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=WLAN

CTRL 6

GND

C552_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
OMIT_TABLE
ROOM=WLAN

GND

C561_W
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
NOSTUFF
ROOM=WLAN

47 2GC1_IS_SWITCH

R608_W
100K
5%
1/32W
MF
01005
ROOM=WLAN

KOBOL VOLTAGE TRANSLATION

PP1V25_S2   84 76 64 54 53 41 38 29 25 19

PP1V8_S2   19 53 84

C5620
1
0.1UF
20%
6.3V
X5R-CERM
2
01005

C5621
1
0.1UF
20%
6.3V
X5R-CERM
2
01005

VCCA VCCB
3   7

U5620
NVT0202JK
X2SON

6   OE   311S00235

R5620
1   33   2
5%   MF
1/32W   01005

82 19 10   SPI SENSORS SCLK

5   A1   B1   8   SPI_KOBOL_SCLK_R_1V8   SPI KOBOL SCLK 1V8   OUT   19
4   A2   B2   1

82 19 10   SPI SENSORS MISO

R5621
1   33   2   SPI KOBOL MISO R
5%   MF
1/32W 01005   SPI KOBOL MISO 1V8   IN   19

GND
2

R5622   1
1.00M
5%
1/32W
MF
01005   2

PP1V25_S2   84 76 64 54 53 41 38 29 25 19

PP1V8_S2   19 53 84

C5630
1
0.1UF
20%
6.3V
X5R-CERM
2
01005

C5631
1
0.1UF
20%
6.3V
X5R-CERM
2
01005

VCCA VCCB
3   7

U5630
NVT0202JK
X2SON

6   OE   311S00235

R5630
1   33   2
5%   MF
1/32W   01005

82 19 10   SPI SENSORS MOSI

5   A1   B1   8   SPI_SENSORS_MOSI_R_1V8   1   SPI KOBOL MOSI 1V8   OUT   19
10   IN   SPI KOBOL CS L   4   A2   B2   1   SPI KOBOL CS L 1V8   OUT   19

GND
2

LDCM

PDM attenuation

DC Bias

C5933
680PF
1 2
10%
10V
X5R
01005

PP1V8 LDCM 54 84

C5934
0.1UF
1 2
20%
6.3V
X5R-CERM
01005

84 54 PP1V8 LDCM

C5931
0.1UF
1 2
20%
6.3V
X5R-CERM
01005

CRITICAL
R5932
50K
1
1%
1/32W
MF
01005
2

B3 A1
MAX44290ANT
BGA
U5930
SHDN
A3
B1 V-
A2
B2
PP1V8 LDCM 54 84

LDCM_VSTIM_POS

PP1V25 S2 19 25 29 30 61 53 54 64 76

C5900
0.1UF
1 2
6.3V
X5R-CERM
01005

CRITICAL
R5930
0.00
1 2
1/32W
MF
01005

AOP_TO_LDCM_DATA0_PDM 18 IN

LDCM_AMP_ATN

C5930
2.2UF
1 2
20%
6.3V
CER-X5R
0201

LDCM_VSTIM_DECOUPLED

CRITICAL
R5934
82K
1 2
1%
1/32W
MF
01005

LDCM_VSTIM_FB

CRITICAL
R5935
360K
1 2
1%
1/20W
TK
01005

LDCM_VSTIM_IN

R5931
750
1
1%
1/32W
MF
01005
2
NOSTUFF
CRITICAL

CRITICAL
R5933
50K
1
1%
1/32W
MF
01005
2

C5932
200PF
1
1%
10V
CERM
01005
2

R5900
0.00
1 2
0%
1/32W
MF
01005

PP1V8 LDCM 54 84

C5901
0.1UF
1 2
6.3V
X5R-CERM
01005

VDDIO VDD
353802530
U5900
FAN38522UCX
WLCSP
C3 IN1 CLK A1
C2 IN2 DATA A3
SEL NC B2 NC
C1 FAN_LDCM_SEL
GND
B3

CLK AOP TO LDCM PDM R 54
LDCM TO AOP DATA1 PDM R 54

CH.1, DATA AFTER RISING EDGE
CH.2, DATA AFTER FALLING EDGE

84 54 PP3V3 S2 ACE PARROT

C5950
0.1UF
1 2
20%
6.3V
X5R-CERM
01005

VDD
U5950
FSUSB242
WLCSP
A3 HSD+ HSD1+ B3
C3 HSD1- NC
A2 HSD- HSD2+ C2
HSD2- C1
SEL B2
GND
B

CRITICAL
R5941
200K
1 2
1%
1/32W
MF
01005

C5941
10UF
1 2
20%
10V
X5R-CERM
0402-0.1MM
138S0979

84 54 PP1V8 LDCM

C5942
0.1UF
1 2
20%
6.3V
X5R-CERM
01005

ANA_LDCM_ZREF 54
ANA_LDCM_TRACE1 81 54 35 IN

LDCM_DEBUG_IN 54

CRITICAL
R5940
4.99K
1 2
1%
1/32W
MF
01005

LDCM_DEBUG_IN_R

LDCM_TIA_IN

B3 A1
MAX44290ANT
BGA
U5940
SHDN
A3
B1 V-
A2
B2
PP1V8 LDCM 54 84

LDCM_TIA_IOUT_POS

54 LDCM VSTIM POS

53 41 30 29 21 9
84 76 54 IN PP1V25 S2

GPIO PMU TO LDCM MUX SEL0 72 IN

R5980
47.0K
1 2
117S0164
5%
1/32W
MF
01005

GPIO LDCM TO AOP INVALID OUT 10 81

R5942
12.4K
1 2
1%
1/32W
MF
01005
CRITICAL

C5943
5PF
1 2
+/-0.1PF
16V
C0G
01005
CRITICAL

R5943
3.01M
1 2
1%
1/32W
TK
01005

84 54 PP3V3 S2 ACE PARROT

C5960
0.1UF
1 2
20%
6.3V
X5R-CERM
01005

ANA_ACE2LDCM_DEBUG4 81 36 IN
ANA_ACE2LDCM_DEBUG5 81 36 IN

R5962
200
1 2
1%
MF
1/20W
201

ANA LDCM DEBUG 54

R5963
200
1 2
1%
MF
1/20W
201

CLK AOP TO LDCM PDM R 54

R5902
0.00
1 2
0%
1/32W
MF
01005

CLK AOP TO LDCM PDM IN 18

VDD
U5960
FSUSB242
WLCSP
A3 HSD+ HSD1+ B3
C3 HSD1- NC
A2 HSD- HSD2+ C2 NC
HSD2- C1
SEL B2
GND
B

ANA_LDCM_TRACE2 81 35 IN
ANA_LDCM_DEBUG 54

LDCM SELF TEST R

R5970
24.9K
1 2
118S00053
1%
1/32W
MF
01005

NOSTUFF
R5950
0.00
1 2
0%
1/32W
MF
01005

ANA LDCM TRACE1 81 54 35 IN

LDCM DEBUG IN 54

LDCM TO AOP DATA1 PDM R 54

R5903
0.00
1 2
0%
1/32W
MF
01005

LDCM TO AOP DATA1 PDM OUT 18

ANA LDCM ZREF 54 IN

R5961
5.49K
1 2
118S00049
1%
1/32W
MF
01005

NOSTUFF
C5961
0.1UF
1 2
20%
6.3V
X5R-CERM
01005

GPIO_PMU_TO_LDCM_MUX_SEL1 72 IN

BOM_COST_GROUP=USB-C

PAGE TITLE

LDCM

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
152S00992	152S00985	L6000	0.47UH 4A 2012 TAIYO	

RCAM ADAMS PMU

U6100
D2657B0N0VNAVCC
WLCSP
SYM 1 OF 4
OMIT_TABLE

PPVCC_MAIN

A3 VDD_BUCK0_0
B3 VDD_BUCK0_1

VCC MAIN   BUCKS

B6 VDD_MAIN_1
F5 VDD_MAIN_2

BUCK0_LX0_0 A2
BUCK0_LX0_1 B2
BUCK0_FB D1

LX_RCAM_PMU_BUCK
DIDT=TRUE
SWITCH_NODE=TRUE

ANALOG_FB_RCAM_PMU_BUCK

L6000
0.47UH-20%-4.0A-0.05OHM
PIJD2012-SM

XW6000
SHORT-10L-0.1MM-SM
OMIT

PP1V4_ADAMS1_VDDL

C6090 18UF
C6094 4UF
C6021 4UF
C6093 220PF
C6091 18UF
C6092 1UF
C6000 15UF
C6001 15UF
C6002 220PF
C6003 15UF

U6100
D2657B0N0VNAVCC
WLCSP
SYM 2 OF 4
OMIT_TABLE

PPVCC_HIGH

H8 VDD_LDO1_2

LDO INPUT   LDO OUTPUT

F8 VDD_LDO3_4

D8 VDD_LDO5_6_7

PP1V4_ADAMS1_VDDL

B8 VDD_LDO8_9
Vin = 0.8V - 1.9V

VLDO1 H7   PP3V3_ADAMS_LDO1
VLDO2 G7   PP3V0_JASPER_RX_AVDDH

VLDO3 G8   PP3V0_PENROSE
VLDO4 F7   PP3V3_JASPER_TX_AVDDH

VLDO5 E8   PP3V3_RPMU_LDO5_ADC_PENROSE
VLDO6 E7   PP2V85_WIDE_RCAM1_AVDDH1
VLDO7 D7   PP2V85_SWIDE_RCAM2_AVDDH1

VLDO8 C8   PP1V215_RCAM_SWIDE_VDDL
VLDO9 C7   PP1V215_RCAM_WIDE_VDDL

VLDO10 E5   PP1V2_INT_ADAMS_REAR

C6095 15UF
C6097 220PF
C6011 4UF
C6012 4UF
C6013 4UF
C6014 4UF
C6015 4UF
C6016 4UF
C6017 4UF
C6018 4UF
C6019 4UF
C6098 4UF
C6022 4UF

A7 VDD_HI   SW INPUT   SW OUTPUT

PP1V8_S2

A5 VPP_1V8_1
G3 VPP_1V8_2

PP_1V8_SW A4   PP1V8_RPMU_IO_SW

VDD_MAX A6   PP_VDD_MAX_RCAM VDD_MAX: Internal supply. Power-Or of VDD_HI or VDD_MAIN
VDD_RTC E4   PP_VDD_RTC_RCAM
VDD_RTC_DIG F4

C6099 4UF
C6030 0.1UF
C6020 1UF
C6023 1.0UF

PLACEHOLDER

BOM_COST_GROUP=CAMERA

PAGE TITLE

CAMERA: ADAMS REAR POWER (1/2)

RCAM ADAMS PMU IO

84 56 PP1V8_RPMU_IO_SW

PP1V8_RPMU_IO_SW 56 84

R6132	R6131	R6122	R6121	R6112	R6111	R6102	R6101
1.00K	1.00K	1.00K	1.00K	1.00K	1.00K	1.00K	1.00K
5%	5%	5%	5%	5%	5%	5%	5%
1/32W	1/32W	1/32W	1/32W	1/32W	1/32W	1/32W	1/32W
MF	MF	MF	MF	MF	MF	MF	MF
01005	01005	01005	01005	01005	01005	01005	01005

R6137
10K
5%
1/32W
MF
01005

U6100
D2657B0N0VNAVCC
WLCSP
SYM 3 OF 4
OMIT_TABLE

I2C1:WIDE/NEON

I2C1 RCAM PMU SCL 1V8   G5 SCL_1
I2C1 RCAM PMU SDA 1V8   G6 SDA_1

I2C2: JASPER(TOF)
I2C2 RCAM PMU SCL 1V8   J4 SCL_2
I2C2 RCAM PMU SDA 1V8   J5 SDA_2

I2C3: WILL
I2C3 RCAM PMU SCL 1V8   H4 SCL_3
I2C3 RCAM PMU SDA 1V8   H5 SDA_3

I2C4: SWIDE(OHIO)
I2C4 RCAM PMU SCL 1V8   H3 SCL_4
I2C4 RCAM PMU SDA 1V8   J3 SDA_4

I2C   GPIO

GPIO1   E1   GPIO RCAM PMU TO STROBE DRIVER HWEN 1V8
GPIO2   C2   GPIO RCAM PMU TO TOF PMU EN 1V8
GPIO3   D2   GPIO RCAM PMU TO TOF INT L 1V8
GPIO4   E2   GPIO RCAM PMU TO TOF SHUTDOWN L 1V8
GPIO5   F2   GPIO RCAM PMU TO JAS LDO EN 1V8
GPIO6   C3   GPIO RCAM PMU TO WIDE SHUTDOWN L 1V8
GPIO7   D3   GPIO RCAM PMU TO SWIDE SHUTDOWN L 1V8
GPIO8/TCAL   B4   ADAMS_TCAL
GPIO9/TDEV1   D6   C3 TEMP NTC P
GPIO10/TDEV2   F6   NC_ADAMS_GPIO10
GPIO11/TDEV3   B5   NC_ADAMS_GPIO11
GPIO12/TDEV4   C4   NC_ADAMS_GPIO12

SPMI ISP ADAMS REAR SCLK   R6152   20.00   ISP SPMI ADAMS SCLK R   J6 SCLK
SPMI ISP ADAMS REAR SDATA   R6153   33   ISP SPMI ADAMS SDATA R   H6 SDATA

SPMI

1V2 IN GPIO13/FORCE_SYNC   E3   IO TOUCH TO MANY SCAN ACTIVE   R6133   20.00   GPIO SOC TO LANAI DISPLAY BSYNC1

ADAMS_CRASH_L_1V8   F3 CRASH*
GPIO ISP TO ADAMS REAR RESET L   G4 RESET*   RESET

RCAM PMU VREF   C5 VREF
RCAM PMU IREF   D5 IREF   REFERENCE

CLK EXPAND   CLKI   F1   CLK ISP TO RCAM PMU 12MHZ

CLKO_1   G2   CLK RCAM PMU TO WIDE 12MHZ 1V8
CLKO_2   G1   CLK RCAM PMU TO SWIDE 12MHZ 1V8
CLKO_3   H2   CLK RCAM PMU TO JASPER TOF 12MHZ 1V8
CLKO_4   H1 NC

R6136
100K
5%
1/32W
MF
01005

AMUX   B7   AMUX PMU FROM RPMU   PP6101   P3MM
VPP_OTP   J1   Advanced Test Mode (OTP rewrite)

R6151
100K
1/32W
MF
01005

C6100
132S0444
0.1UF
10%
6.3V
CERM-X5R
0201

R6150
CRITICAL
200K
0.1%
1/20W
TF
0201

PRIVACY MODE - CRASH

84 70 66 62 61 55 PP1V8_S2

R6135
100K
5%
1/32W
MF
01005

ADAMS_CRASH_L_1V8

U6100
D2657B0N0VNAVCC
WLCSP
SYM 4 OF 4
OMIT_TABLE

A8 VSS
C1 VSS
C6 VSS
D4 VSS
E6 VSS
J2 VSS
J7 VSS
J8 VSS

VSS_BUCK0   A1
VSS_BUCK0   B1

ADAMS_TCAL

C3 TEMP NTC P

R6144
CRITICAL
3.92K
0.1%
1/20W
MF
0201-2

C6144
100PF
5%
16V
NP0-C0G
01005-1

R6143
CRITICAL
0201

C6143
100PF
5%
16V
NP0-C0G
01005-1

10KOHM-1%-0.31MA
NO_XNET_CONNECTION=1

C3 TEMP NTC N

XW6143
PLACE_NEAR=U6100.D6:10MM

BOM_COST_GROUP=CAMERA

WILL

U6200
CD3710A1
DSBGA
BOOM-CAM_WILL
343S00360

PPVCC_MAIN

C6207	C6200	138S00071	138S00071
220PF	18UF	C6201	C6202
5%	20%	4UF	4UF
16V	6.3V	20%	20%
C0G	CER-X5R	6.3V	6.3V
01005	0402-0.1MM	CER-X5R	CER-X5R
		0201	0201

PP3V3_ADAMS_LDO1
PP1V8_RPMU_IO_SW

C6205	C6208	C6206	C6209
2.2UF	220PF	2.2UF	220PF
20%	5%	20%	5%
6.3V	16V	6.3V	16V
X5R-CERM	C0G	X5R-CERM	C0G
0201	01005	0201	01005

GPIO_RCAM_PMU_TO_TOF_INT_L_1V8
GPIO_RCAM_PMU_TO_TOF_PMU_EN_1V8

I2C3_RCAM_PMU_SDA_1V8
I2C3_RCAM_PMU_SCL_1V8

R6201
100K
5%
1/32W
MF
01005

A4 VIN
B4 VIN
D4 VDD30
E4 VDDIO
E3 INT*
E2 CE
D1 SDA
E1 SCL
D2 DFT AMUX/GND

VNEG C4
VSN A3
VSN B3 LX_WILL_VSN
VSP A2
VSP B2 LX_WILL_VSP
VPOS C1
VPOS C2

GND PGND
C3 D3 A1 B1

VSPAD: -19.5V (Typ), 5mA (Max)

PN_TOF_VSPAD

138S00069	131S00118	138S00069	132S00246
C6204	C6210	C6211	C6212
2.2UF	180PF	2.2UF	1000PF
20%	5%	20%	10%
35V	35V	35V	50V
X5R	NP0-C0G	X5R	X7R
0402-0.1MM	0201	0402	0201-1

DIDT=TRUE
SWITCH_NODE=TRUE

L6200
1.00MM TALL INDUCTOR
1.0UH-20%-2.9A-0.075OHM
PIWA20121T
152S00814

DIDT=TRUE
SWITCH_NODE=TRUE

VDDLAS: 7.5V (Typ), 50mA (Max)

PP_TOF_VDDLAS

131S00164	138S00070			
C6220	C6221	C6222	C6224	C6225
220PF	4.7UF	4.7UF	4.7UF	4.7UF
5%	20%	20%	20%	20%
16V	25V	25V	25V	25V
C0G	X5R	X5R	X5R	X5R
01005	0402-0P1MM	0402-0P1MM	0402-0P1MM	0402-0P1MM

DBG ONLY
TO BE REMOVED FOR POR
PPVCC_MAIN

R6260
117S0157
10K
5%
1/32W
MF
01005

DBGLED_WILL_R

D6260
YELLOW-30MCD-0.02A-2.01V
0201
998-19612
DBGLED_WILL_FET

Q6260
NTNS3190NZ
X1LGA

GPIO_RCAM_PMU_TO_TOF_PMU_EN_1V8

JASPER VDDL LDO

PP1V4_ADAMS1_VDDL

U6250
SCY99247-1.20V
WLCSP
VER-1
353S01904

GPIO_RCAM_PMU_TO_JAS_LDO_EN_1V8

PP3V3_JAS_EXT_LDO_R2

A2 VIN   VOUT A1
B2 EN
C2 VBIAS   SNS B1
        GND
         C1

PP1V2_JASPER_DVDD

R6251
1/32W 0.00 0%
MF   01005

PP3V3_ADAMS_LDO1

C6250	C6251
2.2UF	0.47UF
20%	20%
6.3V	6.3V
X5R-CERM	X5R
0201	01005-1

XW6210
SM
JAS_SNS

C6252	C6253	C6254
15UF	15UF	0.22UF
20%	20%	10%
6.3V	6.3V	6.3V
X5R	X5R	CER-X5R
0402-0.1MM-1	0402-0.1MM-1	01005

WIDE RCAM1 B2B

INDIANA
FLEX PLUG: 516S00248
MLB RCPT: 516S00197
MATCH J417_RCAM_INDIGO_FLEX 3.0.0

J6500
AA28D-S022VA1
F-ST-SM
516S00197

24 23

LPDP_WIDE_BI_AP_AUX_CONN
AP_TO_WIDE_CLK_12MHZ_CONN
I2C_RCAM1_WIDE_SDA_CONN
I2C_RCAM1_WIDE_SCL_CONN

2   1   GND_VOID=TRUE   LPDP_RCAM1_TO_SOC_DATA_C_N<0>
4   3   GND_VOID=TRUE   LPDP_RCAM1_TO_SOC_DATA_C_P<0>
6   5
8   7   GND_VOID=TRUE   LPDP_RCAM1_TO_SOC_DATA_C_N<1>
10   9   GND_VOID=TRUE   LPDP_RCAM1_TO_SOC_DATA_C_P<1>
12   11
14   13
16   15   WIDE_TO_STROBE_DRIVER_STROBE_CONN
18   17   PP2V85_RCAM_WIDE_AVDD_CONN
20   19   PP1V8_RCAM_WIDE_VDDIO_CONN
22   21   ISP_TO_WIDE_SHUTDOWN_CONN_L

WIDE_SWIDE_SYNC_1V8

PP1V215_RCAM_WIDE_VDDL_CONN

26   25

POWER FILTERING

CRITICAL
FL6501
10-OHM-750MA

PP1V8_RPMU_IO_SW   1   2   PP1V8_RCAM_WIDE_VDDIO_CONN
01005-1

C6502   C6501
1.0UF   220PF
20%   5%
6.3V   16V
X5R   C0G
0201-1   01005

CRITICAL
FL6503
FERR-22-OHM-1A-0.055OHM

PP2V85_WIDE_RCAM1_AVDDH1   1   2   PP2V85_RCAM_WIDE_AVDD_CONN
0201

C6503   C6504   C6505
220PF   4UF   4UF
5%   20%   20%
16V   6.3V   6.3V
C0G   CERM-X5R   CERM-X5R
01005   0201   0201
               138S00141   138S00141

CRITICAL
FL6506
FERR-22-OHM-1A-0.055OHM

PP1V215_RCAM_WIDE_VDDL   1   2   PP1V215_RCAM_WIDE_VDDL_CONN
0201

C6507   C6508   C6506
4UF   4UF   220PF
20%   20%   5%
6.3V   6.3V   16V
CERM-X5R   CERM-X5R   C0G
0201   0201   01005
138S00141   138S00141

ISP I2C

FL6520
70-OHM-300MA

I2C1_RCAM_PMU_SCL_1V8   1   2   I2C_RCAM1_WIDE_SCL_CONN
01005-1

C6520
56PF
5%
25V
NP0/C0G
01005
NOSTUFF

FL6521
70-OHM-300MA

I2C1_RCAM_PMU_SDA_1V8   1   2   I2C_RCAM1_WIDE_SDA_CONN
01005-1

C6521
56PF
5%
25V
NP0/C0G
01005
NOSTUFF

IO FILTERS

FL6522

CLK_RCAM_PMU_TO_WIDE_12MHZ_1V8   1   2   AP_TO_WIDE_CLK_12MHZ_CONN
5%
1/32W
MF
01005
117S0182

C6522
56PF
5%
25V
NP0/C0G
01005

FL6523
0.00

GPIO_RCAM_PMU_TO_WIDE_SHUTDOWN_L_1V8   1   2   ISP_TO_WIDE_SHUTDOWN_CONN_L
0%
1/32W
MF
01005

C6523
56PF
5%
25V
NP0/C0G
01005
NOSTUFF

FL6524
0.00

WIDE_AND_SWIDE_TO_STROBE_DRIVER_STROBE_1V8   1   2   WIDE_TO_STROBE_DRIVER_STROBE_CONN
0%
1/32W
MF
01005

C6524
56PF
5%
25V
NP0/C0G
01005
NOSTUFF

LPDP FILTERS

GND_VOID=TRUE   GND_VOID=TRUE
C6510
LPDP_RCAM1_WIDE_TO_SOC_DATA_N<0>   1   2   0.1UF   LPDP_RCAM1_TO_SOC_DATA_C_N<0>
01005   6.3V   20%   X5R-CERM

C6511
LPDP_RCAM1_WIDE_TO_SOC_DATA_P<0>   1   2   0.1UF   LPDP_RCAM1_TO_SOC_DATA_C_P<0>
01005   6.3V   20%   X5R-CERM
GND_VOID=TRUE   GND_VOID=TRUE

GND_VOID=TRUE   GND_VOID=TRUE
C6512
LPDP_RCAM1_WIDE_TO_SOC_DATA_N<1>   1   2   0.1UF   LPDP_RCAM1_TO_SOC_DATA_C_N<1>
01005   6.3V   20%   X5R-CERM

C6513
LPDP_RCAM1_WIDE_TO_SOC_DATA_P<1>   1   2   0.1UF   LPDP_RCAM1_TO_SOC_DATA_C_P<1>
01005   6.3V   20%   X5R-CERM
GND_VOID=TRUE

C6518
01005
LPDP_SOC_TO_RCAM1_WIDE_AUX   1   2   0.1UF   LPDP_WIDE_BI_AP_AUX_CONN
6.3V   20%   X5R-CERM

C6519
56PF
5%
25V
NP0/C0G
01005
NOSTUFF

PAGE TITLE

CAMERA: B2B RCAM1 WIDE

SWIDE RCAM2 B2B

OHIO
FLEX PLUG: 516S00151
MLB RCPT: 516S00152
MATCH J417_RCAM_OHIO_PLAYERS_FLEX 2.0.0
J6600
AA26D-S022VA1
F-ST-SM

23   24

PP1V8 RCAM SWIDE VDDIO CONN   1   2   PP2V85 RCAM SWIDE AVDDH1 CONN
ISP TO SWIDE SHUTDOWN CONN L   3   4
WIDE SWIDE SYNC 1V8   5   6
   7   8 GND_VOID=TRUE   LPDP SWIDE TO SOC DATA C P<1>
SWIDE TO STROBE DRIVER STROBE CONN   9   10 GND_VOID=TRUE   LPDP SWIDE TO SOC DATA C N<1>
I2C RCAM2 SWIDE SCL CONN   11   12
I2C RCAM2 SWIDE SDA CONN   13   14 GND_VOID=TRUE   LPDP SWIDE TO SOC DATA C P<0>
AP TO SWIDE CLK 12MHZ CONN   15   16 GND_VOID=TRUE   LPDP SWIDE TO SOC DATA C N<0>
   17   18
   19   20   LPDPC AP BI SWIDE AUX RX D2P CONN
   21   22
PP1V215 RCAM SWIDE DVDD CONN   25   26
516S00152

POWER FILTERING

CRITICAL
FL6601
10-OHM-750MA
PP1V8 RPMU IO SW   1   2   PP1V8_RCAM_SWIDE_VDDIO_CONN
01005-1

C6602   C6601
1.0UF   220PF
6.3V   16V
X5R   C0G
0201-1   01005

CRITICAL
FL6603
FERR-22-OHM-1A-0.055OHM
PP2V85 SWIDE RCAM2 AVDDH1   1   2   PP2V85 RCAM SWIDE AVDDH1 CONN
0201

C6604   C6605   C6603
4UF   4UF   220PF
6.3V   6.3V   16V
CERM-X5R   CERM-X5R   C0G
0201   0201   01005
138S00141   138S00141

CRITICAL
FL6606
FERR-22-OHM-1A-0.055OHM
PP1V215_RCAM_SWIDE_VDDL   1   2   PP1V215_RCAM_SWIDE_DVDD_CONN
0201

C6607   C6608   C6606
4UF   4UF   220PF
6.3V   6.3V   16V
CERM-X5R   CERM-X5R   C0G
0201   0201   01005
138S00141   138S00141

ISP I2C

FL6620
70-OHM-300MA
I2C4_RCAM_PMU_SCL_1V8   1   2   I2C_RCAM2_SWIDE_SCL_CONN
01005-1

C6620
56PF
25V
NP0/C0G
01005
NOSTUFF

FL6621
70-OHM-300MA
I2C4_RCAM_PMU_SDA_1V8   1   2   I2C_RCAM2_SWIDE_SDA_CONN
01005-1

C6621
56PF
25V
NP0/C0G
01005
NOSTUFF

LPDP FILTERS

GND_VOID=TRUE   GND_VOID=TRUE
LPDP_RCAM2_SWIDE_TO_SOC_DATA_N<0>   OUT   C6610   1   2   0.1UF   LPDP SWIDE TO SOC DATA C N<0>
01005   6.3V   20%   X5R-CERM

LPDP_RCAM2_SWIDE_TO_SOC_DATA_P<0>   OUT   C6611   1   2   0.1UF   LPDP SWIDE TO SOC DATA C P<0>
01005   6.3V   20%   X5R-CERM
GND_VOID=TRUE   GND_VOID=TRUE

GND_VOID=TRUE   GND_VOID=TRUE
LPDP_RCAM2_SWIDE_TO_SOC_DATA_N<1>   OUT   C6612   1   2   0.1UF   LPDP SWIDE TO SOC DATA C N<1>
01005   6.3V   20%   X5R-CERM

LPDP_RCAM2_SWIDE_TO_SOC_DATA_P<1>   OUT   C6613   1   2   0.1UF   LPDP SWIDE TO SOC DATA C P<1>
01005   6.3V   20%   X5R-CERM
GND_VOID=TRUE   GND_VOID=TRUE

C6618
01005   0.1UF
LPDP SOC TO RCAM2 SWIDE AUX   BI   1   2   LPDPC AP BI SWIDE AUX RX D2P CONN
6.3V   20%   X5R-CERM

C6619
56PF
25V
NP0/C0G
01005
NOSTUFF

IO FILTERS

FL6622
22
CLK_RCAM_PMU_TO_SWIDE_12MHZ_1V8   1   2   AP_TO_SWIDE_CLK_12MHZ_CONN
5%
1/32W
MF
01005
117S0182

C6622
56PF
25V
NP0/C0G
01005

FL6623
0.00
GPIO_RCAM_PMU_TO_SWIDE_SHUTDOWN_L_1V8   1   2   ISP_TO_SWIDE_SHUTDOWN_CONN_L
0%
1/32W
MF
01005

C6623
56PF
25V
NP0/C0G
01005
NOSTUFF

FL6624
0.00
WIDE_AND_SWIDE_TO_STROBE_DRIVER_STROBE_1V8   OUT   1   2   SWIDE_TO_STROBE_DRIVER_STROBE_CONN
0%
1/32W
MF
01005

C6624
56PF
25V
NP0/C0G
01005
NOSTUFF

JASPER B2B

MATCH JASPER_FLEX 1.2.0
MLB RCPT: 516S00483
FLEX PLUG: 516S00484

J6700
AA28DH-S16VA1
F-ST-SM

84 60 PP3V0 JASPER RX AVDDH

21 | 22

81 60 I2C JASPER SDA CONN   17 | 18   PN TOF VSPAD CONN 40 81

81 60 I2C JASPER SCL CONN

| 1 | 2 |
PP1V8_CAM_TOF_VDDIO_CONN 60 81
| 3 | 4 |
81 59 58 WIDE SWIDE SYNC 1V8 | 5 | 6 | GPIO RCAM PMU TO TOF SHUTDOWN CONN L 60 81
81 60 GPIO PMU TO TOF INT CONN L | 7 | 8 | PP3V3 JASPER TX AVDDH CONN 60 81
| 9 | 10 | PP TOF VDDLAS CONN 60 81
| 11 | 12 |
81 60 CLK RCAM PMU TO TOF 12MHZ CONN | 13 | 14 | GND_VOID=TRUE   LPDP JASPER TO SOC DATA C P 60
81 60 LPDPC AP BI TOF AUX RX D8P CONN | 15 | 16 | GND_VOID=TRUE   LPDP JASPER TO SOC DATA C N 60

81 40 57 PP1V2 JASPER DVDD   19 | 20
23 | 24

VDDL: Seperated on substrate & flex

JASPER I2C

FL6720
70-OHM-300MA
5   I2C2 RCAM PMU SCL 1V8   1 ⟿ 2   I2C JASPER SCL CONN 60 81
01005-1

FL6721
70-OHM-300MA
3   I2C2 RCAM PMU SDA 1V8   1 ⟿ 2   I2C JASPER SDA CONN 60 81
01005-1

IO Filters

FL6722
2.2
56 IN CLK RCAM PMU TO JASPER TOF 12MHZ 1V8   1 ⟿ 2   CLK RCAM PMU TO TOF 12MHZ CONN 60 81
5%
1/32W
MF
01005
117S0182

C6722
1 56PF
5%
2 25V
NF0/C0G
01005

R6725
0.00
57 56 BI GPIO RCAM PMU TO TOF INT L 1V8   1 — 2   GPIO PMU TO TOF INT CONN L 60 81
0%
1/32W
MF
01005

R6726
0.00
56 IN GPIO RCAM PMU TO TOF SHUTDOWN L 1V8   1 — 2   GPIO RCAM PMU TO TOF SHUTDOWN CONN L 60 81
0%
1/32W
MF
01005

8 IN NC GPIO ISP TO JASPER SHTDWN L   NC GPIO ISP TO JASPER SHTDWN L
MAKE_BASE=TRUE

Power Filtering

CRITICAL
FL6700
22NH-150MA
81 57 PP_TOF_VDDLAS   1 ⟿ 2   VDDLAS: 7.5V (Typ), 50mA (Max)
PLACE_NEAR=FL6700.1:2MM   0201   PP TOF VDDLAS CONN 60 81
152S1441

C6701
1 220PF
5%
2 25V
C0G
01005
NOSTUFF

C6700
1 220PF
5%
2 25V
C0G
01005
NOSTUFF

CRITICAL
FL6702
22NH-150MA
81 57 PN_TOF_VSPAD   1 ⟿ 2   PN TOF VSPAD CONN 60 81
0201
152S1441

C6702
1 220PF   VSPAD: -19.5V (Typ), 5mA (Max)
5%
2 25V
C0G
0201

CRITICAL
FL6703
10-OHM-750MA
84 57 PP1V8 RPMU IO SW   1 ⟿ 2   PP1V8 CAM TOF VDDIO CONN 60 81
01005-1

C6703
1 0.1UF
20%
2 6.3V
X6R-CERM
01005

C6704
1 220PF
5%
2 25V
C0G
01005

CRITICAL
FL6704
10OHM-0.25A
84 PP3V3 JASPER TX AVDDH   1 ⟿ 2   PP3V3 JASPER TX AVDDH CONN 60 81
01005

C6705
1 2.2UF
20%
2 6.3V
X5R-CERM
0201

C6706
1 220PF
5%
2 25V
C0G
01005

PP3V0_JASPER_RX_AVDDH ————————————————— 60 84
81 40 57 PP1V2 JASPER DVDD

C6708
1 2.2UF
20%
2 6.3V
X5R-CERM
0201

C6707
1 220PF
5%
2 25V
C0G
01005

C6709
1 2.2UF
20%
2 6.3V
X5R-CERM
0201

C670A
1 220PF
5%
2 25V
C0G
01005

LPDP Filters

GND_VOID=TRUE   GND_VOID=TRUE
82 8 OUT LPDP JASPER TO SOC DATA N   C6710 1 || 2 0.1UF   LPDP JASPER TO SOC DATA C N 60
01005 6.3V | 20% X5R-CERM

82 8 OUT LPDP JASPER TO SOC DATA P   C6711 1 || 2 0.1UF   LPDP JASPER TO SOC DATA C P 60
01005 6.3V | 20% X5R-CERM
GND_VOID=TRUE

C6718
01005 1 || 2 0.1UF
82 8 BI LPDP SOC TO JASPER AUX   LPDPC_AP_BI_TOF_AUX_RX_D8P_CONN 60 81
6.3V | 20% X5R-CERM

BOM_COST_GROUP=JASPER

PAGE TITLE

CAMERA: B2B JASPER

FCAM ADAMS PMU

U6900
D2657B0N0VNAVCC
WLCSP
SYM 1 OF 4
OMIT_TABLE

PPVCC_MAIN

C6890
18UF
20%
6.3V
CER-X5R
0402-0.1MM

C6894
4UF
20%
6.3V
CER-X5R
0201

138S00071

C6821
4UF
20%
6.3V
CER-X5R
0201

A3 VDD_BUCK0_0
B3 VDD_BUCK0_1

BUCK0_LX0_0 A2
BUCK0_LX0_1 B2
BUCK0_FB   D1

LX_FCAM_PMU_BUCK

L6800
0.47UH-20%-4.0A-0.05OHM
1   2
PIJD2012-SM

DIDT=TRUE
SWITCH_NODE=TRUE

XW6800
SHORT-10L-0.1MM-SM
1   2
OMIT

ANALOG_FB_FCAM_PMU_BUCK

PP_FPMU_VDDL

C6800
15UF
20%
6.3V
CER-X5R
0402-0.1MM-1

C6801
15UF
20%
6.3V
CER-X5R
0402-0.1MM-1

C6802
220PF
5%
16V
C0G
01005

C6803
15UF
20%
6.3V
CER-X5R
0402-0.1MM-1

VCC MAIN   BUCKS

C6893
220PF
5%
16V
C0G
01005

C6891
18UF
20%
6.3V
CER-X5R
0402-0.1MM

C6892
1UF
20%
10V
X5R
0201

B6 VDD_MAIN_1
F5 VDD_MAIN_2

U6900
D2657B0N0VNAVCC
WLCSP
SYM 2 OF 4
OMIT_TABLE

PPVCC_HIGH

C6895
4UF
20%
6.3V
CER-X5R
0201

C6896
4UF
20%
6.3V
CER-X5R
0201

C6897
220PF
5%
16V
C0G
01005

H8 VDD_LDO1_2

VLDO1 H7
VLDO2 G7

VOLTAGE=3.1V   PP3V1_PEARL
VOLTAGE=3.0V   FPMU_VLDO2_SPARE

TITUS: 25MA PEAK
YOGI: 10MA PK ; PROX: 40MA PK

C6811
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

F8 VDD_LDO3_4

VLDO3 G8
VLDO4 F7

PP1V8_JULIET_VDDIO
VOLTAGE=1.315V   PP1V215_JULIET_VDDL

JULIET VDDL: 110MA PK

C6813
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

C6814
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

D8 VDD_LDO5_6_7

VLDO5 E8
VLDO6 E7
VLDO7 D7

VOLTAGE=2.85V   PP2V85_JULIET_AVDDH1
FPMU_VLDO6_SPARE
VOLTAGE=2.85V   PP2V85_SWIDE_FCAM2_AVDDH1

JULIET AVDD: 18MA PK
FCAM WIDE VDDL: 110MA PK
FCAM SWIDE VDDL: 73MA MAX

C6815
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

C6817
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

PP_FPMU_VDDL

C6898
4UF
20%
6.3V
CER-X5R
0201

Vin = 0.8V - 1.9V

B8 VDD_LDO8_9

VLDO8 C8
VLDO9 C7

VOLTAGE=1.2V   PP1V215_FCAM2_SWIDE_VDDL
VOLTAGE=1.2V   PP1V215_FRCAM1_WIDE_VDDL

FCAM SWIDE VDDL: 239MA MAX
FCAM WIDE VDDL: 272MA MAX

C6818
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

C6819
4UF
20%
6.3V
CER-X5R
0201
RCOM=FCAM_PMU

VLDO10 E5

PP1V2_INT_ADAMS_FRONT

C6822
4UF
20%
6.3V
CER-X5R
0201

SW INPUT   SW OUTPUT

A7 VDD_HI

PP1V8_S2

138S00071

C6899
4UF
20%
6.3V
CER-X5R
0201

A5 VPP_1V8_1
G3 VPP_1V8_2

PP_1V8_SW A4

VDD_MAX A6
VDD_RTC E4
VDD_RTC_DIG F4

PP1V8_FCAM_PMU_IO_SW

PP_VDD_MAX_FCAM
PP_VDD_RTC_FCAM

VDD_MAX: Intetrnal supply; Power-Or of VDD_HI or VDD_MAIN

C6830
0.1UF
X5R-CERM
6.3V
01005
20%
RCOM=FCAM_PMU

C6820
1.0UF
20%
10V
X5R-CERM
0201-1
RCOM=FCAM_PMU
PLACEHOLDER

C6823
1.0UF
20%
6.3V
X5R
0201-1

BOM_COST_GROUP=CAMERA

PAGE TITLE
CAMERA: ADAMS FRONT POWER (1/2)

FCAM ADAMS PMU IO

PP1V8_JULIET_VDDIO
PP1V8_FCAM_PMU_IO_SW

R6932 1.00K 5% 1/32W MF 01005
R6931 1.00K 5% 1/32W MF 01005
R6922 1.00K 5% 1/32W MF 01005
R6921 1.00K 5% 1/32W MF 01005
R6912 1.00K 5% 1/32W MF 01005
R6911 1.00K 5% 1/32W MF 01005
R6902 1.00K 5% 1/32W MF 01005
R6901 1.00K 5% 1/32W MF 01005

I2C1:FCAM WIDE (NOT USED)

U6900
D2657B0N0VNAVCC
WLCSP
SYM 3 OF 4
OMIT_TABLE

I2C1 FCAM PMU SCL 1V8 G5 SCL_1
I2C1 FCAM PMU SDA 1V8 G6 SDA_1

I2C2: FCAM SWIDE
I2C2 FCAM PMU SCL 1V8 J4 SCL_2
I2C2 FCAM PMU SDA 1V8 J5 SDA_2

I2C3: JULIET
I2C3 FCAM PMU SCL 1V8 H4 SCL_3
I2C3 FCAM PMU SDA 1V8 H5 SDA_3

I2C4: RIGEL & TITUS
I2C4 FCAM PMU SCL 1V8 H3 SCL_4
I2C4 FCAM PMU SDA 1V8 J3 SDA_4

I2C   GPIO

SPMI ISP ADAMS FRONT SCLK R6952 20.00 1/32W 0% MF 01005 ISP_SPMI_ADAMS_FRONT_SCLK_R J6 SCLK
SPMI ISP ADAMS FRONT SDATA R6953 33 1/32W MF 01005 ISP_SPMI_ADAMS_FRONT_SDATA_R H6 SDATA

SPMI

ADAMS FCAM PMU CRASH L 1V8 F3 CRASH*
GPIO ISP TO ADAMS FRONT RESET L G4 RESET*

RESET

FCAM PMU VREF C5 VREF
FCAM PMU IREF D5 IREF

REFERENCE

GPIO1 E1 GPIO FPMU TO JULIET SHUTDOWN L 1V8
GPIO2 C2 NC
GPIO3 D2 GPIO FCAM PMU TO FCAM SWIDE SHUTDOWN L 1V8
GPIO4 E2 GPIO FCAM PMU TO RIGEL ENABLE 1V8
GPIO5 F2 GPIO RIGEL INT TO FPMU 1V8
GPIO6 C3 NC FPMU GPIO6
GPIO7 D3 NC FPMU GPIO7
GPIO8/TCAL B4 ADAMS FCAM PMU TCAL
GPIO9/TDEV1 D6 C4 TEMP NTC P
GPIO10/TDEV2 F6 NC FPMU GPIO10
GPIO11/TDEV3 B5 NC FPMU GPIO11
GPIO12/TDEV4 C4 NC FPMU GPIO12
GPIO13/FORCE_SYNC E3 IO FPMU TOUCH TO MANY SCAN ACTIVE

R6933 NOSTUFF 20.00 1/32W 0% MF 01005 GPIO SOC TO LANAI DISPLAY BSYNC1

CLK EXPAND

CLKI F1 CLK ISP TO FCAM PMU 12MHZ
CLKO_1 G2 NC
CLKO_2 G1 CLK FCAM PMU TO SWIDE 12M 1V8
CLKO_3 H2 CLK FCAM PMU TO JULIET 12M 1V8
CLKO_4 H1 CLK FCAM PMU TO RIGEL 12M 1V8

R6936 100K 5% 1/32W MF 01005 BOOM=FCAM_PMU

AMUX B7 AMUX PMU FROM FPMU PP6901 SM P3MM
VPP_OTP J1 Advanced Test Mode (OTP rewrite) TP6901 ORIGINALLY ON AMUX

R6945 100K 1/32W MF 01005
C6900 132S0444 0.1UF 10% 6.3V CERM-X5R 0201
R6900 CRITICAL 200K 0.1% 1/20W TF 0201

PRIVACY MODE - CRASH

PP1V8_S2

R6935 100K 5% 1/32W MF 01005

08/01/19:
ONLY TYING FPMU ADAMS
CRASH PIN TO A PU.

ADAMS FCAM PMU CRASH L 1V8

U6900
D2657B0N0VNAVCC
WLCSP
SYM 4 OF 4
OMIT_TABLE

A8 VSS
C1 VSS
C6 VSS
D4 VSS
E6 VSS
J2 VSS
J7 VSS
J8 VSS

VSS_BUCK0 A1
VSS_BUCK0 B1

ADAMS FCAM PMU TCAL
C4 TEMP NTC P

R6944 CRITICAL 3.92K 0.1% 1/20W MF 0201-2
C6944 100PF 5% 16V NP0-C0G 01005-1

CRITICAL R6943 0201
C6943 100PF 5% 16V NP0-C0G 01005-1

10KOHM-1%-0.31MA
NO_XNET_CONNECTION=1

C4 TEMP NTC N

XW6943
PLACE_NEAR=U6100.D6:10MM

BOM_COST_GROUP=CAMERA

PAGE TITLE
CAMERA: ADAMS REAR IO (2/2)

STOCKHOLM

NFC CONTROLLER

PP1V20_S2_NFC
PP1V8_S2
PP_NFC_VDDC
PP_NFC_AVDD

PP1V20_S2_NFC
PP_NFC_VDDNV
PP_NFC_VDDPLL

C200_S 0.22UF 10% 6.3V CER-X5R 01005 NFC
C206_S 2.2UF 20% 6.3V X5R-CERM 0201 NFC
C201_S 0.22UF 10% 6.3V CER-X5R 01005 NFC
C207_S 0.22UF 10% 6.3V CER-X5R 01005 NFC
C202_S 0.22UF 10% 6.3V CER-X5R 01005 NFC
C203_S 0.22UF 10% 6.3V CER-X5R 01005 NFC
C205_S 0.22UF 10% 6.3V CER-X5R 01005 NFC

PP_NFC_VDDBOOST

PP_NFC_VUP
PPVCC_MAIN

R202_S 0.00 0% 1/32W MF 01005 NFC
PP_NFC_VDDBOOST

C208_S 0.22UF 10% 6.3V CER-X5R 01005 NFC

NFC_S
SN210VUK-B101H3
WLCSP

PMUVCC1 PMUVCC2 SIMVCC1 SIMVCC2 VDDBOOST VDDBOOST VDDA VDDC VDDCIN VDDDIO VDDIO_I2C VDDIO_SE VDDMIX VDDNV VDDPA VDDPLL VUP VBAT VBATPWR

Pin	Signal		Signal	Pin
D4	NFC_CLK_32K	SE_GPIO0	NC	H3
H6	NFC_CLK_REQ	SE_GPIO1	NC	F3
A6	NFC_CLK_XTAL1	SE_I2C_SCL	NC	G1
G4	NFC_DWL_REQ	SE_I2C_SDA	NC	H1
F6	NFC_GPIO0	SE_ISO_CLK	NC	F2
J7	NFC_GPIO1	SE_ISO_IO	NC	F1
J5	NFC_GPIO2_AO	SE_ISO_RST	NC	G3
H4	NFC_GPIO3_AO	SE_SPI_CLK	NC	G2
E6	NFC_HSU_CTS	SE_SPI_CS	NC	J2
F5	NFC_HSU_RTS	SE_SPI_MISO	NC	H2
G5	NFC_HSU_RX	SE_SPI_MOSI	NC	E2
E5	NFC_HSU_TX	TXVCASCP	NC	D2
E4	NFC_I2C_SCL	TXVCASCN	NC	D1
F4	NFC_I2C_SDA	RXVCM	NC	B3
J6	NFC_IRQ	TXVCM	NC	C2
G9	NFC_SIM_SWIO1	TX1	NC	A1
J8	NFC_SIM_SWIO2	TX2	NC	C1
H7	NFC_SPMI_SCLK	VCASCHI	NC	D7
G7	NFC_SPMI_SDATA	VCASCLO	NC	C7
H5	NFC_WKUP_REQ	BOOST_LX		B8
B6	NFC_XTAL2	BOOST_LX		B9
G6	TM	VHV	PP_NFC_VHV	B7
A3	RXP	VTUNE	NC	D3
A4	RXN	VEN	GPIO_PMU_TO_ROTTERDAM_EN	D5
		VREF	PP_NFC_VREF	C5

NFC_FW_DWLD
NFC_TEST_OUT

NFC_TO_PMU_HOST_WAKE

AOP_SPMI0_SCLK_NFC
SPMI_AOP_TO_RADIOS_DATA
AP_TO_NFC_DEV_WAKE

PPVCC_MAIN

C204_S 0.22UF 10% 6.3V CER-X5R 01005 NFC
C209_S 0.1UF 10% 6.3V CER-X5R 01005 NFC

VSS_DIG VSS_DIG VSS_DIG_2 VSS_DIG_LN VSS_NFC VSS_PA VSS_PLL VSS_PMU VSS_PWR VSS_PWR VSS_REF VSS_SUB VSS_SUB

F7 J3 E1 J4 C3 B1 C4 D6 C8 C9 C6 D8 E3

NOTE: PDS ARE STUFFED ON SOC SIDE

AOP_SPMI0_SCLK_NFC
SPMI_AOP_TO_RADIOS_DATA

NOSTUFF R200_S 1.00M 5% 1/32W MF 01005
NOSTUFF R201_S 1.00M 5% 1/32W MF 01005

PP201_S P2MM_NSM OMIT
GPIO_PMU_TO_ROTTERDAM_EN
AOP_SPMI0_SCLK_NFC
PP208_S P2MM_NSM OMIT

PP200_S P2MM_NSM OMIT
NFC_TO_PMU_HOST_WAKE
SPMI_AOP_TO_RADIOS_DATA
PP209_S P2MM_NSM OMIT

PP202_S P2MM_NSM OMIT
AP_TO_NFC_DEV_WAKE

PP203_S P2MM_NSM OMIT
NFC_FW_DWLD

PP210_S P2MM_NSM OMIT
NFC_TEST_OUT

BOM_COST_GROUP=SECURE_ELEMENT

PAGE TITLE

NFC

GPM: DMIC GATING

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
343S00390	1	IC,SLG4AP,HALL DMIC DISABLE,1.2V,STQFN8	U7650		

PP1V25_S2

C7600
0.1UF
10%
6.3V
CER-X5R
01005

U7600
74AXP1G08GX
X2SON5

GPM DMIC DISABLE R L
DMIC1 MIC SD UNSEC
DMIC1 MIC SD R

R7601
100
1%
1/32W
MF
01005

PDM DMIC TOP L R SD

PP1V8_S2

C7650
0.1UF
10%
6.3V
CER-X5R
01005

R7699
10K
5%
1/32W
MF
01005

R7698
10K
5%
1/32W
MF
01005

VDD

U7650
SLG4AP43246
STQFN

OMIT_TABLE

IRQS ARE OPEN DRAIN OUTPUT
IRQ PULLUPS ARE INTERNAL IN SERA

PP1V25_S2

R7651
100K
5%
1/32W
MF
01005

PP1V25_S2

C7601
0.1UF
10%
6.3V
CER-X5R
01005

U7601
74AXP1G08GX
X2SON5

GPIO APANEL HALL TO PMU IRQ L
GPIO CPANEL HALL TO PMU IRQ L

HALL1_IN
HALL2_IN

HALL1_BUF_OUT
HALL2_BUF_OUT

GPIO APANEL HALL TO PMU IRQ BUF L
GPIO CPANEL HALL TO PMU IRQ BUF L

MIC_DISABLE

PRE_WARN

GND

GPM_DMIC_DISABLE_L

R7652
0.00
0%
1/32W
MF
01005

GPM DMIC DISABLE R L
DMIC2 MIC SD UNSEC
DMIC2 MIC SD R

R7602
100
1%
1/32W
MF
01005

PDM DMIC FRONT BACK SD

R7653
180K
5%
1/32W
MF
01005
NOSTUFF

PP1V25_S2

R7655
10K
5%
1/32W
MF
01005

PP1V25_S2

C7602
0.1UF
10%
6.3V
CER-X5R
01005

U7602
74AXP1G08GX
X2SON5

SLG TO AOP DMIC DISABLE WARN L

GPM DMIC DISABLE R L
DMIC3 MIC SD UNSEC
DMIC3 MIC SD R

R7603
100
1%
1/32W
MF
01005

PDM DMIC SIDE SD

PP1V25_S2

C7610
0.1UF
20%
6.3V
X5R-CERM
01005
NOSTUFF

PP1V8_S2

C7611
0.1UF
20%
6.3V
X5R-CERM
01005
NOSTUFF

PP1V25_S2

C7620
0.1UF
20%
6.3V
X5R-CERM
01005
NOSTUFF

PP1V8_S2

C7621
0.1UF
20%
6.3V
X5R-CERM
01005
NOSTUFF

VCCA   VCCB

U7610
74AVC2T45GX
X2SON

DMIC2 MIC SD UNSEC
DMIC1 MIC SD UNSEC

A1
A2

B1
B2

DMIC2 MIC SD UNSEC 1V8
DMIC1 MIC SD UNSEC 1V8

DIR

GND

NOSTUFF

LVT / TRANSCEIVER
DIR LOW: B TO A

VCCA   VCCB

U7620
74AVC1T45
SOT886

DMIC3 MIC SD UNSEC
A
B
DMIC3 MIC SD UNSEC 1V8

DIR

GND

NOSTUFF

LVT / TRANSCEIVER
DIR LOW: B TO A

SENTRY JUMPERS

R7610
0.00
0%
1/32W
MF
01005

DMIC2 MIC SD UNSEC
DMIC2 MIC SD UNSEC 1V8

R7611
0.00
0%
1/32W
MF
01005

DMIC1 MIC SD UNSEC
DMIC1 MIC SD UNSEC 1V8

SENTRY JUMPER

R7620
0.00
0%
1/32W
MF
01005

DMIC3 MIC SD UNSEC
DMIC3 MIC SD UNSEC 1V8

BOM_COST_GROUP=AUDIO

PAGE TITLE

GPM

SIMETRA PMU (1/3)

PART NUMBER	ALTERNATE FOR PART NUMBER	REFERENCE DESIGNATOR(S)	DESCRIPTION	BOM OPTION
376S00239	376S00205	Q7772	NAND DISCH NFET	
152S00839	152S01325	L7730	BUCK6 IND	

PPVCC_MAIN

U7700
OMIT_TABLE
TMLT47A1-APE
WLCSP
SYM 1 OF 4

BUCK INPUTS
MAIN INPUTS
BUCK OUTPUTS

C77A0 150UF TANT-POLY CASE-B1S-1
C77AZ 220PF
C77AY 12PF COG

C77B0 20UF · C77B1 20UF · C77B2 20UF · C77B3 20UF · C77B4 20UF — CERM-X5R 0402

C77C0 · C77C1 · C77C2 · C77C3 · C77C4 · C77C5 · C77C6 · C77C7 — 4UF CER-X5R 0201
C77C8 · C77C9 · C77CA · C77CB · C77CC · C77CD · C77CE · C77CF — 4UF CER-X5R 0201

C13 VDD_BUCK5_4_10
C14 VDD_BUCK5_4_10
G13 VDD_BUCK5_4_10
G14 VDD_BUCK5_4_10
M2 VDD_BUCK6
N2 VDD_BUCK6
P2 VDD_BUCK6
N6 VDD_BUCK12
P6 VDD_BUCK12
L13 VDD_BUCK13
L14 VDD_BUCK13
L1 VDD_MAIN_BUCK6
L9 VDD_MAIN_SOUTH
E8 VDD_MAIN
D2 VDD_MAIN_LDO
E2 VDD_MAIN_LDO

XW7701 SHORT-10L-0.1MM-SM
SIMETRA PPVCC MAIN SNS
D8 VDD_MAIN_SNS
SIMETRA PPVCC HIGH SNS
E10 VDD_SNS_SPARE

C12 VDD_ANA
D3 VDD_ANA
E7 VDD_ANA
G12 VDD_ANA
K3 VDD_ANA
L8 VDD_ANA
L12 VDD_ANA
M6 VDD_ANA
C77E3 0.1UF 6.3V X5R-CERM 01005

D5 VDD_DIG
D10 VDD_DIG
J3 VDD_DIG
J10 VDD_DIG
PP1V5 SIMETRA LDO INT

D9 VDD_BOOST
B2 VDD_BOOST_LDO
C2 VDD_BOOST_LDO
PPVCC HIGH
E9 VDD_BOOST_SNS
SIMETRA PPVCC HIGH SNS

XW7702 SHORT-10L-0.1MM-SM
PPVCC HIGH
C83A3 4UF CER-X5R 0201

SIMETRA BSTLO FB
D4 VDD_HI_INT1
L4 VDD_HI_INT2
L7 VDD_HI_INT3
M10 VDD_HI_INT4
J11 VDD_HI_INT5
A11 VDD_HI_INT6
C9 VDD_HI_INT7
C77E2 0.1UF 10V X5R 01005

G10 VDDIO_1V2
PP1V25 S2
H10 VDDIO_BUCK3
C77E0 0.1UF 6.3V CERM-X5R 0201
PP1V8 S2
K6 VPP
C77E1 0.1UF 6.3V CERM-X5R 0201

BUCK OUTPUTS (right side)

L7710 1.0UH-20%-4A-0.034OHM APN: 152S01283 PIKD20161B
F14 BUCK4_LX0   BUCK4_LX0   PP1V06_S2
C7710 C7711 C7712 C7713 C7714 C7715 15UF 20% 4V CERM 0402 / C771Z 220PF
D13 BUCK4_LX1   L7711 0.22UH-20%-6.7A-0.023OHM APN: 152S00204 PINA2021T-SM
D14 BUCK4_LX1
C7716 C7717 C7718 C7719 C771A 15UF CERM 0402 / C771B 15UF
F11 BUCK4_FB   XW7710 SHORT-10L-0.1MM-SM PLACE_NEAR=U0600:10MM
F12 BUCK4_VSS_FB   PP1V06 S2

L7720 0.47UH-20%-4A-0.024OHM APN: 152S01263 PIKD20121B-SM
H13 BUCK5_LX_0   BUCK5_LX0   PPVDD S1 SRAM
H14 BUCK5_LX_1
C7720 C7721 C7722 C7723 C7724 C7725 C7726 15UF / C772Z 220PF
H11 BUCK5_FB   XW7720 SHORT-10L-0.1MM-SM
H12 BUCK5_VSS_FB   PPVDD S1 SRAM

L7730 0.47UH-20%-6.9A-0.022OHM 152S01325 MEMK2520-SM
M3 BUCK6_LX0   BUCK6_LX0   PP2V63_NAND
N3 BUCK6_LX_1
P3 BUCK6_LX_2
C7730 C7731 C7732 C7733 C7734 C7735 C7736 20UF CERM-X5R 0402 / C773Z 220PF
L3 BUCK6_FB   XW7730 SHORT-10L-0.1MM-SM
K2 BUCK6_VSS_FB
M1 BUCK6_VOUT_0
N1 BUCK6_VOUT_1
P1 BUCK6_VOUT_2
C7737 C7738 C7739 C773A C773B 20UF CERM-X5R 0402

L7740 0.47UH-20%-4A-0.024OHM APN: 152S01263 PIKD20121B-SM
B13 BUCK10_LX_0   BUCK10_LX0   PPVDD S1 QI
B14 BUCK10_LX_1
C7740 C7741 C7742 C7743 C7744 C7745 15UF / C774Z 220PF
B11 BUCK10_FB   XW7740 SHORT-10L-0.1MM-SM PLACE_NEAR=U0600:10MM
B12 BUCK10_VSS_FB   PPVDD S1 QI

L7750 0.47UH-20%-4A-0.024OHM APN: 152S01263 PIKD20121B-SM
N5 BUCK12_LX_0   BUCK12_LX0   PP0V88 S1
P5 BUCK12_LX_1
C7750 C7751 C7752 C7753 C7754 15UF / C775Z 220PF
L5 BUCK12_FB   XW7750 SHORT-10L-0.1MM-SM
M5 BUCK12_VSS_FB

L7760 0.47UH-20%-4A-0.024OHM APN: 152S01263 PIKD20121B-SM
K13 BUCK13_LX_0   BUCK13 LX0   PP1V25 S2
K14 BUCK13_LX_1
C7760 C7761 C7762 15UF / C776Z 220PF
K11 BUCK13_FB   XW7760 SHORT-10L-0.1MM-SM PLACE_NEAR=C78E0:1MM
K12 BUCK13_VSS_FB   PP1V25 S2

NAND DISCHARGE CKT (bottom left)

PP2V63 NAND
R7770 102S00068 5.1 5% 1/2W 1K 0805 CRITICAL
R7771 102S00068 5.1 5% 1/2W 1K 0805 CRITICAL
PP2V63 NAND DISCH QD VOLTAGE=2.63V

NAND S1 DISCHARGE CKT
DISABLE IN ACT, S2, AND OFF
1.8V DRIVE

GPIO_PMU_TO_NAND_DISCH_EN_1V8
R7772 1K 1% 1/20W 201
Q7772 376S00205 DMN1017UCP3 X3-DSN1010-3 CRITICAL
NAND_DISCH_QG
C7772 1.0UF 6.3V 20% X5R 0201-1

PP2V63 NAND DISCH QD TP7700
NAND_DISCH_QG TP7701

Title Block

PAGE TITLE
POWER: SIMETRA (1/3)
BOM_COST_GROUP=POWER

PP0V72 S2 VDDLOW

C7800
15UF
20%
6.3V
X5R
0402-0.1MM-1

SIMETRA LDO6 SPARE
PP1V2 SOC LN

C7820   C7821
20UF   4UF
20%   20%
10V   6.3V
X5R   CER-X5R
0402   0201

PP1V06 S2

C78D0
4UF
20%
6.3V
CER-X5R
0201

PP1V8 SIMETRA ALWAYS
PPVDD S2 CIO

U7700
TMLT47A1-APE
WLCSP
SYM 2 OF 4
(300MA/ 0.5-1V)

M7 VDD_LDO4   VLDO4 M8
    VLDO6 D1
C4 VDD_LDO8   VLDO6
    VLDO9 C3
N7 VDD_LDO11   VLDO11 N8
P7 VDD_LDO12   VLDO12 P8
A1 VDD_LDO15   VLDO15 A3
A2 VDD_LDO15   VLDO17 B1
                    VLDO18 C1
B4 VDD_LDO20   VLDO20 B3

LDO INPUTS   LDO OUTPUTS

C7830   C7840
2.2UF   15UF
10%   20%
10V   6.3V
X5R   X5R
0201   0402-0.1MM-1

PP0V8 S1 SOC FIXED
SIMETRA LDO15 SPARE

C7850   C7851
20UF   4UF
20%   20%
10V   6.3V
X5R   CER-X5R
0402   0201

PP SIMETRA LDO17 SPARE
PP3V0 S2 ALS
PP1V2 S2 CIO

C7880   C7881   C7890
15UF   10UF   15UF
20%   20%   20%
6.3V   6.3V   6.3V
X5R   CERM-X5R   X5R
0402-0.1MM-1 0402-2   0402-0.1MM-1

PP1V25 S2

C78E0
4UF
20%
6.3V
CER-X5R
0201

PP0V88 S1

C78F0
4UF
20%
6.3V
CER-X5R
0201

PPVCC MAIN

M11 VDD_SW4   BUCK_SW4 M12
M13 VDD_SW5   BUCK_SW5 M14
N13 VDD_SW5   BUCK_SW5 N14
P13 VDD_SW5   BUCK_SW5 P14
N11 VDD_SW6   BUCK_SW6 N12
P11 VDD_SW6   BUCK_SW6 P12
N9   VDD_SW7   BUCK_SW7 N10
P9   VDD_SW7   BUCK_SW7 P10

SWITCHED RAILS

PP BUCK3 SW4 SPARE
PP1V2 NAND

PP1V8 S2
PP1V25 S2

C78H0
4UF
20%
6.3V
CER-X5R
0201

PP0V88 S1

C78A0   C78B0
1.0UF   10UF
20%   20%
6.3V   6.3V
X5R   CERM-X5R
0201-1   0402-9

J2   VDD_MAIN_BSTLQ   BSTLQ_LX   G1
                      BSTLQ_FB   J1
                      BSTLQ_VOUT H1
E1   VLDOINT

VCP_OUT_SPARE M9 NC
VMBX_SPARE   F10 NC

PPVCC MAIN

C78K0
4UF
20%
6.3V
CER-X5R
0201

PP0V88 NAND

C78C0   C78C1
10UF   10UF
20%   20%
6.3V   6.3V
CERM-X5R   CERM-X5R
0402-9   0402-9

L78M0
0.47UH-20%-1.7A-0.175OHM
PIJT1005FE-SM

SIMETRA BSTLQ LX
SIMETRA_BSTLQ_FB

PPVCC MAIN

C78M0
10UF
20%
6.3V
CERM-X5R
0402-0.1MM

PP1V5 SIMETRA LDO INT

XW78M0
SHORT-10L-0.1MM-SM

SIMETRA_BSTLQ_VOUT

C78L0   C78L1
15UF   4UF
20%   20%
6.3V   6.3V
X5R   CER-X5R
0402-0.1MM-1 0201

C78M3   C78M2   C78M1
0.1UF   20UF   20UF
20%   20%   20%
10V   10V   10V
X5R   X5R   X5R
01005   0402   0402

U7700
TMLT47A1-APE
WLCSP
SYM 4 OF 4

F1   VSS_BSTLQ   VSS A4
                        VSS A12
E13 VSS_BUCK4   VSS C5
E14 VSS_BUCK4   VSS C11
                        VSS D12
A13 VSS_BUCK10   VSS E4
A14 VSS_BUCK10   VSS E5
                        VSS E12
N4   VSS_BUCK12_6   VSS F2
P4   VSS_BUCK12_6   VSS F13
                        VSS G2
J13 VSS_BUCK13_5   VSS G11
J14 VSS_BUCK13_5   VSS H2
                        VSS J12
F8   VSS_DFT_2   VSS K1
                        VSS K4
                        VSS K5
                        VSS K10
                        VSS L2
                        VSS L6
                        VSS L10
                        VSS L11
                        VSS M4

POWER: SIMETRA (2/3)

| | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |

T2 10 SWD PERIPHERAL SWCLK — SWD PERIPHERAL SWCLK 67
MAKE_BASE=TRUE
T2 10 SWD PMU SWDIO — SWD PMU SWDIO 67
MAKE_BASE=TRUE

U7700
TMLT47A1-APE
WLCSP
SYM 3 OF 4

NEAR FRONT
CAM B2B
CRITICAL
R7921
10KOHM-1%-0.31MA
0201

C7921
100PF
5%
25V
COG-CERM
0201

XW7921
SHORT-10L-0.1MM-SM
BOARD_TEMP9_N

NEAR C3
PENINSULA
CRITICAL
R7922
10KOHM-1%-0.31MA
0201

C7922
100PF
5%
25V
COG-CERM
01005

XW7922
SHORT-10L-0.1MM-SM
BOARD_TEMP10_N

NEAR SIMETRA
CRITICAL
R7923
10KOHM-1%-0.31MA
0201

C7923
100PF
5%
25V
COG-CERM
01005

XW7923
SHORT-10L-0.1MM-SM
BOARD_TEMP11_N

NEAR WIFI
CRITICAL
R7924
10KOHM-1%-0.31MA
0201

C7924
100PF
5%
25V
COG-CERM
01005

XW7924
SHORT-10L-0.1MM-SM
BOARD_TEMP12_N

NEAR NAND2
CRITICAL
R7925
10KOHM-1%-0.31MA
0201

C7925
100PF
5%
25V
COG-CERM
01005

XW7925
SHORT-10L-0.1MM-SM
BOARD_TEMP13_N

CRITICAL
R7920
3.92K
0.1%
1/20W
MF
0201-2

C7920
100PF
5%
25V
COG-CERM
01005

C7900
2.2UF
20%
10V
X5R
0201

C7901
0.22UF
20%
10V
CERM-X5R
0201

R7910
1M
5%
1/20W
MF
201

NC — D7 IREF
D6 VREF SIMETRA VREF
C7 VREF_ADC SIMETRA VREF ADC
C6 VSS_REF
A7 TCAL SIMETRA TCAL
A6 TDEV1 BOARD TEMP9 P
A5 TDEV2 BOARD TEMP10 P
B8 TDEV3 BOARD TEMP11 P
B7 TDEV4 BOARD TEMP12 P
B6 TDEV5 BOARD TEMP13 P
E6 ADC_IN 80 SIMETRA ADC IN

NC — B10 AMUX_A<0>
NC — A10 AMUX_A<1>
NC — A9 AMUX_A<2>
NC — A8 AMUX_A<3>
C8 AMUX_AY 80 TPT SIMETRA AMUX AY

NC — D11 AMUX_B<0>
NC — E11 AMUX_B<1>
NC — B9 AMUX_B<2>
NC — C10 AMUX_B<3>
B5 AMUX_BY 80 TPT SIMETRA AMUX BY

NC — J4 RESET_IN
H8 DFT_CTRL_0 67 SWD PERIPHERAL SWCLK
J8 DFT_CTRL_1

F9 EXT32K_EN
K9 EXT32K_IN NC SIMETRA EXT 32K IN
G9 FORCE_SYNC SIMETRA FORCE SYNC

TDEV
GPIO
AMUX
SPMI
RESET
CLOCK

H7 GPIO1 — NC
K8 GPIO2
GPIO3 K7 — NC
J7 GPIO4
G7 GPIO5 — NC
F7 GPIO6
F6 GPIO7 — NC
H6 GPIO8 — NC
G6 GPIO9 — GPIO SIMETRA TO BBPMU ON
J6 GPIO10 — GPIO SIMETRA TO BB_BOOT_CFG1 OUT 78
G5... GPIO11 — GPIO SIMETRA TO BB_BOOT_CFG2 OUT 78
F5 GPIO12 — NC_GPIO SIMETRA TO WLAN REG ON
H5 GPIO13 — NC SIMETRA GPIO13
G5 GPIO14 — GPIO SIMETRA IRQ L 82
J5 GPIO15 — NC
F3 GPIO16 — GPIO_PP2V63_S1_DISCH_EN_R

SWD PMU SWDIO 67

J9 SPMI_SCLK NUB SPMI1 SIMETRA SCLK 10 67
H9 SPMI_SDATA NUB SPMI1 SIMETRA SDATA 10 67

H3 SGPIO_SCLK SGPIO SCLK 1V8 IN 72 82
G3 SGPIO_SDATA SIMETRA SGPIO SDATA 1V8

SGPIO SDATA 1V8 BI 82 72

G8 UVWARN* SIMETRA UVWARN L
G4 SCRASH* SCRASH L 1V8 BI 72 80
H4 SGPIO_READY_REQ SGPIO READY REQ 1V8 72 82

R7914
0.00
0%
1/32W
MF
01005
GPIO PMU TO NAND DISCH EN 1V8 OUT 65

NOSTUFF
R7915
0.00
0%
1/32W
MF
01005
GPIO SERA TO NAND DISCH EN 1V8 IN IN

PP1V2 IO 5 6 7 9 24 44 76 84

R7901
33
5%
1/32W
MF
01005

R7913
47.0K
5%
1/32W
MF
01005

A TP7904

NOTES:
UVWARN = VCC_MAIN UVWARN0 (2.95V) "PRE-UVLO"

R7912
0.00
0%
1/32W
MF
01005

67 10 NUB SPMI1 SIMETRA SDATA
67 10 NUB SPMI1 SIMETRA SCLK

NOSTUFF
R7932
1.00M
5%
1/32W
MF
01005

NOSTUFF
R7931
1.00M
5%
1/32W
MF
01005

ORION INPUT POWER PATH SWITCH & RVP

PP8000
P4MM SM

PP8001
P4MM SM

Q8000
CSD58900L
LGA

84 73 36 PPVBUS PROT

A1 S1
B1 S1
D1 S1
E1 S1

S2 A2
S2 B2
S2 D2
S2 E2

C1 G1   G2 C2
CRITICAL

ACC_PWRIN_EN1

ACC_PWRIN_EN2

R8000
15V
PPVBUS_USB_EMI_R   0   PPVBUS_USB_EMI   FROM E75 RVP FET   35 36 80
5% 1/20W MF 0201
INRUSH LIMITER
SURGE RATED

NOTE DZ8051: 10V ZENER
CRITICAL
DZ8051
BZT52C10LP
DFN10062

R8051
220K
1% 1/20W MF 201

C8073
1UF
10% 10V X5R 0402

ORION_RVP_G

ORION RVP

E1 SYS_VBUS_PWR
D2 NC EXT_PWRIN_EN1
D1 NC EXT_PWRIN_EN2
E2 ACC_PWRIN_EN1
F2 ACC_PWRIN_EN2
C1 EXT_VBUS_PWR

F3
F4 ACC_PWR
F5
F6

80 PPVBUS_ORION_RVP

14.5V
PPVBUS_ORION 76

Q8051
CSD68832L
LGA

R8060
499
1% 1/16W MF-LP 402

80 75 PP5V2_BELLATRIX2_BOOST_VOUT   D3
80 68 PP1V8_INT_ORION   D4
1.8V   D5
D6
E3
E4 VP
E5
E6

C8070
1UF
20% 10V X5R 0201

C8071
1.00F
1.20% 6.3V X5R 0201-1

U8000
CD3257
WCSP

DATA   A3

84 PP1V25_S2   A2 VDD_INT_1V8
A4 VDD_IO

82 10 IN GPIO_AOP_TO_ORION_HWEN

C8072
1UF
20% 6.3V X5R 0201-1

R8070
100K
5% 1/32W MF 01005

C4 HWEN

80 10 OUT GPIO_ORION_TO_AOP_IRQ   A5 INT
5 BID I2C2_SCL   0.00   R8010   I2C_ORION_SCL_1V2_R   C5 SCL
5 BID I2C2_SDA   0.00   R8011   I2C_ORION_SDA_1V2_R   B6 SDA
0% 1/32W 01005 MF
CKPLUS_NAIVE+I2C_PULLUP

GND/DFT   C2

NOTE: VIH_MIN IS BASED ON INT_1V8, 0.7*1.8 = 1.26

FOR CONTAMINATION RESISTANCE MEASUREMENT

ORION_COMM_FILT 76

80 73 36 OUT ACE_ORION_TO_CHARGER_OVP_SW_EN_L   C6 VBUS_VALID*
BELLATRIX_EXT_VBUS_VALID_L   C3 EXT_VBUS_VALID*
FOR DEBUG HEADER ONLY   OUT ORION_CONN_STATUS   B3 CONN_STATUS*
80 7 OUT UART_BELLATRIX2_TO_SOC_TX   B5 HS_RX_OUT
80 7 IN UART_SOC_TO_BELLATRIX2_TX   B4 HS_TX_IN

(INTERNAL PD) ACC_PWR_EN_L   B2   GPIO_3V3_ACE2ORION_ACC_PWR_EN_L   IN 36 80

ACC_PWR_PRESENT_L/ADC_CH1   B1   BELLATRIX_TO_ACE_ACC_PWR_PRESENT_L_3V3   OUT 36 80
J320DIFF: REMOVED 3.3K PU

A1 A6 F1   GND

NOSTUFF
R8071
3.3K
5% 1/32W MF 01005

80 68 PP1V8_INT_ORION

BOM_COST_GROUP=ORION

PAGE TITLE
ORION CONNECTOR & POWER PATH

SERA BUCKS (1/4)

PPVCC MAIN

U8100
OMIT_TABLE
TMLT46B0-APG
WLCSP
SYM 1 OF 6

VOLTAGE INPUTS

Ref	Pin
L1	VDD_BUCK0_2_7_11
L2	VDD_BUCK0_2_7_11
L3	VDD_BUCK0_2_7_11
L4	VDD_BUCK0_2_7_11
R1	VDD_BUCK0_2_7_11
R2	VDD_BUCK0_2_7_11
R3	VDD_BUCK0_2_7_11
R4	VDD_BUCK0_2_7_11
W1	VDD_BUCK0_2_7_11
W2	VDD_BUCK0_2_7_11
W3	VDD_BUCK0_2_7_11
W4	VDD_BUCK0_2_7_11
W7	VDD_BUCK0_2_7_11
W11	VDD_BUCK0_2_7_11
W15	VDD_BUCK0_2_7_11
W19	VDD_BUCK0_2_7_11
Y7	VDD_BUCK0_2_7_11
Y11	VDD_BUCK0_2_7_11
Y15	VDD_BUCK0_2_7_11
Y19	VDD_BUCK0_2_7_11
A7	VDD_BUCK1_8_9
A11	VDD_BUCK1_8_9
B1	VDD_BUCK1_8_9
B2	VDD_BUCK1_8_9
B3	VDD_BUCK1_8_9
B4	VDD_BUCK1_8_9
B7	VDD_BUCK1_8_9
B11	VDD_BUCK1_8_9
F1	VDD_BUCK1_8_9
F2	VDD_BUCK1_8_9
F3	VDD_BUCK1_8_9
F4	VDD_BUCK1_8_9
K1	VDD_BUCK1_8_9
K2	VDD_BUCK1_8_9
K3	VDD_BUCK1_8_9
K4	VDD_BUCK1_8_9
A15	VDD_BUCK3_14
B15	VDD_BUCK3_14
K19	VDD_LDO2
L20	VDD_LDO3_14
K21	VDD_LDO5
J19	VDD_LDO19
C18	VDD_MAIN_WBOOST
F20	VDD_MAIN_WBOOST
F15	VDD_MAIN_WIDAC
K11	VDD_MAIN
V17	VDD_MAIN1
E19	VDD_MAIN_DRV
K10	VDD_MAIN_SNS
F19	VDD_MAIN_SNS_WLED
H8	VDD_BOOST_SNS
R16	VDDIO_1V2
N16	VDDIO_BUCK3
N20	VDD_RTC_ALT
K6	VPP

BUCK OUTPUTS / SENSE

Ref	Pin
W6	BUCK0_LX0
Y6	BUCK0_LX0
V1	BUCK0_LX1
V2	BUCK0_LX1
V3	BUCK0_LX1
V4	BUCK0_LX1
P1	BUCK0_LX2
P2	BUCK0_LX2
P3	BUCK0_LX2
P4	BUCK0_LX2
T1	BUCK0_LX3
T2	BUCK0_LX3
T3	BUCK0_LX3
T4	BUCK0_LX3
M1	BUCK0_LX4
M2	BUCK0_LX4
M3	BUCK0_LX4
M4	BUCK0_LX4
U6	BUCK0_FB
T6	BUCK0_VSS_FB
A6	BUCK1_LX0
B6	BUCK1_LX0
C1	BUCK1_LX1
C2	BUCK1_LX1
C3	BUCK1_LX1
C4	BUCK1_LX1
G1	BUCK1_LX2
G2	BUCK1_LX2
G3	BUCK1_LX2
G4	BUCK1_LX2
E1	BUCK1_LX3
E2	BUCK1_LX3
E3	BUCK1_LX3
E4	BUCK1_LX3
J1	BUCK1_LX4
J2	BUCK1_LX4
J3	BUCK1_LX4
J4	BUCK1_LX4
D6	BUCK1_FB
E6	BUCK1_VSS_FB
Y20	BUCK2_LX0
W18	BUCK2_LX1
Y18	BUCK2_LX1
W16	BUCK2_LX2
Y16	BUCK2_LX2
V20	BUCK2_FB
U20	BUCK2_VSS_FB

PP1V25 S2
PPVCC HIGH
PP1V5_SERA_LDO_INT
PPVCC MAIN

PPVCC MAIN   SERA_PPVCC_MAIN_SNS
XW8101 SHORT-10L-0.1MM-SM

PPVCC HIGH

PP1V25 S2
PP1V8 S2
PPVCC MAIN

C81F0 4UF 20% 6.3V CER-X5R 0201
C81E0 0.1UF 10% 6.3V CERM-X5R 0201
C81E1 0.1UF 10% 6.3V CERM-X5R 0201

Input capacitors (PPVCC MAIN)

C81A0 150UF 20% 6.3V TANT-POLY CASE-BIS-1
C81A1 150UF 20% 6.3V TANT-POLY CASE-BIS-1
C81A3 20UF 20% 6.3V CERM-X5R 0402-0.1MM
C81A4 20UF 20% 6.3V CERM-X5R 0402-0.1MM
C81A5 20UF 20% 6.3V CERM-X5R 0402-0.1MM
C81AZ 220PF 5% 16V C0G 01005
C81AY 12PF 25V NPO-C0G 0201

C81B0 4UF 20% 6.3V CER-X5R 0201
C81B1 4UF 20% 6.3V CER-X5R 0201
C81B2 4UF 20% 6.3V CER-X5R 0201
C81B3 4UF 20% 6.3V CER-X5R 0201
C81B4 4UF 20% 6.3V CER-X5R 0201
C81B5 4UF 20% 6.3V CER-X5R 0201
C81B6 4UF 20% 6.3V CER-X5R 0201
C81B7 4UF 20% 6.3V CER-X5R 0201

C81B8 4UF 20% 6.3V CER-X5R 0201
C81B9 4UF 20% 6.3V CER-X5R 0201
C81BA 4UF 20% 6.3V CER-X5R 0201
C81BB 4UF 20% 6.3V CER-X5R 0201
C81BC 4UF 20% 6.3V CER-X5R 0201
C81BD 4UF 20% 6.3V CER-X5R 0201
C81BE 4UF 20% 6.3V CER-X5R 0201
C81BF 4UF 20% 6.3V CER-X5R 0201
C81BG 4UF 20% 6.3V CER-X5R 0201

C81C0 4UF 20% 6.3V CER-X5R 0201
C81C1 4UF 20% 6.3V CER-X5R 0201
C81C2 4UF 20% 6.3V CER-X5R 0201
C81C3 4UF 20% 6.3V CER-X5R 0201
C81C4 4UF 20% 6.3V CER-X5R 0201
C81C5 4UF 20% 6.3V CER-X5R 0201
C81C6 4UF 20% 6.3V CER-X5R 0201
C81C7 4UF 20% 6.3V CER-X5R 0201

C81C8 4UF 20% 6.3V CER-X5R 0201
C81C9 4UF 20% 6.3V CER-X5R 0201
C81CA 4UF 20% 6.3V CER-X5R 0201
C81CB 4UF 20% 6.3V CER-X5R 0201
C81CC 4UF 20% 6.3V CER-X5R 0201
C81CD 4UF 20% 6.3V CER-X5R 0201
C81CE 4UF 20% 6.3V CER-X5R 0201
C81CF 4UF 20% 6.3V CER-X5R 0201

C81CG 4UF 20% 6.3V CER-X5R 0201
C81CH 4UF 20% 6.3V CER-X5R 0201
C81CI 4UF 20% 6.3V CER-X5R 0201
C81CJ 4UF 20% 6.3V CER-X5R 0201
C81D0 4UF 20% 6.3V CER-X5R 0201
C81D1 4UF 20% 6.3V CER-X5R 0201
C81D2 4UF 20% 6.3V CER-X5R 0201
C81D3 4UF 20% 6.3V CER-X5R 0201

C81D4 4UF 20% 6.3V CER-X5R 0201
C81D5 4UF 20% 6.3V CER-X5R 0201
C81D6 4UF 20% 6.3V CER-X5R 0201
C81D7 4UF 20% 6.3V CER-X5R 0201
C81D8 4UF 20% 6.3V CER-X5R 0201
C81D9 4UF 20% 6.3V CER-X5R 0201
C81DA 4UF 20% 6.3V CER-X5R 0201
C81DB 4UF 20% 6.3V CER-X5R 0201

C81DC 4UF 20% 6.3V CER-X5R 0201
C81DD 4UF 20% 6.3V CER-X5R 0201
C81DE 4UF 20% 6.3V CER-X5R 0201
C81DF 4UF 20% 6.3V CER-X5R 0201
C81DG 4UF 20% 6.3V CER-X5R 0201
C81DH 4UF 20% 6.3V CER-X5R 0201
C81DI 4UF 20% 6.3V CER-X5R 0201
C81DJ 4UF 20% 6.3V CER-X5R 0201

BUCK0 → PPVDD_CPU

PACK_OPTION=J522,J523
1.0UH-20%-4A-0.038OHM
PIKD20161T-SM
L8100 152S01189
1.0UH-20%-4A-0.034OHM
PIKD20161B
L8100 152S01283
PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

BUCK0_LX0

(24.8A; 0.32-1.2V,TYP 1.06V) PPVDD_CPU

C8100 15UF 20% 4V CERM 0402
C8101 15UF 20% 4V CERM 0402
C8102 15UF 20% 4V CERM 0402
C8103 15UF 20% 4V CERM 0402
C8104 15UF 20% 4V CERM 0402
C8105 15UF 20% 4V CERM 0402

0.1UH-20%-10.3A-0.01OHM
L8101 152S01268 PCCE20161B-SM
BUCK0_LX1   SWITCH_MODE=TRUE

C8106 15UF 20% 4V CERM 0402
C8107 15UF 20% 4V CERM 0402
C8108 15UF 20% 4V CERM 0402
C8109 15UF 20% 4V CERM 0402
C810A 15UF 20% 4V CERM 0402
C810B 4UF 16V CERM 0402
C810Z 220PF 5% 16V C0G 01005

BUCK0_LX3   BUCK0_LX2

0.1UH-20%-10.3A-0.01OHM
L8102 152S01268 PCCE20161B-SM
BUCK0_LX2   SWITCH_MODE=TRUE
BUCK0_LX4   SWITCH_MODE=TRUE

XW8100 SHORT-10L-0.1MM-SM PPVDD_CPU
BUCK0_FB

BUCK1 → PPVDD_GPU

152S01283
1.0UH-20%-4A-0.034OHM
PIKD20161B
L8110

(24.8A; 0.32-1.2V,TYP 1.06V) PPVDD_GPU
BUCK1_LX0

C8110 15UF 20% 4V CERM 0402
C8111 15UF 20% 4V CERM 0402
C8112 15UF 20% 4V CERM 0402
C8113 15UF 20% 4V CERM 0402
C8114 15UF 20% 4V CERM 0402
C8115 15UF 20% 4V CERM 0402

0.1UH-20%-10.3A-0.01OHM
L8111 152S01268 PCCE20161B-SM
BUCK1_LX1   SWITCH_MODE=TRUE
BUCK1_LX3   SWITCH_MODE=TRUE

C8116 15UF 20% 4V CERM 0402
C8117 15UF 20% 4V CERM 0402
C8118 15UF 20% 4V CERM 0402
C8119 15UF 20% 4V CERM 0402
C811A 15UF 20% 4V CERM 0402
C811B 15UF 20% 4V CERM 0402
C811Z 220PF 5% 16V C0G 01005

BUCK1_LX2   SWITCH_MODE=TRUE

0.1UH-20%-10.3A-0.01OHM
L8112 152S01268 PCCE20161B-SM
BUCK1_LX3   SWITCH_MODE=TRUE
BUCK1_LX4   SWITCH_MODE=TRUE
BUCK1_LX2   SWITCH_MODE=TRUE

XW8110 SHORT-10L-0.1MM-SM PPVDD_GPU
BUCK1_FB

BUCK2 → PPVDD_S1_SOC

152S01189
1.0UH-20%-4A-0.038OHM
PIKD20161T-SM
L8120
1.0UH-20%-4A-0.034OHM
PIKD20161B
L8120 152S01283
PACK_OPTION=J522,J523
PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

BUCK2_LX0

(7.3A; 0.32-1.2V,TYP 0.857V) PPVDD_S1_SOC

C8120 15UF 20% 4V CERM 0402
C8121 15UF 20% 4V CERM 0402
C8122 15UF 20% 4V CERM 0402
C8123 15UF 20% 4V CERM 0402

L8121 PCCE20161T-SM
0.1UH-20%-8.7A-0.0125OHM 152S01316
BUCK2_LX1   SWITCH_MODE=TRUE
BUCK2_LX2   SWITCH_MODE=TRUE

C8124 15UF 20% 4V CERM 0402
C8125 15UF 20% 4V CERM 0402
C8126 15UF 20% 4V CERM 0402
C8127 15UF 20% 4V CERM 0402
C812Z 220PF 5% 16V C0G 01005
C812X 4UF 20% 6.3V CER-X5R 0201
C812Y 4UF 20% 6.3V CER-X5R 0201

XW8120 SHORT-10L-0.1MM-SM PPVDD_S1_SOC
BUCK2_FB

BOM_COST_GROUP=POWER

U8100
TMLT46B0-APG
WLCSP
SYM 6 OF 6

Pin	Signal
N1	VSS_BUCK0
N2	VSS_BUCK0
N3	VSS_BUCK0
N4	VSS_BUCK0
U1	VSS_BUCK0
U2	VSS_BUCK0
U3	VSS_BUCK0
U4	VSS_BUCK0
W5	VSS_BUCK0
Y1	VSS_BUCK0
Y2	VSS_BUCK0
Y3	VSS_BUCK0
Y4	VSS_BUCK0
Y5	VSS_BUCK0
A1	VSS_BUCK1
A2	VSS_BUCK1
A3	VSS_BUCK1
A4	VSS_BUCK1
A5	VSS_BUCK1
B5	VSS_BUCK1
D1	VSS_BUCK1
D2	VSS_BUCK1
D3	VSS_BUCK1
D4	VSS_BUCK1
H1	VSS_BUCK1
H2	VSS_BUCK1
H3	VSS_BUCK1
H4	VSS_BUCK1
W17	VSS_BUCK2
W21	VSS_BUCK2
W22	VSS_BUCK2
Y17	VSS_BUCK2
Y21	VSS_BUCK2
Y22	VSS_BUCK2
A17	VSS_BUCK3
B17	VSS_BUCK3
W13	VSS_BUCK7
Y13	VSS_BUCK7
A9	VSS_BUCK8
B9	VSS_BUCK8
A13	VSS_BUCK9_14
B13	VSS_BUCK9_14
W9	VSS_BUCK11
Y9	VSS_BUCK11
V22	VSS_BSTLQ
A21	VSS_WLED_LP
A22	VSS_WLED_LP
B21	VSS_WLED_LP
B22	VSS_WLED_LP
A20	VSS_WLED_HP1
B20	VSS_WLED_HP1
C20	VSS_WLED_HP1
D21	VSS_WLED_HP2
D22	VSS_WLED_HP2
J11	VSS_REF
K7	VSS_DFT_2

Pin	Signal
A18	VSS
B8	VSS
B18	VSS
C5	VSS
C9	VSS
C10	VSS
C13	VSS
C17	VSS
D5	VSS
D7	VSS
D10	VSS
D11	VSS
D15	VSS
D18	VSS
D19	VSS
D20	VSS
E5	VSS
E7	VSS
E15	VSS
E17	VSS
E20	VSS
F6	VSS
F16	VSS
F17	VSS
F21	VSS
F22	VSS
G5	VSS
G7	VSS
G18	VSS
H5	VSS
H6	VSS
H15	VSS
H18	VSS
J5	VSS
J6	VSS
J13	VSS
J17	VSS
J18	VSS
K5	VSS
K15	VSS
K18	VSS
L6	VSS
L7	VSS
L8	VSS
L9	VSS
L10	VSS
L11	VSS
L12	VSS
L15	VSS
M5	VSS
N5	VSS
N18	VSS
N22	VSS
P5	VSS
P7	VSS
R18	VSS
T5	VSS
T18	VSS
U5	VSS
U19	VSS
V5	VSS
V6	VSS
V9	VSS
V10	VSS
V13	VSS
V14	VSS
V16	VSS
V18	VSS
V21	VSS
W8	VSS
W12	VSS
W20	VSS

U8100
TMLT46B0-APG
WLCSP
SYM 2 OF 6

BUCK OUTPUTS

Pin	Signal
K9	ADC_IN
C7	VDD_ANA
C11	VDD_ANA
F5	VDD_ANA
F18	VDD_ANA
J15	VDD_ANA
K5	VDD_ANA
K8	VDD_ANA
L5	VDD_ANA
P18	VDD_ANA
R5	VDD_ANA
V7	VDD_ANA
V11	VDD_ANA
V15	VDD_ANA
V19	VDD_ANA
D9	VDD_DIG
E16	VDD_DIG
J7	VDD_DIG
M18	VDD_DIG
P9	VDD_DIG
R17	VDD_DIG
K12	VREF
J10	VBAT
J9	IBAT
J8	IREF

TP8200
SERA_ADC_IN
PP1V5_SERA_LDO_INT

R8203
1M
5%
1/20W
MF
201

C8202
0.1UF
20%
6.3V
X5R-CERM
01005

C8200
2.2UF
20%
10V
X5R
0201

R8201
1.00K
5%
1/32W
MF
01005

R8202
1.00K
5%
1/32W
MF
01005

C8201
0.22UF
10%
6.3V
CER-X5R
01005

PMU_VCC_MAIN_SNS_R_P
NO_XNET_CONNECTION=1
SERA_VREF
PMU_VCC_MAIN_SNS_P
PMU_VCC_MAIN_SNS_N
NC
PMU_VCC_MAIN_SNS_R_N

SWITCHED RAILS

Pin	Signal
R21	VDD_SW1
R22	VDD_SW1
T20	VDD_SW2
R19	VDD_SW3
R20	VDD_SW3
P21	BUCK_SW1
P22	BUCK_SW1
T19	BUCK_SW2
P19	BUCK_SW3
P20	BUCK_SW3

PP1V8_S2
C82R0
2.2UF
20%
10V
X5R
0201

PP1V25_S2
C82R1
2.2UF
20%
10V
X5R
0201

BUCK3_LX0
BUCK3_LX
BUCK3_LX
BUCK3_FB
BUCK3_VSS_FB

L8210
APN:152S01263
0.47UH-20%-4A-0.024OHM
PIKD20121B-SM
XW8210
SHORT-10L-0.1MM-SM

L8220
152S01189
1.0UH-20%-4A-0.038OHM
PIKD20161T-SM

C8210	C8211	C8212	C8213	C8214	C8215	C8216	C8217
15UF	15UF	15UF	15UF	15UF	15UF	15UF	15UF
20%	20%	20%	20%	20%	20%	20%	20%
4V	4V	4V	4V	4V	4V	4V	4V
CERM	CERM	CERM	CERM	CERM	CERM	CERM	CERM
0402	0402	0402	0402	0402	0402	0402	0402

C821Z
220PF
20%
16V
COG
01005

PP1V8_S2

PPVDD_CPU_SRAM

BUCK7_LX0
BUCK7_LX1
BUCK7_LX1
BUCK7_FB
BUCK7_VSS_FB

L8221
152S01283
0.22UH-20%-6.7A-0.023OHM
PINA20121T-SM
APN:152S00204
XW8220
SHORT-10L-0.1MM-SM

C8220	C8221	C8222	C8223	C8224	C8225	C8226	C8227	C822Z	C822Y	C822X
15UF	15UF	15UF	15UF	15UF	15UF	15UF	15UF	220PF	4UF	4UF
20%	20%	20%	20%	20%	20%	20%	20%	5%	20%	20%
4V	4V	4V	4V	4V	4V	4V	4V	16V	6.3V	6.3V
CERM	CERM	CERM	CERM	CERM	CERM	CERM	CERM	COG	CER-X5R	CER-X5R
0402	0402	0402	0402	0402	0402	0402	0402	01005	0201	0201

NOSTUFF

PPVDD_CPU_SRAM

BUCK8_LX0
BUCK8_LX1
BUCK8_LX1
BUCK8_FB
BUCK8_VSS_FB

L8230
APN:152S01283
1.0UH-20%-4A-0.034OHM
PIKD20161B

L8231
APN:152S00204
0.22UH-20%-6.7A-0.023OHM
PINA20121T-SM
XW8230
SHORT-10L-0.1MM-SM

C8230	C8231	C8232	C8233	C8234	C8235	C823Z	C8299	C8298	C829Y	C829X
15UF	15UF	15UF	15UF	15UF	15UF	220PF	4UF	4UF	4UF	4UF
20%	20%	20%	20%	20%	20%	20%	20%	20%	20%	20%
4V	4V	4V	4V	4V	4V	16V	6.3V	6.3V	6.3V	6.3V
CERM	CERM	CERM	CERM	CERM	CERM	COG	CER-X5R	CER-X5R	CER-X5R	CER-X5R
0402	0402	0402	0402	0402	0402	01005	0201	0201	0201	0201

PPVDD_S1_DISP
PPVDD_S1_DISP

BUCK9_LX
BUCK9_LX
BUCK9_FB
BUCK9_VSS_FB

L8240
APN:152S01263
0.47UH-20%-4A-0.024OHM
PIKD20121B-SM
XW8240
SHORT-10L-0.1MM-SM
PLACE_NEAR=U8600:10MM

C8242	C8243	C8244	C824Z
15UF	15UF	15UF	220PF
20%	20%	20%	20%
4V	4V	4V	16V
CERM	CERM	CERM	COG
0402	0402	0402	01005

PPVDD_S1_DCS
NOSTUFF NOSTUFF

C8240	C8241
15UF	15UF
20%	20%
4V	4V
CERM	CERM
0402	0402

PPVDD_S1_DCS

L8250
152S01283
1.0UH-20%-4A-0.034OHM
PIKD20161B

L8250
152S01189
1.0UH-20%-4A-0.038OHM
PIKD20161T-SM

BUCK11_LX0
BUCK11_LX1
BUCK11_LX1
BUCK11_FB
BUCK11_VSS_FB

L8251
152S00204
0.22UH-20%-6.7A-0.023OHM
PINA20121T-SM
XW8250
SHORT-10L-0.1MM-SM

C8250	C8251	C8252	C8253	C8254	C8255	C8256	C8257	C825Z	C825Y	C825X
15UF	15UF	15UF	15UF	15UF	15UF	15UF	15UF	220PF	4UF	4UF
20%	20%	20%	20%	20%	20%	20%	20%	20%	20%	20%
4V	4V	4V	4V	4V	4V	4V	4V	16V	6.3V	6.3V
CERM	CERM	CERM	CERM	CERM	CERM	CERM	CERM	COG	CER-X5R	CER-X5R
0402	0402	0402	0402	0402	0402	0402	0402	01005	0201	0201

NOSTUFF

PPVDD_ECPU
PPVDD_ECPU

BUCK14_LX   NC
BUCK14_LX   NC
BUCK14_FB   NC
BUCK14_VSS_FB

PP1V8_SW1_IO
C82S0
1.0UF
20%
6.3V
X5R
0201-1

PP1V8_S2_TOUCH
C82S1
1.0UF
20%
6.3V
X5R
0201-1

PP1V2_IO
C82S2
1.0UF
20%
6.3V
X5R
0201-1

PPVCC HIGH

C83A0
4UF
20%
6.3V
CER-X5R
0201

C83A1
4UF
20%
6.3V
CER-X5R
0201

U8100
TMLT46B0-APG
WLCSP
SYM 3 OF 6

G19 VDD_BOOST_LDO
G21 VDD_BOOST_LDO
H19 VDD_BOOST_LDO
H21 VDD_BOOST_LDO
J21 VDD_BOOST_LDO

PPVCC MAIN

C83A2
4UF
20%
6.3V
CER-X5R
0201

M20 VDD_MAIN_LDO

ACE_TO_PMU_LDO1_EN_1V8
N17 LDO1_EN

PP1V5 SERA LDO INT
M21 VLDOINT

C83B1
15UF
20%
6.3V
X5R
0402-0.1MM-1

C83B0
4UF
20%
6.3V
CER-X5R
0201

N21 VLDORTC

LDO OUTPUTS

VLDO1 J22
VLDO2 K20
VLDO3 L21
VLDO5 K22
VLDO7 H22
VLDO9 M19
VLDO10 G20
VLDO13 H20
VLDO14 L19
VLDO16 G22
VLDO19 J20
VREF_ADC H7

PP3V3 BSB
PP1V8 LDCM

C8300
15UF
20%
6.3V
X5R
0402-0.1MM-1

C8301
10UF
20%
6.3V
X5R
0402-2

C8310
4UF
20%
6.3V
CER-X5R
0201

PP1V20 S2 NFC
PP2V95 S2 SCORPIUS

C8320
20UF
20%
6.3V
X5R
0402

C8321
4UF
20%
6.3V
CER-X5R
0201

PLACE_NEAR=NFC,S.J1:100MM

C8330
20UF
20%
6.3V
X5R
0402

PP3V3 S2 ACE PARROT   REMOTE CAP AT ACE2
PP1V8 SERA ALWAYS

C8340
15UF
20%
6.3V
X5R
0402-0.1MM-1

C8350
2.2UF
20%
10V
X5R
0402

PP SERA LDO10 SPARE
PP3V3 S2 TOUCH

C8370
15UF
20%
6.3V
X5R
0402-0.1MM-1

C8371
10UF
20%
6.3V
CER-X5R
0402-2

PP1V2 S2 TOUCH
PP SERA LDO16 SPARE

C8380
15UF
20%
6.3V
X5R
0402-0.1MM-1

PPVDD S4 HIB UNUSED   (NON-POR)
SERA VREF ADC

C83E0
0.22UF
20%
10V
CER-X5R
0201

L8301
10UH-20%-2.7A-0.18OHM
PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

PPVCC MAIN

C8304
10UF
20%
6.3V
CER-X5R
0402-0.1MM

C8390
47PF
5%
50V
NP0-C0G
0201

C8391
180PF
5%
50V
NP0-C0G
0201

L8302
4.7UH-20%-2.8A-0.1OHM

WLED_LX_B

D8301
DOD160B
PMEG4010EPKS500
CRITICAL

C8302
10UF
20%
6.3V
CER-X5R
0402-0.1MM

C8392
47PF
5%
50V
NP0-C0G
0201

C8393
180PF
5%
50V
NP0-C0G
0201

U8100
TMLT46B0-APG
WLCSP
SYM 5 OF 6

LED IO 0   G17 IDAC_OUT<0>
LED IO 1   G16 IDAC_OUT<1>
LED IO 2   G14 IDAC_OUT<2>
LED IO 3   G13 IDAC_OUT<3>
LED IO 4   H17 IDAC_OUT<4>
LED IO 5   H16 IDAC_OUT<5>
LED IO 6   H14 IDAC_OUT<6>
LED IO 7   H13 IDAC_OUT<7>
LED IO 8   J16 IDAC_OUT<8>
LED IO 9   J14 IDAC_OUT<9>
LED IO 10 K17 IDAC_OUT<10>
NC LED IO 6 B K16 IDAC_OUT<11>
LED IO 12 K14 IDAC_OUT<12>
LED IO 13 K13 IDAC_OUT<13>
LED IO 14 L17 IDAC_OUT<14>
LED IO 15 L16 IDAC_OUT<15>
LED IO 16 L14 IDAC_OUT<16>
NC LED IO 6 C L13 IDAC_OUT<17>

WLED_LP_LX C21
WLED_LP_LX C22

WLED LX A

WLED_HP1_LX A19
WLED_HP1_LX B19
WLED_HP1_LX C19

WLED LX B

D8302
DOD160B
PMEG4010EPKS500
CRITICAL

WLED_HP2_LX E21 NC
WLED_HP2_LX E22 NC

XW83C0
SHORT-10L-0.1MM-SM

WLED_VOUT_FB E18   PPLED BOOST FB

VCP_OUT_SPARE U21 NC
VMBX_SPARE J12 NC   CONFIRMED WITH SEG

C83C0
10UF
20%
35V
X5R-CERM
0603

C83C1
10UF
20%
35V
X5R-CERM
0603

C83C2
10UF
20%
35V
X5R-CERM
0603

C83C3
10UF
20%
35V
X5R-CERM
0603

C83C4
10UF
20%
35V
X5R-CERM
0603

C83C5
10UF
20%
35V
X5R-CERM
0603

C83C6
10UF
20%
35V
X5R-CERM
0603

C83C7
10UF
20%
35V
X5R-CERM
0603

NC PPLED OUT

C83C8
10UF
20%
35V
X5R-CERM
0603

C83C9
10UF
20%
35V
X5R-CERM
0603

C8394
220PF
5%
50V
C0G
0201

C8395
220PF
5%
50V
C0G
0201

TP83F0
ORIGINALLY SERA_BSTLQ_LX

L83F0
0.47UH-20%-1.7A-0.175OHM
PIJT1005FE-SM

PPVCC MAIN

SERA BSTLQ LX

C83F4
10UF
20%
6.3V
CERM-X5R
0402-0.1MM

C83F0
20UF
20%
10V
X5R
0402

C83F1
20UF
20%
10V
X5R
0402

C83F2
0.1UF
20%
10V
X5R
01005

PPVCC HIGH

XW83F0
SHORT-10L-0.1MM-SM

U22 BSTLQ_LX
T22 BSTLQ_VOUT

SERA BSTLQ VOUT

H9 VDD_BOOST
H10 VDD_SNS_SPARE

SERA VDD HI INT

T21 VDD_HI_INT1
H11 VDD_HI_INT2
D13 VDD_HI_INT3
D17 VDD_HI_INT4
H12 VDD_HI_INT5
L18 VDD_HI_INT6

C83F3
0.1UF
20%
10V
X5R
01005

R83Z0
5.7K
1/20W
MF
201
CRITICAL
NOSTUFF

WLED LX A R

C83Z0
12PF
2%
100V
CERM
0201
NOSTUFF

R83Z1
5.7K
1/20W
MF
201
CRITICAL
NOSTUFF

WLED LX B R

C83Z1
12PF
2%
100V
CERM
0201
NOSTUFF

WLED LX A

WLED LX B

BOM_COST_GROUP=POWER

SERA GPIOS (4/4)

NEAR BATT CONN
R8422
CRITICAL
0201
10KOHM-1%-0.31MA
C8422
100PF
5%
25V
COG-CERM
0100
XW8422
SHORT-10L-0.1MM-SM
BOARD_TEMP2_N

NEAR POTOMAC
R8423
CRITICAL
0201
10KOHM-1%-0.31MA
C8423
100PF
5%
25V
COG-CERM
01005
XW8423
SHORT-10L-0.1MM-SM
BOARD_TEMP3_N

NEAR SERA
R8424
CRITICAL
0201
10KOHM-1%-0.31MA
C8424
100PF
5%
25V
COG-CERM
0100%
XW8424
SHORT-10L-0.1MM-SM
BOARD_TEMP4_N

NEAR ORION
R8425
CRITICAL
0201
10KOHM-1%-0.31MA
C8425
100PF
5%
25V
COG-CERM
01005
XW8425
SHORT-10L-0.1MM-SM
BOARD_TEMP5_N

NEAR IO FLEX
R8426
CRITICAL
0201
10KOHM-1%-0.31MA
C8426
100PF
5%
25V
COG-CERM
01005
XW8426
SHORT-10L-0.1MM-SM
BOARD_TEMP6_N

NEAR EDP B2B
R8427
CRITICAL
0201
10KOHM-1%-0.31MA
C8427
100PF
5%
25V
COG-CERM
01005
XW8427
SHORT-10L-0.1MM-SM
BOARD_TEMP7_N

NEAR SOC
R8428
CRITICAL
0201
10KOHM-1%-0.31MA
C8428
100PF
5%
25V
COG-CERM
01005
XW8428
SHORT-10L-0.1MM-SM
BOARD_TEMP8_N

C8429
100PF
5%
25V
COG-CERM

R8429
3.92K
0.1%
1/20W
MF
0201-2
CRITICAL

SERA_TCAL

Y8400
32.768KHZ-20PPM-12.5PF
1.60X1.00-SM
PMU_XTAL
PMU_EXTAL
C8400
22PF
5%
50V
COG
0201
C8401
22PF
5%
50V
COG
0201

CAPS INCREASED FROM 18PF TO 22PF TO BETTER TARGET 32768HZ
NEW XTAL...NEED TO VALIDATE FREQUENCY

SWD PERIPHERAL SWCLK　　SWD PERIPHERAL SWCLK
WAKE_BASE=TRUE
SWD_PMU_SWDIO　　SWD_PMU_SWDIO
WAKE_BASE=TRUE

U8100
TMLT46B0-APG
WLCSP
SYM 4 OF 6

TDEV

PA_NTC_P　E8 TDEV1
F9 TDEV2
BOARD_TEMP2_P　F8 TDEV3
BOARD_TEMP3_P　F7 TDEV4
BOARD_TEMP4_P　G9 TDEV5
BOARD_TEMP5_P　G10 TDEV6
BOARD_TEMP6_P　G8 TDEV7
BOARD_TEMP7_P　G7 TDEV8
BOARD_TEMP8_P
F10 TCAL

GPIO
P16 GPIO1　NC_SERA_GPIO1
T9 GPIO2　GPIO_APANEL_HALL_TO_PMU_IRQ_BUF_L
T7 GPIO3　SWD_PMU_SWDIO
R11 GPIO4　GPIO_CPANEL_HALL_TO_PMU_IRQ_BUF_L
T8 GPIO5　SER_GPIO4_R　R8493　0.00　0% 1/32W MF 01005　GPIO_POTOMAC_TO_SOC_TO_PMU_IRQ_L
U7 GPIO6　GPIO_POTOMAC_TO_PMU_WAKE_1V8
T11 GPIO7　GPIO_BB_TO_PMU_HOST_WAKE_L
U10 GPIO8　GPIO_WLAN_TO_PMU_HOST_WAKE
R12 GPIO9　SERA_FORCE_SYNC
U9 GPIO10　NC_SERA_GPIO10
T12 GPIO11　GPIO_PMU_TO_LCD_PWREN_1V8
U11 GPIO12　GPIO_PMU_TO_POTOMAC_LINCH_EN_1V8
T13 GPIO13　GPIO_PMU_TO_ROTTERDAM_EN
U13 GPIO14　GPIO_PMU_TO_SCORPIUS_EXT_DOTARA_EN_1V8
M13 GPIO15　GPIO_PMU_TO_ATRANI_EXT_LDO_EN_1V8
M14 GPIO16　NC_SERA_GPIO16
N14 GPIO17　GPIO_PMU_TO_NAND_LOW_BATT_L
R13 GPIO18　GPIO_PMU_TO_SCORPIUS_MCU_NRST_L_1V8
U12 GPIO19　GPIO_PMU_TO_LDCM_MUX_SEL0
U15 GPIO20　GPIO_PMU_TO_LDCM_MUX_SEL1
T14 GPIO21　NC
U16 GPIO22　NC_SERA_GPIO22
U17 GPIO23　GPIO_PMU_TO_BBPMU_ON
R14 GPIO24　GPIO_PMU_TO_WLAN_REG_ON
N10 GPIO25　GPIO_SERA_TO_NAND_DISCH_EN_1V8
P8 GPIO26　GPIO_PMU_TO_BBPMU_VBUS_DET
P17 GPIO27　NC_SERA_GPIO27

PP1V8_S2
R8400
0.00
5%
1/32W
MF
R8401
10K
1%
1/32W
MF
01005

BUTTONS
GPIO_BTN_VOL_DOWN_L_1V8　P10 BUTTON1　BUTTONO1 N7　GPIO_PMU_TO_SOC_BTN_VOL_DOWN_L
GPIO_BTN_ONOFF_L_1V8　M6 BUTTON2　BUTTONO2 N9　GPIO_PMU_TO_SOC_BTN_ONOFF_L
GPIO_BTN_VOL_UP_L_1V8　N8 BUTTON3　BUTTONO3 M7　GPIO_PMU_TO_SOC_BTN_VOL_UP_L
NC_GPIO_BTN_4 NO_TEST+1　P11 BUTTON4　DBLCLICK_DET N6　DBL_CLICK_DET

RESET
GPIO_SOC_TO_PMU_WDOG　N11 RESET_IN1　RESET* N13　RESET_PMU_TO_SYSTEM_L
GPIO_1V2_ACE2PMU_RESET　M10 RESET_IN2
SOCHOT1_SOC_TO_PMU_L　M9 RESET_IN3
NC R7 VBUS_DET　PMOS OD FORCE_DFU T10　GPIO_PMU_TO_SOC_FORCE_DFU　R8402　1.00K 5% 1/32W MF　GPIO_FORCE_DFU
E9 BRICK_ID1　FAULT_OUT* M12　NC
E10 BRICK_ID2　SCRASH* N12　SCRASH_L_1V8_R　R8403　0.00 0% 1/32W MF　SCRASH_L_1V8
PMU_SHUTDOWN_1V8　M8 SHDN　SGPIO_READY_REQ M15　SGPIO_READY_REQ_1V8

SPMI
SGPIO_SCLK N15　SGPIO_SCLK_1V8_R　R8405 33 MF 01005 1/32W　SGPIO_SCLK_1V8
SGPIO_SDATA P15　SGPIO_SDATA_1V8_R　R8406 33 MF 01005 1/32W　SGPIO_SDATA_1V8
SPMI_SCLK R15　NUB_SPMI_SERA_SCLK
SPMI_SDATA T15　NUB_SPMI_SERA_SDATA_R　R8407 33 5% MF 01005 1/32W　NUB_SPMI_SERA_SDATA
PLACE_NEAR=U8100.T15:100MM

CLOCKS
N19 NXTAL_MEMS　SLEEP_32K U18　CLK_PMU_TO_AOP_32K
PMU_XTAL L22 XIN　OUT_32K T16　CLK_PMU_TO_WLAN_32K
PMU_EXTAL M22 XOUT

AMUX
NC E13 AMUX_A<0>　CRASH* P12　SERA_CRASH_L
NC F11 AMUX_A<1>　DFT_CTRL0 M16
NC E12 AMUX_A<2>　DFT_CTRL1 M17　SWD_PERIPHERAL_SWCLK
NC E11 AMUX_A<3>　SYS_ALIVE M11　SYS_ALIVE
TPT_SERA_AMUX_AY G12 AMUX_AY　ACTIVE_READY P13　GPIO_PMU_TO_SYSTEM_ACTIVE_READY
DOMBRA_LDO_8V_PGOOD_FET E14 AMUX_B<0>　REQUEST_DFU R6　PMU_REQUEST_DFU
NC F14 AMUX_B<1>　CPU_TRIGGER0* P6　GPIO_PMU_TO_SOC_TRIGGER_2
NC F12 AMUX_B<2>　CPU_TRIGGER1* R9　GPIO_PMU_TO_SOC_TRIGGER_3
NC F13 AMUX_B<3>　GPU_TRIGGER0* R8　GPIO_PMU_TO_SOC_TRIGGER_0
TPT_SERA_AMUX_BY G11 AMUX_BY　GPU_TRIGGER1* R10　GPIO_PMU_TO_SOC_TRIGGER_1
UVWARN* P14　GPIO_PMU_TO_SOC_TRIGGER_4
VDD_BOOST_UVLO* T17　NC

THROTTLE

PP1V8_SIMETRA_ALWAYS
NOSTUFF
R8404
100K
1%
1/32W
MF
01005
PLACE NEAR SIMETRA SIDE
INTERNAL PU ON SERA SIDE

PLACE NEAR SIMETRA SIDE

GPIO_FORCE_DFU
R8499
100K
1%
1/32W
MF
01005

PMU_REQUEST_DFU
R8498
100K
1%
1/32W
MF
01005

SERA_CRASH_L
TP8403
A

NOTES:
CPU_TRIGGER0* - BUCK0 THERMAL WARNING
CPU_TRIGGER1* - VCC_MAIN UVWARN1 (2.8V) "SW SHUTDOWN"
GPU_TRIGGER0* - BUCK1 THERMAL WARNING
GPU_TRIGGER1* - UNUSED
UVWARN*　- VCC_MAIN UVWARN0 (2.95V) "PRE-UVLO"

PP1V8_S2
PP1V8_SERA_ALWAYS
R8492
100K
1%
1/32W
MF
01005
R8497
100K
1%
1/32W
MF
01005
R8496
100K
1%
1/32W
MF
01005
NOSTUFF
R8408
1.00M
5%
1/32W
MF
01005
NOSTUFF
R8409
1.00M
5%
1/32W
MF
01005

NUB_SPMI_SERA_SDATA_R
NUB_SPMI_SERA_SCLK

GPIO_BTN_ONOFF_L_1V8
GPIO_BTN_VOL_DOWN_L_1V8
GPIO_BTN_VOL_UP_L_1V8

ROM_COST_GROUP=POWER

POTOMAC

POWER: CHARGER

U8500
D2559A0P0V2AVAC2
WLCSP
OMIT_TABLE

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
107S00109	107S00094		R8582	ALTERNATE SENSE R.
132S00229	132S00010		C855X,etc.	TY ALT 0.1UF 0201

PPVBUS PROT

C8500 10UF 35V X5R 0603 138S00340
C8501 10UF 35V X5R 0603 138S00340
C8502 10UF 35V X5R 0603 138S00340

L13 VBUS
M13 VBUS
N13 VBUS
P13 VBUS

ACE ORION TO CHARGER OVP SW EN L
R8520 0% 0.00 1/32W 2 MF 01005
OVP SW EN L R
K13 VBUS_OVP_OFF(GPIO1)

SERA_POTOMAC_VSYS_HI_UVLO
SERA CRASH L
K12 CRASH*(GPIO2)
B13 VSYS_HI_UVLO(GPIO3)

GPIO_PMU_TO_POTOMAC_LINCH_EN_1V8
R8521 0% 0.00 1/32W 01005
GPIO PMU TO POTOMAC LINCH EN R
K11 LINCH_EN(GPIO4)

R8522 0% 0.00 1/32W 2 MF
GPIO POTOMAC TO PMU WAKE 1V8
E11 WAKEUP(GPIO5)

NC_POTOMAC_USB_VBUS_DETECT
C12 USB_VBUS_DET(GPIO6)

PP1V8 SW1 IO
R8523 0% 0.00 1/32W 01005
POTOMAC_HV_CHG_OVERRIDE
J9 HV_CHG_OVERRIDE(GPIO7)

GPIO PMU TO POTOMAC BOOST EN
J11 BOOST_EN(GPIO8)

GPIO POTOMAC TO SOC TO PMU IRQ L
G11 IRQ*

I2C_SMC_POTOMAC_SCL_1V8
H12 SCL
I2C_SMC_POTOMAC_SDA_1V8
H13 SDA

BATT NTC
D12 TBAT
138S00020

PPVDD REF CHG
F13 VDD_REF_CHARGE
L5 VDD_REF_CHARGE_PH0
G1 VDD_REF_CHARGE_PH1

C8512 0.1UF 16V X5R-CERM 0201
C8513 10UF 10V X5R 0402-8
C8516 0.1UF 16V X5R-CERM 0201

PPVDD POTOMAC GPIO
C13 VDD_GPIO
PPVDD POTOMAC CORE
E13 VDDCORE
E12 VDDCORE_DIG

POTOMAC IREF
B6 IREF
POTOMAC VREF
A6 VREF
POTOMAC ADC REF
D13 ADC_REF
D11 ADC_IN_P
D10 ADC_IN_N
J12 H_TEST_MODE

C8510 0.1UF 16V X5R-CERM 0201
C8511 0.1UF 16V X5R-CERM 0201
R8515 CRITICAL 200K 0.5% 1/20W MF 0201
C8515 0.1UF 6.3V X5R-CERM 0201
C8514 0.1UF 16V X5R-CERM 0201

F12 VSSA_1
J13 VSSA_2
E7 VSSA_3
L8 VSS_PH0
M8 VSS_PH0
N8 VSS_PH0
P8 VSS_PH0
N1 VSS_PH1
N2 VSS_PH1
N3 VSS_PH1
N4 VSS_PH1
L9 VSS_BUBO
M9 VSS_BUBO
N9 VSS_BUBO
P9 VSS_BUBO
D6 VSS_BOOST
A5 VSS_BG_SENS
C7 VSSD_FRAME
A12 VSS_ESD
A13 VSS_ESD
B12 VSS_ESD
C6 VSS_ESD
D9 VSS_ESD
E10 VSS_ESD
E6 VSS_ESD
E8 VSS_ESD
E9 VSS_ESD
F10 VSS_ESD
F11 VSS_ESD
F6 VSS_ESD
F7 VSS_ESD
F8 VSS_ESD
F9 VSS_ESD
G10 VSS_ESD
G12 VSS_ESD
G13 VSS_ESD
G2 VSS_ESD
G3 VSS_ESD
G4 VSS_ESD
G5 VSS_ESD
G6 VSS_ESD
G7 VSS_ESD
G8 VSS_ESD
G9 VSS_ESD
H10 VSS_ESD
H11 VSS_ESD
H5 VSS_ESD
H6 VSS_ESD
H7 VSS_ESD
H8 VSS_ESD
H9 VSS_ESD
J10 VSS_ESD
J4 VSS_ESD
J5 VSS_ESD
J6 VSS_ESD
J7 VSS_ESD
J8 VSS_ESD
K10 VSS_ESD
K4 VSS_ESD
K5 VSS_ESD
K6 VSS_ESD
K7 VSS_ESD
K8 VSS_ESD
K9 VSS_ESD

PP1V8 SERA ALWAYS
R8525 100K 5% 1/32W MF 01005

GPIO POTOMAC TO PMU WAKE 1V8

PP1V25 S2
PP1V8_SERA_ALWAYS
R8526 10K 1/32W MF 01005
R8528 10K 5% 1/32W MF 01005 NOSTUFF

GPIO POTOMAC TO SOC TO PMU IRQ L
R8527 20K 5% 1/20W MF 201 NOSTUFF

OPTION FOR 1V8 ALWAYS RAIL PULLUP

L12 VCENTER_3
M12 VCENTER_3
N12 VCENTER_3
P12 VCENTER_3
L6 VCENTER_0
M6 VCENTER_0
N6 VCENTER_0
P6 VCENTER_0
H1 VCENTER_1
H2 VCENTER_1
H3 VCENTER_1
H4 VCENTER_1
J2 VCENTER_1_HS
J3 VCENTER_1_HS
K2 VCENTER_1_HS
K3 VCENTER_1_HS

PPVCENTER
C8555 0.1UF 10% 35V X5R 0201
C8550 10UF 35V X5R 0603 138S00340
C8557 0.1UF 16V CER-X5R 0201
C8551 10UF 35V X5R 0603 138S00340
C8556 0.1UF 16V CER-X5R 0201
C8552 10UF 20V X5R 0603 138S00340

PPVCENTER_1_HS
C8558 0.1UF 10% X5R 0201

VBOOT_N0
N5 POTOMAC_VBOOT0 0.1UF X5R-CERM 0201
P5 VBOOT_DRV0
C8560 16V 10%
K7 LX_BOOT_PH0 POTOMAC_VBOOT_PH0

VBOOT_N1
J1 POTOMAC_VBOOT1 0.1UF X5R-CERM 0201
K1 VBOOT_DRV1
C8561 16V 10%
M5 LX_BOOT_PH1 POTOMAC_VBOOT_PH1

BOOST_HS_SUPPLY
D5 POTOMAC_HS_SUPPLY
D1 BOOST_HS_SOURCE
D2 BOOST_HS_SOURCE
D3 BOOST_HS_SOURCE
D4 BOOST_HS_SOURCE POTOMAC_HS_SRC
0201 X5R-CERM 16V 0.1UF C8562

VSYS_HI_S
A7 POTOMAC_VSYS_HI_S
XW8501 SHORT-10L-0.1MM-SM OMIT

B1 VSYS_HI
B2 VSYS_HI
B3 VSYS_HI
B4 VSYS_HI
C1 VSYS_HI
C2 VSYS_HI
C3 VSYS_HI
C4 VSYS_HI
C5 VSYS_HI

VSYS_HI_EXT_DIO
B7 POTOMAC_HIGH_DIO

PPVCC_HIGH
C8567 47UF 6.3V CER-X5R 0603
C8568 47UF 20% 6.3V CER-X5R 0603
C8569 47UF 20% 6.3V CER-X5R 0603
C8563 47UF 20% 6.3V CER-X5R 0603
C8564 47UF 20% 6.3V CER-X5R 0603
C8565 47UF 20% 6.3V CER-X5R 0603
C8566 47UF 20% 6.3V CER-X5R 0603

C8580 20UF 20% 6.3V CERM-X5R 0402
C8588 20UF 20% 6.3V CERM-X5R 0402
C8589 20UF 20% 6.3V CERM-X5R 0402
C8581 20UF 20% 6.3V CERM-X5R 0402
C8582 20UF 20% 6.3V CERM-X5R 0402
C8583 20UF 20% 6.3V CERM-X5R 0402
C8584 1.0UF 6.3V X5R 0201-1

R8581 NOSTUFF 470K 5% 1/32W MF 01005
CRITICAL Q8581 FDMC6688P MLP3.3X3.3

PPVCC_MAIN
A1 VSYS_LO_BYPASS
A2 VSYS_LO_BYPASS
A3 VSYS_LO_BYPASS
A4 VSYS_LO_BYPASS

C85A0 10UF 20% 10V X5R-CERM 0402-7
C8570 10UF 20% 10V X5R-CERM 0402-7
C8571 10UF 20% 10V X5R-CERM 0402-7
C8572 10UF 20% 10V X5R-CERM 0402-7
C8573 10UF 20% 10V X5R-CERM 0402-7
C8574 10UF 20% 10V X5R-CERM 0402-7
C85A1 10UF 20% 10V X5R-CERM 0402-7
C85A2 10UF 20% 10V X5R-CERM 0402-7

L7 LX_PH0
M7 LX_PH0
N7 LX_PH0
P7 LX_PH0
POTOMAC_LX_PH0
L8570 1UH-20%-6.4A-0.038OHM PIKA32251B-SM

L10 LX_BUBO
M10 LX_BUBO
N10 LX_BUBO
P10 LX_BUBO
POTOMAC_LX_BUBO

L11 VSYS_LO_BUBO
M11 VSYS_LO_BUBO
N11 VSYS_LO_BUBO
P11 VSYS_LO_BUBO

C85A3 4.7UF 16V X5R 0402
C8590 20UF 20% 6.3V CER-X5R 0603
C8599 47UF 6.3V CER-X5R 0603
L8S31060

E1 LX_BOOST
E2 LX_BOOST
E3 LX_BOOST
E4 LX_BOOST
E5 LX_BOOST
F1 LX_BOOST
F2 LX_BOOST
F3 LX_BOOST
F4 LX_BOOST
F5 LX_BOOST

R8580 NOSTUFF 470K 5% 1/32W MF 01005
CRITICAL Q8580 FDMC6686P POWER33

PPBATT VCC R
R8582 0.0025 1% 1.5W MF 0612 CRITICAL NO_XNET_CONNECTION=1

L1 LX_PH1
L2 LX_PH1
L3 LX_PH1
L4 LX_PH1
M1 LX_PH1
M2 LX_PH1
M3 LX_PH1
M4 LX_PH1
P1 LX_PH1
P2 LX_PH1
P3 LX_PH1
P4 LX_PH1
POTOMAC LX_PH1
L8571 0.47UH-20%-8.6A-0.024OHM PIKA32251B-SM

PPBATT_POS_RC
C8593 47UF 6.3V CERM-X5R 0603
PMU_VCC_MAIN_SNS_R_N
PMU_VCC_MAIN_SNS_R_P

PPBATT_VCC
C8591 10UF 20% 6.3V CERM-X5R 0402-9
C8592 10UF 20% 6.3V CERM-X5R 0402-9

R8591 0.5 1% 1/16W MF 402
NOTE: FOR NO BATTERY SITUATION

D8 VSYS_LO_S POTOMAC_VSYS_LO_S
OMIT XW8500 SHORT-10L-0.1MM-SM

A10 VSYS_LO_1
B10 VSYS_LO_1
C10 VSYS_LO_1
A9 VSYS_LO_2
B9 VSYS_LO_2
C9 VSYS_LO_2

VSYS_LO_EXT_DIO
D7 POTOMAC_LOW_DIO

A11 IBAT_1
B11 IBAT_1
C11 IBAT_1
A8 IBAT_2
B8 IBAT_2
C8 IBAT_2

B5 VBAT

BATT SNS R
R8592 0% 0.00 1/32W 01005 MF
BATT SNS

BOM_COST_GROUP=POWER

PAGE TITLE

POTOMAC VOLTAGE TRANSLATOR

PP1V25_S2

PP1V8_S2

I2C_SMC_I2CM0_SDA

R8602
0.00

I2C_SMC_POTOMAC_SDA_R

R8600
2.2K

R8601
2.2K

U8601
LSF0101
X2SON

VBIAS 6

SDAA 2   SDAB 5   I2C_SMC_POTOMAC_SDA_1V8_R

R8604
0.00

I2C_SMC_POTOMAC_SDA_1V8

I2C_SMC_I2CM0_SCL

R8603
0.00

I2C_SMC_POTOMAC_SCL_R

SCLA 3   SCLB 4

I2C_SMC_POTOMAC_SCL_1V8

GND

BELLATRIX BOOST

PPVCC_MAIN

L8710
1UH-20%-6.4A-0.038OHM
PIKA3251B-SM
DIDT=TRUE
BELLATRIX BOOST SW

C8710
0.01UF
10%
10V
X5R-CERM
0201

C8711
10UF
20%
10V
X5R-CERM
0402-0.1MM

C8712
0.1UF
10%
10V
X5R-CERM
0201

C8713
220PF
5%
16V
C0G
01005

D8710
DSN2
A   K
NSR20F30NX

C8723
220PF
5%
16V
C0G
01005

C8724
47UF
20%
6.3V
CER-X5R
0603

C8725
47UF
20%
6.3V
CER-X5R
0603

PP5V2 BELLATRIX2 BOOST VOUT

R8716
316K
1%
1/20W
MF
201

C8720
47PF
5%
16V
NP0-C0G
01005

U8710
SN61230A
VQFN

4 VIN   VOUT 7
5 SW   FB 3
1 CBST
2 EN
         GND
          6

BELLATRIX_BOOST_BOOT

GPIO SOC TO BELLATRIX2 BOOST EN 1V8

R8711
100K
5%
1/32W
MF
01005

GPIO BELLATRIX BOOST VSET R

R8717
100K
1%
1/20W
MF
201

SCORPIUS BOOST MOVED TO SCORPIUS BOARD

SCORPIUS THROTTLE MOVED TO SCORP. BOARD

LEVEL TRANSLATOR

J517 BATTERY CONNECTOR

516-00023
J8900
BATT-J207
F-ST-TH1

I2C_SMC_GASGAUGE_SDA_2V5_CONN
I2C_SMC_GASGAUGE_SCL_2V5_CONN
PPBATT_VCC
BATT_NTC

1 HDQ
2 THERM
3 PACK_POS
4 PACK_NEG
5 SENSE
7

PACK_IGNORE=TRUE
PACK_OPTION=J517,J518

PP1V25_S2

PP1V8_S2

C8930
0.1UF
20%
6.3V
X5R-CERM
01005

C8931
0.1UF
20%
6.3V
X5R-CERM
01005

VCCA VCCB

U8930
NVT0202JK
X2SON
311S00235

PP1V25_S2

C8900
0.1UF
10%
16V
CER
0201

U8900
LSF0101
X2SON

VBIAS 6

I2C_SMC_I2CM2_SDA
R8900 0.00
0% 01005
MF 1/32W

I2C_SMC_GASGAUGE_SDA_R
CKPLUS_WAIVE=I2C_PULLUP

SDAA SDAB
I2C_SMC_GASGAUGE_SDA_2V5_CONN_R
R8902 0.00
0% 01005
MF 1/32W

516-00025
J8900
RCPT-BATT-J522
F-ST-TH

OE 6

A1 5
A2 4

GPIO_SCORPIUS_TO_AOP_INT
DOTARA_WAKE_HEART_BEAT

B1 8
B2 1

GPIO_SCORPIUS_TO_AOP_INT_1V8
DOTARA_WAKE_HEART_BEAT_1V8

GND 2

I2C_SMC_I2CM2_SCL
R8901 0.00
0% 01005
MF 1/32W

I2C_SMC_GASGAUGE_SCL_R
CKPLUS_WAIVE=I2C_PULLUP

SCLA SCLB
I2C_SMC_GASGAUGE_SCL_2V5_CONN

GND

I2C_SMC_GASGAUGE_SDA_2V5_CONN
I2C_SMC_GASGAUGE_SCL_2V5_CONN

1 SDA
2 SCL
3 PACK_POS
4 PACK_NEG
5 NTC
7

PACK_OPTION=J522,J523

PPBATT_VCC

C8925
22PF
5%
16V
CERM
01005-1

C8929
4.7PF
+/-0.1PF
16V
NPO/COG
01005

C8927
180PF
2%
25V
NPO/COG
0201

XW8900
SHORT-10L-0.1MM-SM
OMIT

J522 BATTERY CONNECTOR

SWD LEVEL TRANSLATOR

BATT_SNS
BATT_NTC

PP1V2_IO

PP1V8_S2

C8980
0.1UF
20%
6.3V
X5R-CERM
01005

C8981
0.1UF
20%
6.3V
X5R-CERM
01005

VCCA VCCB

U8980
NVT0202JK
X2SON
311S00235

C8922
100PF
25V
COG-CERM
01005
NO_DNST_CONNECTION=1

OE 6

SWD_SCORPIUS_SWCLK
SWD_SCORPIUS_SWDIO

A1 5
A2 4

B1 8
B2 1

SWD_SCORPIUS_SWCLK_1V8
SWD_SCORPIUS_SWDIO_1V8

GND 2

R8980
47.0K
5%
1/32W
MF
01005

R8981
47.0K
5%
1/32W
MF
01005

SCORPIUS FLEX CONNECTOR

PINOUT FOLLOWS J522 SCORPIUS FLEX REV 0.8

MLB: 516S00150
FLEX: 516S00149

J8901
AA37D-S014VA1
F-ST-SM

20 19
16 15

I2C LEVEL TRANSLATOR

SWD_SCORPIUS_SWDIO_1V8
SWD_SCORPIUS_SWCLK_1V8
GPIO_PMU_TO_SCORPIUS_EXT_DOTARA_EN_1V8

GPIO_PMU_TO_SCORPIUS_MCU_NRST_L_1V8
DOTARA_WAKE_HEART_BEAT_1V8
GPIO_GRAPE_TO_SCORPIUS_TIME_SYNC_1V8
GPIO_SCORPIUS_TO_AOP_INT_1V8

PP1V8_S2 BUCK_SCORPIUS_CONN
PP2V95_S2_SCORPIUS
PPVCC_MAIN

I2C_AOP_SCORPIUS_SDA_1V8
I2C_AOP_SCORPIUS_SCL_1V8

PP1V25_S2

C8970
0.1UF
20%
6.3V
X5R-CERM
01005

U8970
LSF0101
X2SON

R8970
2.2K
5%
1/32W
MF
01005

R8971
2.2K
5%
1/32W
MF
01005

PP1V8_S2

VBIAS 6

PULLUPS ON SOC/AOP PAGE
I2C_AOP_I2CM1_SDA
R8972 0.00
0% 01005
MF 1/32W

I2C_AOP_SCORPIUS_SDA_R
CKPLUS_WAIVE=I2C_PULLUP

SDAA SDAB
I2C_AOP_SCORPIUS_SDA_1V8_R
R8974 0.00
0% 01005
MF 1/32W

I2C_AOP_SCORPIUS_SDA_1V8

C8991
220PF
5%
16V
COG
01005

C8992
220PF
5%
16V
COG
01005

PPVCC_MAIN

C8996
0.1UF
10%
16V
X6S-CERM
0201

C8997
0.01UF
10%
16V
X6S-CERM
0201

C8998
220PF
5%
25V
COG
01005

I2C_AOP_I2CM1_SCL
R8973 0.00
0% 01005
MF 1/32W

I2C_AOP_SCORPIUS_SCL_R
CKPLUS_WAIVE=I2C_PULLUP

SCLA SCLB
I2C_AOP_SCORPIUS_SCL_1V8

GND

ORION FLEX CONNECTOR

MLB: 516S00321
FLEX:516S00XXX

PP1V8_S2

FL8994
0
5%
1/20W
MF
0201

PP1V8_S2 BUCK_SCORPIUS_CONN

ORION_COMM_FILT

FL8951
120-OHM-25%-250MA-0.5DCR
01005

ORION_COMM_CONN

J8902
5054130610
F-ST-SM

8 7
6 5
4 3
2 1

C8994
220PF
5%
16V
COG
01005

C8955
180PF
5%
50V
NPO-COG
0201

DZ8901
12V-22PF
0201

PPVBUS_ORION

FL8950
FERR-18-OHM-4A
0402

PPVBUS_ORION_CONN

10 9

C8993
0.1UF
10%
50V
X5R-CERM
0402

C8990
0.022UF
10%
50V
X7R
0402

Q8990
ZXTN3035CLP
DFN10063
CRITICAL

C8950
180PF
5%
50V
NPO-COG
0201

DZ8900
UCLAMP2411ZA
0201

O_T_DET_BASE

R8990
3.0K
1%
1/32W
MF
01005

BOM_COST_GROUP=SCORPIUS

PAGE TITLE

POWER: BATTERY & ORION & SCORPIUS CONN

DEBUG RESET ACCESS

84 80 70 PP1V8_SW1_IO

NOSTUFF
1 R9001
1K
5%
1/20W
MF
2 201

80 72 PMU_SHUTDOWN_1V8

84 PP1V25_S2

NOSTUFF
1 R9000
1K
5%
1/16W
MF-LF
2 402

80 72 36 6 GPIO_FORCE_DFU

84 69 65 PPVCC_MAIN

1 R9003
2.2K
5%
1/20W
MF
2 201

VCC_MAIN_LED
378S0377
D9002
LTW-C193TS5
0603
K

PAGE TITLE

SOC: DEBUG

CELLULAR AND WLAN/BT ALIASES

BASEBAND

SOC/AOP/PMU GPIOS

GPIO_BB_TO_SOC_RESET_DET_L	MAKE_BASE=TRUE	GPIO_BB_TO_SOC_RESET_DET_L
GPIO_SOC_TO_BB_COREDUMP		GPIO_SOC_TO_BB_COREDUMP
SWD_BB_SWCLK	MAKE_BASE=TRUE	SWD_BB_SWCLK
SWD_BB_SWDIO		SWD_BB_SWDIO
GPIO_PMU_TO_BBPMU_ON		GPIO_PMU_TO_BBPMU_ON
GPIO_AP_TO_BB_GPS_TIME_MARK	MAKE_BASE=TRUE	GPIO_AP_TO_BB_GPS_TIME_MARK
GPIO_BB_TO_PMU_HOST_WAKE_L		GPIO_BB_TO_PMU_HOST_WAKE_L
UART_AOP_TO_BB_TX	MAKE_BASE=TRUE	UART_AOP_TO_BB_TX
UART_BB_TO_AOP_TX		UART_BB_TO_AOP_TX
GPIO_AP_TO_BBPMU_PEAK_POWER_IND	MAKE_BASE=TRUE	GPIO_AP_TO_BBPMU_PEAK_POWER_IND

NOTE: GPIO_BB_TO_SCORPIUS_TX_IND_1V8 UNUSED

GPIO_SOC_TO_LANAI_DISPLAY_BSYNC1	MAKE_BASE=TRUE	GPIO_SOC_TO_LANAI_DISPLAY_BSYNC1
AOP_TO_BBPMU_FORCE_PWM		AOP_TO_BBPMU_FORCE_PWM
GPIO_PMU_TO_BBPMU_VBUS_DET		GPIO_PMU_TO_BBPMU_VBUS_DET
GPIO_SIMETRA_TO_BB_BOOT_CFG1	MAKE_BASE=TRUE	GPIO_SIMETRA_TO_BB_BOOT_CFG1
GPIO_SIMETRA_TO_BB_BOOT_CFG2		GPIO_SIMETRA_TO_BB_BOOT_CFG2

POWER

PPVCC_MAIN		PPVCC_MAIN
PP3V0_S2_ALS	XW9100	PP_3V0_S2

SHORT-10L-0.1MM-SM
PLACE_NEAR=C7881.1:1MM

PP1V8_S2		PP1V8_S2
		PP1V8_S2
		PP1V8_S2
PPVCC_HIGH		PPVCC_HIGH

NOTE: THIS RAIL SHORTS AP AND BB PMU TOGETHER, POR SHOULD HAVE R5635_E NOSTUFF

PP1V25_S2		PP1V25_S2

USB BB

90_AP_TO_BB_USB_P	MAKE_BASE=TRUE	90_AP_TO_BB_USB_P
90_AP_TO_BB_USB_N		90_AP_TO_BB_USB_N

PCIE

PCIE_SOC_TO_BB_REFCLK_P	MAKE_BASE=TRUE	PCIE_SOC_TO_BB_REFCLK_P
PCIE_SOC_TO_BB_REFCLK_N		PCIE_SOC_TO_BB_REFCLK_N
PCIE_BB_TO_SOC_CLKREQ_L		PCIE_BB_TO_SOC_CLKREQ_L
PCIE_SOC_TO_BB_PERST_L	MAKE_BASE=TRUE	PCIE_SOC_TO_BB_PERST_L
PCIE_SOC_TO_BB_TX_P		PCIE_SOC_TO_BB_TX_P
PCIE_SOC_TO_BB_TX_N		PCIE_SOC_TO_BB_TX_N
PCIE_BB_TO_SOC_TX_P		PCIE_BB_TO_SOC_TX_P
PCIE_BB_TO_SOC_TX_N		PCIE_BB_TO_SOC_TX_N

PCIE_SOC_TO_BB_TX_C_P	C0950	PCIE_SOC_TO_BB_TX_P	
	6.3V10% 01005 CER-X5R	0.22UF GND_VOID=TRUE	PLACE_NEAR=U0600.BC12: 8MM
PCIE_SOC_TO_BB_TX_C_N	C0951	PCIE_SOC_TO_BB_TX_N	
	6.3V10% 01005 CER-X5R	0.22UF GND_VOID=TRUE	PLACE_NEAR=U0600.BD12: 8MM

I2S

I2S_BB_TO_SOC_BCLK	MAKE_BASE=TRUE	I2S_BB_TO_SOC_BCLK
I2S_BB_TO_SOC_DOUT	MAKE_BASE=TRUE	I2S_BB_TO_SOC_DOUT
I2S_SOC_TO_BB_DOUT	MAKE_BASE=TRUE	I2S_SOC_TO_BB_DOUT
I2S_BB_TO_SOC_LRCK	MAKE_BASE=TRUE	I2S_BB_TO_SOC_LRCK

GPIO TO STROBE SHOULD BE 1V8 COMPLIANT, BB IO IS 1V8 (PER NETNAME)

GPIO_BB_TO_STROBE_GSM_BURST_IND_1V8	GPIO_BB_TO_STROBE_GSM_BURST_IND_1V8

PHYSICAL SIM REMOVED

BASEBAND SWD

PCIE_SOC_TO_BB_PERST_L

R0951
100K
5%
1/32W
MF
01005

PP1V25_S2

R0611
1.00K
5%
1/32W
MF
01005

SWD_BB_SWDIO

BASEBAND SPMI

NOTE: SPMI TO BASEBAND IS NOT USED

WLAN

POWER

PPVCC_MAIN		PPVCC_MAIN

PP1V8_S2		PP1V8_S2
PP1V25_S2		PP1V25_S2

GPIOS

GPIO_PMU_TO_WLAN_REG_ON	MAKE_BASE=TRUE	GPIO_PMU_TO_WLAN_REG_ON
GPIO_WLAN_TO_PMU_HOST_WAKE	MAKE_BASE=TRUE	GPIO_WLAN_TO_PMU_HOST_WAKE
CLK_PMU_TO_WLAN_32K	MAKE_BASE=TRUE	CLK_PMU_TO_WLAN_32K
GPIO_AOP_TO_WLAN_CONTEXT_A	MAKE_BASE=TRUE	GPIO_AOP_TO_WLAN_CONTEXT_A
GPIO_AOP_TO_WLAN_CONTEXT_B	MAKE_BASE=TRUE	GPIO_AOP_TO_WLAN_CONTEXT_B
GPIO_WLAN_TO_SOC_TIME_SYNC	MAKE_BASE=TRUE	GPIO_WLAN_TO_SOC_TIME_SYNC

GPIO_WLAN_TO_SCORPIUS_TX_IND NOT NEEDED

PCIE

PCIE_SOC_TO_WLAN_REFCLK_P	MAKE_BASE=TRUE	PCIE_SOC_TO_WLAN_REFCLK_P
PCIE_SOC_TO_WLAN_REFCLK_N	MAKE_BASE=TRUE	PCIE_SOC_TO_WLAN_REFCLK_N
PCIE_SOC_TO_WLAN_TX_P	MAKE_BASE=TRUE	PCIE_SOC_TO_WLAN_TX_P
PCIE_SOC_TO_WLAN_TX_N	MAKE_BASE=TRUE	PCIE_SOC_TO_WLAN_TX_N
PCIE_WLAN_TO_SOC_TX_C_P	MAKE_BASE=TRUE	PCIE_WLAN_TO_SOC_TX_C_P
PCIE_WLAN_TO_SOC_TX_C_N	MAKE_BASE=TRUE	PCIE_WLAN_TO_SOC_TX_C_N
PCIE_WLAN_TO_SOC_CLKREQ_L	MAKE_BASE=TRUE	PCIE_WLAN_TO_SOC_CLKREQ_L
PCIE_SOC_TO_WLAN_RESET_L	MAKE_BASE=TRUE	PCIE_SOC_TO_WLAN_RESET_L

GND_VOID=TRUE

PCIE_WLAN_TO_SOC_TX_P	C9160	0.1UF	PCIE_WLAN_TO_SOC_TX_C_P
	20% 01005 X5R-CERM 6.3V		PLACE_NEAR=U_WLAN_W.28:3MM
PCIE_WLAN_TO_SOC_TX_N	C9161	0.1UF	PCIE_WLAN_TO_SOC_TX_C_N
	20% 01005 X5R-CERM 6.3V		PLACE_NEAR=U_WLAN_W.97:3MM

GND_VOID=TRUE

UART

UART_BB_TO_WLAN_COEX_1V2	MAKE_BASE=TRUE	UART_BB_TO_WLAN_COEX_1V2
UART_WLAN_TO_BB_COEX_1V2	MAKE_BASE=TRUE	UART_WLAN_TO_BB_COEX_1V2

BLUETOOTH

SOC GPIOS

GPIO_TOUCH_TO_BT_SYNC	MAKE_BASE=TRUE	GPIO_TOUCH_TO_BT_SYNC
GPIO_SOC_TO_BT_TO_GRAPE_TS_SYNC	MAKE_BASE=TRUE	GPIO_SOC_TO_BT_TO_GRAPE_TS_SYNC

GPIO_BT_TO_SCORPIUS_TX_IND NOT NEEDED

BT_TO_SOC_TIME_SYNC	BT_TO_SOC_TIME_SYNC

WLAN/BT SPMI

AOP_SPMI0_SCLK_WIFI_BT	MAKE_BASE=TRUE	AOP_SPMI0_SCLK_WIFI_BT
AOP_SPMI0_SDATA_WIFI_BT	R9152 2 33	SPMI_EVENTS_AOP_TO_WLAN_NFC_DATA
	1/32W 5% MF 01005	

I2C (TO WIFI/BT)

NC_I2C_BT_TO_SE_SCL		NC_I2C_BT_TO_SE_SCL
NC_I2C_BT_TO_SE_SDA		NC_I2C_BT_TO_SE_SDA

ROTTERDAM(CERES)

POWER

PPVCC_MAIN		PPVCC_MAIN
PP1V8_S2		PP1V8_S2
PP1V20_S2_NFC		PP1V20_S2_NFC

SPMI

AOP_SPMI0_SCLK_NFC	MAKE_BASE=TRUE	AOP_SPMI0_SCLK_NFC
AOP_SPMI0_SDATA_NFC	R9153 1 33	SPMI_AOP_TO_RADIOS_DATA
	1/32W 5% MF	

GPIOS

AP_TO_NFC_DEV_WAKE		AP_TO_NFC_DEV_WAKE	MAKE_BASE=TRUE
NFC_FW_DWLD		NFC_FW_DWLD	MAKE_BASE=TRUE
GPIO_PMU_TO_ROTTERDAM_EN	MAKE_BASE=TRUE	GPIO_PMU_TO_ROTTERDAM_EN

R0960
100K
5%
1/32W
MF
01005

MMW/VOL BUTTON

GPIO_BTN_VOL_UP_L_CONN_1V8	MAKE_BASE=TRUE	GPIO_BTN_VOL_UP_L_CONN_1V8
GPIO_BTN_VOL_DOWN_L_CONN_1V8	MAKE_BASE=TRUE	GPIO_BTN_VOL_DOWN_L_CONN_1V8

RF NTC

PA_NTC_P

CRITICAL
R9150
10KOHM-1%-0.31MA
0201
NO_XNET_CONNECTION=1
(TP1D - INSIDE RF CAN)

C9150
100PF
5%
25V
C0G-CERM
NO_XNET_CONNECTION=1

XW9150
PA_NTC_N
SM

NOTE: XW SHOULD BE PLACED NEAR PMU

BOM_COST_GROUP=CELLULAR

PAGE TITLE
ALIASES: BB/WLAN/BT

LPDP_TX/BACKLIGHT

NC_LED_IO_6_B — MAKE_BASE=TRUE — NC_LED_IO_6_B [OUT] 71
NC_LED_IO_6_C — MAKE_BASE=TRUE — NC_LED_IO_6_C [OUT] 71
NC_LPDP_SOC_TO_TCON_DATA_P<4> — MAKE_BASE=TRUE — NC_LPDP_SOC_TO_TCON_DATA_P<4> [IN] 8
NC_LPDP_SOC_TO_TCON_DATA_N<4> — MAKE_BASE=TRUE — NC_LPDP_SOC_TO_TCON_DATA_N<4> [IN] 8
NC_LPDP_SOC_TO_TCON_DATA_P<5> — MAKE_BASE=TRUE — NC_LPDP_SOC_TO_TCON_DATA_P<5> [IN] 8
NC_LPDP_SOC_TO_TCON_DATA_N<5> — MAKE_BASE=TRUE — NC_LPDP_SOC_TO_TCON_DATA_N<5> [IN] 8

LPDP/USB2 CMC REPLACEMENT

R4640
0.00 NO_XNET_CONNECTION=1
43 [IN] LPDP_AUX_EMI_P — 2 /\/\/\ 1 — LPDP_AUX_EMI_CONN_P [OUT] 42 43 80
GND_VOID=TRUE   1%   MP GND_VOID=TRUE
1/20W   0201

R4642
0.00 NO_XNET_CONNECTION=1
43 [IN] LPDP_AUX_EMI_N — 2 /\/\/\ 1 — LPDP_AUX_EMI_CONN_N [OUT] 42 43 80
GND_VOID=TRUE   1%   MP GND_VOID=TRUE
1/20W   0201

R38A0
0.00 NO_XNET_CONNECTION=1
36 [BI] ACE_USB_TOP_P — 2 /\/\/\ 1 — ACE_USB_TOP_CONN_P [BI] 35 36 80
GND_VOID=TRUE   1%   MP GND_VOID=TRUE
1/20W   0201

R38A1
0.00 NO_XNET_CONNECTION=1
36 [BI] ACE_USB_TOP_N — 2 /\/\/\ 1 — ACE_USB_TOP_CONN_N [BI] 35 36 80
GND_VOID=TRUE   1%   MP GND_VOID=TRUE
1/20W   0201

R38A2
0.00 NO_XNET_CONNECTION=1
36 [BI] ACE_USB_BOT_P — 2 /\/\/\ 1 — ACE_USB_BOT_CONN_P [BI] 35 36 80
GND_VOID=TRUE   1%   MP GND_VOID=TRUE
1/20W   0201

R38A3
0.00 NO_XNET_CONNECTION=1
36 [BI] ACE_USB_BOT_N — 2 /\/\/\ 1 — ACE_USB_BOT_CONN_N [BI] 35 36 80
GND_VOID=TRUE   1%   MP GND_VOID=TRUE
1/20W   0201

J522 SPECIFIC - DISPLAY & BL

80 43 42 [IN] NC_PPLED_BACK_REG — MAKE_BASE=TRUE — NC_PPLED_BACK_REG 1 ⊗ DXPLUSHACK
84 80 71 [IN] NC_PPLED_OUT — MAKE_BASE=TRUE — NC_PPLED_OUT 1 ⊗ DXPLUSHACK

J517 SPECIFIC - DISPLAY & BL

81 45 44 [IN] PP_LUME_OUT — ✕ MAKE_BASE=TRUE — NC_PP_LUME_OUT 1 ⊗ DXPLUSHACK
81 44 [IN] PP1V27_ATRANI — ✕ MAKE_BASE=TRUE — NC_PP1V27_ATRANI 1 ⊗ DXPLUSHACK
8 [IN] LUME_SPMI_SCLK_R — ✕ MAKE_BASE=TRUE — NC_LUME_SPMI_SCLK_R 1 ⊗ DXPLUSHACK

BOM_COST_GROUP=SOC

PAGE TITLE

ALIASES: J517/J522 DIFF

SMT TEST FIXTURE TP

POWER - ADAMS REAR

TP9401	PP1V4 ADAMS1 VDDL	55 84
TP9402	PP3V3 ADAMS LDO1	55 84
TP9403	PP3V0 JASPER RX AVDDH	55 84
TP9405	PP3V3 JASPER TX AVDDH CONN	40
TP9406	PP3V3 JAS EXT LDO R2	57
TP9407	PP2V85 WIDE RCAM1 AVDDH1	55 84
TP9408	PP2V85 SWIDE RCAM2 AVDDH1	55 84
TP9409	PP1V215 RCAM SWIDE VDDL	55 84
TP940A	PP1V215 RCAM WIDE VDDL	55 84
TP940B	PP1V8 RPMU IO SW	55 84
TP940C	PN TOF VSPAD	57 60 81
TP940D	PN TOF VSPAD	57 60 81
TP940E	PP TOF VDDLAS	57 60 81
TP940F	PP TOF VDDLAS	57 60 81
TP940G	PP1V2 JASPER DVDD	57 60
TP940H	PP1V2 INT ADAMS REAR	55 84
TP940I		

POWER - FRONT WIDE CAMERA

POWER - FRONT SWIDE CAMERA

TP9441	PP1V215 FRONT SWIDE CAM CONN	26
TP9442	PP1V8 FRONT SWIDE CAM CONN	26
TP9443	PP2V85 FRONT SWIDE CAM CONN	26

POWER - JULIET

TP9414	PP1V215 JULIET DVDD CONN	40
TP9415	PP1V8 JULIET VDDIO CONN	40
TP9416	PP2V85 JULIET AVDD CONN	40

POWER - CAMERA (IN)

TP9417	PP1V215 RCAM WIDE VDDL CONN	58
TP9418	PP1V8 RCAM WIDE VDDIO CONN	58
TP9419	PP2V85 RCAM WIDE AVDD CONN	58

POWER - CAMERA (OH)

TP941A	PP1V215 RCAM SWIDE DVDD CONN	59
TP941B	PP1V8 RCAM SWIDE VDDIO CONN	59
TP941C	PP2V85 RCAM SWIDE AVDDH1 CONN	59

POWER - JASPER

TP941D	PP TOF VDDLAS CONN	40
TP941E	PN TOF VSPAD CONN	40
TP941F	PP1V8 CAM TOF VDDIO CONN	40

CAMERA-STROBE/PENROSE

TP9421	PPSTROBE LED COOL1 CONN	5.00V	25 27 81
TP9422	PPSTROBE LED WARM1 CONN	5.00V	25 27 81
TP9423	PPSTROBE LED COOL2 CONN		25 27 81
TP9424	PPSTROBE LED WARM2 CONN	5.00V	25 27 81
TP9425	PPSTROBE LED WARM2 CONN	5.00V	25 27 81
TP9426	PPSTROBE LED WARM1 CONN		25 27 81
TP9427	PPSTROBE LED COOL2 CONN		25 27 81
TP9428	PPSTROBE LED WARM2 CONN		25 27 81
TP9429	LED DRIVER NTC CONN		25 27

TP942A	PPSTROBE1 BST	27
TP942B	PPSTROBE2 BST	27
TP942C	PENROSE VIS IR VOUT1	24 25
TP942D	PENROSE IR VOUT2	24 25
TP942E	GPIO RCAM PMU TO STROBE DRIVER HWEN 1V8	27 56
TP942F	PP3V0 PENROSE CONN	25
TP942G	PP3V0 PENROSE	55 84

CAMERA FRONT SWIDE

TP9444	CLK FCAM2 PMU TO SWIDE 12M CONN	26
TP9445	I2C FCAM2 SWIDE SCL CONN	26
TP9446	I2C FCAM2 SWIDE SDA CONN	26
TP9447	ISP FCAM2 SWIDE SHUTDOWN L CONN	26

CAMERA - IN

TP942L	AP TO WIDE CLK 12MHZ CONN	58
TP942M	I2C RCAM1 WIDE SCL CONN	58
TP942N	I2C RCAM1 WIDE SDA CONN	58
TP942O	ISP TO WIDE SHUTDOWN CONN L	58
TP942Q	WIDE TO STROBE DRIVER STROBE CONN	58

CAMERA - OH

TP942R	AP TO SWIDE CLK 12MHZ CONN	59
TP942S	I2C RCAM2 SWIDE SCL CONN	59
TP942T	I2C RCAM2 SWIDE SDA CONN	59
TP942U	ISP TO SWIDE SHUTDOWN CONN L	59
TP942W	SWIDE TO STROBE DRIVER STROBE CONN	59

CAMERA - JASPER

TP942X	CLK RCAM PMU TO TOF 12MHZ CONN	60
TP942Y	I2C JASPER SCL CONN	60
TP942Z	I2C JASPER SDA CONN	60
TP942Y2	GPIO PMU TO TOF INT CONN L	60
TP942V	WIDE SWIDE SYNC 1V8	58 59 60
TP942Z2	GPIO RCAM PMU TO TOF SHUTDOWN CONN L	60

CAMERA - AUX

TP94C0	LPDP WIDE BI AP AUX CONN	58
TP94C2	LPDP SOC TO FCAM2 AUX CONN	26
TP94C3	LPDPC AP BI TOF AUX RX D8P CONN	60
TP94C4	LPDPC AP BI SWIDE AUX RX D2P CONN	59

TITUS/ROSALINE/JULIET

TP9431	PP TITUS DENSE ANODE	39 40 81
TP9432	PP TITUS DENSE ANODE	39 40 81
TP9433	PP TITUS SPARSE ANODE	39 40 81
TP9434	PP TITUS SPARSE ANODE	39 40 81
TP9435	PP TITUS A ANODE	39 40 81
TP9436	PP TITUS A ANODE	39 40 81
TP9437	PP TITUS B ANODE	39 40 81
TP9438	PP TITUS B ANODE	39 40 81
TP9439	PP TITUS CATHODE	39 40 81
TP943A	PP TITUS CATHODE	39 40 81
TP943B	PP ROSALINE ANODE	39 41 81
TP943C	PP ROSALINE ANODE	39 41 81
TP943D	GPIO RIGEL INT TO FPMU 1V8	39 62
TP943E	RIGEL TESTMODE EN	39
TP943F	JULIET PMU TO RIGEL STROBE CONN 1V8	40
TP943G	I2C3 ISP BI MAMA BEAR SDA CONN	40
TP943H	I2C3 ISP TO MAMA BEAR SCL CONN	40
TP943I	MAMA BEAR BI RIGEL STATUS CONN 1V8	40
TP943J	TITUS TO AOP B2B DETECT CONN	
TP943K	ISP JULIET SCL CONN 1V8	40
TP943L	ISP JULIET SDA CONN 1V8	40
TP943M	AP TO JULIET CLK CONN 1V8	40
TP943N	AP TO JULIET SHUTDOWN L CONN 1V8	40
TP943O	I2C0 AOP TO PROX ALS YOGI SCL CONN 1V8	41
TP943P	I2C0 AOP BI PROX ALS YOGI SDA CONN 1V8	41
TP943Q	PP3V0 YOGI PROX ALS CONN	
TP943R	YOGI TO RIGEL STATUS CONN 1V8	41
TP943S	PROX BI AP AOP INT CONN L 1V8	41
TP943T	ALS C4 TO SOC INT CONN L	41
TP943U	ALS C3 TO SOC INT CONN L	41
TP943V	TITUS TO RIGEL VCSEL NTC CONN	40
TP943W		

DMIC GATING

TP9461	GPM DMIC DISABLE L	64
TP9463	SLG TO AOP DMIC DISABLE WARN L	10 64

WILL I2C

TP9464	I2C3 RCAM PMU SCL 1V8	5 56
TP9465	I2C3 RCAM PMU SDA 1V8	5 56

PENROSE ADC I2C

TP9466	I2C3 SCL	5 7
TP9467	I2C3 SDA	5 7

CAM SYNC

TP9452	GPIO FCAM JULIET TO ACE SYNC 1V8	26 60
TP9453	GPIO RCAM PMU TO TOF PMU EN 1V8	56 57

2DBL

TP94A0	PP LUME OUT	PACK_OPTION=J522,J523	44 45 79
TP94A1		PACK_OPTION=J522,J523	
TP94A2		PACK_OPTION=J522,J523	
TP94A3		PACK_OPTION=J522,J523	
TP94A4	PP1V27 ATRANI	PACK_OPTION=J522,J523	44 79
TP94A5	LUME CP OUT	PACK_OPTION=J522,J523	44
TP94A6	ATRANI SPI SCLK	PACK_OPTION=J522,J523	8 45
TP94A7	ATRANI SPI MOSI	PACK_OPTION=J522,J523	8 45
TP94A8	ATRANI SPI MISO	PACK_OPTION=J522,J523	8 45
TP94A9	ATRANI SPI CS	PACK_OPTION=J522,J523	8 45
TP94AA	DISP FSYNC	PACK_OPTION=J522,J523	8 45
TP94AB	DISP LSYNC	PACK_OPTION=J522,J523	8 45
TP94AC	ATRANI BOOST CTL	PACK_OPTION=J522,J523	44 45

LDCM

TP94B0	ANA ACE2LDCM DEBUG4	36 54
TP94B1	ANA ACE2LDCM DEBUG5	36 54
TP94B2	ANA LDCM TRACE1	35 54
TP94B3	GPIO LDCM TO AOP INVALID	10 54
TP94B4	ANA LDCM TRACE2	35 54

POWER - ADAMS FRONT

TP9471	PP FPMU VDDL	61 84
TP9472	PP3V1 PEARL	61 84
TP9473	PP1V215 JULIET VDDL	61 84
TP9474	PP2V85 JULIET AVDDH1	61 84
TP9475	PP2V85 SWIDE FCAM2 AVDDH1	61 84
TP9476	PP1V215 FCAM2 SWIDE VDDL	61 84
TP9477	PP1V215 FRCAM1 WIDE VDDL	61 84
TP9478	PP1V2 INT ADAMS FRONT	61 84
TP9479	PP1V8 FCAM PMU IO SW	61 84
TP947A		

SPARES

TP9404	A	PACK_OPTION=J522,J523
TP942V	A	PACK_OPTION=J522,J523
TP9454	A	PACK_OPTION=J522,J523

EE CHARACTERIZATION PROBE POINT

SOC

PP9570	TPT_VDD_SOC_S1_SENSE	12
PP9571	TPT_VSS_SENSE1	12
PP9572	TPT_VSS_SENSE2	12
PP9573	TPT_VDD2_S2_SENSE2	12
PP9574	TPT_VDD_S2_SENSE1	12
PP9575	TPT_VDD_ECPU_SENSE	12
PP9576	TPT_VDD_GPU_SENSE	12
PP9577	TPT_VDD_DISP_S1_SENSE	12
PP9578	TPT_VDD_DCS_SENSE	12
PP9579	TPT_VDDQL_SENSE	13
PP957A	TPT_VSS_DDR_SENSE	12

FOR SEG

PP9503	PPVDD_S1_SOC	69 80 84
PP950E	PP0V8_S1_SOC_FIXED	66 80 84
PP950K	PPVDD_ECPU	70 80 84
PP9505	PPVDD_CPU	69 80 84
PP9506	PPVDD_S1_SRAM	65 80 84
PP9507	PPVDD_CPU_SRAM	70 80 84
PP9508	PP0V72_S2_VDDLOW	66 80 84

ACE/REDRIVER

PP9510	ACE_UART_RX	36
PP9511	ACE_UART_TX	36

FH SPEAKER I2S

PP9521	I2S_SOC_TO_SPKRAMP_FH_BCLK	PLACE_NEAR=U3450.A4:50MM 7 32 33 82
PP9522	I2S_SOC_TO_SPKRAMP_FH_LRCK	PLACE_NEAR=U3450.A3:50MM 7 32 33 82
PP9523	I2S_SOC_TO_SPKRAMP_FH_DOUT	PLACE_NEAR=U3450.A1:50MM 7 32 33 82
PP9524	I2S_SPKRAMP_FH_TO_SOC_DOUT	PLACE_NEAR=U3450.L3:50MM 7 32 33 82

FH SPEAKER I2S - EXTRAS FOR U3400

PP952A	I2S_SOC_TO_SPKRAMP_FH_BCLK	7 32 33 82
PP952B	I2S_SOC_TO_SPKRAMP_FH_LRCK	7 32 33 82
PP952C	I2S_SOC_TO_SPKRAMP_FH_DOUT	7 32 33 82

CN SPEAKER I2S

PP9525	I2S3_SOC_TO_BSTMSTR_CN_MCLK	PLACE_NEAR=U3000.C5:50MM
PP9526	I2S_SOC_TO_SPKRAMP_CN_BCLK	PLACE_NEAR=U3250.A4:50MM 7 30 31
PP9527	I2S_SOC_TO_SPKRAMP_CN_LRCK	PLACE_NEAR=U3250.A3:50MM 7 30 31
PP9528	I2S_SOC_TO_SPKRAMP_CN_DOUT	PLACE_NEAR=U3250.A1:50MM
PP9529	I2S_SPKRAMP_CN_TO_SOC_DOUT	PLACE_NEAR=U0600.BC32:50MM
PP952D	GPIO_BST_MASTER_TO_SOC_IRQ_L	7 28
PP952E	GPIO_BST_SLAVE_TO_SOC_IRQ_L	7 28
PP952F	BST_CLK_SYNC_1V8	28
PP952G	BST_SYNC_R_1V8	28

PENROSE

PP952J	PDM_PENROSE_SCLK	10 24
PP952K	PDM_PENROSE_SD	10 24

GRAPE

PP9580	SPI_SOC_TO_GRAPE_SCLK	7 20
PP9582	SPI_SOC_TO_GRAPE_MOSI	7 20
PP9583	SPI_SOC_TO_GRAPE_CS_L	7 20
PP9584	GPIO_SOC_TO_GRAPE_RESET_L	7 20 21
PP9585	GPIO_GRAPE_TO_AOP_IRQ_L	10 20
PP9586	KONA_S_TO_LANAI_M_RESET_DET_1V8_L	20 21
PP9587	PSE_SYNC_1V8	20 21
PP9588	KMSI_MISO_1V8	20 31
PP9589	KMSI_MOSI_1V8	20 31
PP958A	KMSI_STRB_IN_1V8	20 31
PP958B	KMSI_STRB_OUT_1V8	20 31
PP958C	LANAI_BOOST_ATEST	20
PP958D	TESTPOINT_KONA_S_UART_TX_1V8	21
PP958E	TESTPOINT_KONA_S_UART_RX_1V8	21
PP958H	TPT_SWD_KONA_SWDIO_1V8	21
PP958I	TPT_SWD_KONA_SWCLK_1V8	21
PP958J	GPIO12_KONA_LDO_ADJ_1V8	20 21
PP958K	GPIO13_KONA_LDO_EN_1V8	20 21
PP958L	GPIO_SOC_TO_DISPLAY_TOUCH_EB	8 20
PP958N	GPIO_SOC_TO_LANAI_DISPLAY_BSYNC0	8 20
PP958P	GPIO_SOC_TO_GRAPE_BSYNC1	20 42
PP958X	UART_AOP_TO_GRAPE_TX	10 20
PP958Y	UART_GRAPE_TO_AOP_TX	10 20
PP958Z	UART_DEBUG_TO_GRAPE_TX	20 36
PP958Q	SPI_LANAI_M_TO_KONA_S_MISO_1V8	20 21
PP958T	SPI_LANAI_M_TO_KONA_S_SCLK_1V8	20 21
PP958U	SPI_LANAI_M_TO_KONA_S_CS_1V8_L	20 21
PP958W	SPI_LANAI_M_TO_KONA_S_MOSI_1V8	20 21
PP95K0	SPI_SOC_TO_KONA_S_SCLK_1V8	7 21
PP95K1	SPI_SOC_TO_KONA_S_MOSI_1V8	7 21
PP95K2	SPI_SOC_TO_KONA_S_CS_1V8_L	7 21
PP95K3	GPIO_KONA_S_TO_SOC_IRQ_1V8_L	7 21

GRAPE POWER

PP958R	PP3V3_GRAPE_FILT	20 31
PP958S	PP1V8_GRAPE_XTAL_FILT	20 31
PP958V	PP1V8_GRAPE_AON_RC	20 31

DMIC SECURED

PP9590	PDM_DMIC_TOP_L_R_SD	10 64
PP9591	PDM_DMIC_FRONT_BACK_SD	10 64
PP9592	PDM_DMIC_SIDE_SD	10 64

PMU

PP95A0	SGPIO_READY_REQ_1V8	67 72
PP95A1	SGPIO_SCLK_1V8	67 72
PP95A2	SGPIO_SDATA_1V8	67 72
PP95A3	GPIO_SIMETRA_IRQ_L	67

WIFI(SEE MORE ON PAGE 49)

PP95BL	GPIO_SOC_TO_BT_TO_GRAPE_TS_SYNC	7 20 78

WLAN PCIE TPS

PP95E0	PLACE_NEAR=U0600.BF11:100MM PCIE_WLAN_TO_SOC_TX_P	9 78
PP95E1	PLACE_NEAR=U0600.BE11:100MM PCIE_WLAN_TO_SOC_TX_N	9 78
PP95E2	PLACE_NEAR=U_WLAN_W.99:20MM PCIE_SOC_TO_WLAN_TX_P	9 78
PP95E3	PLACE_NEAR=U_WLAN_W.30:20MM PCIE_SOC_TO_WLAN_TX_N	9 78
PP95E4	PLACE_NEAR=U_WLAN_W.95:20MM PCIE_SOC_TO_WLAN_REFCLK_P	9 78
PP95E5	PLACE_NEAR=U_WLAN_W.26:20MM PCIE_SOC_TO_WLAN_REFCLK_N	9 78

BB PCIE TPS

ORION

PP953B	GPIO_AOP_TO_ORION_HWEN	10 68
PP953C	ORION_CONN_STATUS	68

SENSOR SPI LINES

PP9544	SPI_SENSORS_SCLK	PLACE_NEAR=U2120.4:10MM 10 19 53
PP9545	SPI_SENSORS_MISO	PLACE_NEAR=U2120.AC3:10MM 10 19 53
PP9546	SPI_SENSORS_MOSI	PLACE_NEAR=U2120.3:10MM 10 19 53
PP9547	SPI_MOLY_SCLK	PLACE_NEAR=R2102.1:10MM 19
PP9549	SPI_MOLY_MOSI	PLACE_NEAR=R2103.1:10MM 19

PMU/CHARGER

PP95G7	EUSB_VBUS_DETECT	6
PP95G4	NUB_SPMI_SERA_SCLK	10 72
PP95G5	NUB_SPMI_SERA_SDATA	10 72
PP9539	SYS_ALIVE	17 18 72
PP95G0	PROX_BI_AP_AOP_INT_L_PWM_LVT	10 41

PARROT

PP95H0	TPT_GPIO0_PARROT	38
PP95H1	TPT_GPIO1_PARROT	38

NAND

PP95D0	TPT_NAND1_DROOP_L	17
PP95D1	TPT_NAND2_DROOP_L	18
PP95D2	GPIO_PMU_TO_NAND_LOW_BATT_L	17 18 72
PP95D6	PCIE_SOC_TO_NAND_PERST_L	9 17 18
PP95DE	PLACE_NEAR=U1800.J4:50MM NAND1_ANI1_VREF	17
PP95DF	PLACE_NEAR=U1800.G12:50MM NAND1_ANI0_VREF	17
PP95DG	PLACE_NEAR=U1900.J4:50MM NAND2_ANI1_VREF	18
PP95DH	PLACE_NEAR=U1900.G12:50MM NAND2_ANI0_VREF	18
PP95DI	PLACE_NEAR=U1800.L4:50MM GPIO_SOC_TO_NAND_FW_STRAP	7 17 18
PP95DJ	PLACE_NEAR=U1800.L4:50MM GPIO_SOC_TO_NAND_RESET_L	7 17 18

IR CAMERA - JULIET

PP9550	MIPI_PEARL_TO_SOC_CLK_P NO_XNET_CONNECTION=1	8 40
PP9551	MIPI_PEARL_TO_SOC_CLK_N NO_CONNECTION=1	8 40
PP9552	MIPI_PEARL_SOC_DATA_P<0> NO_XNET_CONNECTION=1	8 40
PP9553	MIPI_PEARL_SOC_DATA_N<0> NO_XNET_CONNECTION=1	8 40
PP9554	MIPI_PEARL_SOC_DATA_P<1> NO_XNET_CONNECTION=1	8 40
PP9555	MIPI_PEARL_SOC_DATA_N<1> NO_XNET_CONNECTION=1	8 40
PP9556	CLK_FCAM_PMU_TO_JULIET_12M_1V8	40 41 63

CAMERA - FRONT WIDE

CAMERA - FRONT SWIDE

PP9566	LPDP_SOC_TO_FCAM2_SWIDE_AUX NO_XNET_CONNECTION=1	8 26
PP9567	LPDP_FCAM2_SWIDE_TO_SOC_DATA_P<0> NO_XNET_CONNECTION=1	8 26
PP9568	LPDP_FCAM2_SWIDE_TO_SOC_DATA_N<0> NO_XNET_CONNECTION=1	8 26
PP9569	LPDP_FCAM2_SWIDE_TO_SOC_DATA_P<1> NO_XNET_CONNECTION=1	8 26
PP956A	LPDP_FCAM2_SWIDE_TO_SOC_DATA_N<1> NO_XNET_CONNECTION=1	8 26

LPDPRX TPS

PP95F0	LPDP_RCAM1_WIDE_TO_SOC_DATA_P<0> PLACE_NEAR=U0600.AT4:150MM	8 58
PP95F1	LPDP_RCAM1_WIDE_TO_SOC_DATA_N<0> PLACE_NEAR=U0600.AT5:150MM	8 58
PP95F2	LPDP_RCAM1_WIDE_TO_SOC_DATA_P<1> PLACE_NEAR=U0600.AT1:150MM	8 58
PP95F3	LPDP_RCAM1_WIDE_TO_SOC_DATA_N<1> PLACE_NEAR=U0600.AT2:150MM	8 58
PP95F4	LPDP_SOC_TO_RCAM1_WIDE_AUX PLACE_NEAR=U0600.AV4:150MM	8 58
PP95F5	LPDP_RCAM2_SWIDE_TO_SOC_DATA_P<0> PLACE_NEAR=U0600.AV5:150MM	8 59
PP95F6	LPDP_RCAM2_SWIDE_TO_SOC_DATA_N<0> PLACE_NEAR=U0600.AV1:150MM	8 59
PP95F7	LPDP_RCAM2_SWIDE_TO_SOC_DATA_P<1> PLACE_NEAR=U0600.AV2:150MM	8 59
PP95F8	LPDP_RCAM2_SWIDE_TO_SOC_DATA_N<1> PLACE_NEAR=U0600.AU7:150MM	8 59
PP95F9	LPDP_SOC_TO_RCAM2_SWIDE_AUX PLACE_NEAR=U0600.AT7:150MM	8 59
PP95FA	LPDP_JASPER_TO_SOC_DATA_P PLACE_NEAR=U0600.AV4:150MM	8 60
PP95FB	LPDP_JASPER_TO_SOC_DATA_N PLACE_NEAR=U0600.AV4:150MM	8 60
PP95FC	LPDP_SOC_TO_JASPER_AUX PLACE_NEAR=U0600.AU7:150MM	8 60

PAGE TITLE

TEST: EE TP/PP

EE DC RESISTANCE TABLE

DC RESISTANCE FAI REQUIRED MEASUREMENTS				
FROM PIN (REFDES.PN)	TO PIN (REFDES.PN)	VALUE (MILLIOHM) (OPTIONAL)	TOLERANCE (+/-) (OPTIONAL)	
U8100.C4	L8111.2	?	?	SERA BUCK1 LX1 DCR
U3800.G2	U8500.L13	?	?	PPVBUS_PROT FROM ACE TO POTOMAC DCR
Q8000.A1	U8500.L13	?	?	PPVBUS_PROT FROM BELLATRIX B2B FET TO POTOMAC DCR
Q8000.A2	Q8051.3	?	?	PPVBUS_ORION_RVP FROM BELLATRIX B2B FET TO ORION RVP FET DCR
Q8051.2	FL8950.1	?	?	PPVBUS_ORION_RVP FROM ORION RVP FET TO FERRITE DCR
FL8950.2	J8902.10	?	?	PPVBUS_ORION_CONN FROM FERRITE TO ORION B2B DCR
U3800.G6	J3700.29	?	?	PPVBUS_ORION_CONN FROM FERRITE TO ORION B2B DCR
J8900.3	R8582.2	?	?	PPBATT_VCC FROM BATT CONN TO SENSE RES DCR
R8582.1	Q8580.5	?	?	PPBATT_VCC_R FROM SENSE RES TO VBATT/VCCMAIN FET DCR
Q8580.1	U8500.A1	?	?	PPVCC_MAIN FROM SENSE RES TO POTOMAC DCR
U3500.D2	J3500.2	?	?	SPKRAMP_FH_R_T_OUT_P FROM SPKRAMP TO B2B DCR
U3500.C2	J3500.1	?	?	SPKRAMP_FH_R_T_OUT_N FROM SPKRAMP TO B2B DCR
Q8581.1	U6100.D8	?	?	PPVCC_HIGH FROM Q8581 TO ADAMS REAR DCR
Q8581.1	U6900.D8	?	?	PPVCC_HIGH FROM Q8581 TO ADAMS FRONT DCR
Q8580.1	U6100.A3	?	?	PPVCC_MAIN FROM Q8581 TO ADAMS REAR DCR
Q8580.1	U6900.A3	?	?	PPVCC_MAIN FROM Q8581 TO ADAMS FRONT DCR
U6900.D7	FL2851.1	?	?	PP2V85 SWIDE FCAM FROM FRONT ADAMS TO FERRITE DCR
U6100.D7	FL6603.1	?	?	PP2V85 SWIDE RCAM FROM REAR ADAMS TO FERRITE DCR
U6100.E7	FL6503.1	?	?	PP2V85 WIDE RCAM FROM REAR ADAMS TO FERRITE DCR
U4000.B5	R38B1.1	?	?	8S_USB_SOC_N DCR
U4000.A5	R38B0.1	?	?	8S_USB_SOC_P DCR
R38B1.2	U3800.H21	?	?	8S_USB_SOC_R_N DCR
R38B0.2	U3800.H19	?	?	8S_USB_SOC_R_P DCR
R38A3.1	J3700.17	?	?	ACE_USB_BOT_CONN_N DCR
R38A2.1	J3700.15	?	?	ACE_USB_BOT_CONN_P DCR
U3800.J22	R38A3.2	?	?	ACE_USB_BOT_N DCR
U3800.J20	R38A2.2	?	?	ACE_USB_BOT_P DCR
R38A1.1	J3700.9	?	?	ACE_USB_TOP_CONN_N DCR
R38A0.1	J3700.11	?	?	ACE_USB_TOP_CONN_P DCR
U3800.K21	R38A1.2	?	?	ACE_USB_TOP_N DCR
U3800.K19	R38A0.2	?	?	ACE_USB_TOP_P DCR
U4701.A3	J4801.47	?	?	PP_LUME_OUT FROM LUME TO BCON B2B DCR

PAGE TITLE

TEST: DCR TABLE

POWER CONNECTIONS

SERA SIMETRA BUCKS:

SERA_BUCK0 (ACTIVE)
PPVDD_CPU — PPVDD_CPU
MAKE_BASE=TRUE

SERA_BUCK1 (SW CONTROL)
PPVDD_GPU — PPVDD_GPU
MAKE_BASE=TRUE

SERA_BUCK2 (SLEEP1)
PPVDD_S1_SOC — PPVDD_S1_SOC
MAKE_BASE=TRUE

SERA_BUCK3 (SLEEP2)
PP1V8_S2 — PP1V8_S2
MAKE_BASE=TRUE
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2
PP1V8_S2

BUCK3 SWITCHES

SERA_BUCK3_SW1 (ACTIVE)
PP1V8_SW1_IO — PP1V8_SW1_IO
MAKE_BASE=TRUE
PP1V8_SW1_IO
PP1V8_SW1_IO
PP1V8_SW1_IO
PP1V8_SW1_IO
PP1V8_SW1_IO

SERA_BUCK3_SW2 (SLEEP2)
PP1V8_S2_TOUCH — PP1V8_S2_TOUCH

SIMETRA_BUCK3_SW4 (SPARE)
PP_BUCK3_SW4_SPARE
MAKE_BASE=TRUE

SIMETRA_BUCK4 (SLEEP2)
PP1V06_S2 — PP1V06_S2
MAKE_BASE=TRUE
PP1V06_S2

SIMETRA_BUCK5 (SW CONTROL)
PPVDD_S1_SRAM — PPVDD_S1_SRAM
MAKE_BASE=TRUE

SIMETRA_BUCK6 (ACTIVE)
PP2V63_NAND — PP2V63_NAND
MAKE_BASE=TRUE

SERA_BUCK7 (ACTIVE)
PPVDD_CPU_SRAM — PPVDD_CPU_SRAM
MAKE_BASE=TRUE

SERA_BUCK8 (SLEEP1)
PPVDD_S1_DISP — PPVDD_S1_DISP
MAKE_BASE=TRUE

SERA_BUCK9 (SLEEP1)
PPVDD_S1_DCS — PPVDD_S1_DCS
MAKE_BASE=TRUE

SIMETRA_BUCK10 (SLEEP1)
PPVDD_S1_QL — PPVDD_S1_QL
MAKE_BASE=TRUE

SERA_BUCK11 (ACTIVE)
PPVDD_ECPU — PPVDD_ECPU
MAKE_BASE=TRUE

SIMETRA_BUCK12 (SLEEP1)
PP0V88_S1 — PP0V88_S1
MAKE_BASE=TRUE

SIMETRA_BUCK12_SW6/7 (ACTIVE)
PP0V88_NAND — PP0V88_NAND
MAKE_BASE=TRUE

SIMETRA_BUCK13 (SLEEP2)
PP1V25_S2 — PP1V25_S2
MAKE_BASE=TRUE
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2
PP1V25_S2

SERA_BUCK13_SW3 (ACTIVE)
PP1V2_IO — PP1V2_IO
MAKE_BASE=TRUE
PP1V2_IO
PP1V2_IO
PP1V2_IO
PP1V2_IO

SIMETRA_BUCK13_SW5 (ACTIVE)
PP1V2_NAND — PP1V2_NAND
MAKE_BASE=TRUE

SERA SIMETRA LDOS:

SERA_LDO1 (SW CONTROL)
PP3V3_BSB — PP3V3_BSB
MAKE_BASE=TRUE

SERA_LDO2 (SW CONTROL)
PP1V8_LDCM — PP1V8_LDCM
MAKE_BASE=TRUE

SERA_LDO3 (SLEEP2)
PP1V20_S2_NFC — PP1V20_S2_NFC
MAKE_BASE=TRUE

SIMETRA_LDO4 (SLEEP2)
PP0V72_S2_VDDLOW — PP0V72_S2_VDDLOW   225 MA(MAX)
MAKE_BASE=TRUE

SERA_LDO5 (SLEEP2)
PP2V95_S2_SCORPIUS — PP2V95_S2_SCORPIUS
MAKE_BASE=TRUE

SIMETRA_LDO6 (ACTIVE)
SIMETRA_LDO6_SPARE

SERA_LDO7 (SLEEP 2)
PP3V3_S2_ACE_PARROT — PP3V3_S2_ACE_PARROT
MAKE_BASE=TRUE
PP3V3_S2_ACE_PARROT

SIMETRA_LDO8 (ACTIVE)
PP1V2_SOC_LN — PP1V2_SOC_LN
MAKE_BASE=TRUE
PP1V2_SOC_LN

SERA_ON_BUF_LDO9 (ALWAYS)
PP1V8_SERA_ALWAYS — PP1V8_SERA_ALWAYS
MAKE_BASE=TRUE

SIMETRA_LDO9 (ALWAYS)
PP1V8_SIMETRA_ALWAYS — PP1V8_SIMETRA_ALWAYS
MAKE_BASE=TRUE

SERA_LDO10 (SPARE)
PP_SERA_LDO10_SPARE
NOTE: BACK UP FOR PP3V3_S2_SCORPIUS

SIMETRA_LDO11 (SLEEP2)
PPVDD_S2_CIO — PPVDD_S2_CIO
MAKE_BASE=TRUE

SIMETRA_LDO12 (SLEEP1)
PP0V8_S1_SOC_FIXED — PP0V8_S1_SOC_FIXED
MAKE_BASE=TRUE

SERA_LDO13 (SLEEP2)
PP3V3_S2_TOUCH — PP3V3_S2_TOUCH

SERA_LDO14 (SLEEP2)
PP1V2_S2_TOUCH — PP1V2_S2_TOUCH

SIMETRA_LDO15 (SPARE)
SIMETRA_LDO15_SPARE

SERA_LDO16 (SPARE)
PP_SERA_LDO16_SPARE

NOTE: PP3V3 PENROSE MOVED FROM LDO17 TO ADAMS REAR PMU

SIMETRA_LDO17 (SPARE)
PP_SIMETRA_LDO17_SPARE

SIMETRA_LDO18 (SLEEP2)
PP3V0_S2_ALS — PP3V0_S2_ALS
PP3V0_S2_ALS

SERA_LDO19 (SLEEP4)
PPVDD_S4_HIB_UNUSED   (NON-POR)

SIMETRA_LDO20 (SLEEP2)
PP1V2_S2_CIO — PP1V2_S2_CIO

CHARGER HIGH
PPVCC_HIGH — PPVCC_HIGH
MAKE_BASE=TRUE
PPVCC_HIGH
PPVCC_HIGH
PPVCC_HIGH

BACKLIGHT BOOST
NC_PPLED_OUT — NC_PPLED_OUT
MAKE_BASE=TRUE

USB POWER INPUT
PPVBUS_PROT — PPVBUS_PROT
MAKE_BASE=TRUE

ADAMS REAR CAM:

ADAMS_REAR_BUCK0 (SW CONTROL)
PP1V4_ADAMS1_VDDL — PP1V4_ADAMS1_VDDL
MAKE_BASE=TRUE

ADAMS_REAR_LDO1 (SW CONTROL)
PP3V3_ADAMS_LDO1 — PP3V3_ADAMS_LDO1
3.3V
PP3V3_ADAMS_LDO1

ADAMS_REAR_LDO2 (SW CONTROL)
PP3V0_JASPER_RX_AVDDH — PP3V0_JASPER_RX_AVDDH

ADAMS_REAR_LDO3 (SW CONTROL)
PP3V0_PENROSE — PP3V0_PENROSE

ADAMS_REAR_LDO4 (SW CONTROL)
PP3V3_JASPER_TX_AVDDH — PP3V3_JASPER_TX_AVDDH
MAKE_BASE=TRUE

ADAMS_REAR_LDO5 (SW CONTROL)
PP3V3_RPMU_LDO5_ADC_PENROSE — PP3V3_RPMU_LDO5_ADC_PENROSE

ADAMS_REAR_LDO6 (SW CONTROL)
PP2V85_WIDE_RCAM1_AVDDH1 — PP2V85_WIDE_RCAM1_AVDDH1

ADAMS_REAR_LDO7 (SW CONTROL)
PP2V85_SWIDE_RCAM2_AVDDH1 — PP2V85_SWIDE_RCAM2_AVDDH1

ADAMS_REAR_LDO8 (SW CONTROL)
PP1V215_RCAM_SWIDE_VDDL — PP1V215_RCAM_SWIDE_VDDL

ADAMS_REAR_LDO9 (SW CONTROL)
PP1V215_RCAM_WIDE_VDDL — PP1V215_RCAM_WIDE_VDDL

ADAMS_REAR_LDO10 (INTERNAL)
PP1V2_INT_ADAMS_REAR

ADAMS_REAR_SW1 (SW CONTROL)
PP1V8_RPMU_IO_SW — PP1V8_RPMU_IO_SW
PP1V8_RPMU_IO_SW
PP1V8_RPMU_IO_SW
PP1V8_RPMU_IO_SW

CHARGER MAIN
PPVCC_MAIN — PPVCC_MAIN
MAKE_BASE=TRUE
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN
PPVCC_MAIN

BATTERY
PPBATT_VCC — PPBATT_VCC

ADAMS FRONT CAM:

ADAMS_FRONT_BUCK0 (SW CONTROL)
PP_FPMU_VDDL — PP_FPMU_VDDL

ADAMS_FRONT_LDO1 (SW CONTROL)
PP3V1_PEARL — PP3V1_PEARL

ADAMS_FRONT_LDO2 (SPARE)
FPMU_VLDO2_SPARE

ADAMS_FRONT_LDO3 (SW CONTROL)
PP1V8_JULIET_VDDIO — PP1V8_JULIET_VDDIO
MAKE_BASE=TRUE

ADAMS_FRONT_LDO4 (SW CONTROL)
PP1V215_JULIET_VDDL — PP1V215_JULIET_VDDL

ADAMS_FRONT_LDO5 (SW CONTROL)
PP2V85_JULIET_AVDDH1 — PP2V85_JULIET_AVDDH1

ADAMS_FRONT_LDO6 (SPARE)
FPMU_VLDO6_SPARE

ADAMS_FRONT_LDO7 (SW CONTROL)
PP2V85_SWIDE_FCAM2_AVDDH1 — PP2V85_SWIDE_FCAM2_AVDDH1

ADAMS_FRONT_LDO8 (SW CONTROL)
PP1V215_FCAM2_SWIDE_VDDL — PP1V215_FCAM2_SWIDE_VDDL

ADAMS_FRONT_LDO9 (SW CONTROL)
PP1V215_FRCAM1_WIDE_VDDL — PP1V215_FRCAM1_WIDE_VDDL

ADAMS_FRONT_LDO10 (INTERNAL)
PP1V2_INT_ADAMS_FRONT

ADAMS_FRONT_SW1 (SW CONTROL)
PP1V8_FCAM_PMU_IO_SW — PP1V8_FCAM_PMU_IO_SW
MAKE_BASE=TRUE
PP1V8_FCAM_PMU_IO_SW
PP1V8_FCAM_PMU_IO_SW
PP1V8_FCAM_PMU_IO_SW

PAGE TITLE

ALIASES: POWER

BOM TABLES

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

ALT TABLES

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
197S00254	197S00250	?	Y601_E	EPS,38.4MHZ,8PF,1612
197S00283	197S00250	?	Y601_E	KYC,38.4MHZ,8PF,1612

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
152S01350	998-20498	?	L401_E	IND,MLD,0.47UH,20%,4.8A,260MOHM,0805,H0.8
152S01350	998-20498	?	L402_E	IND,MLD,0.47UH,20%,4.8A,260MOHM,0805,H0.8
152S01350	998-20498	?	L403_E	IND,MLD,0.47UH,20%,4.8A,260MOHM,0805,H0.8
152S01350	998-20498	?	L406_E	IND,MLD,0.47UH,20%,4.8A,260MOHM,0805,H0.8
152S01350	998-20498	?	L407_E	IND,MLD,0.47UH,20%,4.8A,260MOHM,0805,H0.8
152S01352	998-20497	?	L404_E	IND,PWR,1.0UH,20%,3.3A,60MOHM,2012
152S01352	998-20497	?	L405_E	IND,PWR,1.0UH,20%,3.3A,60MOHM,2012

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
335S00013	335S0894	?	EEPROM_E	EEPROM,8KBIT,I2C
107S0245	107S0244	?	R607_E	THERMISTOR,NTC,100K OHM,1%,B=4250,01005
117S00012	117S00040	?	FL5921_E,FL5922_E,FL5924_E	RES,0 OHM,JUMPER,1/10W,4.5A,0201

OMIT TABLE

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
118S00050	1	RES,MF,5.6K OHM,1%,1/32W,01005	R630_E	RF_SKU:WW+KOLKATA
118S0730	1	RES,MF,12.0K OHM,1%,1/32W,01005	R630_E	RF_SKU:WW
118S00050	1	RES,MF,5.6K OHM,1%,1/32W,01005	R631_E	BOARD_REV:PROTO0
118S0730	1	RES,MF,12.0K OHM,1%,1/32W,01005	R631_E	BOARD_REV:PROTO1
118S0626	1	RES,MF,100.0K OHM,1%,1/32W,01005	R631_E	BOARD_REV:PROTO2
118S00193	1	RES,MF,36.5K OHM,1%,1/32W,01005	R631_E	BOARD_REV:EVT
118S0868	1	RES,MF,47.5K OHM,1%,1/32W,01005	R631_E	BOARD_REV:CRB
118S00136	1	RES,TK,60.4K OHM,1%,1/32W,01005	R631_E	BOARD_REV:DVT
118S0768	1	RES,MF,75.0K OHM,1%,1/32W,01005	R631_E	BOARD_REV:PVT
118S0626	1	RES,MF,100K OHM,1%,1/32W,01005	R632_E	J518
118S0737	1	RES,MF,124K OHM,1%,1/32W,01005	R632_E	J523
118S00122	1	RES,MF,27.0K OHM,1%,1/32W,01005	R631_E	BOARD_REV:PRE-PROTO2

OPTION A) IS FOR THE CASE THAT CHINA WILL NOT ACCEPT ESIM. (337S00848: PROD)
OPTION B) IS IN CASE CHINA ACCEPTS ESIM, THEN THE CHINA CONFIGS WILL USE PROD-CN PARTS.(337S00848: PROD-CN)

BOM_COST_GROUP=NO_COST_ITEMS

IMPEDANCE TABLES

SPACING CAPPED TABLES

INTENTIONALLY LEFT BLANK, CMA TABLES REMOVED AFTER PROTO1

Spacing CSet Definitions

Custom mmW Constraint

Physical

Spacing

PAGE TITLE
CONSTRAINTS: Impedance Tables

BOM_COST_GROUP=NO_COST_ITEMS

50-OHM PHYSICAL CONSTRAINTS

INTENTIONALLY LEFT BLANK, CMA TABLES REMOVED AFTER PROTO1

PAGE TITLE
CONSTRAINTS: RF Physical

50-OHM SPACING CONSTRAINTS

INTENTIONALLY LEFT BLANK, CMA TABLES REMOVED AFTER PROTO1

POWER CONSTRAINTS

INTENTIONALLY LEFT BLANK, CMA TABLES REMOVED AFTER PROTO1

PAGE TITLE

CONSTRAINTS: Power

BOM_COST_GROUP=NO_COST_ITEMS

90-ohm Diff Pair Constraints

INTENTIONALLY LEFT BLANK, CMA TABLES REMOVED AFTER PROTO1

PAGE TITLE

CONSTRAINTS : 90ohm

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

Diff Pair Constraints

Grouping Constraints

RF-Shield

INTENTIONALLY LEFT BLANK, CMA TABLES REMOVED AFTER PROTO1

SYNC_MASTER=RADIO_MLB_3.27.0   SYNC_DATE=08/31/2020
PAGE TITLE
CONSTRAINTS: Misc

BOM_COST_GROUP=NO_COST_ITEMS

BB PMU: SMPS
SMPS INPUT CAPS

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

PMX_REF_BYP

UBBPMU_E
338S00620
PMX55-0
POWPSP
SYM 5 OF 6
VREG1
ROOM=BBPMU

PPVCC_MAIN
MAKE_BASE=TRUE

C401_E 15UF 20% 6.3V X5R 0402-0.1MM-1
C406_E 2.2UF 20% 6.3V X5R-CERM 0201
MAKE_BASE=TRUE

C402_E 2.2UF 20% 6.3V X5R-CERM 0201 MAKE_BASE=TRUE

C405_E 2.2UF 20% 6.3V X5R-CERM 0201 MAKE_BASE=TRUE

C412_E 2.2UF 20% 6.3V X5R-CERM 0201 MAKE_BASE=TRUE

C407_E 2.2UF 20% 6.3V X5R-CERM 0201 MAKE_BASE=TRUE

C427_E 15UF 20% 6.3V X5R 0402-0.1MM-1
C403_E 2.2UF 20% 6.3V X5R-CERM 0201 MAKE_BASE=TRUE

C404_E 2.2UF 20% 6.3V X5R-CERM 0201 MAKE_BASE=TRUE

C409_E 15UF 20% 6.3V X5R 0402-0.1MM-1
C411_E 15UF 20% 6.3V X5R 0402-0.1MM-1

SHARE S7 INPUT POWER ROUTES WITH S5 CAP
TWO 15UF LIVE ON VDD_MAIN FOR BBPMU

C509_E 0.1UF 10% 16V X5R 01005

XW407_E SHORT-10L-0.1MM-SM

C408_E 1.0UF 10% 6.3V X5R-CERM 0201-1
DVDD_BYP_GND
XW408_E SHORT-10L-0.1MM-SM

C410_E 1.0UF 10% 6.3V X5R-CERM 0201-1
AVDD_BYP_GND
XW406_E SHORT-10L-0.1MM-SM

UBBPMU_E 338S00620 PMX55-0 POWPSP SYM 3 OF 6 ROOM=BBPMU

GND_S1 112 121
GND_S2 42 43
GND_S3 119 127
GND_S4 110 111
GND_S5 27 28
GND_S6 103 104
GND_S7 13 21
GND_S8 35 36
CMN_GND 47 56 64 65 73 81 82 90
RMT_GND_S1 96
RMT_GND_S6 88
RMT_GND_S8 79
VREG_S1_S6_SENSE_N

AVDD_BYP 108 AVDD_BYP_PMIC
DVDD_BYP 116 DVDD_BYP_PMIC

BOM_COST_GROUP=CELLULAR

REF_BYP 32
REF_GND 49

VDD_S1 137 138 PPVCC_MAIN
VDD_S2 59 68 PPVCC_MAIN
VDD_S3 144 145 PPVCC_MAIN
VDD_S4 76 77 85 PPVCC_MAIN
VDD_S5 1 10 PPVCC_MAIN
VDD_S6 78 87 PPVCC_MAIN
VDD_S7 3 11 PPVCC_MAIN
VDD_S8 61 69 NC

VSW_S1 120 129 VSW_SMPS1
VFB_S1 70 VREG_S1_S6_SENSE_P
L401_E 0.47UH-20%-4.8A-0.025OHM PIJL20120H-SM
REMOTE SENSE CONNECT TO LOAD
IPEAK: 7.8A VOLTAGE=0.752V PP_0V75_SMPS1_6
C4A0_E 330PF 10% 16V X7R 01005

VSW_S2 51 60 VSW_SMPS2
VFB_S2 34 PP_1V24_SMPS2_SNS
L402_E 0.47UH-20%-4.8A-0.025OHM PIJL20120H-SM
XW404_E SHORT-10L-0.1MM-SM
IPEAK: 3.19A VOLTAGE=1.224V PP_1V22_SMPS2
C429_E 20UF 20% 4V X5R 0402-0.1MM
C4A1_E 330PF 10% 16V X7R 01005

VSW_S3 128 136 VSW_SMPS3
VFB_S3 126 PP_0V82_SMPS3_SNS
L403_E 0.47UH-20%-4.8A-0.025OHM PIJL20120H-SM
XW402_E SHORT-10L-0.1MM-SM
IPEAK: 3.59A VOLTAGE=0.824V PP_0V82_SMPS3
C430_E 20UF 20% 4V X5R 0402-0.1MM
C4A2_E 330PF 10% 16V X7R 01005
C434_E 20UF 20% 4V X5R 0402-0.1MM

VSW_S4 93 94 102 VSW_SMPS4
VFB_S4 135 PP_1V9_SMPS4_SNS
L404_E 1.0UH-20%-3.3A-0.05OHM PIJP20120H-SM
XW403_E SHORT-10L-0.1MM-SM
IPEAK: 0.903A VOLTAGE=1.88V PP_1V9_SMPS4
C431_E 20UF 20% 4V X5R 0402-0.1MM
C435_E 20UF 20% 4V X5R 0402-0.1MM
C4A3_E 330PF 10% 16V X7R 01005

VSW_S5 18 19 VSW_SMPS5
VFB_S5 45 PP_0V75_SMPS5_SNS
L405_E 1.0UH-20%-3.3A-0.05OHM PIJL20120H-SM
XW405_E SHORT-10L-0.1MM-SM
IPEAK: 2.39A VOLTAGE=0.752V PP_0V75_SMPS5
C432_E 20UF 20% 4V X5R 0402-0.1MM
C4A4_E 330PF 10% 16V X7R 01005

VSW_S6 86 95 VSW_SMPS6
VFB_S6 62 VREG_S1_S6_SENSE_P
L406_E 0.47UH-20%-4.8A-0.025OHM PIJL20120H-SM
REMOTE SENSE CONNECT TO LOAD
PP_0V75_SMPS1_6
C4A5_E 330PF 10% 16V X7R 01005

VSW_S7 4 12 VSW_SMPS7
VFB_S7 20 PP_0V75_SMPS7_SNS
L407_E 0.47UH-20%-4.8A-0.025OHM PIJL20120H-SM
XW401_E SHORT-10L-0.1MM-SM
IPEAK: 3.05A VOLTAGE=0.752V PP_0V75_SMPS7
C433_E 20UF 20% 4V X5R 0402-0.1MM
C4A6_E 330PF 10% 16V X7R 01005

VSW_S8 44 52 NC
VFB_S8 53 NC
S8 FOR BACKUP ONLY NOT ENOUGH ROOM ON MLB

SYNC_MASTER=RADIO_MLB_3.27.0
SYNC_DATE=09/31/2020
PAGE TITLE
PMIC: BUCKs

BB PMU: LDOS

338S00620
UBBPMU_E
PMX55-0
FOWPSP
SYM 6 OF 6

ROOM=BBPMU

VDD_AP_IO

VREG2

Pin	Signal		VREG
33	PP_1V2_LDO15	129 128 93	VDD_AP_IO
17	VDD_L1_L2	93 92 PP_1V22_SMPS2	VREG_L1 9
25	VDD_L1_L2		VREG_L1 26
124	VDD_L3_L9	95 93 92 PP_0V82_SMPS3	VREG_L2 8
			VREG_L3 132
			VREG_L9 115
15	VDD_L4_L12	93 92 PP_1V22_SMPS2	VREG_L4 16
24	VDD_L4_L12		VREG_L12 7
134	VDD_L5_L6	133 132 131 93 92 PP_1V9_SMPS4	VREG_L5 143
			VREG_L6 142
123	VDD_L7_L8	95 93 92 PP_0V82_SMPS3	VREG_L7 140
131	VDD_L7_L8		VREG_L8 139
48	VDD_L10_L11_L13	128 127 PPVCC_HIGH	VREG_L10 40
			VREG_L11 31
			VREG_L13 39
14	VDD_L14	95 92 PP_0V75_SMPS7	VREG_L14 5
23	VDD_L15	93 92 PP_1V22_SMPS2	VREG_L15 6
133	VDD_L16	133 132 131 93 92 PP_1V9_SMPS4	VREG_L16 141
22			VREG_L14_S

ROOM=BBPMU
C528_E
2.2UF
20%
6.3V
X5R-CERM
0201

Output rails

Rail	VOLTAGE / IPEAK	Net
VREG_L1	VOLTAGE: 1.2V / IPEAK: 1.2A	PP_1V2_LDO1 (VOLTAGE=1.2V) 93 95 98
VREG_L2	VOLTAGE: 1.128V / IPEAK: 0.324A	PP_1V1_LDO2 (VOLTAGE=1.128V) 95
VREG_L3	VOLTAGE: 0.8V / IPEAK: 1.28A	PP_0V8_LDO3 (VOLTAGE=0.8V) 98
VREG_L9	VOLTAGE: 0.8V / IPEAK: 0.283A	PP_0V8_LDO9 (VOLTAGE=0.80V) 130
VREG_L4	VOLTAGE: 0.912V / IPEAK: 1.05A	PP_0V875_LDO4 (VOLTAGE=0.90V) 95 96 130
VREG_L12	VOLTAGE: 1.2V / IPEAK: 0.586A	PP_1V2_LDO12 (VOLTAGE=1.2V) 130
VREG_L5	VOLTAGE: 1.8V / IPEAK: 0.178A	PP_1V8_LDO5 (VOLTAGE=1.8V) 95 130
VREG_L6	VOLTAGE: 1.8V / IPEAK: 0.229A	PP_1V8_LDO6 (VOLTAGE=1.8V) 93 94 95 97 102 103 128 130 137
VREG_L7	VOLTAGE: 0.744V / IPEAK: 1.18A	PP_0V8_LDO7 (VOLTAGE=0.8V) 130
VREG_L8	VOLTAGE: 0.748V / IPEAK: 0.825A	PP_0V8_LDO8 (VOLTAGE=0.8V) 98
VREG_L10	VOLTAGE: 3.083V / IPEAK: 0.0002A	PP_3V1_LDO10 (VOLTAGE=3.1V) 95
VREG_L11	VOLTAGE: 2.848V / IPEAK: 0.07A	PP_UIM1_LDO11 (VOLTAGE=2.85V) 95 127 132 134 137
VREG_L13	VOLTAGE: 2.848V / IPEAK: 0.07A	PP_UIM2_LDO13 (VOLTAGE=2.85V) 95 126
VREG_L14	VOLTAGE: 0.628V / IPEAK: 0.369A	PP_0V6_LDO14 (VOLTAGE=0.6V) 95 97
VREG_L15	VOLTAGE: 1.2V / IPEAK: 0.03A	PP_1V2_LDO15 (VOLTAGE=1.2V) 93 128 129
VREG_L16	VOLTAGE: 1.866V / IPEAK: 0.415A	PP_1V7_LDO16 (VOLTAGE=1.7V) 98

VREG_L14_S 22   PP_0V6_LDO14_SNS

XW501_E
SHORT-10L-0.1MM-SM
ROOM=BBPMU

Capacitors

Ref							
C511_E 4UF 20% 6.3V CER-X5R 0201	C512_E 4UF 20% 6.3V CER-X5R 0201	C513_E 4UF 20% 6.3V CER-X5R 0201	C514_E 4UF 20% 6.3V CER-X5R 0201	C515_E 4UF 20% 6.3V CER-X5R 0201	C516_E 4UF 20% 6.3V CER-X5R 0201	C517_E 4UF 20% 6.3V CER-X5R 0201	C518_E 10UF 20% 6.3V X5R-CERM 0402-8
C501_E 0.47UF 20% 6.3V X5R 01005	C502_E 0.47UF 20% 6.3V X5R 01005	C503_E 0.47UF 20% 6.3V X5R 01005	C522_E 10UF 20% 6.3V X5R-CERM 0402-8	C523_E 20UF 20% 6.3V X5R 0402-0.1MM PATH=162	C524_E 4UF 20% 6.3V CER-X5R 0201 PATH=I38	C525_E 4UF 20% 6.3V CER-X5R 0201	C526_E 4UF 20% 6.3V CER-X5R 0201

ROOM=BBPMU 138S00071

XW502_E
SHORT-8L-0.1MM-SM
ROOM=BBPMU
98 95 93 PP_1V2_LDO1   PP_VDD_RF_1V2   106 107 108 109 110 111 112 113 114 128

XW503_E
SHORT-8L-0.1MM-SM
ROOM=BBPMU
137 130 129 128 103 102 97 95 94 93 PP_1V8_LDO6   PP_VIO_RFFE_1V8_TX   106 107 108 109 115 128

C530_E
1.0UF
20%
6.3V
X5R
0201-1
ROOM=BBPMU

XW504_E
SHORT-8L-0.1MM-SM
ROOM=BBPMU
PP_VIO_RFFE_1V8_RX   106 107 108 109 113 119

XW505_E
SHORT-8L-0.1MM-SM
ROOM=BBPMU
PP_VIO_RFFE_1V8_UAT   119 128

PMX55 LDO CAPACITOR TABLE
N1200 (L1, L2, L3, L4, L7, L8, L9, L12, L14, L15) 4.7UF MIN, 22UF MAX N1200 (L14) 2X10UF OR 1X22UF MIN, 44UF MAX
MVP150 (L10, L11, L13) 0.47UF MIN, 5UF MAX
LVP600 (L5, L6, L16) 4.7UF MIN, 23.5UF MAX

BOM_COST_GROUP=CELLULAR

BB PMU: XTAL, CLK, ANALOG, IO

BOARD_ID	APN	R631_E	MLB/RADIO_DEV	HEX
0.05V-0.15V	118S00050	5.6K	PROTO0/DEV1	0X01
0.15V-0.25V	118S0730	12.0K	PROTO1/DEV2	0X02
0.25V-0.35V	118S00088	19.1K	PROTO1.5/DEV3	0X03
0.35V-0.45V	118S00122	27.0K	PRE-PROTO2/DEV4	0X04
0.45V-0.55V	118S00193	36.5K	EVT/DEV5	0X05
0.55V-0.65V	118S0868	47.5K	CARRIER/DEV6	0X06
0.65V-0.75V	118S00136	60.4K	DVT/DEV7	0X07
0.75V-0.85V	118S0768	75.0K	PVT	0X08
0.85V-0.95V	118S0626	100K	PROTO2	0X09
0.95V-1.05V	118S0737	124K	SPARE	0X0A
1.05V-1.15V	118S0688	143K	SPARE	0X0B
1.15V-1.25V	TBD	TBD	SPARE	SPARE

PLATFORM_ID	APN	R632_E	MLB/RADIO_DEV	HEX
0.05V-0.15V	118S00050	5.6K	RADIO_DEV	0X1
0.15V-0.25V	118S0730	12.0K	DARWIN_FX	0X2
0.25V-0.35V	118S00088	19.1K	DARWIN_PG	0X3
0.35V-0.45V	118S00122	27.0K	MAV20.0	0X4
0.45V-0.55V	118S00193	36.5K	MAV20.1	0X5
0.55V-0.65V	118S0868	47.5K	MAV20.2	0X6
0.65V-0.75V	118S00136	60.4K	RESERVED	0X7
0.75V-0.85V	118S0768	75.0K	RESERVED	0X8
0.85V-0.95V	118S0626	100K	MAV20.5	0X9
0.95V-1.05V	118S0737	124K	MAV20.6	0XA
1.05V-1.15V	118S0688	143K	DEV BEERPONG	0XB
1.15V-1.25V	TBD	TBD	SPARE	SPARE

SKU_ID	APN	R630_E	MLB/RADIO_DEV	HEX
0.05V-0.15V	118S00050	5.6K	WW+KOLKATA	0X1
0.15V-0.25V	118S0730	12.0K	WW	0X2
0.25V-0.35V	118S00088	19.1K	SPARE	0X3
0.35V-0.45V	118S00122	27.0K	SPARE	0X4
0.45V-0.55V	118S00193	36.5K	SPARE	0X5
0.55V-0.65V	118S0868	47.5K	SPARE	0X6
0.65V-0.75V	118S00136	60.4K	SPARE	0X7
0.75V-0.85V	118S0768	75.0K	SPARE	0X8
0.85V-0.95V	118S0626	100K	SPARE	0X9
0.95V-1.05V	118S0737	124K	SPARE	0XA
1.05V-1.15V	118S0688	143K	SPARE	0XB
1.15V-1.25V	TBD	TBD	SPARE	SPARE

NOTE: ONLY 2 RF SKUS IN J5XX
SIM VARIANTS (PSIM , ESIM, PSIM+ESIM) ARE NOT RF_SKUS

NEED TO ADD KYOCERA XTAL Y601_E APN AFTER NEW APN CREATION

UBBPMU_E
338S00620
PMX55-0
FOWFSP
SYM 4 OF 6

NC 107 NC
NC 30 NC1
NC 125 NC2
NC 122 NC3

GPIO_01 84 NC
GPIO_02 83 GPIO_SOC_TO_LANAI_DISPLAY_BSYNC 137
GPIO_03 74 AOP_TO_BBPMU_FORCE_PWM 78
GPIO_04 92 NC
GPIO_05 67 NC
GPIO_06 58 NC
GPIO_07 100 SHIELD_PMK_32K_SLEEP_CLK 94 127
GPIO_08 101 NC
GPIO_10 75 NC
GPIO_11 66 NC

ROOM=BBPMU

D53+D54: 75% - TXC, KYOCERA, NDK
D52+J5XX ~25% - TXC, KYOCERA, EPSON

197S00249: NDK EXS00A-CS12723
197S00250: TXC 0W38410007
197S00254: EPSON X1E000401000400
197S00283 : KYOCERA CT1612DB38400D0FLHA3

Y601_E
PART_NUMBER=197S00250
38.4MHZ-14.7PPM-8PF
1.6X1.2-SM

C601_E
1000PF
10%
6.3V
X5R-CERM
01005
ROOM=BBPMU

R601_E
0.00
1/32W
MF
01005
NOSTUFF
ROOM=BBPMU

PMIC_CBLPWR_L 94

R602_E
0.00
1/32W
MF
01005
NOSTUFF
ROOM=BBPMU

PMIC_KPD_PWR_L 94

R678_E
0.00
1/32W
MF
01005
NOSTUFF
ROOM=BBPMU

XO_THERM
XO_GND

UBBPMK_E
338S00621
PMK8002-0
WLPSP
BBPMU

DVDD_BYP_PMIC 129 92
PP_PMX_VIO_OUT 94 95

C602_E
0.1UF
10%
6.3V
X5R-25R
01005
ROOM=BBPMU

DVDD_BYP 5
VDD_IO 6

SPMI_DATA 13 BB_BBPMU_SPMI_DATA 97 94
SPMI_CLK 14 BB_BBPMU_SPMI_CLK 97 94
XTAL_IN 2 XTAL_38P4M_IN
XTAL_OUT 3 XTAL_38P4M_OUT

RFCLK1 11 SHIELD_SDR_38P4M_CLK 101
RFCLK2 16 SHIELD_SMR_38P4M_CLK 130
RFCLK3 12 NC
RFCLK4 9 NC
PMIC_CLK 10 SHIELD_MDM_19P2M_CLK 97 127
SLEEP_CLK 15 SHIELD_PMK_32K_SLEEP_CLK 94 127
REF_BYP 1 PP_PMK_REF_BYP
VREG_XO 4 PP_BBPMK_VREG_XO
VREG_RF 8 PP_BBPMK_VREG_RF

GND 7

XW604_E
SHORT-10L-0.1MM-SM
BBPMK_VREG_RF_C
ROOM=BBPMU

C603_E
2.2UF
20%
6.3V
X5R-CERM
0201
ROOM=BBPMU

C604_E
10UF
10%
6.3V
X5R-CERM
0201-1
ROOM=BBPMU

C605_E
0.1UF
10%
6.3V
X5R-XSR
01005
ROOM=BBPMU

XW603_E
SHORT-10L-0.1MM-SM
BBPMK_VREG_XO_C
ROOM=BBPMU

XW602_E
SHORT-10L-0.1MM-SM
ROOM=BBPMU

GND_REF_BYP
VOLTAGE=0V

UBBPMU_E
338S00620
PMX55-0
FOWFSP
SYM 1 OF 6

PS_HOLD 113 PS_HOLD 127 97
FAULT* 105 NC
KPD_PWR* 114 PMIC_KPD_PWR_L 94
RESIN* 80 GPIO_PMU_TO_BBPMU_ON 94
SPMI_CLK 118 BB_BBPMU_SPMI_CLK 97 94
SPMI_DATA 109 BB_BBPMU_SPMI_DATA 97 94
VBUS_DET 50 VBUS_DET_PMIC 137

CBL_PWR_N 97 PMIC_CBLPWR_L 94
PON_1 72 GPIO_PMU_TO_BBPMU_ON 78 94 127 129
PON_RESET* 130 PMIC_RESOUT_L 97 127
VPH_PWR1 106 PPVCC_MAIN 92 127 128 129
VPH_PWR2 41
EXT_ECM1 2 NC
EXT_ECM2 29 NC
TEST_EN_VPP 57

ROOM=BBPMU

D601_E
ESD242-B1-W01005
01005

UBBPMU_E
338S00620
PMX55-0
FOWFSP
SYM 2 OF 6

AMUX1 55 SKU_ID 129
AMUX2 46 BOARD_ID 129
AMUX3 54 PLATFORM_ID 129
AMUX4 38 THERMAL_GNSS_XO_THERM 94
AMUX5 37 PMX_OPTION_DECODE 94

VIO_IN 91 PP_1V8_LDO6 93 95 97 102 103 128 129 130 137
VIO_OUT 99 PP_PMX_VIO_OUT 94 95

VREF_MDM 89 PP_VREF_SDX 95
VREF_RGMII_GPIO_09 98 NC

XO_THERM 71 XO_THERM 94
GND_XOADC 63

SLEEP_CLK 117 SHIELD_SLEEP_CLK_32K 97 127

ROOM=BBPMU

C608_E
10UF
20%
6.3V
X5R-CERM
0402-0.1MM
ROOM=BBPMU

R607_E
CRITICAL
ROOM=BBPMU
100KOHM-1%
01005

XW601_E
SHORT-10L-0.1MM-SM
ROOM=BBPMU
XO_GND 94

PMX_OPTION_DECODE 94

R610_E
178K
1%
1/32W
MF
01005
ROOM=BBPMU

BB: PDN

337S00865
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 5 OF 8
PWR

95 92 PP_0V75_SMPS5

Pin	Signal
AA29	VDDCX
AB12	VDDCX
AB14	VDDCX
AB16	VDDCX
AC11	VDDCX
AC13	VDDCX
AC15	VDDCX
AC17	VDDCX
AC19	VDDCX
AC21	VDDCX
AC23	VDDCX
AC25	VDDCX
AC27	VDDCX
AC29	VDDCX
AC9	VDDCX
AD18	VDDCX
AD20	VDDCX
AD22	VDDCX
AD26	VDDCX
W29	VDDCX

95 93 92 PP_0V75_SMPS7

Pin	Signal
AB10	VDDMX
AB22	VDDMX
AB24	VDDMX
AB8	VDDMX
AD24	VDDMX
AE25	VDDMX
G23	VDDMX
G25	VDDMX
G27	VDDMX
H10	VDDMX
H8	VDDMX
K16	VDDMX
K18	VDDMX
L25	VDDMX
L27	VDDMX
M8	VDDMX
P28	VDDMX
P8	VDDMX
R19	VDDMX
R21	VDDMX
T14	VDDMX
T16	VDDMX
T28	VDDMX
T8	VDDMX
U21	VDDMX
U23	VDDMX
W13	VDDMX
W15	VDDMX
W19	VDDMX
W21	VDDMX

VDD_MODEM pins:
AA19 PP_0V75_SMPS1_6, AA27, G21, H12, H14, H16, H18, H20, H22, H24, H26, H28, J11, J9, L11, L13, L15, L17, L19, L21, L23, L9, M10, M12, M14, M16, M18, M20, M22, M24, M26, M28, R11, R13, R15, R17, R23, R25, R27, R9, T10, T12, T18, T20, T22, T24, T26, W11, W17, W23, W25, W27, W5, W9, Y10, Y12, Y14, Y16, Y18, Y20, Y22, Y24, Y26, Y28, Y4, Y6, Y8

XW701_E
SHORT-10L-0.1MM-SM
VREG_S1_S6_SENSE_P

C761_E 22UF 20% 4V CER-X5R 0402-0.1MM =NOSTUFF
C762_E 20UF 20% 4V X5R 0402-0.1MM
C763_E 20UF 20% 4V X5R 0402-0.1MM
C764_E 20UF 20% 4V X5R 0402-0.1MM

XW702_E
SHORT-10L-0.1MM-SM
VREG_S1_S6_SENSE_N 92

337S00865
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 6 OF 8
PWR

Pin	Signal
AC37	VDD1
G37	VDD1
AA37	VDD2
C37	VDD2
K36	VDD2
L37	VDD2
R37	VDD2
U37	VDD2
AE37	VDDPX_3
AH2	VDDPX_3
AK22	VDDPX_3
AK34	VDDPX_3
B36	VDDPX_3
C1	VDDPX_3
R1	VDDPX_3
AG1	VDDPX_0
V2	VDDPX_4
W1	VDDPX_5
AF6	VDDPX_11
J1	VDDPX_12
AJ33	VDDPX_71
AG37	VDDPX_72
AJ21	VDDPX_73
AH4	VDDPX_74
V6	VDDPX_VBIAS_UIM
D36	VDDQ
F36	VDDQ
H36	VDDQ
M36	VDDQ
T36	VDDQ
V36	VDDQ
Y36	VDDQ
F32	VDD_ILDO_NAV
AE29	VDD_QFPROM
AF12	VDD_USB_HS_DVDD

Pin	Signal
L29	VDDA_DDRSS
N29	VDDA_DDRSS
R29	VDDA_DDRSS
U29	VDDA_DDRSS
V30	VDDA_DDRSS_CC
P32	VDDA_DDRSS_HV
W31	VDDA_DDRSS_PLL_HV
AF10	VDDA_PCIE_0P9
AG11	VDDA_PCIE_0P9
AF8	VDDA_PCIE_1P2
G9	VDDA_QREF_0P9
AC7	VDDA_QREF_0P9
AE7	VDDA_QREF_1P8
AE13	VDDA_USB_HS_1P8
AG13	VDDA_USB_HS_3P3
AF14	VDDA_USB_SS_0P9
AE15	VDDA_USB_SS_1P2
G19	VDDA_QLINK0_HV
F20	VDDA_QLINK0_LV
G17	VDDA_QLINK0_LV
F18	VDDA_QLINK0_LV_CK
G13	VDDA_QLINK1_HV
G11	VDDA_QLINK1_LV
G15	VDDA_QLINK1_LV
F12	VDDA_QLINK1_LV_CK
F14	VDDA_QLINK1_LV_CK
J31	VDDIO_DDRSS
L31	VDDIO_DDRSS
N31	VDDIO_DDRSS
U31	VDDIO_DDRSS
R31	VDDIO_DDRSS_CK

PP_0V75_SMPS7

Net labels (left/right):
137 130 129 128 103 102 97 95 94 93 PP_1V8_LDO6
93 PP_1V1_LDO2
137 130 129 128 103 102 97 95 94 93 PP_1V8_LDO6
94 PP_PMX_VIO_OUT
137 134 132 127 93 PP_UIM1_LDO11
126 93 PP_UIM2_LDO13
98 95 93 PP_1V2_LDO1
139 PP_1V8_LDO15
128 PP_1V2_LDO15
128 PP_1V2_LDO15
128 PP_1V2_LDO15
94 PP_VREF_SDX
97 95 93 PP_0V6_LDO14
93 92 PP_0V82_SMPS3
132S00014
129 128 103 102 97 95 94 93 PP_1V8_LDO6
130 98 95 93 PP_0V875_LDO4

PP_0V75_SMPS7 93 95 95
PP_1V2_LDO1 93 95 98
PP_0V875_LDO4 93 95 98 130
PP_0V875_LDO4 93 95 98 130
PP_1V2_LDO1 93 95 98
PP_1V8_LDO5 93 95 130
PP_1V8_LDO5 93 95 130
PP_3V1_LDO10
PP_0V875_LDO4 93 95 98 130
PP_1V2_LDO1 93 95 98
PP_1V2_LDO1 93 95 98
PP_0V875_LDO4 93 95 98 130
PP_0V6_LDO14 93 95 97

Capacitor banks (SYM 5/6 area):
C719_E 0.22UF, C724_E 0.22UF, C729_E 2.2UF, C733_E 2.2UF, C739_E 0.22UF, C741_E 0.22UF
C720_E 0.22UF, C725_E 0.22UF, C730_E 0.22UF, C734_E 0.22UF, C737_E 0.22UF, C740_E 0.22UF
C738_E 0.22UF, C789_E 2.2UF, C735_E 2.2UF, C732_E 2.2UF, C726_E 2.2UF, C722_E 2.2UF, C728_E 2.2UF, C721_E 2.2UF, C765_E 1.0UF
C767_E 0.22UF, C723_E 0.22UF, C727_E 0.22UF, C731_E 0.22UF, C736_E 0.22UF

C749_E 0.22UF, C768_E 2.2UF, C769_E 2.2UF
C742_E 0.22UF, C744_E 0.22UF, C745_E 2.2UF, C752_E 2.2UF, C758_E 0.22UF
C759_E 0.22UF, C755_E 0.22UF, C766_E 0.22UF, C746_E 2.2UF, C750_E 0.22UF
C747_E 2.2UF, C751_E 2.2UF, C756_E 0.22UF, C760_E 0.22UF
C743_E 2.2UF, C748_E 2.2UF, C770_E 0.22UF, C771_E 0.22UF, C772_E 0.22UF, C773_E 2.2UF, C774_E 2.2UF

VDD_CX
95 92 PP_0V75_SMPS5
C701_E 2.2UF, C704_E 2.2UF, C706_E 0.22UF, C709_E 0.22UF, C712_E 0.22UF, C715_E 0.22UF, C754_E 0.22UF, C757_E 0.22UF, C775_E 0.22UF, C776_E 0.22UF
132S00014

VDD_MX
95 93 92 PP_0V75_SMPS7
C702_E 2.2UF, C705_E 0.22UF, C707_E 0.22UF, C710_E 0.22UF, C713_E 0.22UF, C716_E 0.22UF, C718_E 0.22UF, C779_E 0.22UF, C781_E 0.22UF, C783_E 0.22UF
132S00014

VDD_MODEM
95 93 92 PP_0V75_SMPS1_6
C777_E 2.2UF, C787_E 4UF, C788_E 4UF, C708_E 0.22UF, C711_E 0.22UF, C714_E 0.22UF, C717_E 0.22UF, C778_E 0.22UF, C780_E 0.22UF, C782_E 0.22UF, C784_E 0.22UF, C785_E 0.22UF, C786_E 0.22UF
138S00071

BOM_COST_GROUP=CELLULAR

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

337S00865
ROOM=BASEBAND
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 7 OF 8

337S00865
ROOM=BASEBAND
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 8 OF 8

BOM_COST_GROUP=CELLULAR

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

BB EEPROM

337S00865
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 2 OF 8
QLINK

337S00865
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 3 OF 8
GPIO

BB_FORCE_USB_BOOT (IO NOT USED FOR USB BOOT)
MUXED WITH UART (FOR WCI-2 BB-WLAN COEX)

EEPROM_E
CAT24C08C4A
WLCSP

NOTE: TYPO IN SPEC

AP_TO_BB_DEV_WAKE : NOT USED
WAKE O/P WHEN BB IS END POINT

BB_TO_DOTARA_COEX : NOT USED

GPIO_59/BOOT_CFG3 NOT NEEDED
GPIO_60 RESERVED FOR VFR_IRQ
GPIO_AP TO BBPMU PEAK POWER IND

DUAL-VOLTAGE IO PADS

VDD_PX71:	GPIO8,9,12-23
VDD_PX72:	GPIO46-57,59-61,71
VDD_PX73:	GPIO31-32,44-45, 75-76
VDD_PX74:	GPIO78-79

BOOT SEQ	BOOT_CFG3	BOOT_CFG2	BOOT_CFG1	CONFIG
NAND>HSUSB	0	0	0	
PCIE	0	0	1	POR
USB	0	1	0	EUREKA
EMMC>USB	0	1	1	

NOTE:

ENSURE THAT THERE ARE NO UNINTENTIONAL EXTERNAL PULL-UPS ON THE FOLLOWING GPIOS AND
THESE GPIOS ARE NOT LOGIC HIGH UNINTENTIONALLY BEFORE SDX55M COMES OUT OF RESET

(I.E. BEFORE SDX_RESOUT_N DE-ASSERTS TO LOGIC HIGH): GPIO_24, 54, 58, 59, AND 75.
SEE BOOT CONFIGURATION GPIOS PAGE OF SDX55M DESIGN GUIDELINES (80-PK565-5BM) FOR DETAILS.

PSIM AND ESIM: SIM2_DET STUFF PU

U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 1 OF 8
CONTROL
337S00865

SWD_E
NVT0202JK
X2SON
311S00235

132S00232 CAN NOT BE USED FOR ANY 0.22UF PARTS ON CELLULAR SIDE

337S00865
U_BB_E
SDX-55M-0-PSP547-02-1
PSP
SYM 4 OF 8
USB_PCIE

UNUSED/NOSTUFF FOR VENDOR CONFIG

BB: GPIOS & QLINK

BOM_COST_GROUP=CELLULAR

TRANSCEIVER: PDN

NOTE: 4UF BULK COULD BE FURTHER AWAY AND MAKE SURE THE STAR ROUTING IS FROM 4UF.
NOTE: 1UF SHOULD BE AS CLOSE AS POSSIBLE TO CORRESPONDING PIN ON SDR

PP_1V2_LDO1

STAR ROUTE

C1135_E C1136_E
4UF   4UF
20%   20%
6.3V   6.3V
CER-X5R CER-X5R
0201   0201

U_SDR_E
SDR865-0
PSP
SYM 6 OF 8
SHIELD=TTS
338S00647

Pin	Signal		Pin	Signal
A24	VDDAM_TP0		B25	VDDAH_TP0
AG26	VDDAM_TP1		AF25	VDDAH_TP1
B29	VDDAM_TX0		A30	VDDAH_TX0
AF29	VDDAM_TX1		AF31	VDDAH_TX1
AF23	VDDAM_TX2		AG22	VDDAH_TX2
E2	VDDAM_RP0		C2	VDDAH_RP0
F1	VDDAM_RP1		G2	VDDAH_RP1
P1	VDDAM_RP2		M1	VDDAH_RP2
V1	VDDAM_RP3		Y1	VDDAH_RP3
AB1	VDDAM_RP4		AG4	VDDAH_RP4
AF15	VDDAM_RP5		AF9	VDDAH_RP5
A16	VDDAM_RX0		AF13	VDDAH_RP5_2
AG10	VDDAM_RX5		A18	VDDAH_RX0
D21	VDDAM_BBRX_TOP		J32	VDDAH_TXDAC0
AA22	VDDAM_BBRX_BOT		W30	VDDAH_TXDAC1
V35	VDD_CX		T21	VDDAH_LVDS
W36	VDD_CX			
L36	VDD_CX			
J34	VDD_MX0			
V33	VDD_MX1			
L34	VDD_PHY			
K35	VDD_PX			
K33	VDD_PXM			

XW1181_E SHORT-8L-0.1MM-SM
XW1101_E SHORT-8L-0.1MM-SM
XW1102_E SHORT-8L-0.1MM-SM
XW1186_E SHORT-8L-0.25MM-SM
XW1103_E SHORT-8L-0.1MM-SM
XW1104_E SHORT-8L-0.1MM-SM
XW1105_E SHORT-8L-0.1MM-SM
XW1187_E SHORT-8L-0.25MM-SM
XW1106_E SHORT-8L-0.1MM-SM
XW1107_E SHORT-8L-0.1MM-SM
XW1108_E SHORT-8L-0.1MM-SM
XW1190_E SHORT-8L-0.25MM-SM
XW1109_E SHORT-8L-0.1MM-SM
XW1110_E SHORT-8L-0.1MM-SM
XW1111_E SHORT-8L-0.1MM-SM
XW1185_E SHORT-8L-0.25MM-SM
XW1112_E SHORT-8L-0.25MM-SM
XW1113_E SHORT-8L-0.25MM-SM
XW1114_E SHORT-8L-0.1MM-SM
XW1115_E SHORT-8L-0.25MM-SM
XW1117_E SHORT-8L-0.25MM-SM
XW1118_E SHORT-8L-0.1MM-SM
XW1119_E SHORT-8L-0.1MM-SM
XW1120_E SHORT-8L-0.1MM-SM

XW1151_E SHORT-8L-0.1MM-SM
XW1152_E SHORT-8L-0.1MM-SM
XW1153_E SHORT-8L-0.1MM-SM
XW1154_E SHORT-8L-0.1MM-SM
XW1155_E SHORT-8L-0.1MM-SM
XW1156_E SHORT-8L-0.1MM-SM
XW1157_E SHORT-8L-0.1MM-SM
XW1158_E SHORT-8L-0.1MM-SM
XW1159_E SHORT-8L-0.1MM-SM
XW1160_E SHORT-8L-0.1MM-SM
XW1161_E SHORT-8L-0.1MM-SM
XW1162_E SHORT-8L-0.1MM-SM
XW1163_E SHORT-8L-0.1MM-SM
XW1164_E SHORT-8L-0.1MM-SM
XW1165_E SHORT-8L-0.1MM-SM
XW1166_E SHORT-8L-0.1MM-SM
XW1184_E SHORT-8L-0.25MM-SM
XW1189_E SHORT-8L-0.25MM-SM
XW1183_E SHORT-8L-0.25MM-SM
XW1182_E SHORT-8L-0.1MM-SM

PP_1V2_LDO1
PP_1V2_LDO1_SDR_VDDAM_TP
PP_LDO1_SDR_VDDAM_TP0_30
PP_LDO1_SDR_VDDAM_TP1_30
PP_1V2_LDO1_SDR_VDDAM_TX
PP_LDO1_SDR_VDDAM_TX0_40
PP_LDO1_SDR_VDDAM_TX1_40
PP_LDO1_SDR_VDDAM_TX2_40
PP_1V2_LDO1_SDR_VDDAM_RP
PP_LDO1_SDR_VDDAM_RP0_57
PP_LDO1_SDR_VDDAM_RP1_57
PP_LDO1_SDR_VDDAM_RP2_57
PP_1V2_LDO1_SDR_VDDAM_RP
PP_LDO1_SDR_VDDAM_RP3_57
PP_LDO1_SDR_VDDAM_RP4_57
PP_LDO1_SDR_VDDAM_RP5_30
PP_1V2_LDO1_SDR_VDDAM_RX
PP_LDO1_SDR_VDDAM_RX0_171
PP_LDO1_SDR_VDDAM_RX5_138
PP_LDO1_SDR_VDDAM_BBRX_TOP_97
PP_LDO1_SDR_VDDAM_BBRX_BOT_215
PP_0V8_LDO8
PP_0V875_LDO4
PP_LDO4_VDD_MX0_PHY_123
PP_LDO4_VDD_MX1_96
PP_1V8_LDO6
PP_LDO6_SDR_VDD_PX_20
PP_1V8_LDO6
PP_LDO6_SDR_VDD_PXM_20

PP_LDO16_SDR_VDDAH_TP0_35
PP_LDO16_SDR_VDDAH_TP1_35
PP_1V7_LDO16_SDR_VDDAH_TP
PP_1V7_LDO16
PP_LDO16_SDR_VDDAH_TX0_40
PP_1V7_LDO16_SDR_VDDAH_TX
PP_LDO16_SDR_VDDAH_TX1_40
PP_LDO16_SDR_VDDAH_TX2_40
PP_LDO16_SDR_VDDAH_RP0_5
PP_1V7_LDO16_SDR_VDDAH_RP
PP_LDO16_SDR_VDDAH_RP1_5
PP_LDO16_SDR_VDDAH_RP2_35
PP_LDO16_SDR_VDDAH_RP3_35
PP_LDO16_SDR_VDDAH_RP4_35
PP_LDO16_SDR_VDDAH_RP5_5
PP_LDO16_SDR_VDDAH_RP5_2_30
PP_LDO16_SDR_VDDAH_RX0_10
PP_LDO16_SDR_VDDAH_TXDAC0_13
PP_1V7_LDO16_SDR_VDDAH_TXDAC
PP_LDO16_SDR_VDDAH_TXDAC1_26
PP_LDO16_SDR_VDDAH_LVDS_12

ROOM=SUB6_XCVR

Capacitors:
C1101_E 0.1UF C1108_E 0.1UF
C1113_E 0.1UF C1109_E 0.1UF C1102_E 0.1UF
C1114_E 0.1UF C1110_E 0.1UF C1103_E 0.1UF
C1115_E 0.1UF C1111_E 0.1UF C1104_E 0.1UF
C1105_E 0.1UF C1112_E 0.1UF
C1106_E 0.1UF C1107_E 0.1UF
C1137_E 4UF
C1116_E 0.1UF C1117_E 0.1UF
C1118_E 0.1UF
C1138_E 4UF
C1119_E 0.1UF
C1139_E 4UF
C1120_E 0.1UF
C1142_E 4UF
C1143_E 0.1UF
C1140_E 4UF C1141_E 4UF
C1121_E 0.1UF C1122_E 0.1UF
C1123_E 0.1UF
C1124_E 0.1UF
C1125_E 0.1UF
C1126_E 0.1UF C1144_E 0.1UF
C1127_E 0.1UF
C1130_E 0.1UF
C1128_E 0.1UF
C1131_E 0.1UF C1145_E 0.1UF
C1129_E 0.1UF
C1133_E 0.1UF C1132_E 0.1UF
C1134_E 0.1UF

(Ceramic caps: 10% 6.3V CER-X5R 01005; 4UF caps: 20% 6.3V CER-X5R 0201)

STAR ROUTE

PP_1V7_LDO16

BOM_COST_GROUP=CELLULAR

SYNC_MASTER=RADIO_MLB_3.27.0
SYNC_DATE=08/31/2020
PAGE TITLE

XCVR POWER_1

TRANSCEIVER: PDN

This page is a schematic diagram (engineering drawing) and consists primarily of circuit symbols, component references, and net labels rather than readable prose.

Major component block: U_SDR_E — SDR865-0, PSP, SYM 5 OF 8, 338S00647, SHIELD=TTS

Page title block: XCVR POWER_2, SYNC_MASTER=RADIO_MLB_3.27.0, SYNC_DATE=09/31/2020

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

SHIELD=TTS
ROOM=SUB6_XCVR
U_SDR_E
SDR865-0
PSP
SYM 4 OF 8

Signal	Pin
85_SUB6_QLINK_L0_P	P35 QLINK_L0_P
85_SUB6_QLINK_L0_N	R36 QLINK_L0_M
85_SUB6_QLINK_L1_P	P33 QLINK_L1_P
85_SUB6_QLINK_L1_N	N34 QLINK_L1_M
85_SUB6_QLINK_L2_P	M31 QLINK_L2_P
85_SUB6_QLINK_L2_N	P31 QLINK_L2_M
85_SUB6_QLINK_L3_P	P29 QLINK_L3_P
85_SUB6_QLINK_L3_N	R28 QLINK_L3_M
85_SUB6_QLINK_L4_P	T35 QLINK_L4_P
85_SUB6_QLINK_L4_N	U36 QLINK_L4_M
85_SUB6_QLINK_L5_P	T31 QLINK_L5_P
85_SUB6_QLINK_L5_N	R30 QLINK_L5_M
85_SUB6_QLINK_L6_P	U34 QLINK_L6_P
85_SUB6_QLINK_L6_N	T33 QLINK_L6_M
85_SUB6_QLINK_L7_P	M29 QLINK_L7_P
85_SUB6_QLINK_L7_N	N30 QLINK_L7_M
85_SUB6_QLINK_CLK_P	N36 QLINK_CLK_P
85_SUB6_QLINK_CLK_N	M35 QLINK_CLK_M
QLINK_EN_BB_TO_SDR	L28 QLINK_EN
QLINK_REQ_SDR_TO_BB	K29 QLINK_REQ
BB_TO_SDR_WMSS_RESET_L	R22 WMSS_RESETN

Right side:
Pin	Signal	Net
G34 ETDAC0_OUT1_P	NC	
G36 ETDAC0_OUT1_M	NC	
J36 ETDAC0_OUT2_P	SHIELD_ETDAC_QET0_P	102
H35 ETDAC0_OUT2_M	SHIELD_ETDAC_QET0_N	102
Y35 ETDAC1_OUT1_P	NC	
W32 ETDAC1_OUT1_M	NC	
Y33 ETDAC1_OUT2_P	SHIELD_ETDAC_QET1_P	103
Y31 ETDAC1_OUT2_M	SHIELD_ETDAC_QET1_N	101
W28 ETDAC2_OUT1_P	NC	
X... ETDAC2_OUT1_M	NC	
V27 ETDAC2_OUT2_P	NC	
V25 ETDAC2_OUT2_M	NC	
V21 W_GRFC_0	SDR_GNSS_LNA_L1_EN	117
U22 W_GRFC_1	SDR_GNSS_LNA_L5_EN	118
V23 W_GRFC_2	NC	
P21 W_GRFC_3	NC	
U24 W_GRFC_4	NC	
T23 W_GRFC_5	NC	
M27 W_GRFC_14	NC	
N26 W_GRFC_15	NC	
K31 W_GRFC_18	SDR_SP3T_GRFC_V1	101
J30 W_GRFC_19	SDR_SP3T_GRFC_V2	101

SHIELD=TTS
ROOM=SUB6_XCVR
U_SDR_E
SDR865-0
PSP
SYM 8 OF 8

(Ground pins, left column): F17, F19, F23, F25, F27, F29, F31, F33, F5, F7, G10, G12, G18, G20, G26, G28, G30, G32, G4, G6, H1, H11, H13, H17, H19, H3, H31, H33, H5, H7, J12, J14, J18, J2, J20, J26, J4, J8, K11, K13, K17, K21, K25, K27, K3, K5, K7, L12, L14, L18, L20, L22, L30, L32, L4, L8, M11, M13, M17, M19, M3, M33, M5, M7, M9, N14, N18, N20, N24, N28, N32, N4, N6 — all GND

(Ground pins, right column): N8, P11, P13, P17, P19, P25, P27, P3, P5, P7, R14, R16, R18, R2, R20, R24, R26, R32, R34, R6, R8, T11, T13, T17, T25, T27, T29, T3, T5, T7, T9, U12, U16, U18, U2, U20, U26, U28, U30, U32, U4, U6, U8, V11, V13, V17, V19, V29, V3, V31, V5, V7, W10, W14, W16, W18, W20, W22, W24, W32, W4, Y11, Y13, Y17, Y19, Y21, Y25, Y27, Y29, Y3, Y5, Y7 — all GND

SHIELD=TTS
ROOM=SUB6_XCVR
U_SDR_E
SDR865-0
PSP
SYM 7 OF 8

(Ground pins, left column): A12, A14, A2, A22, A34, A36, A6, AA12, AA18, AA20, AA26, AA28, AA30, AA32, AA34, AA4, AA6, AA8, AB11, AB13, AB15, AB17, AB19, AB21, AB23, AB25, AB27, AB29, AB3, AB31, AB33, AB5, AB7, AC10, AC12, AC14, AC16, AC18, AC20, AC22, AC24, AC26, AC28, AC30, AC32, AC34, AC4, AC8, AD1, AD11, AD13, AD15, AD17, AD19, AD21, AD23, AD25, AD27, AD29, AD3, AD31, AD33, AD5, AD7, AD9, AE10, AE12, AE14, AE16, AE18, AE20, AE24, AE26 — all GND

(Ground pins, right column): AE28, AE30, AE32, AE36, AE4, AE6, AE8, AF1, AF11, AF17, AF21, AF35, AF3, AF5, AF7, AG2, AG24, AG28, AG34, AG36, AG6, AG8, B1, B11, B15, B19, B23, B27, B3, B35, B5, B7, B9, C10, C12, C16, C18, C20, C22, C24, C26, C28, C30, C32, C36, C4, D11, D13, D15, D19, D23, D25, D27, D29, D3, D31, D33, D5, D7, E10, E14, E16, E18, E20, E22, E24, E26, E28, E30, E32, E4, E6, F11, F13 — all GND

TRANSCEIVER: TX & RX

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

U_SDR_E SDR865-0 PSP SYM 3 OF 8 — SHIELD=TTS, ROOM=SUB6_XCVR

QLINK.BACKDOOR

Pin	Signal
F21	RFFE0_CLK
G22	RFFE0_DATA
K23	RFFE1_CLK
J24	RFFE1_DATA
H25	RFFE2_CLK
H27	RFFE2_DATA
J28	RFFE3_CLK
H29	RFFE3_DATA
L26	RFFE5_CLK
M25	RFFE5_DATA
L24	RFFE7_CLK
M23	RFFE7_DATA
P23	RFFE8_CLK
N22	RFFE8_DATA
J22	RFFE9_CLK NC
G23	RFFE9_DATA NC
R4	XO_IN

TX outputs:
- B31 TX0_LB — 50_TX_IN_XCVR_TX0_LB → TO LBPAD_TX
- A32 TX0_GSM_LB — 50_TX_IN_XCVR_TX0_LB2G → TO LMB/2G PAD_TX
- B33 TX0_JB — 50_TX_IN_XCVR_TX0_LMB → TO LMB/2G PAD_TX
- C34 TX0_MB — 50_TX_IN_XCVR_TX0_MB1 → TO HBPAD_TX
- D35 TX0_GSM_MB — 50_TX_IN_XCVR_TX0_MB2G → TO LMB/2G PAD_TX
- E36 TX0_HB — 50_TX_IN_XCVR_TX0_HB1 → TO HBPAD_TX
- E35 TX0_UHB NC
- F35 TX0_LAA_V2X NC
- AG32 TX1_LB_JB — 50_TX_IN_XCVR_TX1_LB_JB → TO LBPAD_TX
- AE34 TX1_HB2 NC
- AF33 TX1_MB NC
- AD35 TX1_HB1 — 50_TX_IN_XCVR_TX1_HB1_MCN → TO MCIRC - HBDSM TX
- AB35 TX1_UHB_5GLM NC
- AC36 TX1_5GH NC
- AF18 TX2_HB_V2X NC
- AG20 TX2_UHB_5GLM — 50_TX_IN_XCVR_TX2_UHB
- AG18 TX2_5GH — 50_TX_IN_XCVR_TX2_N79

C1400_E 47PF 5% 16V NP0-C0G 01005 NOSTUFF, ROOM=SUB6_XCVR

R1402_E 0.00 — 50_TX_IN_TX2_UHB_PAD_TX_UHB_IN_1 — TO UHBPAD LAT TX
L1406_E 4.7NH-3%-0.270A 01005 NOSTUFF ROOM=SUB6_XCVR

R1403_E 0.00 — 50_TX_IN_TX2_UHB_PAD_TX_N79_IN — TO UHBPAD LAT TX
L1407_E 4.7NH-3%-0.270A 01005 NOSTUFF ROOM=SUB6_XCVR

R1405_E / R1406_E / R1407_E / R1408_E / R1409_E / R1410_E 0.00

U_SDR_E SDR865-0 PSP SYM 1 OF 8 PRX — SHIELD=TTS, ROOM=SUB6_XCVR

Pin	Signal
K9	PRX0 — FROM HBPAD_RX
H15	PRX1 — FROM MIMODSM_L
A10	PRX2 — FROM HBPAD_RX
V15	PRX3 — FROM MIMODSM_L
V9	PRX4 — FROM HBPAD_RX
U14	PRX5 — FROM MIMODSM_L
J10	PRX6 — FROM LBPAD_RX
K15	PRX7 — FROM MIMODSM_L
C8	PRX8 NC
A8	PRX10 — FROM LBPAD_RX
K16	PRX11 NC
L10	PRX12 — FROM LAA_RX_L
L16	PRX13 NC
Y9	PRX14 — FROM UHBPAD_RX
Y15	PRX15 — FROM UHBPAD_RX
U10	PRX16 — FROM UHBPAD_RX
T15	PRX17 — FROM UHBPAD_RX
W8	PRXE — 50_RX_XCVR_PRXE_HB_PRX_OUT3 → FROM HBPAD_RX

U_SDR_E SDR865-0 PSP SYM 2 OF 8 DRX_GNSS — SHIELD=TTS, ROOM=SUB6_XCVR

Pin	Signal
G8	DRX0 — FROM HBDSM_RX
G16	DRX1 — FROM MIMODSM_RX_U
E8	DRX2 — FROM HBDSM_RX
AA14	DRX3 — FROM MIMODSM_RX_U
P9	DRX4 — FROM HBDSM_RX
N16	DRX5 — FROM MIMODSM_RX_U
H9	DRX6 — FROM LBDSM_RX
F15	DRX7 — FROM MIMODSM_RX_U
F9	DRX8 NC
G14	DRX9 NC
N10	DRX10 — FROM LAA_RX_U
M15	DRX11 NC
AA10	DRX12 — FROM MCIRC - UHBDSM_RX
AA16	DRX13 — FROM MCIRC - UHBDSM_RX
R10	DRX14 — FROM UHBDSM_RX
P15	DRX15 — FROM UHBDSM_RX
AB9	DRXE — FROM HBDSM_RX
D9	DRXF — FROM LBDSM_RX
K19	FBRX_IN
C14	GNSS_IN_L1
D17	GNSS_IN_L5
M21	DNC NC

C1401_E 2.2UF 20% 6.3V X5R-CERM 0201, PP3V0_S2_EUREKA, ROOM=SUB6_XCVR

U_SP3T_E SP3T-MCD LGA 353S02417, ROOM=SUB6_XCVR
- CTL1 — SDR_SP3T_GRFC_V1
- CTL2 — SDR_SP3T_GRFC_V2
- ANT (10)
- PORT1 (3) — 50_CPLR_L_CPL1_LAT_OUT
- PORT2 (5) — 50_UHB_L_CPLR_OUT
- PORT3 (7) — 50_CPLR_U_CPL1_UAT_OUT
- VDD, GND

SYNC_MASTER=RADIO_MLB_3.27.0 SYNC_DATE=08/31/2020
PAGE TITLE: XCVR RF

BOM_COST_GROUP=CELLULAR

DISCRETE QET5100 0
HB/LMB-2G

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

PP_QET0_PA_VBAT_LDO

C1601_E
1.0UF
10%
6.3V
X5R-CERM
0201-1
ROOM=QET0

SHIELD_ETDAC_QET0_P
SHIELD_ETDAC_QET0_N

PPVCC_MAIN

NC

R1406_E STUFF -> USID = 0X5
R1407_E STUFF -> USID = 0X4

ROOM=QET0
C1603_E
2.2UF
20%
10V
X5R
0201

PP_QET0_VAUX_S

XW1601_E
SHORT-10L-0.1MM-SM
QETD0_GND_SW_S
ROOM=QET0

ROOM=QET0
C1606_E
2.2UF
20%
10V
X5R
0201

C1610_E
1.0UF
20%
10V
X5R-CERM
0201-1
ROOM=QET0

R1612_E
1.00
1%
1/32W
MF
01005
QETD0_SNUB
ROOM=QET0

CAD NOTE: PLACE CLOSE TO AMP_VOUT

PP_QET0_VDD_AMP

155S0576
L1602_E
10-OHM-750MA
01005-1
ROOM=QET0

PP_QET0_VDD_AMP_S

L1601_E
0.56UH-20%-2.7A-0.06OHM
PPVCC_MAIN
1608
ROOM=QET0
152S00908

PP_QET0_VAUX_S

C1607_E
20UF
20%
10V
X5R
0402-1

138S00229

102 QETD0_GND_SW_S

C1608_E
20UF
20%
10V
ROOM=QET0
C1604_E
4.7UF
20%
10V
X5R-CERM
0402

138S00229
102 PP_QET0_VAUX_S

XW1602_E
SHORT-10L-0.1MM-SM
ROOM=QET0

QETD0_GND_SW_B

126 PP_VIO_RFFE_1V8_TX

PP_1V8_LDO6

C1605_E
1.0UF
10%
6.3V
X5R-CERM
0201-1
ROOM=QET0

SHIELD_RFFE1_SDATA_SDR
SHIELD_RFFE1_SCLK_SDR

U_QET0_E
QET5100-0-40D
WLNSP
338S00639

VDD_BAT   16
DAC_P   14
DAC_N   8
DNC   19
VIO_SEL   18

10 VDD_AMP   USID_LSB   17
22 VDD_AMP_S   GND   32
40 VAUX_S   PA_VBAT_LDO 38   PP_QET0_PA_VBAT_LDO
27 VSW_BOOST_1   AMP_OUT   4   PP_QET0_AMP_OUT
33 VSW_BOOST_2   VPA_FB   3
39 VSW_BOOST_3   VSW_BCK_1 30   LX_QET0_VSW_BCK
28 GND_SW_S_1   VSW_BCK_2 24
34 GND_SW_S_2   VSW_BCK_3 23
5   GND_AMP   APT_CAP_SW_1 7
36 VAUX_B_1   APT_CAP_SW_2 6
37 VAUX_B_2   APT_CAP_1 2
35 VBAT_SW   APT_CAP_2 1
29 GND_SW_B   ECM_OUT   15   NC
12 VIO   TPP1   20   NC
13 VDD_1P8
25 SDATA
26 SCLK

GND_HC 11
GND   21
GND_SUB2 9
GND_SUB1 31

C1610_E
LX_QET0_VSW_BCK
1.0UH-20%-2.4A-0.09OHM
152S01351
PIJP2012H-SM
ROOM=QET1

C1611_E
470PF
10%
16V
CER-X7R
01005
GND RETURN TO PIN3
ROOM=QET0

CAD NOTE: PLACE CLOSE TO AMP_VOUT

PP_QET0_PA

PP_QET0_2G_PA

C1609_E
4.7UF
20%
10V
X5R-CERM
0402
ROOM=QET0

QET0/1 SHARED SUPPLY BULK CAPACITANCE

PPVCC_MAIN

138S00229
C1620_E
20UF
20%
10V
X5R
0402-1
ROOM=QET0

138S00229
C1621_E
20UF
20%
10V
X5R
0402-1
ROOM=QET0

138S00229
C1622_E
20UF
20%
10V
X5R
0402-1
ROOM=QET0

138S00229
C1623_E
20UF
20%
10V
X5R
0402-1
ROOM=QET0

C1624_E
2.2UF
20%
10V
X5R
0201
ROOM=QET0

BOM_COST_GROUP=CELLULAR

DISCRETE QET5100 1
LB ONLY

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

103 PP QET1 PA VBAT LDO

C1701_E
1.0UF
10%
6.3V
X5R-CERM
0201-1
ROOM=QET1

SHIELD_ETDAC_QET1_P   100
SHIELD_ETDAC_QET1_N   100

128 103 PPVCC_MAIN

R1506_E STUFF -> USID = 0X5
R1507_E STUFF -> USID = 0X4

ROOM=QET1
C1703_E
2.2UF
1   2
20%
10V
X5R
0201

PP_QET1_VAUX_S   103

XW1701_E
SHORT-10L-0.1MM-SM
1   2
ROOM=QET1

QETD1_GND_SW_S   103

ROOM=QET1
C1706_E
2.2UF
20%
10V
X5R
0201

PP_QET1_VDD_AMP

16 VDD_BAT
14 DAC_P
8   DAC_N
19 DNC   ✕ NC
18 VIO_SEL

C1710_E
1.0UF
1   2
20%
10V
X5R-CERM
0201-1
ROOM=QET1

15580576
ROOM=QET1
L1702_E
10-OHM-750MA
01005-1

10 VDD_AMP
22 VDD_AMP_S
40 VAUX_S

U_QET1_E
338S00639
QET5100-0-40D
WLNSP

17 USID_LSB
32 GND
38 PA_VBAT_LDO   PP_QET1_PA_VBAT_LDO   103
4   AMP_OUT   PP_QET1_AMP_OUT   103
3   VPA_FB

ROOM=QET1
R1712_E
1.00
1%
1/32W
MF
01005

CAD NOTE: PLACE CLOSE TO AMP_VOUT

152S00908
L1701_E
0.56UH-20%-2.7A-0.06OHM

PP_QET1_VDD_AMP_S   103

27 VSW_BOOST_1
33 VSW_BOOST_2
39 VSW_BOOST_3

LX_QET1_VSW_BOOST

128 103 PPVCC_MAIN
1   2
1608
ROOM=QET1

138S00229
C1707_E
20UF
20%
10V
X5R
0402-1

30 VSW_BCK_1
24 VSW_BCK_2
23 VSW_BCK_3

LX_QET1_VSW_BCK

L1703_E
1.0UH-20%-3.4A-0.09OHM
152S01351
ROOM=QET1
PIJP2012H-SM

QETD1_SNUB
C1711_E
470PF
10%
16V
CER-X7R
01005
ROOM=QET1

CAD NOTE: PLACE CLOSE TO AMP_VOUT

QETD1_GND_SW_S   103

28 GND_SW_S_1
34 GND_SW_S_2
5   GND_AMP

36 VAUX_B_1
37 VAUX_B_2
35 VBAT_SW
29 GND_SW_B

7   APT_CAP_SW_1
6   APT_CAP_SW_2

1   APT_CAP_1
2   APT_CAP_2

GND RETURN TO PIN3

PP_QET1_PA   106

C1708_E
20UF
138S00229
1   2
20%
10V
X5R
0402-1

ROOM=QET1
C1704_E
4.7UF
1   2
20%
6.3V
X5R-CERM
0402

PP_QET1_VAUX_S

QETD1_APT_CAP_R

XW1702_E
SHORT-10L-0.1MM-SM
1   2
ROOM=QET1

QETD1_GND_SW_B

15 ECM_OUT   ✕ NC
20 TPP1   ✕ NC

C1709_E
4.7UF
1   2
20%
6.3V
X5R-CERM
0402
ROOM=QET1

12 VIO
128 PP_VIO_RFFE_1V8_TX

13 VDD_1P8

137 130 129 128 102 97 95 94 93   PP_1V8_LDO6

C1705_E
1.0UF
1   2
10%
6.3V
X5R-CERM
0201-1
ROOM=QET1

101   SHIELD_RFFE8_SDATA_SDR   25 SDATA
106 101 SHIELD_RFFE8_SCLK_SDR   26 SCLK

GND_HC GND GND_SUB2 GND_SUB1
11   21   9   31

SYNC_MASTER=RADIO_MLB_3.27.0
SYNC_DATE=08/31/2020
PAGE TITLE
QET_DISCRETE_1

BOM_COST_GROUP=CELLULAR

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

128 104 PP_VIO_RFFE_1V8_UAT
126 PPVCC_MAIN

C1803_E
0.1UF
10%
6.3V
CER-X5R
01005
ROOM=APT_U

C1800_E
15UF
20%
6.3V
X5R
0402-1
ROOM=APT_U

C1801_E
2.2UF
20%
6.3V
X5R-CERM
0201
ROOM=APT_U

C1808_E
10PF
2%
25V
COG
01005
ROOM=APT_U
NOSTUFF

128 104 PP_VIO_RFFE_1V8_UAT
116 112 111 101 SHIELD_RFFE7_SDATA_SDR
116 112 111 101 SHIELD_RFFE7_SCLK_SDR

A6 DATA
B6 CLK
C5 USID
C6 NC
E5 NC
E6 NC

NC
NC
NC

C1806_E
10PF
2%
25V
COG
01005
ROOM=APT_U
NOSTUFF

C1807_E
10PF
2%
25V
COG
01005
ROOM=APT_U
NOSTUFF

C7 AVDD
C3 PVDD
D3 VIO
B5 VCCFB
D7

U_APTU_E
QM81030B1.2
LGA

USID 0X0B

ROOM=APT_U
353S02197

GND
PGND_LX

A1 A2 A3 A4 A5 A7 A8 B3 B4 B7 B8 C4 C8 D4 D5 D6 D8 E7 E8   D1 D2 E1 E2

LX
E3 PP_APT_U_LXA
E4

152S00669
L1800_E
1.0UH-20%-2.4A-0.085OHM
1   2
0805
ROOM=APT_U

PP_APT_U_PA 111

C1802_E
2.2UF
10%
16V
CER-X7S
0402-0P1MM
ROOM=APT_U

N1A1 C2 PP_APT_U_N1A1
N2A1 B2 PP_APT_U_N2A1
N1A2 C1 PP_APT_U_N1A2
N2A2 B1 PP_APT_U_N2A2

C1804_E
4.7UF
20%
16V
X5R-CERM
0402-0.1MM
ROOM=APT_U

C1805_E
4.7UF
20%
16V
X5R-CERM
0402-0.1MM
ROOM=APT_U

PAGE TITLE
DCDC2

BOM_COST_GROUP=CELLULAR

8 7 6 5 4 3 2 1
D C B A

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

PP_VIO_RFFE_1V8_TX

PPVCC_MAIN

C1903_E
0.1UF
10%
6.3V
CER-X5R
01005
ROOM=APT_L

C1900_E
15UF
20%
6.3V
X5R
0402-1
ROOM=APT_L

C1901_E
2.2UF
20%
6.3V
X5R
0201
ROOM=APT_L

C1908_E
10PF
2%
25V
C0G
01005
ROOM=APT_L
NOSTUFF

C7 C3 D3 B5 D7

AVDD PVDD VIO VCCFB

U_APTL_E
QM81030E1.2
353SO2197
LGA

ROOM=APT_L

USID 0X0B

SHIELD_RFFE2_SDATA_SDR

SHIELD_RFFE2_SCLK_SDR

A6 DATA
B6 CLK
C5 USID
NC C6 NC
NC E5 NC
NC E6 NC

C1907_E
10PF
2%
25V
C0G
01005
ROOM=APT_L
NOSTUFF

C1906_E
10PF
2%
25V
C0G
01005
ROOM=APT_L
NOSTUFF

GND

A1 A2 A3 A4 A5 A7 A8 B3 B4 B7 B8 C8 C4 D5 D6 D7 D8 E7 E8

PGND_LX

D1 D2 E1 E2

LX E3 PP_APT_L_LXA
    E4

L1900_E
152SO0669
1.0UH-20%-2.4A-0.085OHM
0805
ROOM=APT_L

PP_APT_L_PA

C1902_E
2.2UF
20%
10V
CER-X7S
0402-0P1MM
ROOM=APT_L

N1A1 C2 PP_APT_L_N1A1
N2A1 B2 PP_APT_L_N2A1
N1A2 C1 PP_APT_L_N1A2
N2A2 B1 PP_APT_L_N2A2

C1904_E
4.7UF
20%
10V
X5R-CERM
0402-0.1MM
ROOM=APT_L

C1905_E
4.7UF
20%
10V
X5R-CERM
0402-0.1MM
ROOM=APT_L

BOM_COST_GROUP=CELLULAR

LB PAD

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION	
131S00437	1	CAP,CER,COG,1.8PF,+/-0.05PF,16V,01005	L2003_E	J523	J518 NOSTUFF
117S0161	1	RES,MF,0 OHM,1/32W,01005	R2008_E	J518	
152S00514	1	IND,F1LM,5.1NH,3%,350MA,SHQ,01005	R2008_E	J523	

PA_LB_E
SKY58240
DSBGA
SYM 2 OF 2

353S02386
SHIELD=YES
ROOM=LBPAD

Pin	Signal		Pin	Signal
A1	GND		H6	GND
A2	GND		H7	GND
A3	GND		H14	GND
A4	GND		J1	GND
A5	GND		J2	GND
A6	GND		J3	GND
A7	GND		J4	GND
A8	GND		J5	GND
A9	GND		J6	GND
A10	GND		J7	GND
A11	GND		J13	GND
A12	GND		J14	GND
A13	GND		K1	GND
A14	GND		K3	GND
B1	GND		K5	GND
B2	GND		K12	GND
B14	GND		K14	GND
C1	GND		L3	GND
C13	GND		L4	GND
C14	GND		L5	GND
D1	GND		L6	GND
D14	GND		L7	GND
E1	GND		L8	GND
E13	GND		L9	GND
E14	GND		L10	GND
F1	GND		L11	GND
F14	GND		L12	GND
G1	GND		L13	GND
G4	GND		L14	GND
G5	GND			
G14	GND			
H1	GND			
H2	GND			
H3	GND			
H4	GND			
H5	GND			

PA_LB_E
SKY58240
DSBGA
SYM 1 OF 2

SHIELD=YES
ROOM=LBPAD
353S02386

USID RX=0X01
USID TX=0X01

103 PP OET1 PA
120 PPVCC_HIGH

C2004_E 0.1UF 20% 6.3V X5R-CERM 01005 LBPAD
C2009_E 47PF 5% 16V NP0-COG 01005 LBPAD
C2001_E 18PF 5% 16V NP0-COG 01005 NOSTUFF LBPAD

120 115 109 108 107 93 PP VIO RFFE 1V8 TX
103 101 SHIELD_RFFE8_SCLK_SDR
103 101 SHIELD_RFFE8_SDATA_SDR

C2007_E 47PF 5% 16V NP0-COG 01005 NOSTUFF LBPAD
C2006_E 47PF 5% 16V NP0-COG 01005 NOSTUFF LBPAD
C2005_E 47PF 5% 16V NP0-COG 01005 LBPAD

119 113 109 108 107 93 PP VIO RFFE 1V8 RX
119 113 109 108 107 101 SHIELD_RFFE3_SCLK_SDR
119 113 109 108 107 101 SHIELD_RFFE3_SDATA_SDR

C2008_E 47PF 5% 16V NP0-COG 01005 NOSTUFF LBPAD
C2003_E 47PF 5% 16V NP0-COG 01005 NOSTUFF LBPAD
C2002_E 47PF 5% 16V NP0-COG 01005 NOSTUFF LBPAD

SDATA_RX K10
SCLK_RX K9
VIO_RX K11
SDATA_TX K7
SCLK_TX K6
VIO_TX K8
VBIAS K4
VCC1 G3
VCC2 G2
VDD_LNA K13

VDD LNA LB PAD
C2010_E 47PF 5% 16V NP0-COG 01005 LBPAD

R2006_E 0.00 1% 1/32W MF 01005 LBPAD
93 107 108 109 110 111 112 113 114 120 PP VDD RF 1V2

MATCHING NOTE: 0201/01005 NETWORK

101 50_TX_IN_XCVR_TX0_LB
FROM XCVR
R2003_E 0.00 0% 1/32W MF 01005 LBPAD
50_TX_IN_TX0_LB_PAD_TX_LB_IN
K2 TX_LB_IN

DRX_OUT F13 50_TRX_LB_PORTB_RX1
R2007_E 0.00 0% 1/20W MF 0201 LBPAD
50_TRX_LB_PORTB_RX1_MCN 135
TO MCIRC

L2005_E 10NH-+/-3%-0.25A 01005 NOSTUFF LBPAD
L2001_E 10NH-+/-3%-0.25A 01005 NOSTUFF LBPAD

R2004_E 5.6NH+/-3%-0.4A 0201 LBPAD
109 50_TRX_IN_LMB_PAD_2G_LB_OUT_M
FROM 2G PA
50_TRX_LB_PAD_TX_2G_IN
B7 TX_2G_IN
MATCHING NOTE: 0201

ANT1 B13 50_TRX_LB_PAD_ANT1 115
LB QPLX -> CPLR_L -> ANT3

101 50_RX_XCVR_PRX6_LB_A_RX0
TO XCVR
MAKE_BASE=TRUE
50_RX_XCVR_PRX6_LB_A_RX0
H13 PRX_OUT1

ANT2 D13 50_TRX_LB_PORTB_TX_ANT2
R2008_E 0.00 0% 1/32W MF 01005 LBPAD OMIT_TABLE
50_TRX_LB_PORTB_TX_MCN 135
TO MCIRC

MATCHING NOTE: 0201/01005 NETWORK

L2003_E 10NH-+/-3%-0.25A 01005 OMIT_TABLE LBPAD
L2002_E 10NH-+/-3%-0.25A 01005 NOSTUFF LBPAD

101 50_RX_XCVR_PRX10_LB_PRX_OUT2
TO XCVR
MAKE_BASE=TRUE
50_RX_XCVR_PRX10_LB_PRX_OUT2
G13 PRX_OUT2

101 50_TX_IN_XCVR_TX1_LB_JB
FROM XCVR
R2009_E 0.00 0% 1/32W MF 01005 LBPAD
50_TX_IN_XCVR_TX1_LB_JB_M
L2 TX_LB_IN2

HB PAD

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
152S00525	1	IND,FILM,8.2NH,+/-3%,300MA,SHQ,01005	C2120_E	J518
131S0369	1	CAP,CER,C0G,0.5PF,+/-0.05PF,16V,01005	C2120_E	J523
131S0405	1	CAP,CER,NP0/C0G,4.0PF,+/-0.1PF,16V,01005	R2110_E	J518
152S00495	1	IND,FILM,0.7NH,+/-0.1NH,900MA,SHQ,01005	R2110_E	J523
131S0366	1	CAP,CER,NP0/C0G,0.2PF,+/-0.1PF,16V,01005	C2111_E	J523

PA_HB_E
AFEM-8200-AP1
DSBGA
SYM 2 OF 2

ROOM=RADIO_HB_PAD

SHIELD=YES

353S02405

PA_HB_E
AFEM-8200-AP1
DSBGA
SYM 1 OF 2

ROOM=RADIO_HB_PAD

SHIELD=YES

353S02405

USID RX=0X03

USID TX=0X03

PP_O&T0_PA

PPVCC_HIGH

PP_VIO_RFFE1_1V8_TX
SHIELD_RFFE1_SCLK_SDR
SHIELD_RFFE1_SDATA_SDR

PP_VIO_RFFE_1V8_RX
SHIELD_RFFE3_SCLK_SDR
SHIELD_RFFE3_SDATA_SDR

C2106_E 10PF
C2104_E 10PF
C2102_E 10PF
C2108_E 1UF
C2107_E 10PF
C2105_E 10PF
C2103_E 10PF

C2121_E 10PF

VDD_LNA_HB_PAD
R2107_E 0.00
PP_VDD_RF_1V2

C2109_E 1000PF

50_TX_IN_XCVR_TX0_MB1   MAKE_BASE=TRUE   50_TX_IN_XCVR_TX0_MB1
FROM XCVR

50_TX_IN_XCVR_TX0_HB1   MAKE_BASE=TRUE   50_TX_IN_XCVR_TX0_HB1
FROM XCVR

DRX_OUT   50_TRX_LMB_HB_PORTB_RX1_DRX_OUT   R2108_E 0.00   50_TRX_LMB_HB_PORTB_RX1_MCN
TO MCIRC

C2115_E 0.5PF
C2111_E 0.5PF

ANT1   50_TRX_HB_PAD_ANT1
TO LMB/MB/HB QPLX -> CPLR_L -> ANT3

MATCHING NOTE: 0201/01005 NETWORK

ANT2   50_TRX_HB_PAD_ANT2   R2109_E 1.6NH+/-0.1NH-1A-0.05OHM   50_TRX_HB_PAD_ANT2_M
TO CPLR_L -> MBHB TPLX -> ANT4B

C2114_E 0.5PF
C2112_E 18NH-3%-0.16A-1.63OHM

50_TRX_HB_PAD_MIMO_RX_OUT   R2111_E 0.9NH-+/-0.1NH-0.9A-0.05OHM   50_TRX_HB_PAD_MIMO1_RX_OUT_M
TO MIMO1 DSM

C2113_E 0.5PF

PP_O&T0_PA

FROM LMB/2G PAD
50_TRX_IN_LMB_PAD_LMB_ANT_M
50_TRX_IN_LMB_PAD_2G_MB_OUT_M
FROM LMB/2G PAD

LMB_IN
2G_IN

MIMO_RX_OUT   C2101_E 1.0UF

VCC_CAP_GND   HBPAD_CAP_GND

50_RX_XCVR_PRX2_LMB_MBT_HBT_PRX_OUT1   MAKE_BASE=TRUE   50_RX_XCVR_PRX2_LMB_MBT_HBT_PRX_OUT1
TO XCVR

50_RX_XCVR_PRX4_MBT_HB_PRX_OUT2   MAKE_BASE=TRUE   50_RX_XCVR_PRX4_MBT_HB_PRX_OUT2
TO XCVR

50_RX_XCVR_PRXE_HB_PRX_OUT3   MAKE_BASE=TRUE   50_RX_XCVR_PRXE_HB_PRX_OUT3
TO XCVR

50_RX_XCVR_PRX0_MB_HBT_PRX_OUT4   MAKE_BASE=TRUE   50_RX_XCVR_PRX0_MB_HBT_PRX_OUT4
TO XCVR

PRX_OUT1
PRX_OUT2
PRX_OUT3
PRX_OUT4

50_RX_LMB_PAD_LMB_PRX_OUT_M
FROM LMB_2G_PAD

UAT   50_TRX_LMB_HB_PORTB_TX_UAT   R2110_E 0.00   50_TRX_LMB_HB_PORTB_TX_MCN
TO MCIRC

C2120_E 0.5PF
C2110_E 0.5PF

PAGE TITLE

HB PAD

UHB LAT PAD

BOM_COST_GROUP=CELLULAR

Part table:

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	C2210_E	J518
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	C2210_E	J523
131S00356	1	CAP,CER,COG,0.4PF,+/-0.05PF,50V,0201	C2214_E	J518
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	C2214_E	J523
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	C2215_E	J518
131S00356	1	CAP,CER,COG,0.4PF,+/-0.05PF,50V,0201	C2215_E	J523
152S2021	1	IND,FILM,1.5NH,+/-0.1NH,1000MA,UH-Q,0201	R2209_E	J518
152S2021	1	IND,FILM,1.5NH,+/-0.1NH,1000MA,UH-Q,0201	R2209_E	J523

PAUHBL_E
SKY58245
DSBGA
SYM 1 OF 2

USID RX=0X6
USID TX=0X6

353S02389
SHIELD=YES
ROOM=UHB_LAT

PAUHBL_E
SKY58245
DSBGA
SYM 2 OF 2

353S02389
SHIELD=YES
ROOM=UHB_LAT

MATCHING NOTE: 0201 NETWORK

R2209_E
0.00
1A
1/20W
MF
0201
UHB_LAT
OMIT_TABLE

R2208_E
1.6NH-+/-0.1NH-1A-0.05OHM
0201
UHB_LAT

R2207_E
0.00
0%
1/32W
MF
01005
UHB_LAT

PP VIO RFFE 1V8 TX
SHIELD RFFE2 SCLK SDR
SHIELD RFFE2 SDATA SDR
PP VIO RFFE 1V8 RX
SHIELD RFFE3 SCLK SDR
SHIELD RFFE3 SDATA SDR

PPVCC HIGH
PP APT L PA
VDD LNA UHB PAD
PP VDD RF 1V2

C2211_E 1.0UF
C2212_E 10PF
C2208_E 1.0UF
C2207_E 1000PF

C2205_E 18PF
C2203_E 18PF
C2201_E 18PF
C2206_E 18PF
C2204_E 18PF
C2202_E 18PF

C2215_E 0.5PF
C2210_E 0.5PF
C2214_E 0.5PF
C2209_E 0.5PF

TX_UHB_IN1
FROM XCVR
TX_N79_IN1
FROM XCVR

RX_OUT1 TO XCVR
RX_OUT2 TO XCVR
RX_OUT3 TO XCVR
RX_OUT4 TO XCVR
FBRX1 TO XCVR SP3T

UHB_ANT1 TO UHB/N79 QPLX -> ANT3
UHB_ANT2 TO UHB/N79 TPLX -> ANT4A
UHB_ANT4 TO MCIRC - UHBDSM UHB_ANT4
N79_ANT1 TO UHB/N79 QPLX -> ANT3
N79_ANT2 TO UHB/N79 TPLX -> ANT4A
N79_ANT4 TO MCIRC - UHBDSM N79_ANT4

MATCHING NOTE: 0201 NETWORK

LMB_2G_PAD

PP QET0 2G PA 102

PA_LMB_E
SKY58232
DSBGA
SYM 2 OF 2

ROOM=LMB_2GPAD
SHIELD=YES

353S02393

GND

C2305_E
100PF
35V
NP0-C0G
01005
LMB_2GPAD

C2304_E
2.2UF
20V
10V
X5R
0201
LMB_2GPAD

PPVCC_HIGH 128

C2306_E
1.0UF
6.3V
X5R
0201-1
LMB_2GPAD

PP VIO RFFE 1V8 TX 120 115 108 107 106 93
SHIELD RFFE1 SCLK SDR 115 107 102 101
SHIELD RFFE1 SDATA SDR 115 107 102 101

C2311_E
18PF
5%
16V
NP0/C0G
01005
LMB_2GPAD

C2313_E
18PF
5%
16V
NP0/C0G
01005
NOSTUFF
LMB_2GPAD

C2302_E
10PF
5%
25V
C0G
01005
NOSTUFF
LMB_2GPAD

PP VIO RFFE 1V8 RX 119 113 108 107 106 93
SHIELD RFFE3 SCLK SDR 119 113 108 107 106 101
SHIELD RFFE3 SDATA SDR 119 113 108 107 106 101

C2312_E
18PF
5%
16V
NP0/C0G
01005
LMB_2GPAD

PP QET0 PA 102 107

C2314_E
18PF
5%
16V
NP0/C0G
01005
NOSTUFF
LMB_2GPAD

R2315_E
0.00
0%
1/32W
MF
01005
LMB_2GPAD

VFE LO 1V14 LMB PAD

PP VDD RF 1V2 93 106 107 108 110 111 112 113 114 128

C2315_E
1000PF
10%
6.3V
X5R-CERM
01005
LMB_2GPAD

MATCHING NOTE: 0201/01005 NETWORKS

SDATA_RX A7
CLK_RX A6
VIO_RX A5
SDATA_TX J4
SCLK_TX J3
VIO_TX J2
2G_VAPT_1 F6
2G_VAPT_2 F7
VBIAS H1
VCC1 J6
VCC2 J7
VDD_LNA A9

50 TX IN XCVR TX0 LB2G 101   MAKE_BASE=TRUE   50 TX IN XCVR TX0 LB2G   C1 2G_LB_IN

PA_LMB_E
SKY58232
DSBGA
SYM 1 OF 2

ROOM=LMB_2GPAD
SHIELD=YES

353S02393

USID RX=0X05
USID TX=0X05

FROM XCVR

2G_LB_OUT B11 50 TRX IN LMB PAD 2G LB OUT

R2305_E
0.00
0%
1/20W
MF
020)
LMB_2GPAD

50 TRX IN LMB PAD 2G LB OUT M 106

TO LB PAD

C2307_E
2.1PF
+/-0.1PF
16V
NP0-C0G
01005
LMB_2GPAD

50 TX IN XCVR TX0 MB2G 101   MAKE_BASE=TRUE   50 TX IN XCVR TX0 MB2G   D1 2G_MB_IN

FROM XCVR

2G_MB_OUT D11 50 TRX IN LMB PAD 2G MB OUT

R2306_E
1.2NH-+/-0.05NH-1.1A-0.04OHM
0201
LMB_2GPAD

50 TRX IN LMB PAD 2G MB OUT M 107

TO HB PAD

C2316_E
22NH-3%-0.14A-2.26OHM
01005
LMB_2GPAD

C2308_E
0.2PF
+/-0.05PF
16V
CERM
01005
LMB_2GPAD

R2309_E
0.00
0%
1/32W
MF
01005
LMB_2GPAD

R2307_E
3.4NH-+/-0.1NH-0.5A-0.17OHM
0201
LMB_2GPAD

NC ✕ E1 NC

LMB_ANT G11 50 TRX IN LMB PAD LMB ANT

50 TRX IN LMB PAD LMB ANT M 107

TO HB PAD

C2317_E
1.1PF
+/-0.1PF
25V
CERM
0201
LMB_2GPAD

C2309_E
0.2PF
+/-0.05PF
25V
C0G-CERM
0201
LMB_2GPAD

50 TX IN XCVR TX0 LMB 101   MAKE_BASE=TRUE   50 TX IN XCVR TX0 LMB   F1 TX_LMB_IN

FROM XCVR

LMB_PRX_OUT C4 50 RX LMB PAD LMB PRX OUT

R2308_E
0.00
0%
1/32W
MF
01005
LMB_2GPAD

50 RX LMB PAD LMB PRX OUT M 107

TO HB PAD

C2310_E
0.5PF
+/-0.05PF
16V
C0G-CERM
01005
LMB_2GPAD
NOSTUFF

BOM_COST_GROUP=CELLULAR

LB DIVERSITY MODULE

USID RX=0X01

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION	
152S2035	1	IND,FILM,3.9NH,+/-0.1NH,500MA,UH-Q,0201	R2504_E	J518	
152S2045	1	IND,FILM,3.0NH,+/-0.1NH,600MA,UH-Q,0201	R2504_E	J523	

SYNC_MASTER=RADIO_MLB_3.27.0
SYNC_DATE=08/31/2020
PAGE TITLE
LB DSM

HB RECEIVE DIVERSITY & TX MODULE

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
131S0648	1	CAP,CER,COG,0.3PF,+/-0.05PF,16V,01005	L2601_E	J518
152S00533	1	IND,FILM,22NH,+/-3%,140MA,SHQ,01005	L2601_E	J523
152S00058	1	IND,FILM,1.7NH,+/-0.1NH,800MA,UH-Q,0201	R2606_E	J518
152S00419	1	IND,FILM,1.1NH,+/-0.1NH,850MA,SHQ,01005	R2606_E	J523
131S0369	1	CAP,CER,COG,0.5PF,+/-0.05PF,16V,01005	L2603_E	J523 J518 NOSTUFF
152S00425	1	IND,FILM,1.8NH,+/-0.1NH,700MA,SHQ,01005	R2607_E	J518
152S00426	1	IND,FILM,1.9NH,+/-0.1NH,700MA,SHQ,01005	R2607_E	J523
152S00416	1	IND,FILM,1.2NH,+/-0.1NH,800MA,SHQ,01005	R2609_E	J518
152S00430	1	IND,FILM,2.3NH,+/-0.1NH,450MA,SHQ,01005	R2609_E	J523
117S0161	1	RES,MF,0 OHM,1/32W,01005	R2610_E	J518
152S00493	1	IND,FILM,0.9NH,+/-0.1NH,900MA,SHQ,01005	R2610_E	J523

PP_VIO_RFFE_1V8_UAT
SHIELD_RFFE5_SCLK_SDR
SHIELD_RFFE5_SDATA_SDR

C2601_E 0.1UF 20% 6.3V X5R-CERM 01005 ROOM=HB_TXDSM
C2603_E 47PF 5% 16V NP0-COG 01005 NOSTUFF ROOM=HB_TXDSM
C2605_E 47PF 5% 16V NP0-COG 01005 NOSTUFF ROOM=HB_TXDSM

PP_VIO_RFFE_1V8_UAT
SHIELD_RFFE7_SCLK_SDR
SHIELD_RFFE7_SDATA_SDR

C2602_E 0.1UF 20% 6.3V X5R-CERM 01005 ROOM=HB_TXDSM
C2604_E 47PF 5% 16V NP0-COG 01005 NOSTUFF ROOM=HB_TXDSM
C2606_E 47PF 5% 16V NP0-COG 01005 NOSTUFF ROOM=HB_TXDSM

PPVCC_HIGH

VOLTAGE=5.5V PP_APT_U_PA

VDD_HB_DSM

R2608_E 0.00 0% 1/32W MF 01005 ROOM=HB_TXDSM

PP_VDD_RF_1V2

C2608_E 0.01UF 10V X5R 01005 ROOM=HB_TXDSM
C2612_E 18PF 5% 10V NP0-COG 01005 NOSTUFF
C2613_E 1.0UF 20% 16V X5R-CERM 0201-1 ROOM=HB_TXDSM
C2609_E 0.1UF 20% 6.3V X5R-CERM 01005 ROOM=HB_TXDSM

R2601_E 0.00 0% 1/32W 01005 ROOM=HB_TXDSM

50_TX_IN_XCVR_TX1_HB1_MCS
FROM XCVR - MCIRC
50_TX_IN_TX1_HB_DSM_TX_IN1

TX_IN1

DSM_HB_E HFQTWLQFA-580 DSLGA SYM 1 OF 2 353S02391 SHIELD=TTS ROOM=HB_TXDSM

USID RX=0X3
USID TX=0X3

HB_TX_IN

R2609_E 2.3NH-+/-0.1NH-0.45A 01005

50_TRX_LMB_HB_PORTB_TX
C2610_E 0.5PF +/-0.05PF 16V COG-CERM 01005 NOSTUFF ROOM=HB_TXDSM
50_TRX_LMB_HB_PORTB_TX_MCS
FROM MCIRC - HBPAD

HB_RX_IN

R2610_E 0.00 0% 1/32W MF 01005 ROOM=HB_TXDSM

50_TRX_LMB_HB_PORTB_RX1
C2625_E 0.5PF +/-0.05PF 16V COG-CERM 01005 NOSTUFF ROOM=HB_TXDSM
C2611_E 0.5PF +/-0.05PF 16V COG-CERM 01005 NOSTUFF ROOM=HB_TXDSM
50_TRX_LMB_HB_PORTB_RX1_MCS
FROM MCIRC - HBPAD

50_RX_TLINE_XCVR_DRX2_HB_DSM_RXOUT_DRX1
TO XCVR
MAKE_BASE=TRUE
50_RX_TLINE_XCVR_DRX2_HB_DSM_RXOUT_DRX1

HB_ANT1

50_TRX_HBDSM_HB_ANT1
TO QPLX --> CPLR_U -> ANT1

50_RX_TLINE_XCVR_DRX4_HB_DSM_RXOUT_DRX2
TO XCVR
MAKE_BASE=TRUE
50_RX_TLINE_XCVR_DRX4_HB_DSM_RXOUT_DRX2

DSM_HB_E HFQTWLQFA-580 DSLGA SYM 2 OF 2 353S02391 SHIELD=TTS ROOM=HB_TXDSM

HB_ANT2

R2606_E 0.00 0% 1/32W 01005 ROOM=HB_TXDSM
50_TRX_HBDSM_HB_ANT2
50_TRX_HBDSM_HB_ANT2_M
TO CPLR_U -> MBHB TPLX -> ANT2B

L2603_E 4.7NH-3%-0.270A 01005 ROOM=HB_TXDSM OMIT_TABLE
L2601_E 4.7NH-3%-0.270A 01005 OMIT_TABLE ROOM=HB_TXDSM

50_RX_TLINE_XCVR_DRXE_HB_DSM_RXOUT_DRX3
TO XCVR
MAKE_BASE=TRUE
50_RX_TLINE_XCVR_DRXE_HB_DSM_RXOUT_DRX3

MIMO_RX_OUT

R2607_E 0.00 0% 1/32W MF 01005 ROOM=HB_TXDSM
50_TRX_HBDSM_MIMO2_RX_OUT
50_TRX_HBDSM_MIMO2_RX_OUT_M
TO MIMO DSM2 ANT1

L2602_E 4.7NH-3%-0.270A 01005 NOSTUFF ROOM=HB_TXDSM

50_RX_TLINE_XCVR_DRX0_HB_DSM_RXOUT_DRX4
TO XCVR
MAKE_BASE=TRUE
50_RX_TLINE_XCVR_DRX0_HB_DSM_RXOUT_DRX4

NC
NC

| A1	GND		F12	GND
A4	GND		F13	GND
A6	GND		G10	GND
A11	GND		G11	GND
B12	GND		G12	GND
C10	GND		G13	GND
C11	GND		H1	GND
C12	GND		A13	GND
C13	GND		H13	GND
D1	GND		J1	GND
D10	GND		J3	GND
D11	GND		J5	GND
D12	GND		J7	GND
E10	GND		J8	GND
E11	GND		J9	GND
E12	GND		J10	GND
E13	GND		J11	GND
F1	GND		J12	GND
F10	GND		J13	GND
F11	GND			

SYNC_MASTER=RADIO_MLB_3.27.0
SYNC_DATE=08/31/2020
PAGE TITLE
HB TXDSM

BOM_COST_GROUP=CELLULAR

UHB DSM

DSMUHB_E
SKY53807
DSBGA
SYM 2 OF 2

SHIELD=TTS
ROOM=UHB_UAT
353S02390

DSMUHB_E
SKY53807
DSBGA
SYM 1 OF 2

SHIELD=TTS
ROOM=UHB_UAT
353S02390

USID TX=0X6
USID RX=0X6

PP VIO RFFE 1V8 UAT
SHIELD RFFE7 SCLK SDR
SHIELD RFFE7 SDATA SDR
PP VIO RFFE 1V8 UAT
SHIELD RFFE5 SCLK SDR
SHIELD RFFE5 SDATA SDR

PPVCC_HIGH

R2705_E
0.00
1%
1/32W
01005
UHB_UAT

VDD UHB DSM

PP VDD RF 1V2

C2706_E
1.0UF
20%
6.3V
X5R
0201-1
UHB_UAT

C2704_E
0.1UF
20%
6.3V
X5R-CERM
01005
UHB_UAT

C2701_E 47PF / C2702_E 47PF / C2703_E 0.1UF / C2721_E 47PF / C2722_E 47PF / C2723_E 0.1UF
5% 16V NP0-C0G 01005 UHB_UAT NOSTUFF
X5R-CERM

NC — B1 NC

NC — B12 NC

NCNC
F7 G7
NC NC

VDD_LNA

UHB_ANT1 M2 50 TRX UHBDSM UHB_ANT1 TO ANT1
TO UHB/N79 QPLX -> ANT1

UHB_ANT2 M3 50 TRX UHBDSM UHB_ANT2 TO ANT2A
TO UHB/N79 TPLX -> ANT2A

101 50 RX TLINE XCVR DRX14 UHBDSM UHB RXOUT1 A3 RX_OUT1
TLINE TO XCVR

125 50 RX XCVR DRX12 UHBDSM N79 RXOUT2 MCS A4 RX_OUT2
TO MCIRC - XCVR

101 50 RX TLINE XCVR DRX15 UHBDSM UHB RXOUT3 A8 RX_OUT3
TLINE TO XCVR

125 50 RX XCVR DRX13 UHBDSM N79 RXOUT4 MCS A9 RX_OUT4
TO MCIRC - XCVR

UHB_ANT4 M5 50 TX UHBDSM PORTB UHB TXIN

R2708_E
1.5NH-+/-0.1NH-0.70A
01005
UHB_UAT
OMIT_TABLE

50 TRX UHB PAD PORTB TX MCS 125
TO MCIRC - UHBPAD UHB_ANT4

C2718_E
0.8PF
+/-0.1PF
16V
NP0-C0G
01005
UHB_UAT
NOSTUFF

C2708_E
0.8PF
+/-0.1PF
16V
NP0-C0G
01005
UHB_UAT
OMIT_TABLE

N79_ANT1 M7 50 TRX UHBDSM N79_ANT1 TO ANT1
TO UHB/N79 QPLX -> ANT1

N79_ANT2 M8 50 TRX UHBDSM N79_ANT2 TO ANT2A
TO UHB/N79 TPLX -> ANT2A

MATCHING NOTE: MIXED 01005/0201 NETWORK

R2709_E
0.5NH-+/-0.1NH-0.85A-0.08OHM
0201-1
UHB_UAT
OMIT_TABLE

50 TRX UHB PAD N79 PORTB TX MCS 125
TO MCIRC - UHBPAD N79_ANT4

C2719_E
0.8PF
+/-0.1PF
16V
NP0-C0G
01005
UHB_UAT
NOSTUFF

C2709_E
1.0PF
+/-0.05PF
25V
C0G-CERM
0201
UHB_UAT
OMIT_TABLE

NC — E12 FBRX1

N79_ANT4 M10 50 TX UHBDSM PORTB N79 TXIN

EXT_CPL1
NC
J512 J12
NCNC

Pin labels (left symbol): A1 GND, A2 GND, A5 GND, A6 GND, A7 GND, A10 GND, A11 GND, A12 GND, B2 GND, B3 GND, B4 GND, B5 GND, B6 GND, B7 GND, B8 GND, B9 GND, B10 GND, B11 GND, C1 GND, C2 GND, C3 GND, C5 GND, C8 GND, C10 GND, C11 GND, C12 GND, D1 GND, D2 GND, D3 GND, D5 GND, D6 GND, D7 GND, D8 GND, D10 GND, D11 GND, D12 GND, E1 GND, E2 GND, E3 GND, E5 GND

Pin labels (right side): E6 GND, E7 GND, E8 GND, E10 GND, E11 GND, F1 GND, F2 GND, F3 GND, F4 GND, F5 GND, F6 GND, F8 GND, F9 GND, F10 GND, F11 GND, F12 GND, G1 GND, G2 GND, G3 GND, G4 GND, G5 GND, G6 GND, G8 GND, G9 GND, G10 GND, G11 GND, G12 GND, H1 GND, H12 GND, J1 GND, K1 GND, K12 GND, L1 GND, M1 GND, M4 GND, M6 GND, M9 GND, M11 GND, M12 GND

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
152S00850	1	IND,0.5NH,+/-0.1NH,0.85A,0.08OHM,0201	R2709_E	J518
152S2021	1	IND,FILM,1.5NH,+/-0.1NH,1000MA,UH-Q,0201	R2709_E	J523
131S0555	1	CAP,CER,C0G,HF,1.0PF,+/-0.05PF,25V,0201	C2709_E	J518
131S00356	1	CAP,CER,C0G,0.4PF,+/-0.05PF,50V,0201	C2709_E	J523
152S00422	1	IND,FILM,1.5NH,+/-0.1NH,700MA,SHQ,01005	R2708_E	J518
152S00494	1	IND,FILM,0.8NH,+/-0.1NH,900MA,SHQ,01005	R2708_E	J523
131S0373	1	CAP,CER,NP0/C0G,0.8PF,+/-0.1PF,16V,01005	C2708_E	J518

J523 NOSTUFF

BOM_COST_GROUP=CELLULAR

UHB DSM

LOWER MIMO DIVERSITY MODULE

PP VIO RFFE 1V8 RX

SHIELD RFFE3 SCLK SDR

SHIELD RFFE3 SDATA SDR

VDD MIMO1 DSM

R2805_E
0.00
1/32W
MF
01005
ROOM=MIMODSM_L

PP VDD RF 1V2

C2803_E
0.1UF
20%
6.3V
X5R-CERM
01005
ROOM=MIMODSM_L

C2804_E
0.1UF
20%
6.3V
X5R-CERM
01005
ROOM=MIMODSM_L

SDATA_RX 16
SCLK_RX   17
VIO_RX   15
VDD_LNA   14

353S02394
MIMO_L_E
SKY53802
DSMBGA
SYM 1 OF 2

ROOM=MIMODSM_L

USID RX=0X0A

50 RX XCVR PRX5 MIMO1 RX OUT DRX1   MAKE_BASE=TRUE   50 RX XCVR PRX5 MIMO1 RX OUT DRX1   RXOUT_DRX1
TO XCVR

ANT1 22   50 TRX HB PAD MIMO1 RX OUT M
FROM HB PAD MIMO OUT
MATCHING @ HB PAD

50 RX XCVR PRX7 MIMO1 RX OUT DRX2   MAKE_BASE=TRUE   50 RX XCVR PRX7 MIMO1 RX OUT DRX2   RXOUT_DRX2
TO XCVR

50 RX XCVR PRX3 MIMO1 RX OUT DRX3   MAKE_BASE=TRUE   50 RX XCVR PRX3 MIMO1 RX OUT DRX3   RXOUT_DRX3
TO XCVR

50 RX XCVR PRX1 MIMO1 RX OUT DRX4   MAKE_BASE=TRUE   50 RX XCVR PRX1 MIMO1 RX OUT DRX4   RXOUT_DRX4
TO XCVR

MIMO_L_E
SKY53802
DSMBGA
SYM 2 OF 2

353S02394

ROOM=MIMODSM_L

1	GND
2	GND
3	GND
4	GND
5	GND
6	GND
7	GND
12	GND
18	GND
19	GND
20	GND
21	GND

MIMO DSM LOWER

BOM_COST_GROUP=CELLULAR

UPPER MIMO DIVERSITY MODULE

MIMO_U_E
SKY53802
DSMBGA
SYM 2 OF 2

353S02394

ROOM=MIMODSM_U

Pin	Signal
1	GND
2	GND
3	GND
4	GND
5	GND
6	GND
7	GND
12	GND
13	GND
18	GND
19	GND
20	GND
21	GND

128 PP_VIO_RFFE_1V8_UAT
119 112 111 110 101 SHIELD_RFFE5_SCLK_SDR
119 112 111 110 101 SHIELD_RFFE5_SDATA_SDR

C2901_E
47PF
5%
16V
NP0-C0G
01005
ROOM=MIMODSM_U
NOSTUFF

C2902_E
47PF
5%
16V
NP0-C0G
01005
ROOM=MIMODSM_U
NOSTUFF

C2903_E
0.1UF
20%
6.3V
X5R-CERM
01005
ROOM=MIMODSM_U

R2905_E
0.00
1/32W
MF
01005
ROOM=MIMODSM_U

VDD_MIMO2_DSM   PP_VDD_RF_1V2   93 106 107 108 109 110 111 112 113 128

C2904_E
0.1UF
20%
6.3V
X5R-CERM
01005
ROOM=MIMODSM_U

SDATA_RX 16
SCLK_RX 17
VIO_RX 15
VDD_LNA 14

353S02394
MIMO_U_E
SKY53802
DSMBGA
SYM 1 OF 2

ROOM=MIMODSM_U

USID RX=0X0A

101 50_RX_TLINE_XCVR_DRX5_MIMO2_RX_OUT_DRX1   MAKE_BASE=TRUE   50_RX_TLINE_XCVR_DRX5_MIMO2_RX_OUT_DRX1   11 RXOUT_DRX1   ANT1 22   50_TRX_HBDSM_MIMO2_RX_OUT_M   111
TO XCVR   FROM HB DSM MIMO OUT
                                                                                                                                                             MATCHING @ HB DSM

101 50_RX_TLINE_XCVR_DRX7_MIMO2_RX_OUT_DRX2   MAKE_BASE=TRUE   50_RX_TLINE_XCVR_DRX7_MIMO2_RX_OUT_DRX2   10 RXOUT_DRX2
TO XCVR

101 50_RX_TLINE_XCVR_DRX3_MIMO2_RX_OUT_DRX3   MAKE_BASE=TRUE   50_RX_TLINE_XCVR_DRX3_MIMO2_RX_OUT_DRX3   9 RXOUT_DRX3
TO XCVR

101 50_RX_TLINE_XCVR_DRX1_MIMO2_RX_OUT_DRX4   MAKE_BASE=TRUE   50_RX_TLINE_XCVR_DRX1_MIMO2_RX_OUT_DRX4   8 RXOUT_DRX4
TO XCVR

BOM_COST_GROUP=CELLULAR

LOWER COUPLER

128 109 108 107 104 93 PP_VIO_RFFE_1V8_TX

109 107 102 101 SHIELD_RFFE1_SCLK_SDR
109 107 102 101 SHIELD_RFFE1_SDATA_SDR

PPVCC_HIGH 128

C3001_E
47PF
5%
16V
NP0-C0G
01005
NOSTUFF
CPLR_L

C3002_E
47PF
5%
16V
NP0-C0G
01005
NOSTUFF
CPLR_L

C3003_E
47PF
5%
16V
NP0-C0G
01005
CPLR_L

C3004_E
47PF
5%
16V
NP0-C0G
01005
CPLR_L

CPLR_L_E
MDFEXCGB-137
LGA
SYM 1 OF 2
155S00618
ROOM=CPLR_L
USID=0X8

SDATA 11 | SCLK 6 | VIO 1 | VDD 12 | USID 2

R3003_E
1.8NH-+/-0.1NH-0.70A
01005
CPLR_L

107 50_TRX_HB_PAD_ANT1
HBPAD ANT1 PIN -> ANT3 QPLX
50_TRX_HB_PAD_ANT1_M

C3007_E
0.9PF
+/-0.05PF
16V
CERM
01005
CPLR_L

C3010_E
15NH-3%-0.17A-1.53OHM
01005
CPLR_L

R3002_E
0.8NH-+/-0.1NH-0.9A-0.05OHM
01005
CPLR_L

CPL1_ANT 28 50_ANT3_M 50_ANT3 124
TO ANT3

C3005_E
0.5PF
+/-0.05PF
16V
C0G-CERM
01005
CPLR_L
NOSTUFF

50_ANT3_NOTCH

C3006_E
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
CPLR_L
NOSTUFF

R3006_E
0.00
0R
1/32W
01005
CPLR_L

MATCHING NOTE: 0201/01005 NETWORK

QPLX3_E
ACFM-10N7-AP1
LGA
155S00695
ROOM=CPLR_L

9 MHB | 1 UHB | 5 N79 | 13 LB | 15 ANT
GND | EPAD

R3008_E
1NH-+/-0.05NH-0.9A
01005
CPLR_L

UHB/N79_L ANT2 PIN -> ANT3 QPLX
108 50_TRX_PAUHBL_UHB_ANT1_TO_ANT3   50_TRX_PAUHBL_UHB_ANT1_TO_ANT3_M

1 UHB

C3013_E
0.5PF
+/-0.05PF
16V
C0G-CERM
01005
CPLR_L
NOSTUFF

C3014_E
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
CPLR_L

R3005_E
1.1NH-+/-0.05NH-1.1A-0.04OHM
0201
CPLR_L

15 50_TRX_QPLX_L_CPL1   50_TRX_QPLX_L_CPL1_M   29 CPL1_IN

C3008_E
0.3PF
+/-0.05PF
16V
C0G-CERM
01005
CPLR_L
NOSTUFF

C3009_E
0.5PF
+/-0.05PF
16V
C0G-CERM
01005
CPLR_L
NOSTUFF

CPL2_ANT 10

50_TRX_CPLR_L_CPL2_ANT_LMB_MB_HB 121
TO MBHB TPLX --> ANT4B

R3007_E
0.6NH-+/-0.1NH-0.95A-0.05OHM
01005
CPLR_L

UHB/N79_L ANT2 PIN -> ANT3 QPLX
108 50_TRX_PAUHBL_N79_ANT1_TO_ANT3   50_TRX_PAUHBL_N79_ANT1_TO_ANT3_M

C3011_E
0.2PF
+/-0.05PF
16V
CERM
01005
CPLR_L

C3012_E
0.2PF
+/-0.05PF
16V
CERM
01005
CPLR_L

107 50_TRX_HB_PAD_ANT2_M 15 CPL2_IN

CPL_OUT 3 50_CPLR_L_CPL1_LAT_OUT 101
TO SP3T

R3004_E
1.2NH-+/-0.1NH-0.80A
01005
CPLR_L

LBPAD ANT1 PIN -> ANT3 QPLX
106 50_TRX_LB_PAD_ANT1   50_TRX_LB_PAD_ANT1_M

L3002_E
10NH-+/-3%-0.25A
01005
NOSTUFF
CPLR_L

L3001_E
10NH-+/-3%-0.25A
01005
NOSTUFF
CPLR_L

CPLR_L_E
MDFEXCGB-137
LGA
SYM 2 OF 2
155S00618
ROOM=CPLR_L

4 GND | 19 GND
5 GND | 20 GND
7 GND | 21 GND
8 GND | 22 GND
9 GND | 23 GND
13 GND | 24 GND
14 GND | 25 GND
16 GND | 26 GND
17 GND | 27 GND
18 GND | 30 GND

BOM_COST_GROUP=CELLULAR

UPPER COUPLER

MATCHING NOTE: 0201/01005 NETWORKS

PPVCC_HIGH

C3106_E 47PF 5% 16V NP0-C0G 01005 ROOM=CPLR_U

C3105_E 0.1UF 20% 6.3V X5R-0R-CERM 01005 ROOM=CPLR_U

PP_VIO_RFFE_1V8_UAT

SHIELD_RFFE7_SCLK_SDR
SHIELD_RFFE7_SDATA_SDR

C3102_E 47PF 5% 16V NP0-C0G 01005 ROOM=CPLR_U NOSTUFF

C3103_E 47PF 5% 16V NP0-C0G 01005 ROOM=CPLR_U NOSTUFF

C3104_E 47PF 5% 16V NP0-C0G 01005 ROOM=CPLR_U NOSTUFF

CPLR_U_E MDFEXCGB-137 LGA SYM 1 OF 2 155S00618 ROOM=CPLR_U

USID=0X8

SDATA SCLK VIO VDD USID

R3104_E 1.0NH-+/-0.05NH-T.1A-0.04OHM
50_TRX_HBDSM_HB_ANT1   50_TRX_HBDSM_HB_ANT1_M
HBDSM ANT1 PIN -> ANT1 QPLX
0201 ROOM=CPLR_U OMIT_TABLE

L3101_E 4.7NH-3%-0.270A 01005 OMIT_TABLE ROOM=CPLR_U

R3110_E 0.6NH-+/-0.05NH-0.95A
50_TRX_UHBDSM_UHB_ANT1_TO_ANT1   50_TRX_UHBDSM_UHB_ANT1_TO_ANT1_M
UHB/N79_U ANT2 PIN -> ANT1 QPLX
01005 ROOM=CPLR_U OMIT_TABLE

QPLX1_E ACFM-10N7-AP1 LGA 155S00695 ROOM=CPLR_U
MHB UHB N79 LB ANT GND EPAD

R3106_E 0.00
50_TRX_QPLX_U_CPL1   50_TRX_QPLX_U_CPL1_M
0% 1/32W MF 01005 ROOM=CPLR_U OMIT_TABLE

C3113_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U NOSTUFF

C3114_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U NOSTUFF

C3109_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U NOSTUFF

CPL1_ANT 28 50_ANT1_M
R3103_E 1.2NH-+/-0.1NH-0.80A
01005 ROOM=CPLR_U OMIT_TABLE
TO ANT1

C3110_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U NOSTUFF

C3107_E 0.3PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U NOSTUFF

50_ANT1_NOTCH

R3107_E 0.00 0% 1/32W MF 01005 ROOM=CPLR_U NOSTUFF

CPL1_IN 29
CPL2_IN 15
CPL2_ANT 10 50_TRX_CPLR_U_CPL2_ANT_LMB_MB_HB
TO MBHB TPLX --> ANT2B

50_TRX_HBDSM_HB_ANT2_M

CPL_OUT 3 50_CPLR_U_CPL1_UAT_OUT
TO SP3T

R3109_E 0.00
50_TRX_UHBDSM_N79_ANT1_TO_ANT1   50_TRX_UHBDSM_N79_ANT1_TO_ANT1_M
UHB/N79_U ANT2 PIN -> ANT1 QPLX
0% 1/20W MF 0201 ROOM=CPLR_U OMIT_TABLE

C3111_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U NOSTUFF

C3112_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U OMIT_TABLE

R3101_E 0.00
50_TRX_LBDSM_ANT1   50_TRX_LBDSM_ANT1_M
LBDSM ANT1 PIN -> ANT1 QPLX
0% 1/32W MF 01005 ROOM=CPLR_U OMIT_TABLE

C3116_E 0.5PF +/-0.05PF 16V C0G-CERM 01005 ROOM=CPLR_U OMIT_TABLE

L3102_E 4.7NH-3%-0.270A 01005 NOSTUFF PACK_OPTION=J523

NOTE: NO ROOM FOR PI ON J518

CPLR_U_E MDFEXCGB-137 LGA SYM 2 OF 2 155S00618 ROOM=CPLR_U
GND 4, 5, 7, 8, 9, 13, 14, 16, 17, 18
GND 19, 20, 21, 22, 23, 24, 25, 26, 27, 30

BOM_COST_GROUP=CELLULAR

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION	
131S0893	1	CAP,CER,C0G,0.2PF,+/-0.05PF,16V,01005,HQ	C3112_E	J518	J523 NOSTUFF
131S0893	1	CAP,CER,C0G,0.2PF,+/-0.05PF,16V,01005,HQ	L3101_E	J523	J518 NOSTUFF
152S00498	1	IND,FILM,0.4NH,+/-0.1NH,1000MA,SHQ,01005	R3103_E	J518	
152S01108	1	IND,FILM,0.3NH,+/-0.05NH,1A,SHQ,01005	R3103_E	J523	
152S2021	1	IND,FILM,1.5NH,+/-0.1NH,1000MA,UH-Q,0201	R3104_E	J518	
152S01047	1	IND,FILM,2.0NH,+/-0.05NH,0.6A,UH-Q,0201	R3104_E	J523	
152S00496	1	IND,FILM,0.6NH,+/-0.1NH,950MA,SHQ,01005	R3106_E	J518	
152S01108	1	IND,FILM,0.3NH,+/-0.05NH,1A,SHQ,01005	R3106_E	J523	
152S2021	1	IND,FILM,1.5NH,+/-0.1NH,1000MA,UH-Q,0201	R3109_E	J518	
152S00156	1	IND,FILM,1.1NH,+/-0.05NH,1.1A,UH-Q,0201	R3109_E	J523	
152S01246	1	IND,FILM,0.8NH,+/-0.05NH,900MA,SHQ,01005	R3110_E	J518	
152S01247	1	IND,FILM,1NH,+/-0.05NH,900MA,SHQ,01005	R3110_E	J523	
117S0161	1	RES,MF,0 OHM,1/32W,01005	R3101_E	J518	
152S00499	1	IND,FILM,2.5NH,+/-0.1NH,450MA,SHQ,01005	R3101_E	J523	
131S0599	1	CAP,CER,C0G,1.5PF,+/-0.05PF,16V,01005	C3116_E	J523	J518 NOSTUFF

SYNC_MASTER=RADIO_MLB_3.27.0
SYNC_DATE=08/31/2020
PAGE TITLE
COUPLER UPPER

GNSS_L1

L1

L1_LNA_E
SKY53812
LGA
ROOM=GNSS_L1
353S02409

VCC

RFOUT
RFIN
LNA_EN
GND

PP_VDD_RF_1V2

C3201_E
0.1UF
+/-
20%
6.3V
X5R-CERM
01005
GNSS_L1

R3201_E
0.00
0%
1/32W
MF
01005
GNSS_L1

50_RX_GNSS_L1
101

50_RX_L1_LNA_OUT

TO XCVR

3
7
9
128

50_RX_L1_LNA_IN

R3202_E
0.6NH-+/-0.1NH-0.95A-0.05OHM
01005
GNSS_L1

1
2

50_RX_L1_LNA_IN_M
121

SDR_GNSS_LNA_L1_EN
100

L3201_E
1.0NH+/-0.1NH-0.580A
01005
NOSTUFF
GNSS_L1

1
2

L3202_E
18NH-3%-0.16A-1.63OHM
01005
NOSTUFF
GNSS_L1

1
2

50_L1_LNA_NOTCH2

C3202_E
2.2PF
+/-0.1PF
16V
NP0-COG
01005-I
NOSTUFF
GNSS_L1

1
2

C3203_E
10NH-+/-3%-0.25A
01005
GNSS_L1
NOSTUFF

1
2

L3203_E
18NH-3%-0.16A-1.63OHM
01005
NOSTUFF
ROOM=CP1A_D

1
2

50_L1_LNA_NOTCH1

C3204_E
2.2PF
+/-0.1PF
16V
NP0-COG
01005-I
NOSTUFF
ROOM=CP1A_D

1
2

BOM_COST_GROUP=CELLULAR

GNSS_L5

PP_VDD_RF_1V2

C3301_E
0.1UF
20%
6.3V
X5R-CERM
01005
GNSS_L5

L5

VCC

L5_LNA_E
SKY53813-34
LGA

ROOM=GNSS_L5
353S024722

R3301_E
0.00
0%
1/32W
MP
01005
GNSS_L5

50_RX_GNSS_L5   50_RX_L5_LNA_OUT   RFOUT   RFIN   50_RX_L5_LNA_IN

ROOM=GNSS_L5   LNA_EN   SDR_GNSS_LNA_L5_EN

GND

TO XCVR

L3301_E
1.0NH+/-0.1NH-0.580A
01005
NOSTUFF
GNSS_L5

L3302_E
18NH-3%-0.16A-1.63OHM
01005
NOSTUFF
GNSS_L5

50_L5_LNA_NOTCH2

C3302_E
2.2PF
+/-0.1PF
16V
NP0-COG
01005-1
NOSTUFF
GNSS_L5

BOM_COST_GROUP=CELLULAR

LAA CONNECTIONS

	128 93	PP_VIO_RFFE_1V8_UAT	MAKE_BASE=TRUE	PP_VIO_RFFE_1V8_UAT	49
	113 109 108 107 106 93	PP_VIO_RFFE_1V8_RX	MAKE_BASE=TRUE	PP_VIO_RFFE_1V8_RX	48

FOREHEAD 5GFEM LAA 113 109 108 106 101 SHIELD_RFFE3_SCLK_SDR   MAKE_BASE=TRUE   SHIELD_RFFE3_SCLK_SDR 49
FOREHEAD 5GFEM LAA 113 109 108 106 101 SHIELD_RFFE3_SDATA_SDR   MAKE_BASE=TRUE   SHIELD_RFFE3_SDATA_SDR 48
CHIN 5GFEM LAA 114 110 101 SHIELD_RFFE5_SCLK_SDR   MAKE_BASE=TRUE   SHIELD_RFFE5_SCLK_SDR 49
CHIN 5GFEM LAA 114 110 112 101 111 SHIELD_RFFE5_SDATA_SDR   MAKE_BASE=TRUE   SHIELD_RFFE5_SDATA_SDR 49

CHIN 5GFEM LAA 125 50_LAA_RX_XCVR_DRX10   MAKE_BASE=TRUE   50_LAA_RX_XCVR_DRX10 49
FOREHEAD 5GFEM LAA 101 50_LAA_RX_XCVR_PRX12   MAKE_BASE=TRUE   50_LAA_RX_XCVR_PRX12 48

BOM_COST_GROUP=CELLULAR

FOREHEAD ANTENNA FEEDS: ANT4A

ANT4A

FOREHEAD ANTENNA FEEDS: ANT4B

CHIN ANTENNAS

ANT1	ANT2A	ANT2B	ANT5B	ANT2U
LB	2.4GHZ	L5 GNSS	5GHZ	SAM
LMB/MB/HB	UHB	MB/HB		
UHB	N79	5GHZ		
N79				

FOREHEAD ANTENNAS

ANT3	ANT4A	ANT4B
LB	2.4GHZ	L1 GNSS
LMB/MB/HB	UHB	MB/HB
UHB	N79	5GHZ
N79		

MATCHING NOTE: 0201/01005 NETWORK

117 50_RX_L1_LNA_IN_M
L1 --> ANT4B TPLX

0.9NH-+/-0.1NH-0.9A-0.05OHM
R3502_E

115 50_TRX_CPLR_L_CPL2_ANT_LMB_MB_HB
LAT CPL2 --> ANT4B TPLX

1   2   50_TRX_CPLR_L_CPL2_ANT_LMB_MB_HB_M
01005
LAT_ANT4B

C3502_E
0.3PF
+/-0.05PF
16V
COG-CERM
01005
LAT_ANT4B

C3503_E
15NH-3%-0.17A-1.53OHM
01005
LAT_ANT4B

TPLX4B_E
TPLX-L1-MBHB-5GHZ-ANT
LGA
155S00603
ROOM=LAT_ANT4B

5 L1   ANT 1   50_ANT4B_M
9 MHB
13 5GWIFI
GND   EPAD

2 3 4 6 7 8 10 11 12 14 15 16 17

R3503_E
1.1NH-+/-0.05NH-1.1A-0.04OHM

1   2   50_ANT4B   124
0201
LAT_ANT4B

L3502_E
0.2PF
+/-0.05PF
16V
CERM
01005
LAT_ANT4B

L3503_E
4.7NH-3%-0.270A
01005
NOSTUFF
LAT_ANT4B

ANT4B

68 50_WLAN_5G_TPLX_UAT

CHIN ANTENNA FEEDS: ANT2A

CHIN ANTENNAS

ANT1	ANT2A	ANT2B	ANT5B	ANT2U
LB	2.4GHZ	L5 GNSS	5GHZ	SAM
LMB/MB/HB	UHB	MB/HB		
UHB	N79	5GHZ		
N79				

FOREHEAD ANTENNAS

ANT3	ANT4A	ANT4B
LB	2.4GHZ	L1 GNSS
LMB/MB/HB	UHB	MB/HB
UHB	N79	5GHZ
N79		

MATCHING NOTE: 0201/01005 NETWORKS

113 50_TRX_UHBDSM_UHB_ANT2_TO_ANT2A
UHB/N79_U ANT1 PIN -> ANT2A TPLX

R3901_E
0.00
1/20W
MF
0201
UAT_ANT2A
OMIT_TABLE

50_TRX_UHBDSM_UHB_ANT2_TO_ANT2A_M

C3903_E
0.5PF
+/-0.05PF
25V
COG-CERM
0201
UAT_ANT2A
OMIT_TABLE

L3902_E
4.3NH+/-3%-0.5A
0201
UAT_ANT2A
OMIT_TABLE

TPLX2A_E
ACFM-WN79-AP1
LGA
155S00693
ROOM=UAT_ANT2A

113 50_TRX_UHBDSM_N79_ANT2_TO_ANT2A
UHB/N79_U ANT1 PIN -> ANT2A TPLX

R3902_E
0.6NH-+/-0.05NH-T.1A-0.04OHM
0201
UAT_ANT2A
OMIT_TABLE

50_TRX_UHBDSM_N79_ANT2_TO_ANT2A_M

C3904_E
0.5PF
+/-0.05PF
16V
COG-CERM
01005
UAT_ANT2A
NOSTUFF

L3903_E
0.2PF
+/-0.05PF
25V
COG-CERM
0201
UAT_ANT2A
OMIT_TABLE

MATCHING NOTE: 0201/01005 NETWORK

R3904_E
0.8NH+/-0.05NH-T.1A-0.04OHM
0201
UAT_ANT2A
OMIT_TABLE

50_ANT2A

ANT2A

50_ANT2A_M

L3901_E
0.2PF
+/-0.05PF
25V
COG-CERM
0201
UAT_ANT2A
OMIT_TABLE

50_ANT2A_NOTCH

C3901_E
0.6PF
+/-0.05PF
16V
CERM
01005
UAT_ANT2A
OMIT_TABLE

R3907_E
0.00
1/32W
MF
01005
UAT_ANT2A

51 50_TRX_WLAN24_TO_ANT2A
TO WIFI SCH

R3932_E
0.00
0%
1/32W
MF
01005
UAT_ANT2A

50_TRX_WLAN_G_BT_ANT4_NPLXR_M

C3934_E
0.5PF
+/-0.05PF
16V
COG-CERM
01005
UAT_ANT2A
NOSTUFF

L3933_E
4.7NH-3%-0.270A
01005
NOSTUFF
UAT_ANT2A

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION	
131S0631	1	CAP,CER,COG,0.3PF,+/-0.05PF,25V,0201,H-Q	C3903_E	J518	
131S0631	1	CAP,CER,COG,0.3PF,+/-0.05PF,25V,0201,H-Q	C3903_E	J523	
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	L3902_E	J518	
152S2054	1	IND,FILM,9.1NH,+/-3%,300MA,UH-Q,0201	L3902_E	J523	
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	L3903_E	J518	
152S2054	1	IND,FILM,9.1NH,+/-3%,300MA,UH-Q,0201	L3903_E	J523	
152S2021	1	IND,FILM,1.5NH,+/-0.1NH,1000MA,UH-Q,0201	R3901_E	J518	
152S00156	1	IND,FILM,1.1NH,+/-0.05NH,1.1A,UH-Q,0201	R3901_E	J523	
152S00157	1	IND,FILM,1.2NH,+/-0.05NH,1.1A,UH-Q,0201	R3902_E	J518	
118S0724	1	RES,MF,0.0 OHM,1,1/20W,0201,HIGH FREQ	R3902_E	J523	
152S2051	1	IND,FILM,1.3NH,+/-0.1NH,1.1A,UH-Q,0201	R3904_E	J518	
152S00153	1	IND,FILM,1.0NH,+/-0.05NH,1.1A,UH-Q,0201	R3904_E	J523	
131S0431	1	CAP,CER,COG,0.2PF,+/-0.05PF,25V,0201,H-Q	L3901_E	J523	J518 NOSTUFF
152S00533	1	IND,FILM,22NH,+/-3%,140MA,SHQ,01005	C3901_E	J523	J518 NOSTUFF

BOM_COST_GROUP=CELLULAR

CHIN ANTENNA FEEDS: ANT2B

118 50_RX_L5_LNA_IN

L5 --> ANT2B TPLX

R3801_E
0.00
0%
1/32W
MF
01005
LAT_ANT2B

50_RX_L5_LNA_IN_M

C3801_E
0.5PF
+/-0.05PF
16V
COG-CERM
01005
LAT_ANT2B
NOSTUFF

L3801_E
18NH-3%-0.16A-1.63OHM
01005
NOSTUFF
LAT_ANT2B

50_L5_LNA_NOTCH1

C3804_E
2.2PF
+/-0.1PF
16V
NP0-COG
01005-1
NOSTUFF
LAT_ANT2B

MATCHING NOTE: 0201/01005 NETWORK

MATCHING NOTE: 01005 NETWORK

R3803_E
1.8NH+/-0.1NH-0.8A

114 50_TRX_CPLR_U_CPL2_ANT_LMB_MB_HB

50_TRX_CPLR_U_CPL2_ANT_LMB_MB_HB_M

0201
LAT_ANT2B
OMIT_TABLE

C3805_E
0.5PF
+/-0.05PF
16V
COG-CERM
01005
LAT_ANT2B
NOSTUFF

C3802_E
0.2PF
+/-0.05PF
16V
CERM
01005
LAT_ANT2B
OMIT_TABLE

DPLX2B_E
DPX252690DT-5239A1SJ
LGA
155S00689
ROOM=LAT_ANT2B

5 GPS_L5 ANT 7
3 MBHB
GND

50_ANT2B_M

R3811_E
0.7NH-+/-0.1NH-0.9A-0.05OHM
01005
LAT_ANT2B

50_ANT2B 124

ANT2B

L3811_E
0.2PF
+/-0.05PF
16V
CERM
01005
LAT_ANT2B

L3812_E
0.6NH-+/-0.05NH-0.95A
01005
NOSTUFF
LAT_ANT2B

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION	
152S2042	1	IND,FILM,1.8NH,+/-0.1NH,800MA,UH-Q,0201	R3803_E	J518	
131S0343	1	CAP,CER,COG,HF,3.6PF,+/-0.05PF,25V,0201	R3803_E	J523	
131S0893	1	CAP,CER,COG,0.2PF,+/-0.05PF,16V,01005,HQ	C3802_E	J518	
152S00522	1	IND,FILM,6.2NH,+/-3%,300MA,SHQ,01005	C3802_E	J523	

BOM_COST_GROUP=CELLULAR

ANTENNA CONNECTORS

INDY - FOREHEAD

516S00532
JC1_UAT
MM3531-2700A18
F-ST-SM

PPVCC_MAIN

V_PON_MOZART_NORTH
PP_1V85_MOZART_NORTH

50_ANT3

50_ANT4B
50_ANT4A

SHLD

DAYTONA - CHIN

516S00532
JC1_LAT
MM3531-2700A18
F-ST-SM

BB_TO_LAT_RFFE_DATA_A_FILT
BB_TO_LAT_RFFE_CLK_A_FILT
PP_1V8_S2_LAT_FILT
PP_3V0_S2_LAT_FILT

50_ANT1

50_ANT2A

50_ANT2B

SHLD

PAGE TITLE
ANT CONNECTORS

BOM_COST_GROUP=CELLULAR

ONBOARD METROCIRC

J523

FOREHEAD SIDE   CHIN SIDE

PACK_OPTION=J523

MCIRC_E
FLPAAAA-0877+NN
SM
339S00579

Left (Forehead)	Pin		Pin	Right (Chin)
125 106 50_TRX_LB_PORTB_TX_MCN	1	SGN-N / SGN-S	13	50_TRX_LB_PORTB_TX_MCS 110 125
125 107 50_TRX_LMB_HB_PORTB_TX_MCN	2	SGN-N / SGN-S	14	50_TRX_LMB_HB_PORTB_TX_MCS 111 125
125 107 50_TRX_LMB_HB_PORTB_RX1_MCN	3	SGN-N / SGN-S	15	50_TRX_LMB_HB_PORTB_RX1_MCS 111 125
125 101 50_RX_XCVR_DRX13_UHBDSM_N79_RXOUT4_MCN	4	SGN-N / SGN-S	16	50_RX_XCVR_DRX13_UHBDSM_N79_RXOUT4_MCS 112 125
125 106 50_TRX_LB_PORTB_RX1_MCN	5	SGN-N / SGN-S	17	50_TRX_LB_PORTB_RX1_MCS 110 125
125 108 50_TRX_UHB_PAD_PORTB_TX_MCN	6	SGN-N / SGN-S	18	50_TRX_UHB_PAD_PORTB_TX_MCS 113 125
125 108 50_TRX_UHB_PAD_N79_PORTB_TX_MCN	7	SGN-N / SGN-S	19	50_TRX_UHB_PAD_N79_PORTB_TX_MCS 113 125
125 52 50_2GFEM_TRX_MCN	8	SGN-N / SGN-S	20	50_2GFEM_TRX_MCS 51 125
125 101 50_LAA_RX_XCVR_DRX10_MCN	9	SGN-N / SGN-S	21	50_LAA_RX_XCVR_DRX10 119 125
125 101 50_RX_XCVR_DRX12_UHBDSM_N79_RXOUT2_MCN	10	SGN-N / SGN-S	22	50_RX_XCVR_DRX12_UHBDSM_N79_RXOUT2_MCS 112 125
125 50_TX_IN_XCVR_TX1_HB1_MCN	11	SGN-N / SGN-S	23	50_TX_IN_XCVR_TX1_HB1_MCS 111 125
125 52 50_5GFEM_TRX_MCN	12	SGN-N / SGN-S	24	50_5GFEM_TRX_MCS 49 125

Left column pins: 25–63
Right column pins: 64–102
GND   GND

J518

FOREHEAD SIDE   CHIN SIDE

PACK_IGNORE=TRUE
PACK_OPTION=J518

MCIRC_E
FLPAAAA-0876+NN
SM
339S00578

Left (Forehead)	Pin		Pin	Right (Chin)
125 106 50_TRX_LB_PORTB_TX_MCN	1	SGN-N / SGN-S	13	50_TRX_LB_PORTB_TX_MCS 110 125
125 107 50_TRX_LMB_HB_PORTB_TX_MCN	2	SGN-N / SGN-S	14	50_TRX_LMB_HB_PORTB_TX_MCS 111 125
125 107 50_TRX_LMB_HB_PORTB_RX1_MCN	3	SGN-N / SGN-S	15	50_TRX_LMB_HB_PORTB_RX1_MCS 111 125
125 101 50_RX_XCVR_DRX13_UHBDSM_N79_RXOUT4_MCN	4	SGN-N / SGN-S	16	50_RX_XCVR_DRX13_UHBDSM_N79_RXOUT4_MCS 112 125
125 106 50_TRX_LB_PORTB_RX1_MCN	5	SGN-N / SGN-S	17	50_TRX_LB_PORTB_RX1_MCS 110 125
125 108 50_TRX_UHB_PAD_PORTB_TX_MCN	6	SGN-N / SGN-S	18	50_TRX_UHB_PAD_PORTB_TX_MCS 113 125
	7	SGN-N / SGN-S	19	50_TRX_UHB_PAD_N79_PORTB_TX_MCS 113 125
125 52 50_2GFEM_TRX_MCN	8	SGN-N / SGN-S	20	50_2GFEM_TRX_MCS 51 125
125 101 50_LAA_RX_XCVR_DRX10_MCN	9	SGN-N / SGN-S	21	50_LAA_RX_XCVR_DRX10 119 125
125 101 50_RX_XCVR_DRX12_UHBDSM_N79_RXOUT2_MCN	10	SGN-N / SGN-S	22	50_RX_XCVR_DRX12_UHBDSM_N79_RXOUT2_MCS 112 125
125 50_TX_IN_XCVR_TX1_HB1_MCN	11	SGN-N / SGN-S	23	50_TX_IN_XCVR_TX1_HB1_MCS 111 125
125 52 50_5GFEM_TRX_MCN	12	SGN-N / SGN-S	24	50_5GFEM_TRX_MCS 49 125

Left column pins: 25–62
Right column pins: 63–99
GND   GND

BOM_COST_GROUP=CELLULAR

E SIM

E-SIM

PP UIM2 LDO13

R4201_E
15.00K
1k
1/32W
MF
01005
BOMOPTION=ESIM
ROOM=ESIM

BB_SIM2_DATA

PP UIM2 LDO13

C4201_E
2.2UF
20%
6.3V
X5R-CERM
0201
BOMOPTION=ESIM
ROOM=ESIM

BOMOPTION=ESIM
ROOM=ESIM
998-21893

A3 VCC

U_ESIM_E
ST33J2M0STL9DZA4
WLCSP

BB_SIM2_CLK   A1 GPIO6   GPIO0 B2 NC
BB_SIM2_RESET A2 GPIO5   GPIO1 C2 NC
         NC   B3 SWIO   GPIO2 C3 NC
                            GPIO3 C1 NC
                            GPIO4 D2 NC
         NC   B1 NC   GPIO7 D1 BB_SIM2_DATA

GND
D3

Birch OS 6.0	APN	MPN
● Dev1	998-19944	ST33J2M0STL9D**ZA0**
● Dev2	998-21086	ST33J2M0STL9D**ZA2**
● Dev2-CN	998-21087	ST33J2M0STL9D**ZA3**
● Dev3	998-21893	ST33J2M0STL9D**ZA4**
● Dev3-CN	998-21895	ST33J2M0STL9D**ZA5**
● Prod	337S00848	ST33J2M0STL9D**ZB0**
● Prod-CN	337S00849	ST33J2M0STL9D**ZB1**

ESIM

BOM_COST_GROUP=CELLULAR

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY – NOT A CHANGE REQUEST

NOSTUFF
ROOM=DEBUG
516S00280
JDEBUG_E
BM29P-24DP-2-0.35V
M-ST-SM

25   26
| | | |
129 127   PP_VDD_MAIN_BBPMIC_DEBUG   1   2   PP_VDD_MAIN_BBPMIC_DEBUG   127 129
129   PP_3V0_DEBUG   3   4   GPIO_PMU_TO_BBPMU_ON   78 94 129
97   BB_JTAG_TDI   5   6
97   BB_JTAG_TDO   7   8   90_USB_BB_N   97 137
97   BB_JTAG_TRST_L   9   10   90_USB_BB_P   97 137
97   BB_JTAG_RST_L   11   12
97 78   UART_BB_TO_WLAN_COEX_1V2   13   14   VBUS_DET_PMIC   94 137
97 78   UART_WLAN_TO_BB_COEX_1V2   15   16   BB_JTAG_TCK_SWD_CLK_1V8_R   97
97 78   UART_AOP_TO_BB_TX   17   18   BB_JTAG_TMS_SWD_IO_1V8_R   97
97 78   UART_BB_TO_AOP_TX   19   20   BB_SIM1_RESET   97 134 137
137 134 97   BB_SIM1_CLK   21   22   BB_SIM1_DETECT   97 134 137
137 134 97   BB_SIM1_DATA   23   24   PP_UIM1_LDO11   93 95 132 134 137

27   28

BASEBAND

PP4652_E
P2MM-NSM
GPIO_SOC_TO_BB_COREDUMP   78 97

PP4658_E
P2MM-NSM
GPIO_AP_TO_BB_GPS_TIME_MARK   78 97

UART_BB_TO_AOP_RXD ON JDEBUG_E

UART_AOP_TO_BB_TXD ON JDEBUG_E

UART_BB_TO_WLAN_COEX_TX_1V2 ON WIFI SCH

UART_WLAN_TO_BB_COEX_RX_1V2 ON WIFI SCH

PP4653_E
P2MM-NSM
GPIO_SOC_TO_LANAI_DISPLAY_BSYNC1   78 94

PP4654_E
P2MM-NSM
AOP_TO_BBPMU_FORCE_PWM   78 94

PP4687_E
P2MM-NSM
GPIO_BB_TO_SOC_RESET_DET_L   78 97

APPMU_TO_BBPMU_RESET_L ON JDEBUG_E

PP4618_E
P2MM-NSM
PS_HOLD   94 97

PP4605_E
P2MM-NSM
PMIC_RESOUT_L   94 97

PP4689_E
P2MM-NSM
GPIO_BB_TO_STROBE_GSM_BURST_IND_1V8   78 97

PP4600_E
P2MM-NSM
GPIO_AP_TO_BBPMU_PEAK_POWER_IND   78 97

QLINK

PP4681_E
P2MM-NSM
QLINK_REQ_SDR_TO_BB   97 100

PP4682_E
P2MM-NSM
QLINK_EN_BB_TO_SDR   97 100

PP4683_E
P2MM-NSM
QLINK_REQ_SMR_TO_BB   97 130

PP4688_E
P2MM-NSM
QLINK_EN_BB_TO_SMR   97 130

PP4601_E
P2MM-NSM
85_SUB6_QLINK_L0_P   97 100

PP4602_E
P2MM-NSM
85_SUB6_QLINK_L0_N   97 100

PP4603_E
P2MM-NSM
85_MMW_QLINK_L0_P   97 130

PP4604_E
P2MM-NSM
85_MMW_QLINK_L0_N   97 130

AP POWER

PP4607_E
P2MM-NSM
PPVCC_MAIN   92 94 128 129

PP4679_E
P2MM-NSM
PPVCC_HIGH   93 128

PP4698_E
P2MM-NSM
PP3V0_S2_EUREKA   101 129 135 136 137

CLOCKS

PP4651_E
P2MM-NSM
SHIELD_MDM_19P2M_CLK   94 97

PP4623_E
P2MM-NSM
SHIELD_PMK_32K_SLEEP_CLK   94

PP4624_E
P2MM-NSM
SHIELD_SLEEP_CLK_32K   94 97

PP4684_E
P2MM-NSM
GPIO_BB_TO_PMU_HOST_WAKE_L   78 97 129

PP4685_E
P2MM-NSM
PCIE_SOC_TO_BB_PERST_L   78 97

PP4686_E
P2MM-NSM
PCIE_BB_TO_SOC_CLKREQ_L   78 97 129

SWD

PP4691_E
P2MM-NSM
SWD_BB_SWCLK   78 97

PP4692_E
P2MM-NSM
SWD_BB_SWDIO   78 97

ESIM

PP4693_E
P2MM-NSM
BB_SIM2_CLK   97 126

PP4694_E
P2MM-NSM
BB_SIM2_RESET   97 126

PP4695_E
P2MM-NSM
BB_SIM2_DATA   97 126

PCIE

PP4634_E
P2MM-NSM
PCIE_SOC_TO_BB_REFCLK_P   78 97

PP4635_E
P2MM-NSM
PCIE_SOC_TO_BB_REFCLK_N   78 97

I2S

PP46A0_E
P2MM-NSM
I2S_SOC_TO_BB_DOUT   78 97

PP46A1_E
P2MM-NSM
I2S_BB_TO_SOC_BCLK   78 97

PP46A2_E
P2MM-NSM
I2S_BB_TO_SOC_DOUT   78 97

PP46A3_E
P2MM-NSM
I2S_BB_TO_SOC_LRCK   78 97

SYNC_MASTER=RADIO_MLB_3.27.0   SYNC_DATE=08/31/2020
PAGE TITLE
DEBUG & TEST POINTS

BOM_COST_GROUP=CELLULAR

SYNONYMS
COPY PAGE TO MLB_TOP

114 113 112 111 110 109 108 107 106 93   PP_VDD_RF_1V2   MAKE_BASE=TRUE

PP_VDD_RF_1V2   117
PP_VDD_RF_1V2   118

133 132 124 78 63   PPVCC_MAIN
CKPLUS_WAIVE=SYNONYM_CHECK

PPVCC_MAIN   102
PPVCC_MAIN   103
PPVCC_MAIN   105
PPVCC_MAIN   92 94 127 129
PPVCC_MAIN   104
PPVCC_MAIN   131

129 78   PPVCC_HIGH
CKPLUS_WAIVE=SYNONYM_CHECK

PPVCC_HIGH   112
PPVCC_HIGH   111
PPVCC_HIGH   114
PPVCC_HIGH   93 127
PPVCC_HIGH   108
PPVCC_HIGH   106
PPVCC_HIGH   109
PPVCC_HIGH   107
PPVCC_HIGH   115

129 93   PP_1V2_LDO15   MAKE_BASE=TRUE
PP_1V2_LDO15   95
PP_1V2_LDO15   95
PP_1V2_LDO15   95
PP_1V2_LDO15   95

137 130 129 103 102 97 95 94 93   PP_1V8_LDO6   MAKE_BASE=TRUE
PP_1V8_LDO6   98
PP_1V8_LDO6   95
PP_1V8_LDO6   98

119 93   PP_VIO_RFFE_1V8_UAT   MAKE_BASE=TRUE
PP_VIO_RFFE_1V8_UAT   110
PP_VIO_RFFE_1V8_UAT   111
PP_VIO_RFFE_1V8_UAT   112
PP_VIO_RFFE_1V8_UAT   114
PP_VIO_RFFE_1V8_UAT   104
PP_VIO_RFFE_1V8_UAT   116

115 109 108 107 106 93   PP_VIO_RFFE_1V8_TX   MAKE_BASE=TRUE
PP_VIO_RFFE_1V8_TX   105
PP_VIO_RFFE_1V8_TX   102
PP_VIO_RFFE_1V8_TX   103

BOM_COST_GROUP=CELLULAR

MLB ADJUSTABLES

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE ONLY - NOT A CHANGE REQUEST

137 130 129 128 103 102 97 95 94 93 PP_1V8_LDO6

R5605_E
10K
1%
1/32W
MF
01005
ROOM=BASEBAND

R5604_E
10K
1%
1/32W
MF
01005
ROOM=BASEBAND

PX3: GPIO58   137 97   BOOT_CFG1
PX3: GPIO24   137 97   BOOT_CFG2

NOSTUFF

NOSTUFF

R5602_E
10K
1/32W
MF
01005
ROOM=BASEBAND

R5601_E
10K
1/32W
MF
01005
ROOM=BASEBAND

AUTO POWER ON FOR EUREKA CONFIG

DVDD_BYP_PMIC 92 94   GPIO_PMU_TO_BBPMU_ON 78 94 127

R5631_E
215K
1%
1/32W
MF
01005
ROOM=BBPMU
NOSTUFF

R5632_E
0.00
0%
1/32W
MF
01005
ROOM=BBPMU
NOSTUFF

DVDD_BYP_PMIC_1V2

R5633_E
866K
0.1%
1/32W
TT
01005
ROOM=BBPMU
NOSTUFF

129 128 93 PP_1V2_LDO15

R5610_E
100K
5%
1/32W
MF
01005

127 97 78 GPIO_BB_TO_PMU_HOST_WAKE_L

510 128 93 PP_1V2_LDO15

R5611_E
100K
5%
1/32W
MF
01005

127 97 78 PCIE_BB_TO_SOC_CLKREQ_L

STUFF ONLY FOR VENDOR CONFIG

R5634_E
137 136 135 127 101 PP3V0_S2_EUREKA   0.00   PP_3V0_DEBUG 127
0%
1/32W
MF
01005
ROOM=BBPMU
NOSTUFF
NO_XNET_CONNECTION=1

R5635_E
137 136 135 PP1V8_S2_EUREKA   0.00   PP_1V8_LDO6 93 94 95 97 102 103 128 129 130 137
0%
1/32W
MF
01005
ROOM=BBPMU
NOSTUFF
NO_XNET_CONNECTION=1

R921_E
129 128 127 94 92 PPVCC_MAIN   0.00   PP_VDD_MAIN_BBPMIC_DEBUG 127 129
0%
1/32W
MF
01005
ROOM=BASEBAND
NOSTUFF

R922_E
129 128 127 94 92 PPVCC_MAIN   0.00   PP_VDD_MAIN_BBPMIC_DEBUG 127 129
0%
1/32W
MF
01005
ROOM=BASEBAND
NOSTUFF

R923_E
138 78 PPVCC_HIGH   0.00   PPVCC_MAIN 92 94 127 128 129
0%
1/32W
MF
01005
ROOM=BASEBAND
NOSTUFF
NO_XNET_CONNECTION=1

SKU_ID   94   WORLDWIDE+KOLKATA
BOARD_ID   94   EVT
PLATFORM_ID   94   MAV20.5

R630_E
5.6K
1%
1/32W
MF-HF
01005
ROOM=BBPMU
OMIT_TABLE

R631_E
36.5K
1%
1/32W
MF
01005
ROOM=BBPMU
BOMOPTION=OMIT_TABLE

R632_E
100K
1%
1/32W
MF
01005
ROOM=BBPMU
OMIT_TABLE

NOTE: AP PMU NOT STUFFED ON VENDOR CONFIG

BOM_COST_GROUP=CELLULAR

MMW IF TRANSCEIVER IC

1.2A VDD_CX MAX CURRENT

PP 0V8 LDO7

C5831_E 4UF 20% 6.3V CER-X5R 0201
C5801_E 4UF 20% 6.3V CER-X5R 0201

PP 1V8 LDO6

XW5801_E SHORT-8L-0.1MM-SM
C5802_E 4UF 20% 6.3V CER-X5R 0201
PP LDO6 SMR VDD PX 20
C5805_E 0.1UF 10% 6.3V CER-X5R 01005

PP 0V875 LDO4
C5803_E 4UF 20% 6.3V CER-X5R 0201
XW5824_E SHORT-8L-0.1MM-SM
PP LDO4 SMR MX 115
XW5825_E SHORT-8L-0.1MM-SM
PP LDO4 SMR PHY 152

C5804_E / C5807_E / C5809_E / C5830_E 0.1UF 10% 6.3V CER-X5R 01005

C5806_E / C5808_E 0.1UF 10% 6.3V CER-X5R 01005

BOMOPTION=RF_SKU:WW+KOLKATA
338S00651
U_SMR_E
SMR526-0
PSP
SYM 2 OF 3
ROOM=MMW_IFIC

B12 VDD_CX
F12 VDD_CX
M14 VDD_CX
R7 VDD_CX
P10 VDD_PX
P12 VDD_MX
H18 VDDA_PHY

A7 VDDAH_1
H4 VDDAH_2
P2 VDDAH_3
H8 VDDAH_4
C5 VDDAL_1
B4 VDDAL_2
F4 VDDAL_3
R5 VDDAL_4
B10 VDDAL_5
E11 VDDAL_6
R9 VDDAL_7
B6 VDDAM_1
G5 VDDAM_2
P4 VDDAM_3
A9 VDDAM_4
P8 VDDAM_5

XW5802_E SHORT-8L-0.1MM-SM   PP LDO5 SMR VDDAH 1 10   PP 1V8 LDO5
XW5803_E SHORT-8L-0.25MM-SM   PP LDO5 SMR VDDAH 2 140
XW5804_E SHORT-8L-0.1MM-SM   PP LDO5 SMR VDDAH 3 10
XW5805_E SHORT-8L-0.1MM-SM   PP LDO5 SMR VDDAH 4 40

C5823_E 4UF 20% 6.3V CER-X5R 0201

C5812_E / C5814_E / C5818_E / C5820_E 0.1UF 10% 6.3V CER-X5R 01005

XW5806_E SHORT-8L-0.1MM-SM   PP LDO9 SMR VDDAL 1 50   PP 0V8 LDO9
XW5807_E SHORT-8L-0.1MM-SM   PP LDO9 SMR VDDAL 2 10
XW5808_E SHORT-8L-0.25MM-SM   PP LDO9 SMR VDDAL 3 140
XW5809_E SHORT-8L-0.1MM-SM   PP LDO9 SMR VDDAL 4 90
XW5810_E SHORT-8L-0.1MM-SM   PP LDO9 SMR VDDAL 5 10
XW5811_E SHORT-8L-0.1MM-SM   PP LDO9 SMR VDDAL 6 10
XW5812_E SHORT-8L-0.1MM-SM   PP LDO9 SMR VDDAL 7 10

C5828_E 4UF 20% 6.3V CER-X5R 0201
C5832_E 4UF 20% 6.3V CER-X5R 0201

C5810_E 0.1UF / C5813_E 0.47UF X5R / C5816_E 0.1UF / C5819_E 0.1UF / C5822_E 0.1UF / C5825_E 0.1UF / C5826_E 0.1UF 10% 6.3V CER-X5R 01005

PLACE C5813 CLOSE TO PIN B4

XW5813_E SHORT-8L-0.1MM-SM   PP LDO12 SMR VDDAM 1 70   PP 1V2 LDO12
XW5814_E SHORT-8L-0.25MM-SM   PP LDO12 SMR VDDAM 2 120
XW5815_E SHORT-8L-0.1MM-SM   PP LDO12 SMR VDDAM 3 70
XW5816_E SHORT-8L-0.25MM-SM   PP LDO12 SMR VDDAM 4 240
XW5817_E SHORT-8L-0.25MM-SM   PP LDO12 SMR VDDAM 5 240

VDD_AM MAX CURRENT 740 MA

C5827_E 4UF 20% 6.3V CER-X5R 0201

C5811_E / C5815_E / C5817_E / C5821_E / C5824_E 0.1UF 10% 6.3V CER-X5R 01005

SHIELD_SMR_38P4M_CLK

BOMOPTION=RF_SKU:WW+KOLKATA
338S00651
U_SMR_E
SMR526-0
PSP
SYM 1 OF 3
ROOM=MMW_IFIC

A3 XO_IN
G9 XO_SEL

50_MMW_SMR526_IFH1   K2 IFH1
                      L1 IFH2 NC
50_MMW_SMR526_IFH3   M2 IFH3
50_MMW_SMR526_IFH4   IFH4
50_MMW_SMR526_IFV1   F2 IFV1
50_MMW_SMR526_IFV2   E1 IFV2
                      D2 IFV3 NC
50_MMW_SMR526_IFV4   C1 IFV4

GRFC1_PON TO MMW IFH3IFV2   P6 GRFC_1_QTM3_PON
GRFC2_PON TO MMW IFH1IFV4   G7 GRFC_2_QTM0_PON
                             K10 GRFC_3 NC
                             J7 GRFC_4_QTM1_PON NC
GRFC5_PON TO MMW IFH4IFV1   N5 GRFC_5_QTM2_PON
                             D12 GRFC_6 NC
                             M12 GRFC_7 NC
                             N11 GRFC_8 NC
                             H12 GRFC_9 NC
                             J11 GRFC_10 NC

SHIELD_RFFE4_SDATA_BB   K12 RFFE0_DATA
SHIELD_RFFE4_SCLK_BB   L11 RFFE0_CLK

                         C11 DNC NC

QLINK_REQ_SMR_TO_BB   D14 QLINK_REQ
QLINK_EN_BB_TO_SMR   G13 QLINK_EN
BB_TO_SMR_WMSS_RESET_L J13 WMSS_RESET*

K14 QLINK_L0_P   85 MMW QLINK_L0_P
J15 QLINK_L0_M   85 MMW QLINK_L0_N
G15 QLINK_L1_P   85 MMW QLINK_L1_P
F14 QLINK_L1_M   85 MMW QLINK_L1_N
E15 QLINK_L2_P   85 MMW QLINK_L2_P
D16 QLINK_L2_M   85 MMW QLINK_L2_N
L15 QLINK_L3_P   85 MMW QLINK_L3_P
M16 QLINK_L3_M   85 MMW QLINK_L3_N
P16 QLINK_L4_P   85 MMW QLINK_L4_P
R15 QLINK_L4_M   85 MMW QLINK_L4_N
D18 QLINK_L5_P   85 MMW QLINK_L5_P
E17 QLINK_L5_M   85 MMW QLINK_L5_N
B16 QLINK_L6_P   85 MMW QLINK_L6_P
A15 QLINK_L6_M   85 MMW QLINK_L6_N
K18 QLINK_L7_P   85 MMW QLINK_L7_P
J17 QLINK_L7_M   85 MMW QLINK_L7_N
L17 QLINK_L8_P   85 MMW QLINK_L8_P
M18 QLINK_L8_M   85 MMW QLINK_L8_N
P18 QLINK_L9_P   85 MMW QLINK_L9_P
R17 QLINK_L9_M   85 MMW QLINK_L9_N
A13 QLINK_L10_P   85 MMW QLINK_L10_P
B14 QLINK_L10_M   85 MMW QLINK_L10_N
B18 QLINK_L11_P   85 MMW QLINK_L11_P
A17 QLINK_L11_M   85 MMW QLINK_L11_N
R13 QLINK_L12_P   85 MMW QLINK_L12_P
P14 QLINK_L12_M   85 MMW QLINK_L12_N
G17 QLINK_CLK_P   85 MMW QLINK_CLK_P
F18 QLINK_CLK_M   85 MMW QLINK_CLK_N

BOMOPTION=RF_SKU:WW+KOLKATA
338S00651
U_SMR_E
SMR526-0
PSP
SYM 3 OF 3
ROOM=MMW_IFIC

A1 GND   H10 GND
A5 GND   H14 GND
A11 GND   H16 GND
B2 GND   J3 GND
B8 GND   J5 GND
C3 GND   J9 GND
C7 GND   K4 GND
C9 GND   K6 GND
C13 GND   K8 GND
C15 GND   K16 GND
C17 GND   L3 GND
D4 GND   L5 GND
D6 GND   L7 GND
D8 GND   L9 GND
D10 GND   L13 GND
E3 GND   M4 GND
E5 GND   M6 GND
E7 GND   M8 GND
E9 GND   M10 GND
E13 GND   N1 GND
F6 GND   N3 GND
F8 GND   N7 GND
F10 GND   N9 GND
F16 GND   N13 GND
G1 GND   N15 GND
G3 GND   N17 GND
G11 GND   R1 GND
H2 GND   R3 GND
H6 GND   R11 GND

BOM_COST_GROUP=CELLULAR

MMW DISCRETE 1V9 LDO

1.9V LDO TO SOURCE POWER FOR BANJO_B B2B DUE TO SMPS4 DCR

PP1V9 LDO MMW 132

353S02382
ROOM=MMW_LDO
ROMOPTION=RF_SKU:WW+KOLKATA

U8690_E
TPS7A1119PYKAR
DSBGA

117 78 PP_3V0_S2   A1 IN   OUT A3
133 132 93 92 PP_1V9_SMPS4   C3 EN   BIAS C1   PPVCC MAIN   128

B2 GND

C8690_E   C8691_E   C8692_E
2.2UF   2.2UF   2.2UF
20%   20%   20%
6.3V   6.3V   6.3V
X5R-CERM   X5R-CERM   X5R-CERM
0201   0201   0201
ROOM=MMW_LDO   ROOM=MMW_LDO   ROOM=MMW_LDO
ROMOPTION=RF_SKU:WW+KOLKATA   ROMOPTION=RF_SKU:WW+KOLKATA   ROMOPTION=RF_SKU:WW+KOLKATA

MMW CONNECTORS - MOZART

MOZART NORTH CONNECTIONS
VIA INDY AND BANJO_T

MOZART EAST/SOUTH CONNECTIONS
VIA BANJO_B

516S00653
J_MOZART_BANJO_B_E
BK13P0.6-12DS2-0.35V
F-ST-SM

INDY B2B ON ANT
CONNECTORS PAGE

133 132 128 124 78 63   PPVCC_MAIN   17   14   PPVCC_MAIN   63 78 124 128 132 133

13

2.85V

ROOM=MMW_SIP
FL5922_E
PP1V9_LDO_MMW   131   1   0   2   PP_1V85_MOZART_EAST   1   2
0%   3   4   PP_UIM1_LDO1   93 95 127 134 137
1/10W   5   6   BB_SIM1_DETECT_FILT   134
LF   7   8   BB_SIM1_RESET_FILT   134
0201   9   10   BB_SIM1_CLK_FILT   134
11   12   BB_SIM1_DATA_FILT   134

ROOM=MMW_SIP   ROOM=MMW_SIP
C5923_E   C5924_E   15   16
330PF   220PF
10%   5%
16V   6.3V   18
CER-X7R   CERM
01005   01005

BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=RF_SKU:WW+KOLKATA

V_PON_MOZART_EAST   132

ROOM=MMW_SIP
FL5931_E
GRFC5_PON_TO_MMW_IFH4IFV1   130   1   0.00   2   V_PON_MOZART_NORTH   124
0%
1/32W
MF
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
R5931_E
100K
5%
1/32W
MF
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5931_E
56PF
5%
16V
NP0/C0G
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
FL5933_E
GRFC1_PON_TO_MMW_IFH3IFV2   130   1   0.00   2   V_PON_MOZART_EAST   132
0%
1/32W
MF
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
R5933_E
100K
5%
1/32W
MF
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5933_E
56PF
5%
16V
NP0/C0G
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
FL5921_E
124   PP_1V85_MOZART_NORTH   1   0   2   PP_1V9_SMPS4   92 93 131 133
0%
1/10W
LF
0201
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP   ROOM=MMW_SIP
C5921_E   C5922_E
330PF   220PF
10%   5%
16V   6.3V
CER-X7R   CERM
01005   01005
BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=RF_SKU:WW+KOLKATA

PPVCC_MAIN   63 78 124 128 132 133

ROOM=MMW_SIP   ROOM=MMW_SIP   ROOM=MMW_SIP   ROOM=MMW_SIP
C5911_E   C5912_E   C5940_E   C5941_E
330PF   220PF   220PF   220PF
10%   5%   5%   5%
16V   6.3V   6.3V   6.3V
CER-X7R   CERM   CERM   CERM
01005   01005   01005   01005
BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=NOSTUFF   BOMOPTION=NOSTUFF

PPVCC_MAIN   63 78 124 128 132 133

ROOM=MMW_SIP   ROOM=MMW_SIP   ROOM=MMW_SIP   ROOM=MMW_SIP
C5913_E   C5914_E   C5942_E   C5943_E
330PF   220PF   220PF   220PF
10%   5%   5%   5%
16V   6.3V   6.3V   6.3V
CER-X7R   CERM   CERM   CERM
01005   01005   01005   01005
BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=RF_SKU:WW+KOLKATA   BOMOPTION=NOSTUFF   BOMOPTION=NOSTUFF

518S00227
J_COAX2_BANJO_T_V_E
MM7829-2700B
F-ST-SM

2

50_MMW_SMR526_IFV1   130

3
VER-1
BOMOPTION=RF_SKU:WW+KOLKATA

518S00227
J_COAX1_BANJO_T_H_E
MM7829-2700B
F-ST-SM

2

50_MMW_SMR526_IFH4   130

3
VER-1
BOMOPTION=RF_SKU:WW+KOLKATA

518S00227
J_COAX8_BANJO_B_V_E
MM7829-2700B
F-ST-SM

2

50_MMW_SMR526_IFV2   130

3
VER-1
BOMOPTION=RF_SKU:WW+KOLKATA

518S00227
J_COAX7_BANJO_B_H_E
MM7829-2700B
F-ST-SM

2

50_MMW_SMR526_IFH3   130

3
VER-1
BOMOPTION=RF_SKU:WW+KOLKATA

SYNC_MASTER=RADIO_MLB_3.27.0
PAGE TITLE
MMW_MOZART_CONN

MMW CONNECTORS - CHOPIN

CHOPIN CONNECTIONS
VIA BANJO_R

ROOM=MMW_SIP
FL5924_E
132 131 93 92 PP_1V9_SMPS4 1 0 2 PP_1V85_CHOPIN_EAST 133
0%
1/10W
LF
0201
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5927_E
330PF
10%
16V
CER-X7R
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5928_E
220PF
5%
6.3V
CERM
01005
BOMOPTION=RF_SKU:WW+KOLKATA

J523 B2B

PACK_OPTION=J523

516S00186
J_CHOPIN_BANJO_R_E
BM28P0.6-6DS/2-0.35V
F-ST-SM

133 132 128 124 78 63 PPVCC_MAIN 7 8 PPVCC_MAIN 63 78 124 128 132 133
1 2 GPIO_BTN_VOL_UP_L_CONN_1V8 78 133
133 V_PON_CHOPIN_EAST 3 4 GPIO_BTN_VOL_DOWN_L_CONN_1V8 133
133 PP_1V85_CHOPIN_EAST 5 6
9 10

J518 B2B

PACK_IGNORE=TRUE
PACK_OPTION=J518

516S00321
J_CHOPIN_BANJO_R_E
5054130610
F-ST-SM

133 132 128 124 78 63 PPVCC_MAIN 7 8 PPVCC_MAIN 63 78 124 128 132 133
1 2 GPIO_BTN_VOL_UP_L_CONN_1V8 78 133
133 V_PON_CHOPIN_EAST 3 4 GPIO_BTN_VOL_DOWN_L_CONN_1V8 133
133 PP_1V85_CHOPIN_EAST 5 6
9 10

ROOM=MMW_SIP
FL5934_E
130 GRFC2_PON_TO_MMW_IFH1IFV4 1 0.00 2 V_PON_CHOPIN_EAST 133
0%
1/32W
MF
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
R5934_E
100K
1%
1/32W
MF
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5934_E
56PF
5%
16V
NP0/COG
01005
BOMOPTION=RF_SKU:WW+KOLKATA

PPVCC_MAIN 63 78 124 128 132 133

ROOM=MMW_SIP
C5917_E
330PF
10%
16V
CER-X7R
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5918_E
220PF
5%
6.3V
CERM
01005
BOMOPTION=RF_SKU:WW+KOLKATA

ROOM=MMW_SIP
C5944_E
220PF
5%
6.3V
CERM
01005
BOMOPTION=NOSTUFF

ROOM=MMW_SIP
C5945_E
220PF
5%
6.3V
CERM
01005
BOMOPTION=NOSTUFF

518S00227
J_COAX3_BANJO_R_V_E
MM7829-2700B
F-ST-SM
2
1 50_MMW_SMR526_IFV4 130
3
VER-1
BOMOPTION=RF_SKU:WW+KOLKATA

518S00227
J_COAX4_BANJO_R_H_E
MM7829-2700B
F-ST-SM
2
1 50_MMW_SMR526_IFH1 130
3
VER-1
BOMOPTION=RF_SKU:WW+KOLKATA

PSIM FILTERS - TO BANJO

SIM1 IO FILTERS - BANJO_B_SIM

```
137 127 97  BB_SIM1_CLK        R4120_E        BB_SIM1_CLK_FILT    132
                               0.00
                               0%
                               1/32W
                               MF
                               01005
                               ROOM=MMW_SIP

                                      C4120_E
                                      33PF      NOSTUFF
                                      5%
                                      16V
                                      NPO-COG
                                      01005-1
                                         ROOM=MMW_SIP


137 134 127 97  BB_SIM1_DATA    R4121_E       BB_SIM1_DATA_FILT    132
                               0.00
                               0%
                               1/32W
                               MF
                               01005
                               ROOM=MMW_SIP

                                      C4121_E
                                      33PF      NOSTUFF
                                      5%
                                      16V
                                      NPO-COG
                                      01005-1
                                         ROOM=MMW_SIP


137 127 97  BB_SIM1_DETECT      R4122_E       BB_SIM1_DETECT_FILT   132
                               0.00
                               0%
                               1/32W
                               MF
                               01005
                               ROOM=MMW_SIP

                                      C4122_E
                                      220PF     NOSTUFF
                                      5%
                                      25V
                                      COG
                                      01005
                                         ROOM=MMW_SIP


137 127 97  BB_SIM1_RESET       R4123_E       BB_SIM1_RESET_FILT   132
                               0.00
                               0%
                               1/32W
                               MF
                               01005
                               ROOM=MMW_SIP

                                      C4123_E
                                      220PF     NOSTUFF
                                      5%
                                      25V
                                      COG
                                      01005
                                         ROOM=MMW_SIP
```

SIM1 POWER + DETECT - BANJO_B_SIM

```
                    PP_UIM1_LDO11      93 95 127 132 134 137

                       C4124_E
                       220PF      NOSTUFF
                       5%
                       25V
                       COG
                       01005
                          ROOM=MMW_SIP


137 134 132 127 95 93  PP_UIM1_LDO11

                                   R4101_E
                                   15.00K
                                   1%
                                   1/32W
                                   MF
                                   01005
137 134 127 97  BB_SIM1_DATA          ROOM=BASEBAND
```

BOM_COST_GROUP=CELLULAR

ANTENNA SYSTEM UAT

U_RFFE_BUF_U_E
QM18805
WLCSP
353S01273

132S00014
C14201_E
0.22UF
10%
6.3V
CBR-X5R
01005
VOLTAGE=1.8V

FL14201_E
10-OHM-1.1A
01005

PP1V8 S2 EUREKA   137 136 135 129

PP_1V8_UAT_TUNER_VIO   A3 VIO

R14206_E
0.00
0%
1/32W
MF
01005
SHIELD_RFFE1_SCLK_BB_FILT   A1 SCLK   SCLK_A B3 BB_TO_UAT_RFFE_CLK_A   135

SHIELD_RFFE1_SCLK_BB   97   SDATA_A B2 BB_TO_UAT_RFFE_DATA_A   135

R14201_E
0.00
0%
1/32W
MF
01005
SHIELD_RFFE1_SDATA_BB   97   A2 SDATA

SHIELD_RFFE1_SDATA_BB_FILT   GND   B1

C14209_E   C14202_E
33PF   33PF
5%   5%
16V   16V
NPO-COG   NPO-COG
01005-1   01005-1

USID=0XF

B2B TO ANT3_SW FLEX

CONNECTIONS TO INDY B2B
NONE

R14205_E
0.00
0%
1/32W
MF
01005
135 BB_TO_UAT_RFFE_DATA_A   BB_TO_UAT_RFFE_DATA_A_ANT3_SW_FILT   80 135

NOSTUFF
C14206_E
33PF
5%
16V
NPO-COG
01005-1

L14203_E
FERR-150OHM-25%-200MA
135 80 PP_1V8_S2_UAT_ANT3_SW_FILT   PP1V8_S2_EUREKA   129 135 136 137
VOLTAGE=1.8V
01005
C14215_E
220PF
10%
10V
X7R-CERM
01005

R14204_E
0.00
0%
1/32W
MF
01005
135 BB_TO_UAT_RFFE_CLK_A   BB_TO_UAT_RFFE_CLK_A_ANT3_SW_FILT   80 135

NOSTUFF
C14205_E
33PF
5%
16V
NPO-COG
01005-1

L14204_E
FERR-150OHM-25%-200MA
135 80 PP_3V0_S2_UAT_ANT3_SW_FILT   PP3V0_S2_EUREKA   101 127 129 136 137
VOLTAGE=3.0V
01005
C14210_E
220PF
10%
10V
X7R-CERM
01005

CONNECTIONS TO HYDRA B2B
NONE

J518 PINOUT
PACK_IGNORE=TRUE
PACK_OPTION=J518
516S00186

J_ANT_TUNER_E
BM28P0.6-6DS/2-0.35V
F-ST-SM

PWR/GND
9   10

135 80 BB_TO_UAT_RFFE_DATA_A_ANT3_SW_FILT   BB_TO_UAT_RFFE_CLK_A_ANT3_SW_FILT   80 135
NC   NC
135 80 PP_1V8_S2_UAT_ANT3_SW_FILT   PP_3V0_S2_UAT_ANT3_SW_FILT   80 135

PWR/GND

J523 PINOUT
PACK_OPTION=J523
516S00186

J_ANT_TUNER_E
BM28P0.6-6DS/2-0.35V
F-ST-SM

PWR/GND
9   10

135 80 PP_3V0_S2_UAT_ANT3_SW_FILT   PP_1V8_S2_UAT_ANT3_SW_FILT   80 135
NC   NC
135 80 BB_TO_UAT_RFFE_CLK_A_ANT3_SW_FILT   BB_TO_UAT_RFFE_DATA_A_ANT3_SW_FILT   80 135

SIGNAL

PWR/GND

BOM_COST_GROUP=CELLULAR

ANTENNA SYSTEM LAT

FL14301_E
10-OHM-1.1A

PP1V8 S2 EUREKA

R14306_E
0.00

SHIELD_RFFE0_SCLK_BB

R14301_E
0.00

SHIELD_RFFE0_SDATA_BB

132S00014
C14301_E
0.22UF

VOLTAGE=1.8V
PP_1V8_LAT_TUNER_VIO

SHIELD_RFFE0_SCLK_BB_FILT

SHIELD_RFFE0_SDATA_BB_FILT

U_RFFE_BUF_L_E
QM18805
WLCSP
353S01273

A3 VIO
A1 SCLK   SCLK_A B3 BB_TO_LAT_RFFE_CLK_A
A2 SDATA   SDATA_A B2 BB_TO_LAT_RFFE_DATA_A

GND
B1

USID=0XF

C14309_E
33PF

C14302_E
33PF

R14304_E
0.00
BB_TO_LAT_RFFE_CLK_A   BB_TO_LAT_RFFE_CLK_A_FILT
NOSTUFF

C14305_E
33PF

R14305_E
0.00
BB_TO_LAT_RFFE_DATA_A   BB_TO_LAT_RFFE_DATA_A_FILT
NOSTUFF

C14306_E
33PF

L14301_E
FERR-150OHM-25%-200MA
PP1V8 S2 EUREKA   PP_1V8_S2_LAT_FILT
VOLTAGE=1.8V

C14307_E
220PF

L14302_E
FERR-150OHM-25%-200MA
PP3V0 S2 EUREKA   PP_3V0_S2_LAT_FILT
VOLTAGE=3.0V

C14308_E
220PF

LAT ANT SYSTEM

BOM_COST_GROUP=CELLULAR

R917_E, R918_E : PLACE CLOSE TO U_BB_E

R915_E
GPIO SIMETRA_TO_BB_BOOT_CFG1 1 0.00 2 BOOT_CFG1 97 129 78 36
0%
1/32W
MF
01005
ROOM=BASEBAND

R917_E
90_AP_TO_BB_USB_P 1 0.00 2 90_USB_BB_P 97 127
0%
1/32W
MF
01005
ROOM=BASEBAND

R916_E
78 GPIO_SIMETRA_TO_BB_BOOT_CFG2 1 0.00 2 BOOT_CFG2 97 129 78 36
0%
1/32W
MF
01005
ROOM=BASEBAND

R918_E
90_AP_TO_BB_USB_N 1 0.00 2 90_USB_BB_N 97 127
0%
1/32W
MF
01005
ROOM=BASEBAND

R604_E
78 GPIO_PMU_TO_BBPMU_VBUS_DET 1 0.00 2 VBUS_DET_PMIC 94 127
0%
1/32W
MF
01005
ROOM=BBPMU

R919_E
51 50 49 48 47 PP1V8_S2 1 0.00 2 PP1V8_S2_EUREKA 129 135 136
0%
1/32W
MF
01005
ROOM=BASEBAND
NO_XNET_CONNECTION=1

R920_E
131 78 PP_3V0_S2 1 0.00 2 PP3V0_S2_EUREKA 101 127 129 135 136
0%
1/32W
MF
01005
ROOM=BASEBAND
NO_XNET_CONNECTION=1

SIM1 B2B - BOT SIDE BACKUP IF

NOSTUFF
516S00635
J_SIM_E
BM57P0.6-10DS-2-0.3V
F-ST-SM

137 130 129 128 103 102 97 95 94 93 PP_1V8_LDO6 11 ⊙ 15 ⊙ 12 PP_1V8_LDO6 93 94 95 97 102 103 128 129 130 137

137 IO_BB_TO_SIM1_RESET_CONN 1 ⊙ 2 ✕ NC
137 IO_BB_TO_SIM1_CLK_CONN 3 ⊙ 4 PP_UIM1_LDO11 93 95 127 132 134 137
137 IO_BB_BI_SIM1_DATA_CONN 5 ⊙ 6 ✕ NC
137 IO_BB_FROM_SIM1_DETECT_CONN 7 ⊙ 8 ✕ NC
NC ✕ 9 ⊙ 10 ✕ NC

13 ⊙ 16 ⊙ 14
ROOM=B2B_SIM

PLUG (FLEX) APN:516S00636
RCPT (MLB = THIS BOARD) APN:516S00635

PLACE THIS ON BOTTOM SIDE
NON-POR (TESTING ONLY FOR CONFORMANCE)

NOTE: J5XX SIM CONNECTOR ONLY CARRY SIM1 SIGNALS SINCE ESIM IS ON THE MLB
USE ONE OF THESE FLEX_SIM FROM D54:
    632-03520 PSIM+ESIM
    632-03518 DUAL
    632-03519 PSIM ONLY - NOT USED

SIM1 IO FILTERS - BOTTOM SIDE BACKUP IF

NOSTUFF
R12310
134 127 97 BB_SIM1_CLK 1 0.00 2 IO_BB_TO_SIM1_CLK_CONN 137
0%
1/32W
MF
01005
ROOM=B2B_SIM
C12310
33PF
5%
16V
NPO-C0G
01005-1
ROOM=B2B_SIM NOSTUFF

NOSTUFF
R12311
134 127 97 BB_SIM1_DATA 1 0.00 2 IO_BB_BI_SIM1_DATA_CONN 137
0%
1/32W
MF
01005
ROOM=B2B_SIM
C12311
33PF
5%
16V
NPO-C0G
01005-1
ROOM=B2B_SIM NOSTUFF

NOSTUFF
R12312
134 127 97 BB_SIM1_DETECT 1 0.00 2 IO_BB_FROM_SIM1_DETECT_CONN 137
0%
1/32W
MF
01005
ROOM=B2B_SIM
C12312
220PF
5%
25V
COG
01005
ROOM=B2B_SIM NOSTUFF

NOSTUFF
R12313
134 127 97 BB_SIM1_RESET 1 0.00 2 IO_BB_TO_SIM1_RESET_CONN 137
0%
1/32W
MF
01005
ROOM=B2B_SIM
C12313
220PF
5%
25V
COG
01005
ROOM=B2B_SIM NOSTUFF

SIM1 POWER - BOT SIDE BACKUP IF

137 134 132 127 95 93 PP_UIM1_LDO11
C12301
220PF
5%
25V
COG
01005
ROOM=B2B_SIM NOSTUFF

BOM_COST_GROUP=CELLULAR