P361 A00 Base Design

P361-A00, G92, 8Mx32/16Mx32 GDDR3
DVI-I-DL, DVI-I-DL

Table of Contents:

SKU	VARIANT	NVPN	ASSEMBLY
B	BASE	600-10361-base-000	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
1	SKU0051	600-10361-0051-000	P361 G92-280B1 1024MB GDDR3 16Mx32 DVI-I+DVI-I
2	SKU0050	600-10361-0050-000	P361 G92-289B1 512MB GDDR3 16Mx32 DVI-I+DVI-I
3	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
4	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
5	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
6	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
7	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
8	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
9	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
10	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
11	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
12	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
13	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
14	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
15	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Overview

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY; COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	PCI Express 1.0

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	
NAME	
PAGE	
DATE	05-MAR-2009

Page3: MEMORY: GPU Partition A/B



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY; COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	MEMORY: GPU Partition A/B

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	
NAME	
PAGE	
DATE	05-MAR-2009

Page4: MEMORY: GPU Partition C/D



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	MEMORY: GPU Partition C/D

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	
NAME	
PAGE	
DATE	05-MAR-2009

Page5: FBA Partition



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY; COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	FBA Partition

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page6: FBB Partition



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	FBB Partition

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	PAGE
NAME	DATE 05-MAR-2009

Page7: FBC Partition



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	FBC Partition

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page8: FBD Partition



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY; COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	FBD Partition

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page9: FrameBuffer Net Rules

NET RULES for FrameBuffer A/B



NET RULES for FrameBuffer C/D



Note: FB traces on top and bottom layers are routed with 45ohm impedance for increasing spacing.

Internal FB traces are routed with 40ohm impedance.

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	FrameBuffer Net Rules

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page10: DACA Interface



DACA NET RULES

NET	NV_CRITICAL	NV_IMPEDANCE	DIFFPAIR
DACA_RED	1	75OHM	
DACA_GREEN	1	75OHM	
DACA_BLUE	1	75OHM	
DACA_RED_DVI	1	75OHM	
DACA_GREEN_DVI	1	75OHM	
DACA_BLUE_DVI	1	75OHM	
DACA_HS	2	50OHM	
DACA_VS	2	50OHM	
DACA_HS_BUF	2	50OHM	
DACA_VS_BUF	2	50OHM	
DACA_HS_BUF_R	2	50OHM	
DACA_VS_BUF_R	2	50OHM	
DACA_HS_DVI	2	50OHM	
DACA_VS_DVI	2	50OHM	
I2CA_SCL	3	50OHM	
I2CA_SDA	3	50OHM	
I2CA_SCL_R	3	50OHM	
I2CA_SDA_R	3	50OHM	
I2CA_SCL_DVI	3	50OHM	
I2CA_SDA_DVI	3	50OHM	

NET	VOLTAGE	MAX_CURRENT	MIN_WIDTH
DACA_VREF			12MIL
DACA_RSET			12MIL
DACA_VDD	3.3V	0.100A	16MIL

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	DACA Interface

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	
NAME	
PAGE	
DATE	05-MAR-2009

Page11: DACC Interface



DACC NET RULES

NET	NV_CRITICAL	NV_IMPEDANCE	DIFFPAIR
DACC_RED	1	75OHM	
DACC_GREEN	1	75OHM	
DACC_BLUE	1	75OHM	
DACC_RED_DVI	1	75OHM	
DACC_GREEN_DVI	1	75OHM	
DACC_BLUE_DVI	1	75OHM	
DACC_HS	2	50OHM	
DACC_VS	2	50OHM	
DACC_HS_BUF	2	50OHM	
DACC_VS_BUF	2	50OHM	
DACC_HS_BUF_R	2	50OHM	
DACC_VS_BUF_R	2	50OHM	
DACC_HS_DVI	2	50OHM	
DACC_VS_DVI	2	50OHM	
I2CB_SCL	3	50OHM	
I2CB_SDA	3	50OHM	
I2CB_SCL_R	3	50OHM	
I2CB_SDA_R	3	50OHM	
I2CB_SCL_DVI	3	50OHM	
I2CB_SDA_DVI	3	50OHM	

NET	VOLTAGE	MAX_CURRENT	MIN_WIDTH
DACC_VREF			12MIL
DACC_RSET			12MIL
DACC_VDD	3.3V	0.300A	16MIL

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	DACC Interface

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page12: IFP A/B and C/D Interface



IFPABCD NET RULES

NET	NV_CRITICAL	NV_IMPEDANCE	DIFFPAIR
IFPAB_RSET			12MIL
IFPCD_RSET			12MIL
GPIO0_DVIAB_HPD_F	3	50OHM	
GPIO0_DVIAB_HPD_R	3	50OHM	
GPIO1_DVICD_HPD_F	3	50OHM	
GPIO1_DVICD_HPD_R	3	50OHM	

NET	VOLTAGE	MAX_CURRENT	MIN_WIDTH
IFPAB_PLLVDD	1.8V	0.03A	16MIL
IFPAB_IOVDD	3.3V	0.09A	16MIL
IFPCD_PLLVDD	1.8V	0.03A	16MIL
IFPCD_IOVDD	3.3V	0.09A	16MIL

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	IFP A/B and C/D Interface

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page13: DACB Interface

DACB,STEREO, FL NET RULES

NET	NV_CRITICAL	NV_IMPEDANCE	DIFFPAIR
DACB_PR	1	75OHM	
DACB_Y	1	75OHM	
DACB_PB	1	75OHM	
DACB_PR_F	1	75OHM	
DACB_Y_F	1	75OHM	
DACB_PB_F	1	75OHM	

NET	VOLTAGE	MAX_CURRENT	MIN_WIDTH
TV_GND1	0.0V		12MIL
TV_GND2	0V		12MIL
DACB_VDD	3.3V	0.2A	12MIL
DACB_VREF			12MIL
DACB_RSET			12MIL



Will be no stuff

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	DACB Interface

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	
NAME	
PAGE	
DATE	05-MAR-2009

Page14: Multi-use IO(MIO) Interface



MIO NET RULES

NET	NV_CRITICAL	NV_IMPEDANCE	DIFFPAIR
MIOA_DI14..0]	1	60OHM	
MIOA_CLKOUT	1	60OHM	
MIOA_DE	1	60OHM	
MIOB_DI12..0]	1	60OHM	
MIOB_CLKIN	1	60OHM	
GPU_EXT_REFCLK	1	60OHM	

NET	VOLTAGE	MAX_CURRENT	MIN_WIDTH
MIOA_VREF	1.25V		12MIL
MIOACAL_PD_VDDQ			12MIL
MIOACAL_PU_GND			12MIL
MIOB_VREF	1.25V		12MIL
MIOBCAL_PD_VDDQ			12MIL
MIOBCAL_PU_GND			12MIL

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY; COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Multi-use IO(MIO) Interface

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A
ID	
NAME	
PAGE	
DATE	05-MAR-2009

Page15: MISC: GPIO, I2C, BIOS, PLL, and XTAL

PLLVDD/VID_PLLVDD



I2CC / I2CH(+ HDCP ROM) / I2CS



MISC NET RULES



XTAL



ROM / MISC (BUFRST/STEREO/SWAPRDY/CLAMP/TESTMODE)



GPIO



GPIO Assignment Table

GPIO	I/O	Function
0	IN	DVI Hotplug Detect South
1	IN	DVI Hotplug Detect Nouth
2	N/A	Not used
3	N/A	Not used
4	OUT	Fan PWM Output
5	OUT	Voltage Select 0
6	OUT	Voltage Select 1
7	IN	Fan Tach Input
8	OUT	THERM_OVERT*
9	N/A	Not used
10	N/A	Not used
11	OUT	RASTER (SLI) SYNC
12	N/A	Not used
13	N/A	Not used
14	N/A	Not used

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	MISC: GPIO, I2C, BIOS, PLL, and XTAL

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page16: Thermal Control/Protection and SPDIF Input

THERMAL PROTECTION/TMDS BACKDRIVE



SPDIF INPUT / DETECTION



THERMAL DIODE



2-pin fan option

NET	IMPEDANCE	NV_CRITICAL_NET	MIN_LINE_WIDTH
SPDIF_IN	50OHM	1	
SPDIF_IN_C	50OHM	1	
SPDIF_IN_R	50OHM	1	
SPDIF_IN_G	50OHM	1	
SPDIFIN_TERM	50OHM	1	
SPDIF_IN_F	50OHM	1	

15,16

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Thermal Control/Protection and SPDIF Input

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page17: Power/GND and Decoupling

VDD33



FBVTT



FBVDDQ



NVVDD









ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Power/GND and Decoupling

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page18: Configuration Straps and Mechanical

STRAPS



MECHANICAL



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Configuration Straps and Mechanical

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page 19:Power Supply: 5V, 5V_DDC, 1v8, 2V5,PEX_PLLVDD Option

NETNAME	MAX_CURRENT	MIN_LINE_WIDTH	VOLTAGE
DDC_5V	DDC_5V	0.1A	12MIL	5V
5V	5V	0.15A	12MIL	5V
PEX_PLLVDD	PEX_PLLVDD	0.12A	12MIL	1.1V
1V8	1V8	0.12A	12MIL	1.8V
2V5	2V5	0.8A	12MIL	2.5V

5V REGULATOR

5V DDC



Vout = Ref*(1+(Rbot/Rtop))+Iadj* Rbot

5.06V = 1.25*(1+(499/165))+60uA* 499

IFP PLL Supply 1.8V



Vout = Vadj * (1+Rtop/Rbot)

1.813V = 0.8V * (1+23.7K/18.7K)

PEX_PLLVDD Optional



Vout = Vadj * (1+Rtop/Rbot)

1.1V = 0.8V * (1+1.1K/2.94K)

MIO_VDD 2.5V



Vout = VRef * (1+(Rtop/Rbot))

2.5V = 0.8V * (1+(22.6K/10.5K))

ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Power Supply: 5V, STEREO_5V, 2V5, DP_PWR

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page20:POWER SUPPLY: FBVDD,PEX_VDD



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Power Supply: FBVDD, PEXVDD

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page21: Power Supply: NVVDD Regulator



Page22: Power Supply: NVVDD Mosfet



ASSEMBLY	
PAGE DETAIL	Power Supply: NVVDD Mosfet

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009

Page23: Power Supply: Filter of 12V,12V_PEX6,3V3



ASSEMBLY	P361 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Power Supply: Filter of 3V3, 12V, 12V_PEX6

NVIDIA CORPORATION
2701 SAN TOMAS EXPRESSWAY
SANTA CLARA, CA 95050, USA

NV_PN	600-10361-base-000 A		
ID		PAGE	
NAME		DATE	05-MAR-2009