V133-31 **REV HISTORY** P729: G96, DDR2 MEMORY 32MX16/16MX16 06/10 Page 1: P729 Overview 1. Remove SLI circuit P13 Page 2: PCI Express Interface 2. Remove 2V5 U6,R148,R149 3. Modify PEXVDD circuit Page 3: Partition A Frame Buffer Interface Remove U7,R703,R704,R705,R706,R707,R708 Page 4: Partition C Frame Buffer Interface Remove C201,C202,C203,C204,C205,C206,C207,C208 Page 5: Partition A Memories Page 6: Partition C Memories Page 7: Decoupling Caps Page 8: DACA Page 9: DACC, Slim DB15 Connector Page 10: Internal TMDS .. Link A & B Page 11: Internal TMDS .. Link C & D Page 12: DACB, MINIDIN Connector Page 13: MIOA, MIOB Interface Page 14: Thermal Sensors, GPIOs, XTAL, JTAG, Fan Page 15: BIOS, HDCP, SPDIF, HDA, Mechanical Page 16: Straps Page 17: Hybrid Power Page 18: Power Supply I: 2V5, 3V3, 5V, IFP_IOVDD Page 19: Power Supply II: FBVDDQ Page 20: Power Supply III: NVVDD, PEX_VDD ASSEMBY ASS

								NVIDIA CORPORATION	
							2701 SAN TOMAS EXPRESSWAY		
							SANTA CLARA, CA 95050, USA		
PAGE DETAL P729 Overview							NV PN	600-10729-xxxx-000 A	
ALL INDICA DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWNOS, DUGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY), MATERIALS) ARE BEING PROVIDED AS IS: THE MATERIALS MAY							- In	1	
CONTAN NOOWN AND LUNKNOOWN VOLATIONS OR REVAITIONS OF BROAKTIONS OF BROAKTIONS AND SPECIFICATIONS, WINDIA MAKES IS NO WARRANTIES, EXPRESSED, MPLED, STATUTIONS (OR TO CHERMISS, MAN DEPRESSEY USECLAMS ALL MAINTEN JURISMENT IN LITERAL MATERIAL THAT MATERIAL THAT IN LITERAL							NAME	PAGE	
IMPCIED WARRIANTIES INCLUDING, WI HOUT LIMITATION, THE WARRIANTIES OF DESIGN, OF NORMER-INNECEMENT, IMPCIENT A PARTICULAR PORPOSE, OK ARRING PROJECT, OK INDUSTRY'S TANDARDS.							NAME	DATE 26-OCT-2007	
A	В	С	D	E	F	G		н	



































