V034-1A NV44 128 MB DDR2, VGA, DVI-I, SD/HDTV

0A base on v001 1.1 modify

removed TSOP-66 DDR change to BGA-84 DDR2.

add 2nd RT9218 for FBVDD/Q.
add APL5331 for FBVTT.

10 removed RT9218 and VTT.

add op+mos circuit.

and cost down 0402 parts change to 0603.

11 pin header change to box header for samsung request.

REV HISTORY

A01

- 9/22/2004:
  - Changed TMDS_PLLVDD to F1_VDD
  - Added bead option to PLLVDD rail of NV44
  - Changed RSET values for DACA and DACB
  - Changed DACB RSET FET to a dual package with GPIO11 control-Macrovision
  - Added F3V3 bypass to PLLVDD linear regulator
  - Changed location of R62

SKU	VARIANT	NVPN	ASSEMBLY
B	BASE	600-f0ppp-xxxx-vvv	BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
1	0000	600-10262-0000-000	<UNDEFINED>
2	0001	600-10262-0001-000	<UNDEFINED>
3	0002	600-10262-0002-000	<UNDEFINED>
4	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
5	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
6	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
7	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
8	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
9	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
10	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
11	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
12	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
13	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
14	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>
15	<UNDEFINED>	<UNDEFINED>	<UNDEFINED>

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE	P228
DETAIL	Overview

V034

PEX-Interface



Net Name	DIFF_PAIR	NET_SPACING_TYPE
PEX_TSTCLK	PEX_TST	25MIL
PEX_TSTCLK*	PEX_TST	25MIL
PEX_TX0	PEX_TX0	25MIL
PEX_TX0*	PEX_TX0	25MIL
PEX_TX1	PEX_TX1	25MIL
PEX_TX1*	PEX_TX1	25MIL
PEX_TX2	PEX_TX2	25MIL
PEX_TX2*	PEX_TX2	25MIL
PEX_TX3	PEX_TX3	25MIL
PEX_TX3*	PEX_TX3	25MIL
PEX_TX4	PEX_TX4	25MIL
PEX_TX4*	PEX_TX4	25MIL
PEX_TX5	PEX_TX5	25MIL
PEX_TX5*	PEX_TX5	25MIL
PEX_TX6	PEX_TX6	25MIL
PEX_TX6*	PEX_TX6	25MIL
PEX_TX7	PEX_TX7	25MIL
PEX_TX7*	PEX_TX7	25MIL
PEX_TX8	PEX_TX8	25MIL
PEX_TX8*	PEX_TX8	25MIL
PEX_TX9	PEX_TX9	25MIL
PEX_TX9*	PEX_TX9	25MIL
PEX_TX10	PEX_TX10	25MIL
PEX_TX10*	PEX_TX10	25MIL
PEX_TX11	PEX_TX11	25MIL
PEX_TX11*	PEX_TX11	25MIL
PEX_TX12	PEX_TX12	25MIL
PEX_TX12*	PEX_TX12	25MIL
PEX_TX13	PEX_TX13	25MIL
PEX_TX13*	PEX_TX13	25MIL
PEX_TX14	PEX_TX14	25MIL
PEX_TX14*	PEX_TX14	25MIL
PEX_TX15	PEX_TX15	25MIL
PEX_TX15*	PEX_TX15	25MIL
PEX_TXX0	PEX_TXX0	25MIL
PEX_TXX0*	PEX_TXX0	25MIL
PEX_TXX1	PEX_TXX1	25MIL
PEX_TXX1*	PEX_TXX1	25MIL
PEX_TXX2	PEX_TXX2	25MIL
PEX_TXX2*	PEX_TXX2	25MIL
PEX_TXX3	PEX_TXX3	25MIL
PEX_TXX3*	PEX_TXX3	25MIL
PEX_TXX4	PEX_TXX4	25MIL
PEX_TXX4*	PEX_TXX4	25MIL
PEX_TXX5	PEX_TXX5	25MIL
PEX_TXX5*	PEX_TXX5	25MIL
PEX_TXX6	PEX_TXX6	25MIL
PEX_TXX6*	PEX_TXX6	25MIL
PEX_TXX7	PEX_TXX7	25MIL
PEX_TXX7*	PEX_TXX7	25MIL
PEX_TXX8	PEX_TXX8	25MIL
PEX_TXX8*	PEX_TXX8	25MIL
PEX_TXX9	PEX_TXX9	25MIL
PEX_TXX9*	PEX_TXX9	25MIL
PEX_TXX10	PEX_TXX10	25MIL
PEX_TXX10*	PEX_TXX10	25MIL
PEX_TXX11	PEX_TXX11	25MIL
PEX_TXX11*	PEX_TXX11	25MIL
PEX_TXX12	PEX_TXX12	25MIL
PEX_TXX12*	PEX_TXX12	25MIL
PEX_TXX13	PEX_TXX13	25MIL
PEX_TXX13*	PEX_TXX13	25MIL
PEX_TXX14	PEX_TXX14	25MIL
PEX_TXX14*	PEX_TXX14	25MIL
PEX_TXX15	PEX_TXX15	25MIL
PEX_TXX15*	PEX_TXX15	25MIL
PEX_RX0	PEX_RX0	25MIL
PEX_RX0*	PEX_RX0	25MIL
PEX_RX1	PEX_RX1	25MIL
PEX_RX1*	PEX_RX1	25MIL
PEX_RX2	PEX_RX2	25MIL
PEX_RX2*	PEX_RX2	25MIL
PEX_RX3	PEX_RX3	25MIL
PEX_RX3*	PEX_RX3	25MIL
PEX_RX4	PEX_RX4	25MIL
PEX_RX4*	PEX_RX4	25MIL
PEX_RX5	PEX_RX5	25MIL
PEX_RX5*	PEX_RX5	25MIL
PEX_RX6	PEX_RX6	25MIL
PEX_RX6*	PEX_RX6	25MIL
PEX_RX7	PEX_RX7	25MIL
PEX_RX7*	PEX_RX7	25MIL
PEX_RX8	PEX_RX8	25MIL
PEX_RX8*	PEX_RX8	25MIL
PEX_RX9	PEX_RX9	25MIL
PEX_RX9*	PEX_RX9	25MIL
PEX_RX10	PEX_RX10	25MIL
PEX_RX10*	PEX_RX10	25MIL
PEX_RX11	PEX_RX11	25MIL
PEX_RX11*	PEX_RX11	25MIL
PEX_RX12	PEX_RX12	25MIL
PEX_RX12*	PEX_RX12	25MIL
PEX_RX13	PEX_RX13	25MIL
PEX_RX13*	PEX_RX13	25MIL
PEX_RX14	PEX_RX14	25MIL
PEX_RX14*	PEX_RX14	25MIL
PEX_RX15	PEX_RX15	25MIL
PEX_RX15*	PEX_RX15	25MIL
PEX_REFCLK	PEX_REFCLK	25MIL
PEX_REFCLK*	PEX_REFCLK	25MIL

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	BOM NOT FINAL
DETAIL:	PCI Express Interface

GPU: FB-Interface



ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	Frame Buffer Interface

Memory
Bit 0..31

Net Name	Diffpair	NET_SPACING_RULE
FBACLK0	FBACLK0*	25MIL
FBD[31..0]		10MIL
FBDQM[3..0]		15MIL
FBDQS[3..0]		15MIL
FBCMD[26..0]		10MIL
FBDQSN[3..0]		15MIL

Between trace of FB_CMD16 and FB_CMD14

NV_USE

U1310A
16M66
IC_K4N56163QF_84P
COMMON

U1301A
16M66
IC_K4N56163QF_84P
COMMON

FBVDDQ

GND

R53 1K 1% 0402 COMMON

R55 1K 1% 0402 COMMON

C119 .047UF 16V 10% ? 0402 COMMON

R508 1K 1% 0402 COMMON

R506 1K 1% 0402 COMMON

C510 .047UF 16V 10% ? 0402 COMMON

MVREFA0

MVREFA1

FBACLK0

FBACLK0*

FBA_ODT

FB_CMD7

FB_BA2

FB_CKE

C535 .1UF 16V 10% X7R C0603 COMMON

C534 .1UF 16V 10% X7R C0603 COMMON

C506 .022UF 25V 10% ? 0402 COMMON

C515 .1UF 16V 10% X7R C0603 COMMON

C520 .1UF 16V 10% X7R C0603 COMMON

C101 .1UF 16V 10% X7R C0603 COMMON

C102 .1UF 16V 10% X7R C0603 COMMON

C121 .1UF 16V 10% X7R C0603 COMMON

U1301B
IC_K4N56163QF_84P
COMMON
BOT

U1310B
IC_K4N56163QF_84P
COMMON
TOP

U1310C
IC_K4N56163QF_84P
COMMON
TOP

U1301C
IC_K4N56163QF_84P
COMMON
BOT

FBD[31..0]

FBDQM[7..0]

FBDQS[7..0]

FBDQSN[7..0]

R60 120 5% 0402 COMMON

R56 120 5% 0402 COMMON

R58 100R 1% 0402 5% COMMON

R61 120 5% 0402 COMMON

R57 120 5% 0402 COMMON

Pls put on right side of R58

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	BOM NOT FINAL
DETAIL	Memory Bit 0..31

Memory
Bit 32..63

Net Name	Diffpair	NET_SPACING_RULE
FBACLK1	FBACLK1*	25MIL
FBDQM[7..4]		15MIL
FBDQS[7..4]		15MIL
FBDQSN[7..4]		15MIL

Pls Close to R59

Pls Close to C89

Pls Close to R505

Pls Close to FBD63

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	BOM NOTE(NA)
DETAIL	Memory 1st half 32..63

DAC-A, DB15 Connector

Net Name	MIN_LINE_WIDTH	NET_SPACING_TYPE
I2CA_SDA		10MIL
DACA_HSYNC		10MIL
DACA_VSYNC		10MIL
DACA_RED		20MIL
DACA_GREEN		20MIL
DACA_BLUE		20MIL
DACA_VDD	12MIL	10MIL
DACA_R_F		20MIL
DACA_G_F		20MIL
DACA_B_F		20MIL
DACA_RED_C		20MIL
DACA_GREEN_C		20MIL
DACA_BLUE_C		20MIL

CAP for Sync Buffer

PLACE NEAR OUTPUT FILTERS

J503 Change to BOX HEADER for Samusng

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL
PAGE DETAIL	DACA, DACB, DACC, Sync Buffers

DAC-B, MUX, DB15



ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	BOM NOT FINAL
DETAIL	VGA Output, TV Out

Internal TMDS, DVI-Connector

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	BOM NOT FINAL
DETAIL	TMDS Interface

V034

MIOA, MIOB Interface, LPC-ROM



ASSEMBLY	LPC_ROM
PAGE	MIOA, MIOB Interface,
DETAIL	LPC-ROM

STRAPS, Mechanical Parts

NV44 STRAPS

F3V3

Bit	Signal	Values
00:	PCI_AD_SWAP	0 REVERSED NORMAL
01:	SUB_VENDOR	0 VID,DID FROM BIOS
02:	RAM_CFG_0	0000 RSVD 0001 8Mx16DDR 0010 RSVD 0011 RSVD 0100 RSVD 0101 RSVD 0110 RSVD 0111 RSVD 1000 RSVD 1001 RSVD 1010 RSVD 1011 RSVD 1100 16Mx16DDR 1101 RSVD 1110 RSVD 1111 RFU
03:	RAM_CFG_1	
04:	RAM_CFG_2	
05:	RAM_CFG_3	
06:	CRYSTAL_0	00 13.500 MHz 01 14.31818 MHz 10 27.000 MHz
22:	CRYSTAL_1	11 UNKNOWN
07:	TV_MODE_0	00 SECAM 01 NTSC 10 PAL 11 CRT
08:	TV_MODE_1	
09:	AGP_30_8x	0 AGP8x ENABLED 1 AGP3.0 DISABLED
10:	AGP_SBA	0 SBA ENABLED 1 SBA DISABLED
11:	AGP_FASTWR	0 FW ENABLED 1 FW DISABLED
12:	PCI_DEVID_0	1100 (default 0x00FC)
13:	PCI_DEVID_1	
20:	PCI_DEVID_2	
21:	PCI_DEVID_3	
14:	BUS_TYPE	0 PCI 1 AGP
15:	FP_IFACE	0 24Bit 1 12Bit (DEFAULT)
23:	FB_0	00 64M 01 128M (DEFAULT) 10 256M 11 512M
24:	FB_1	
25:	BR	0 BRIDGE DISABLED 1 BRIDGE ENABLED
26:	BR_128M	BR BITS IGNORED IF BRIDGE IS DISABLED
27:	BR_AGP	
28:	BR_IO	
29:	ROM_TYPE_0	00 PARALLEL 01 SERIAL_AT25F 10 SERIAL_SST45VF 11 LPC
30:	ROM_TYPE_1	
16:	USER_0	0000 (DEFAULT)
17:	USER_1	
18:	USER_2	
19:	USER_3	
	PEX_PLL_EN_TERM100	
	3GIO_PADCFG_LUT_ADDR[0]	
	3GIO_PADCFG_LUT_ADDR[1]	

R598 1.8K 0402 5% COMMON — MIOA_D1 — R599 1.8K 0402 5% COMMON
R626 10K 0402 5% COMMON — MIOB_D0 — R626 10K 0402 5% COMMON
R629 10K 0402 5% COMMON — MIOB_D1 — R630 10K 0402 5% COMMON
R576 10K 0402 5% COMMON — MIOB_D8 — R577 10K 0402 5% COMMON
R574 10K 0402 5% COMMON — MIOB_D9 — R578 10K 0402 5% COMMON
R632 1.8K 0402 5% COMMON — MIOB_D2 — R633 1.8K 0402 5% COMMON
R640 1.8K 0402 5% COMMON — MIOB_D6 — R641 1.8K 0402 5% COMMON
R636 1.8K 0402 5% COMMON — MIOB_D4 — R637 1.8K 0402 5% COMMON
R638 1.8K 0402 5% COMMON — MIOB_D5 — R639 1.8K 0402 5% COMMON
R634 1.8K 0402 5% COMMON — MIOB_D3 — R635 1.8K 0402 5% COMMON
R579 1.8K 0402 5% COMMON — MIOB_D11 — R580 1.8K 0402 5% COMMON
R575 1.8K 0402 5% COMMON — MIOB_D10 — R570 1.8K 0402 5% COMMON
R620 1.8K 0402 5% COMMON — MIOB_VSYNC — R621 1.8K 0402 5% COMMON
R587 10K 0402 5% COMMON — MIOA_D2 — R591 10K 0402 5% COMMON
R586 1.8K 0402 5% COMMON — MIOA_D0 — R590 1.8K 0402 5% COMMON
R44 1.8K 0402 5% COMMON — MIOA_D6 — R47 1.8K 0402 5% COMMON
R41 1.8K 0402 5% COMMON — MIOA_D8 — R47 1.8K 0402 5% COMMON
R1413 1.8K R0402 5% COMMON — MIOA_HSYNC — R1414 1.8K R0402 5% COMMON

9.3E<> IN MIOA_D[11..0]
9.1D<> 12.3A<> IN MIOB_D[11..0]
12.4B> 9.2D> IN MIOB_VSYNC
9 MIOA_HSYNC MIOA_HSYNC

GND

CABLE
MEC_PH_4-40_SCREW COMMON

BKT
MEC_PH_4-40_SCREW COMMON

HEATSINK
HEATSINK 7120005100

MT1 MT_Hole_0.136_in.

PCB
MEC_PH_4-40_SCREW COMMON

MEC5
MEC_PH_4-40_SCREW COMMON

MEC3
MEC_HEX_JACK_SCREW COMMON

MEC4
MEC_HEX_JACK_SCREW COMMON

MEC1
MEC_HEX_JACK_SCREW COMMON

MEC2
MEC_HEX_JACK_SCREW COMMON

FM1 SW_FB NS — FM5 SW_FB NS
FM12 SW_FB NS — FM6 SW_FB NS — FM3 SW_FB NS — FM7 SW_FB NS
FM15 SW_FB NS — FM16 SW_FB NS

ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	STRAPS, Mechanical
DETAIL	Parts

XTAL, GPIO, BIOS, Fan Control, JTAG Headers

Net Name	NET_PHYSICAL_TYPE	NET_SPACING_RULE
XTALOUT	5MIL_TRACE	20MIL
PLLVDD	5MIL_TRACE	20MIL
DISP_PLLVDD	12MIL_TRACE	10MIL
	12MIL_TRACE	10MIL



ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE DETAIL	BOM NOT FINAL XTAL, GPIO, BIOS, Fan Control, JTAG Headers

VIDEO CONNECTORS:
MiniDIN, 2x6 HDR



ASSEMBLY	BASE LEVEL GENERIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND
PAGE	BOM NOT FINAL VIDEO CONNECTORS: MiniDIN, 2x6

PowerSupplyII: 5V, DDC5V, A3V3, F3V3, TMDS_PLLVDD



14 Others Power Supply (Linears)

5V,FBVDDQ,A3V3,3V3,TMDS_PLLVDD,TMDS_IOVDD,FBVTT



5V LOW COST REGULATOR

Power Sequencing



5V AND PEX3V3 UP .. ALL OTHER LINEARS UP

TMDS PLL Supply



A3V3 Power Supply



5V_CLAMP



Micro-Star International Co., LTD.			
V034			
Size: Custom	Document Number		Rev: 1A
Date: Wednesday, December 06, 2006	Sheet 14 of 14		