# P2010-A02

# 75W/100W GK107/GF108 128-BIT GDDR5 in x32/x16 MODE DVI-I-DL + DVI-D-DL/HDMI +mHDMI/DP

#### TABLE OF CONTENTS

### Page Description

- Table of Contents
- 2 PCI Express
- 3 GPU Frame Buffer Partition A/B
- FBA Partition [31..0]
- 5 FBA Partition [63..32]
- FBB Partition [31..0]
- 7 FBB Partition [63..32]
- GPU FB Decoupling
- 9 DACA VGA
- 10 IFPAB TMDS
- 11 IFPC mHDMI
- 12 IFPC DP
- 13 IFPEF TMDS
- 14 IFPE Long HDMI
- 15 Core Decoupling, GPU VDD\_3V3
- 16 Misc Interfaces
- 17 Straps, Thermal, Mechanical
- 18 Power Supply I: Misc Power
- 19 Power supply II:PEX\_VDD
- 20 FBVDDQ
- 21 NVVDD CTRL
- 22 NVVDD MOS
- 23 12V EXT / 12V PEX Power Select Circuit

## 2013/01/15 MS-V280-2.3 changed list

Page	Description	

- Base on V280-2.2 removed power seq
- Add P2010 Power seq













































