	PG110-A00	
1	GP108 64Bit GDDR5 X32 HDMI/DP + DVI-D/DP	1
	TABLE OF CONTENTS	
	Page Description	
Щ		
	1 Table of Contents 2 Block Diagram	
	3 PCI Express	'
	4 GPU Frame Buffer	
,	5 FBA bits 3100	
	6 FBA bits 6332	-
	7 NVVVD Decoupling	
1	8 FBVDDQ and 1V8 Decoupling	'
	9 IFPAB DL-DVI 10 IFPA DP	
Н	11 IFPB DP/HDMI	<sup>1</sup>
	12 JTAG,GPIO&XTAL	
	13 ROM & STRAPS	
	14 Power Sequence	
3	15 POWER:1V8 & 5V	3
	16 POWER: NV3V3, NV12V	
	17 POWER:PEX_VDD  18 POWER:FBVDDQ	
	19 POWER:NVVDD	
	20 POWER:NVVDD	
	21 Mechanical	
4		•
		'
		'
5		5
		CORPORATION
	ASSEMBLY ASSEMBLY DESCRIPTIONS 2701 SANTOMAS SANTA CLARA, CI	EXPRESSWAY A 86060, USA
	AL INDIA DESIGN SPECIFICATIONS, REFERENCE SPECE/FICATIONS, REFERENCE BOARDS, FLES, DRAWINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPNACIELY, MATERIALS) ARE BEING PROVIDED IA SIS. THE MATERIALS AND ACCOUNTS AND AND AND AND ADDRESS OF POLICIATION OF POLICIATING AND	600-1G110-BASE-A00 PG110-A00 PAGE 1 OF 21
L	MPUED WARRANTES INCLIDING, WITHOUT LIMITATION, THE WARRANTES OF DESIGN, OF NONNFRINGEMENT, MERCHANTIZBILITY OR FITNESS FOR A PRINTICULAR PURPOSE, OR ARISING FROM A COURSE OF DEALING, TRADE USAGE, TRADE PRACTICE, OR INDUSTRY STANDARDS.  A B C D E F G	A DATE 19-JUL-2016
i		
ĺ		

Е

Н

С







































