MS8853

GF3-Ti 500, 4MX16 DDR, RGB, EXTERNAL DVI-I, TV-DOWN, TV IF , AGP4X

PCI DEVICE ID 0X0=0X200 FOR NV20.

Title	Section	Page
Cover Sheet	0	1
Bus I/O	1.1	2
NV20 Host	2.1	3
NV20 DAC/TV/TMDS	2.2	4
NV20 Decoupling	2.3	5
NV20 Host Strapping	2.4	6
DAC Connector	3.1	7
NV20 FBA/B/C/D	4.1	8
4MX16 DDR Decoupling	4.2	9
FB 4MX16 DDR	4.3 & 4.4	10, 11
ROM & VIDEO IF	5.1	12
DVI Controllor	6.1	13
DVI Connector	6.2	14
TV-Out	7.1	15
NV20 Power	8.1	16

NVVDD SET TO: 1.67V
FBVDD SET TO: 3.63V
FBVDDQ SET TO: 2.59V

0 Cover Sheet

Micro-Star International Co., LTD.

MS-8853

Size: C | Document Number: Cover Sheet | Rev: 0A

Date: Tuesday, October 16, 2001 | Sheet 1 of 16



1.1 Bus I/O

Micro-Star International Co., LTD.			
MS-8853			
Size: C	Document Number: Bus I/O		Rev: 0A
Date: Tuesday, October 16, 2001	Sheet 2 of 16		



2.1 NV20 HOST

Micro-Star International Co., LTD.	
MS-8853	
Size: C	Document Number: NV20 Host
Rev: 0A	
Date: Tuesday, October 16, 2001	Sheet 3 of 16



2.2 NV20 DAC/TV/TMDS

Micro-Star International Co., LTD.

MS-8853

Size	Document Number	Rev
C	NV20 DAC/TV/TMDS	0A

Date: Tuesday, October 16, 2001 Sheet 4 of 16

Use thick (non-impedance controlled) traces on XTALIN/OUT



2.3 NV20 DECOUPLING

Micro-Star International Co., LTD.		
MS-8853		
Size: C	Document Number: NV20 Decoupling	Rev: 0A
Date: Tuesday, October 16, 2001	Sheet 5 of 16	

4,12,13,15 CCIR_DATA[11:0]
4,12 VIP_VID[15:0]
4,13 FP_DATA_LO[11:0]

4,12 VIP_HAD0
4,12 VIP_HAD1
4 VIP_HAD2
4 VIP_HAD3
4 VIP_HAD4
4 VIP_HAD5
4,12 VIP_HAD6
4,12 VIP_HAD7

2.4 NV20 HOST STRAPS

Micro-Star International Co., LTD.

MS-8853

Size	Document Number	Rev
C	NV20 Host Strapping	0A
Date: Tuesday, October 16, 2001	Sheet 6 of 16	



3.1 DAC Connector

Micro-Star International Co., LTD.	
MS-8853	
Size: C	Document Number: DAC Connector
Rev: 0A	
Date: Tuesday, October 16, 2001	Sheet 7 of 16



4.1 NV20 FBA/B/C/D

Micro-Star International Co., LTD.

MS-8853

Size	Document Number	Rev
C	NV20 FBA/B/C/D	0A

Date: Tuesday, October 16, 2001 Sheet 8 of 16





4.2 4MX16 DDR DECOUPLING

MSI	Micro-Star International Co., LTD.		
	MS-8853		
Size: C	Document Number: 4MX16 DDR Decoupling		Rev: 0A
Date: Tuesday, October 16, 2001	Sheet 9 of 16		



4.3 FBA/B 4MX16 DDR

Micro-Star International Co., LTD.		
MS-8853		
Size: C	Document Number: FBA/B 4MX16 DDR	Rev: 0A
Date: Tuesday, October 16, 2001	Sheet 10 of 16	





FBC_DATA[31:0] 8
FBD_DATA[31:0] 8
FBC_ADR[13:0] 8
FBD_ADR[13:0] 8
FBC_DQS[3:0] 8
FBD_DQS[3:0] 8
FBC_DQM[3:0] 8
FBD_DQM[3:0] 8

FBC_RAS_ 8
FBC_CAS_ 8
FBC_WE_ 8
FBC_CS0_ 8
FBC_CLK0 8
FBC_CLK0B 8
FBC_CLK1 8
FBC_CLK1B 8
FBC_CKE 8

FBD_RAS_ 8
FBD_CAS_ 8
FBD_WE_ 8
FBD_CS0_ 8
FBD_CLK0 8
FBD_CLK0B 8
FBD_CLK1 8
FBD_CLK1B 8
FBD_CKE 8

4.4 FBC/D 4MX16 DDR

Micro-Star International Co., LTD.		
MS-8853		
Size: C	Document Number: FBC/D 4MX16 DDR	Rev: 0A
Date: Tuesday, October 16, 2001	Sheet 11 of 16	

4,6 VIP_VID[15:0]
4 VIP_PCLK
4 VIP_HCLK
4 VIP_HCTL
4 VIP_HAD0
4 VIP_HAD1
4 VIP_HAD2
4,6 VIP_HAD3
4 VIP_HAD4
4 VIP_HAD5
4 VIP_HAD6
4 VIP_HAD7
4,6,13,15 CCIR_DATA[11:0]
4,13,15 CCIR_HSYNC
4,13,15 CCIR_VSYNC
4,13,15 CCIR_CLK_IN
4,13,15 R_CCIR_CLK_OUT
4,15 BUFFRST_
4,14,15 SCL
4,14,15 SDA





5.1 ROM & VIDEO IF

Micro-Star International Co., LTD.

MS-8853

Size	Document Number	Rev
C	ROM & Video IF	0A
Date: Tuesday, October 16, 2001	Sheet 12 of 16	



6.1 DVI Controllor

Micro-Star International Co., LTD.	
MS-8853	
Size: C	Document Number: DVI Controllor
Rev: 0A	
Date: Tuesday, October 16, 2001	Sheet 13 of 16

M600

SCREW , HEX FOR DVI CONNECTOR

M601

SCREW , HEX FOR DVI CONNECTOR



6.1 DVI Connector

Micro-Star International Co., LTD.			
MS-8853			
Size: C	Document Number: DVI Connector		Rev: 0A
Date: Tuesday, October 16, 2001		Sheet 14 of 16	



Parts for Chrontel CH7007/8

7.1 TV-Out

Micro-Star International Co., LTD.		
MS-8853		
Size: C	Document Number: TV-Out	Rev: 0A
Date: Tuesday, October 16, 2001	Sheet 15 of 16	


Run trace thru resistor pads.
Vout=1.25V*(1+Rvout/Rgnd)+Rgnd*(Ifb=2ua/10^6)
NVVDD 1.67V
Linear bypass option. NO STUFF
Vout=1.2*((R1+R2)/R2)
Semtech SC1565 SO8
3.3V@500mA
Drop Out 225mV Typ.
Large copper shape attached to the Reg. GND to act as heat sink to have RthJA within 65C/W.
SC1175
Place Schottky Diode Closer to (or directly underneath) the FET.
I=(5-0.5-3.3)/(15/10)=800mA typ
0805, 1/8W
FBVDD 3.63V
Vout=1.25V*(1+Rvout/Rgnd)+Rgnd*(Ifb=2ua/10^6)
FBVDDQ 2.59V
8.1 NV20 POWER
Micro-Star International Co., LTD.
MS-8853
NV20 Power
Tuesday, October 16, 2001