PG166-A02

TU116,192b GDDR6 2CHx16,90W/120W DVI-D DL + HDMI + DP

TABLE OF CONTENTS

Page	Description	Page	Description	Page Description	
1	Table of Contents	26	PS: PEXVDD		+
2	Block Diagram	27	PS: FBVDDQ		
3	PCI Express	28	PS: FBVDDQ PH2		
4	MEMORY: GPU FB_AB	29	PS: FBVDDQ VR option		
5	MEMORY: FBA[31:0]	30	PS: NVVDD Controller		
6	MEMORY: FBA[63:32]	31	PS: NVVDD Phase 1,3		z
7	MEMORY: FBB[31:0]	32	PS: NVVDD Phase 2		
8	MEMORY: FBB[63:32]	33	PS: Input, Filtering, and Monitoring		
9	MEMORY: GPU FB_CD	34	PS: STEERING, UPB & HOT-UNPLUG		
10	MEMORY: FBC[31:0]	35	SEQ: 1V8_AON, 3V3_SEQ, NV3V3, DDC_5V, DP_AUX_PROT		
11	MEMORY: FBC[63:32]	36	SEQ: NVVDD, PEX, FBVDDQ ENABLE		_
12	GPU PWR & GND	37	SEQ: MISC		
13	GPU DECOUPLING 1	38	FAN		
14	GPU DECOUPLING 2	39	PS: OVRM_PWR SENSE		
15	IO: IFPAB DVI-D-DL	40	PS:Voltage Monitor		
16	IO: IFPA DP	41	MECH		3
17	IO: IFPB DP				
18	IO: IFPE & IFPF NC				
19	IO: IFPC HDMI				
20	IO: IFPD DP				
21	IO: NVHS INTERFACE AND FRAME LOCK				_
22	MISC1: JTAG,GPIO,ADC,I2C,OVERT				
23	MISC2: ROM, XTAL,STRAPS				
24	PS: 1V8_AON				
25	PS: 5V				

ALL NOTAL DESIGN SHEPFACTION, REFERENCE SHEPF















































































