PG180-A02 256b GDDR6 x16 TALL DP + DP + DP + HDMI/DP + USB TABLE OF CONTENTS Page Description Page Description Page Description Table of Contents 26 MISC: XTAL, PLL 51 SEQUENCE: MISC 2 Block Diagram 27 MISC: USB PPC 52 LED & FAN HEADERS 3 PCI Express 28 PS: USB VR 53 LED 2 4 PCI Termination 29 PS: 5V, 5V BACKUP Mechanical: Bracket/Thermal Solution MEMORY: GPU Partition A/B 30 PS: PEXVDD, 1V8 MEMORY: FBA Partition 31..0 31 PS: FBVDD CONTROLLER PS: FBVDD CONTROLLER OVR3 MEMORY: FBA Partition 63..32 32 PS: FBVDD PHASE 1, 2 MEMORY: FBB Partition 31..0 9 MEMORY: FBB Partition 63..32 34 PS: NVVDD CONTROLLER OVR8 10 MEMORY: GPU Partition C/D 35 PS: NVVDD Phase 1, 2 MEMORY: FBC Partition 31..0 36 PS: NVVDD Phase 3, 4 11 37 PS: NVVDD Phase 5. 6 12 MEMORY: FBC Partition 63..32 MEMORY: FBD Partition 31..0 38 PS: NVVDD Phase 7, 8 13 MEMORY: FBD Partition 63..32 PS: INPUT SWITCH RTD3 14 39 PS: INPUT SWITCH RTD3 USB GPU PWR and GND 40 15 16 GPU Decoupling 41 PS: INPUT SWITCH RAIL BALANCE GPU DECOUPLING 42 PS: 12V CURRENT STEERING 18 IFPAB TALL-DP 43 PS: VR THERMAL PROTECTION IFPE DP PS: INPUTS, FILTERING AND MONITORING 19 20 IFPF USBC 45 PS: CURRENT STEERING, HOT UNPLUG DETECT PS: PRE-FILTER 21 IFPC HDMI 2.0/DP 46 SEQUENCE: 5V, 1V8, NV3V3 ENABLE 47 22 IFPD DP SEQUENCE: NV, PEX, FB ENABLE 23 NVHS INTERFACE 48 SEQUENCE: PCIE VOLTAGE MONITOR 24 MISC: FAN, THERMAL, JTAG, GPIO, STEREO 49 MISC3: ROM, STRAPS 50 SEQUENCE: DISCHARGE 25

ALL MOIN DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE SOURCE, FLES. DRIWINGS DIAMOSTICS, LISTS AND CHIEF DOCUMENTS OR INFORMATION PROSERTING AND SPRACHEY. WILEFIELDS SEE BERN SPROUGED AS IS THE MEMBERS OF MOLES AND SPROUGED AS IS THE MEMBERS. OR DESIGN AND SPECIFICATION, WINDOWN AND DIAMOSTICS, LISTS AND CHIEF DOCUMENTS OR PROSECUTION OF PROJECT OF THE MEMBERS OF DESIGN, AND EXPRESSES OF THE STREET OF THE MEMBERS OF THE STREET OF THE MEMBERS OF THE STREET OF THE MEMBERS OF THE STREET OF

Table of Contents

PAGE DETAIL











































































































