

MINING-RX470-8G-LED-S

Built for Non-Stop Mining!!

ASUS Exclusive Innovations

LED STATUS LIGHT

Mining RX470 is engineered with a vivid LED that indicates when the card is powered and operational, so it takes just a glance to know that all is working well.

ASUS FANCONNECT for MINING CARDS

ASUS FanConnect for Mining Cards provides two 4-pin headers for connecting PWM or DC system fans, or both, for optimal system cooling. The energy-efficient PWM path allows your mining setup's thermals to be adjusted according to the temperature of the installed GPUs — ensuring that cooling and power draw precisely match loading.

* The DC connector by default runs the connected fan at maximum speed at all times.








DUAL-BALL BEARING FANS

Without the problem of oil drying common in sleeve-bearing fans, the dual-ball bearing fan lasts 2X longer. With reduced friction, it also runs smoother, further improving card lifespan and cooling efficiency.

■ IP5X-CERTIFIED DUST RESISTANCE

ASUS fan design is certified under the International Protection Marking (IP code) as IP5X dust resistant for improved reliability and optimal fan performance, even under severe conditions.





■ AUTO-EXTREME TECHNOLOGY

Industry-only 100% automated production process ensures premium quality





Hardware Specification

| Model | MINING-RX470-8G-LED-S |
|------------------|--|
| Graphics Engine | AMD Radeon™ RX 470 |
| OpenGL | OpenGL® 4.5 |
| Video Memory | 8GB GDDR5 |
| Engine Clock | Boost clock : 1206 MHz Base clock :926 MHz |
| Stream Processor | 2048 |
| Memory Clock | 7000 MHz (1750 MHz GDDR5) |
| Memory Interface | 256 bit |
| Input / Output | 1 x Native DVI-D |
| Power Connectors | 1*8pin |
| Software Bundled | ASUS Driver |
| Dimension | The card size is 24.0 x 13.0 x 3.89 cm |
| | The card size is 9.4 x 5.1 x 1.5 inches |
| Note | To have the best cooling performance, ASUS |
| | MINING-RX470-8G-LED-S extends the fansink to 2 |
| | slots. Please double check you Chassis and |
| | Motherboard dimension prior to purchase to make sure it |
| | fits in your system! |
| | Specifications are subject to change without notice. |
| | PCB color and bundled software versions are change |
| | without notice. |
| | Brand and product names mentioned are trademarks of |
| | their respective company. |







