## NV11, AGP4X, 4MX16 SDR SDRAM, RGB, TV DOWN.

PCI DEVICE ID 0X0=0X110 FOR NV11.

STRAPS: AGP4X, FAST WRITE ENA, ADP BIOS, NORMAL PCIAD, 14.318MHZ

STRAP\_RAM\_TYPE [5:2]=0001-4MX16 SDR SDRAM

HISTORY REV. A00 BASED ON P39-C00:

A02: Added test nets for DFPDE and DFPCLK\_

A02: Changed L202, L206 and L210 to 0603 MTL Inductors.


A02: Changed Rset resistor R212 to 102 ohm 1%


A02: Changed Strap Resitor R130 to No Stuff and Stuff R129

602-P0036-0000-A00

							-		
(A)	NVI 353 San	DIA Corporation 5 Monroe St ta Clara, CA	on 95051, US/	A					
nvidia									
	Size	CAGE Code		DWG NO					Rev
	В								
Wednesday, December 19, 2001	Scale	1		I	Sheet	1	of	13	
2					1				

{Item}\t{Quantity}\t{Reference}\t{Source Package} {User DEFINE} \t{Value}\t{Assembly}





## 1a. NVXX HOST

(D)	NVIDIA Corporation 3535 Monroe St Santa Clara, CA 95051, USA										
nvidia											
	Size C	CAGE Code		DWG NO					Rev		
Wednesday, December 19, 2001	Scale				Sheet	2	of	13			

