
## PG600-B02 NIGHTHAWK

## GB3B-384, 6GB GDDR5 128Mx32 DP + HDMI/DP + DP + DP + DVI-I

## TABLE OF CONTENTS

Page	Description
1	Table of Contents
2	Block Diagram
3	PCI Express
4	MEMORY: GPU Partition A/B
5	MEMORY: FBA[31:0]
6	MEMORY: FBA[63:32]
7	MEMORY: FBB[31:0]
8	MEMORY: FBB[63:32]
9	MEMORY: GPU Partition C/D
10	MEMORY: FBC[31:0]
11	MEMORY: FBC[63:32]
12	MEMORY: FBD[31:0]
13	MEMORY: FBD[63:32]
14	MEMORY: GPU Partition E/F
15	MEMORY: FBE[31:0]
16	MEMORY: FBE[63:32]
17	MEMORY: FBF[31:0]
18	MEMORY: FBF[63:32]
19	GPU PWR and GND
20	GPU Decoupling
21	DACA Interface
22	IFPAB DVI-I-DL
23	IFPEF DP + DP
24	IFPC HDMI/DP
25	IFPD DP







NVIDIA CORPORATION 2701 SAN TOMAS EXPRESSWAY

SANTA CLARA, CA 95050 LISA

600-1G600-BASE-QS1 PCB REV

ALL MIGNA DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEING PROVIDED AS IS THE MATERIALS MAY CONTAIN NOWN AND LINKNOWN WOLKNOWN WOLKNOWN OLD THOSE OF DEFENDENCES, THE MATERIALS MAY CONTAIN NOWN AND LINKNOWN WOLKNOWN WOLK DATE 21-APR-2015 BOM REV





Page4: MEMORY: GPU Partition A/B ### 1940 P. 19 FEG. 7 Rep. DO
FEG. 7 FBB. CAMOS | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | Fig. Doi: 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10.100 | 10 FBA\_CMD-0-1
FBA\_CMD-0-1 CANDO 1
CANDO CAS\*
CRE\*
RST\*
RAS\*
A1,A9
A0,A10
A12,RFU
AB,A11
A7,A8
WE\*
A5,BA1
A4,BA2
A2,BA0
A3,BA3
CSF AH49
AK49
FBA\_DQM1
AP47
FBA\_DQM2
AM49
BJ51
FBA\_DQM3
BG53
FBA\_DQM5
BA50
FBA\_DQM6
BB47
FBA\_DQM7
FBA\_DQM7 E51 FBB\_DOMO
G53 FBB\_DOM1
N50 FBB\_DOM2
M47 FBB\_DOM3
AF49 FBB\_DOM4
AD49 FBB\_DOM6
Y47 FBB\_DOM6
FBB\_DOM6
FBB\_DOM6
AB49 FBB\_DOM7 FBA\_DQS\_WP0 FBA\_DQS\_WP1 FBA\_DQS\_WP2 FBA\_DQS\_WP3 FBA\_DQS\_WP4 FBA\_DQS\_WP5 FBA\_DQS\_WP5 FBA\_DQS\_WP7 C724 0.1uF 16V 10% X7R 0402 C74 22uF 6.3V 20% XSR 0805 COMM 16V 10% X7R 0402 COMM MICRO-STAR INT'L CO.,LTD MS-V323 MEMORY: GPU Partition A/B NVIDIA CORPORATION 2701 SAN TOMAS EXPRESSWAY BASE LEVEL GENERIC SCHEMATIC ONLY MEMORY: GPU Partition A/B SANTA CLARA, CA 95050, USA NV\_PN 600-1G600-BASE-QS1

PCB REV

PG600-B02

ALL HORD ASSIGN SPECIFICATIONS, REFERENCE SPECIS CATAONS, REFERENCE SOURCE, FLES, DRAWINGS, DUGANISTICS, LUSTS AND OTHER DOCUMENTS ON RECOMMENTION (FOCENS AND SEPARATELY, MATERIALS) ARE EXEMPROVIDED 16 IS THE MATERIALS MAY CONTRIAN INCOMING AND LANDOWN INCLATIONS ON DEVIATIONS OF INDUSTRY'S TANDARDS, MAY SEPCIFICATIONS, WHICH MAKES NO WARRANTIES, EMPRESSED, IMPLIED, STATUTIONS OF OHERWISE WITH REPERT TO THE MATERIALS OR OTHERWISE AND EMPRESSED IN SECURITY OF THE MATERIALS OF THE MATERIALS OR OTHERWISE AND EMPRESSED IN SECURITY OF THE MATERIALS OF THE MATERIALS OR OTHERWISE AND EMPRESSED IN SECURITY OF THE MATERIALS OF THE MATER

Page5: MEMORY: FBA Partition 31..0 M11C
@memory.u\_mem\_so\_
BGA170\_MERR
COMMON

Mirrored F-VDD 431VDD C10
VDD C55
VDD G11
VDD G11
VDD G11
VDD G14
VDD G4
VDD L11
VDD L14
VDD L4
VDD L4
VDD R10
VDD R10
VDD R10
VDD R10 FBA\_CMD<7> V4 DQ0
V2 DQ1
T4 DQ2
T2 DQ3
N4 DQ4
N2 DQ5
M4 DQ6
M2 DQ7 A11 DQ16
A13 DQ17
B11 DQ18
B13 DQ19
E11 DQ20
E13 DQ21
F11 DQ22
F13 DQ23 Fba\_D<0>
Fba\_D<1>
Fba\_D<2>
Fba\_D<3>
Fba\_D<4>
Fba\_D<5>
Fba\_D<6>
Fba\_D<6>
Fba\_D<7> Fba\_D<16> Fba\_D<17> Fba\_D<18> Fba\_D<19> Fba\_D<20> Fba\_D<20> Fba\_D<21> Fba\_D<22> Fba\_D<23> P2 EDC0 DBI0 J12 CLK CLK V11 DQ8 V13 DQ9 T11 DQ10 T13 DQ11 N11 DQ12 N13 DQ13 M11 DQ14 M13 DQ15 Fba\_D<8> Fba\_D<9> Fba\_D<10> Fba\_D<11> Fba\_D<12> Fba\_D<13> Fba\_D<14> Fba\_D<15> Fba\_D<24>
Fba\_D<25>
Fba\_D<26>
Fba\_D<27>
Fba\_D<28>
Fba\_D<28>
Fba\_D<28>
Fba\_D<29>
Fba\_D<30>
Fba\_D<31> A4 DQ24 A2 DQ25 B4 DQ26 B2 DQ27 E4 DQ28 E2 DQ29 F4 DQ30 F2 DQ31 C652 820pF 50V 10% X7R 0402 COMMON 0. C604 820pF 50V 10% X7R 0402 COMMO R639 1.33k 1 % 0402 COMMON A5 NC\_RFU\_A5 V5 NC\_RFU\_V5 PBA\_VREFC

0.140A
R650
1210hm FBA\_Z0\_1

0402 1 % COMMON
R638
00hm FBA\_SEN\_1 R96 1.33k 1% 0402 COMMON R100 9310hm 1% 0402 COMMON C86 1nF = 16V 10% X7R 0402 COMMON C585 10uF 6.3V 10% XSR 0805 C657 4.7uF 6.3V 20% XSR 0603 C647 1uF 6.3V 10% XSR 0402 C655 1uF 63V 10% XSR 0402 C590 4.7uF 6.3v 20% XSR 0603 C600 1uF 6.3V 10% x5R 0402 C609 1uF 6.3V 10% XSR 0402 C641 1uF 6.3V 10% XSR 0402 MICRO-STAR INT'L CO.,LTD MS-V323 Size Document Description
Custom 05 MEM FBA 31\_0
Date: Monday, May 11, 2015 C643 1uF 6.3V 10% XSR 0402 CDMM C616 1uF 6.3V 10% X5R 0402 C0MM C618 1uF 6.3V 10% X5R 0402 C0MM C588 10uF 6.3V 10% XSR 0805 C594 4.7uF 6.3V 20% XSR 0600 C667 4.7uF 6.3V 20% XSR 0603 NVIDIA CORPORATION 2701 SAN TOMAS EXPRESSWAY

MS-V323

WS-V323

WS-

Page6: MEMORY: FBA Partition 63..32 Normal | Column | C M12D Smemory.u\_mem BGA170 COMMON NORMAL FBA\_CMD<23> FBA\_CMD<21>
FBA\_CMD<20>
FBA\_CMD<29>
FBA\_CMD<30>
FBA\_CMD<30>
FBA\_CMD<28>
FBA\_CMD<28>
FBA\_CMD<27>
FBA\_CMD<27>
FBA\_CMD<27>
FBA\_CMD<225
FBA\_CMD<225 8memory.u\_mem BGA170 COMMON NORMAL V11 DQ16
V13 DQ17
T11 DQ18
T13 DQ19
N11 DQ20
N13 DQ21
M11 DQ22
M13 DQ21
M11 DQ22 Fba\_D<32> Fba\_D<33> Fba\_D<34> Fba\_D<35> Fba\_D<36> Fba\_D<37> Fba\_D<38> Fba\_D<39> Fba\_D<48>
Fba\_D<49>
Fba\_D<50>
Fba\_D<51>
Fba\_D<52>
Fba\_D<53>
Fba\_D<53>
Fba\_D<55> A1 VSS0
A12 VSS0
A14 VSS0
A14 VSS0
A15 VSS0
C1 R13 EDC2 P13 OBI2 VREF C2 EDC0 D2 DBI0 C653 820pF 50V 10% X7R 0402 COMMON V4 DQ24 V2 DQ25 T4 DQ26 T2 DQ27 N4 DQ28 N2 DQ29 M4 DQ30 M2 DQ31 Fba\_D<40> Fba\_D<41> Fba\_D<42> Fba\_D<43> Fba\_D<44> Fba\_D<45> Fba\_D<46> Fba\_D<47> Fba\_D<66> Fba\_D<65> Fba\_D<68> Fba\_D<69> Fba\_D<60> Fba\_D<60> Fba\_D<66> Fba\_D<66> R2 EDC3 P2 DBI3 A5 NC\_RFU\_A5 NC\_RFU\_V5 J14 C628
1nF
10V
10%
X7R
0402
COMMON 0402 1 COMMON FBA\_20\_2\_B
0402 1 COMMON FBA\_SEN\_2
0402 05 055 055 050 050 J13 ZQ J10 SEN C586 10uF 6.3V 10% XSR 0805 C595 4.7uF 6.3V 20% XSR 0600 C668 4.7uF 6.3v 20% XSR 0603 C611 1uF 6.3V 10% x5R 0402 C621 1uF 6.3V 10% XSR 0402 C649 1uF 6.3V 10% XSR 0402 C639 1uF 63V 10% XSR 0402 C601 1uF 6.3V 10% XSR 0402 MICRO-STAR INT'L CO.,LTD MS-V323 C638 1uF 63V 10% X5R 0402 C0MM C587 10uF 6.3v 10% xSR 0805 C592 4.7uF 6.3v 20% XSR 0603 C614 1uF 6.3V 10% XSR 0402 COMM C662 4.7uF 6.3V 20% XSR 0603 C598 1uF 6.3V 10% XSR 0402 Document Description
Page6: MEMORY: FBA Partition 63..32 NVIDIA CORPORATION 2701 SAN TOMAS EXPRESSWAY BASE LEVEL GENERIC SCHEMATIC ONLY MEMORY: FBA[63:32] SANTA CLARA, CA 95050, USA NV\_PN 600-1G600-BASE-QS1

PCB REV

PG600-B02

ALL WIDDA DESIGN SPECIPICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWNOS, DUGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEIND PROVIDED AS IS: THE MATERIALS MAY CONTAIN NOWN AND UNKNOWN OUNCLATIONS OR OF WINDOWS OF THE WATERIALS OR OTHERWISE. AND EXPRESS OF THE WATERIALS OF THE WATERIALS OR OTHERWISE. AND EXPRESS OF A PRINCIPLE OF OTHER WATERIALS OF CREATED AND EXPRESS OF A PRINCIPLE OF A RESIDENCE OR, OR RESIDENCE, OR ARRISES OF A PRINCIPLE OR, OR RESIDENCE, AND EXCEPT A TRADE ASSOCIATION. THE WATERIALS OF THE WA

Page7: MEMORY: FBB Partition 31..0 VDD C10

VDD C5

VDD C5

VDD G11

VDD G11

VDD G11

VDD G4

VDD L1

VDD L11

VDD L14


VDD L4


VDD L4

VDD R10


VDD R10

VDD R10 Fbb\_Cmd<7> /4 DQ0
/2 DQ1
T4 DQ2
T2 DQ3
N4 DQ4
N2 DQ5
N4 DQ6
M2 DQ7 A11 DQ16 A13 DQ17 B11 DQ18 B13 DQ19 E11 DQ20 E13 DQ21 F11 DQ22 F13 DQ23 Fbb\_D<0> Fbb\_D<1> Fbb\_D<2> Fbb\_D<3> Fbb\_D<4> Fbb\_D<5> Fbb\_D<6> Fbb\_D<7> Fbb\_D<17>
Fbb\_D<17>
Fbb\_D<18>
Fbb\_D<18>
Fbb\_D<20>
Fbb\_D<20>
Fbb\_D<21>
Fbb\_D<22>
Fbb\_D<22>
Fbb\_D<23> A1 VSS0
A14 VSS0
A15 VSS0
A16 VSS0
A17 VSS0
C11 VSS0
C11 VSS0
C12 VSS0
C12 VSS0
C14 VSS0
C14 VSS0
C15 VSS0
C15 VSS0
C16 VSS0
C17 VSS0
C17 VSS0
C17 VSS0
C18 VSS0
C19 V11 DQ8 V13 DQ9 T11 DQ10 T13 DQ11 N11 DQ12 N13 DQ13 M11 DQ14 M13 DQ15 Fbb\_D<24>
Fbb\_D<25>
Fbb\_D<26>
Fbb\_D<27>
Fbb\_D<28>
Fbb\_D<28>
Fbb\_D<29>
Fbb\_D<30>
Fbb\_D<31> A4 DQ24 A2 DQ25 B4 DQ26 B2 DQ27 E4 DQ28 E2 DQ29 F4 DQ30 F2 DQ31 C650 820pF 50V 10% X7R 0402 COMMON A5 NC\_RFU\_A5 NC\_RFU\_V5 R649 1210hm FBB\_20\_1
0402 1 COMMON R634 Oohm FBB\_SEN\_1 R95 1.33k 1% 0402 COMMON R99 931ohm 1 % 0402 COMMON C85 1nF 16V 10% X7R 0402 COMMON C581 10uF 6.3V 10% XSR 0805 C606 1uF 6.3V 10% XSR 0402 C654 1uF 6.3V 10% XSR 0402 C656 4.7uF 6.sv 20% xsr 0603 C589 4.7uF 6.3v 20% xsr 0603 C646 1uF 6.3V 10% x5R 0402 C608 1uF 6.3V 10% XSR 0402 C599 1uF 6.3V 10% XSR 0402 MICRO-STAR INT'L CO.,LTD MS-V323






Page9: MEMORY: GPU Partition C/D | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | FBD. CMDD | MAR | FBD. CMDD | Fig. Deb. 1982. Deb. 1 Fact Condicts
Fa E28 FBC\_DQM0 FBC\_DQM1 FBC\_DQM2 FBC\_DQM3 FBC\_DQM4 FBC\_DQM4 FBC\_DQM6 FBC\_DQM6 FBC\_DQM6 FBC\_DQM7 F28 F30 F30 F8C\_DOS\_WP1 F8C\_DOS\_WP2 F8C\_DOS\_WP2 F8C\_DOS\_WP4 F8C\_DOS\_WP4 F8C\_DOS\_WP5 F8C\_DOS\_WP6 F8C\_DOS\_WP6 F8C\_DOS\_WP6 F8C\_DOS\_WP7 MICRO-STAR INT'L CO.,LTD MS-V323 9: MEMORY: GPU Partition C/D NVIDIA CORPORATION 2701 SAN TOMAS EXPRESSWAY BASE LEVEL GENERIC SCHEMATIC ONLY SANTA CLARA, CA 95050, USA NV\_PN 600-1G600-BASE-QS1 ALL WIDDA DESIGN SPECIPICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWNOS, DUGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEIND PROVIDED AS IS: THE MATERIALS MAY CONTAIN NOWN AND UNKNOWN OUNCLATIONS OR OF WINDOWS OF THE WATERIALS OR OTHERWISE. AND EXPRESS OF THE WATERIALS OF THE WATERIALS OR OTHERWISE. AND EXPRESS OF A PRINCIPLE OF OTHER WATERIALS OF CREATED AND EXPRESS OF A PRINCIPLE OF A RESIDENCE OR, OR RESIDENCE, OR ARRISES OF A PRINCIPLE OR, OR RESIDENCE, AND EXCEPT A TRADE ASSOCIATION. THE WATERIALS OF THE WA PCB REV PG600-B02




PCB REV

PG600-B02

ALL WIDLD DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DUGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SPRANTLY, MATERILS) ARE BEING PROVIDED AS IS: THE MATERILS MAY CONTAIN NORW AND UNMOTION NO UNATIONS OR DESIGNATIONS OF THE MATERILS AND CONTAINS AND AND ADMINISTRY OF THE MATERILS OR OTHERWISE, AND EXPENSES OF MARRIAGES DEFRESSED, MILED, STATUTION OF OTHERWISE WITH RESPECT TO THE MATERILAS OR OTHERWISE, AND EXPENSES OF THE MATERILAS OF THE MATERILAS OR OTHERWISE, AND EXPENSES OF THE MATERILAS OF CREATION AND CONTROL OF THE MATERILAS OR OTHERWISE, AND EXPENSES OF THE MATERILAS OF A REPORT OF THE MATERILAS OF THE MATERIL





Page14: MEMORY: GPU Partition E/F AFT1 - REL DO

AFT1 -FRE. CMOD WITH FRE. C FBF\_CMD0 | SET | S FREE DOAD

FREE DOAD FRE CMD-0FRE CMD-1FRE CMD-1FRE CMD-3FRE CMD-1FRE CMD-2FRE CMD-2-FIELDAN

FIELDAN

FIE FBF\_CMO-0-1FBF\_CMO-0-2FBF\_CMO-2-2FBF\_CMO-2-2FBF\_CMO-3FBF\_CMO-3-2FBF\_CMO-3-2FBF\_CMO-3-2FBF\_CMO-1-3FBF\_CMO-2FBF\_CMO-2-3FBF\_CMO-3-3FBF\_CMO-3 FBE\_WCK01
FBE\_WCK00
FBE\_WCK00
FBE\_WCK00
FBE\_WCK02
FBE\_WCK02
FBE\_WCK02
FBE\_WCK02
FBE\_WCK02
FBE\_WCK04
FBE\_WC BJ3 FBF\_DOMO
BG1 FBF\_DOM1
BA4 FBF\_DOM2
BB7 FBF\_DOM3
AH5 FBF\_DOM4
AK5 FBF\_DOM6
AP7 FBF\_DOM6
FBF\_DOM7 AF6 FBE\_DQS\_WP0
AD6 FBE\_DQS\_WP1
Y5 FBE\_DQS\_WP2
AB6 FBE\_DQS\_WP2
E4 FBE\_DQS\_WP4
H6 FBE\_DQS\_WP5
R8 FBE\_DQS\_WP5
FBE\_DQS\_WP5
FBE\_DQS\_WP7 BJ4 FBF\_DQS\_WP0 BF6 FBF\_DQS\_WP1 AW8 FBF\_DQS\_WP2 BB6 FBF\_DQS\_WP3 AH6 FBF\_DQS\_WP4 AK6 FBF\_DQS\_WP6 AP5 FBF\_DQS\_WP6 AM6 FBF\_DQS\_WP6 C873 0.1uF 16V 10% X7R 0402 COMMO 16V 10% X7R 0402 COMMO MICRO-STAR INT'L CO.,LTD MS-V323 14.MFM F NVIDIA CORPORATION 0 2701 SAN TOMAS EXPRESSWAY BASE LEVEL GENERIC SCHEMATIC ONLY SANTA CLARA, CA 95050, USA

ALL NOW DESIGN SECONCTIONS, REFERENCE SPECIATIONS, REFERENCE SOLVED, FLES DEWINING, DUGGESTICS, LISTS AND OTHER DOCUMENTS OR RECORDATION (TOCERS AND SEPARATELY, NATIONALS), ARE EASY PROVIDED 16 IS THE MATERIALS MAY CONTAIN NOW AND UNKNOWN YOU LANDON OR DEVIATIONS OF ROLDERTY STANDARDS AND SPECIFICATIONS, WHICH MAKES NO WIRRHANTIES, EMPRESSED, MPLIED, STATUTIONY OR OTHERWISE WITH RESPECT TO THE MATERIALS OR OTHERWISE, AND EMPRESSED IS CONTAINED AND ADMINISTRATION OF ROLDERTY STANDARDS. AND SPECIFICATIONS, WHICH MAKES NO WIRRHANTIES INCLUDING, WITHOUT LIMITATION, THE WIRRHANTIES OF DESIGN OF NORMARISE STANDARDS.


NV\_PN


PCB REV


600-1G600-BASE-QS1


PAGE 14 OF 45


PG600-B02






















MICRO-STAR INT'L COLLITD


MS-V323

WS-V323


WS-V









195-0005-000 100k








Page30: PS: FBVDDQ GPIO7\_FBVDD\_SEL VOUT 1.56V 1.35V STUFF FOR APW8700 0402 5% DNI C179 1UF = 16V 10% XSR 0603 C0MMON VVVV317190 Rton=232Kohm => Fsw=300KHz Rton= Rrmp GPIO12\_PWR\_LVL 0 PS\_FBVDDQ\_PSI\* Under power C270u16v vvvv317190 C71-27116K1-2 1 PS FBVDDQ PSI\* GPIO12 PWR LVL Normal 2 PHASE OPERATION floating , GND



ALL WIDLD DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DUGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SPRANTLY, MATERILS) ARE BEING PROVIDED AS IS: THE MATERILS MAY CONTAIN NORW AND UNMOTION NO UNATIONS OR DESIGNATIONS OF THE MATERILS AND CONTAINS AND AND ADMINISTRY OF THE MATERILS OR OTHERWISE, AND EXPENSES OF MARRIAGES DEFRESSED, MILED, STATUTION OF OTHERWISE WITH RESPECT TO THE MATERILAS OR OTHERWISE, AND EXPENSES OF THE MATERILAS OF THE MATERILAS OR OTHERWISE, AND EXPENSES OF THE MATERILAS OF CREATION AND CONTROL OF THE MATERILAS OR OTHERWISE, AND EXPENSES OF THE MATERILAS OF A REPORT OF THE MATERILAS OF THE MATERIL











PCB REV

ALL WIDIN DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FLES, DRAWINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEING PROVIDED AS IS. THE MATERIALS MAY CONTAIN MORN AND IMPORT WOULD AND CONTROL OF THE MATERIALS OF THE M

- H (\* HAR) \* THAT

## Page31: PS: NVVDD Controller

VID T	GPIO3	GPIO2	GPIO1	GPIO0	VOUT
VID_5	VID_4	VID_3	VID_2	VID_1	
0	0	0	0	0	1.2125V
0	0	0	0	1	1.2000V
0	0	0	1	0	1.1875V
0	0	0	1	1	1.1750V
0	0	1	0	0	1.1625V
0	0	1	0	1	1.1500V
0	0	1	1	0	1.1375V
0	0	1	1	1	1.1250V
0	1	0	0	0	1.1125V
0	1	0	0	1	1.1000V
0	1	0	1	0	1.0875V
0	1	0	1	1	1.0750V
0	1	1	0	0	1.0625V
0	1	1	0	1	1.0500V
0	1	1	1	0	1.0375V
0	1	1	1	1	1.0250V
1	0	0	0	0	1.0125V
1	0	0	0	1	1.0000V
1	0	0	1	0	0.9875V
1	0	0	1	1	0.9750V
1	0	1	0	0	0.9625V
1	0	1	0	1	0.9500V
1	0	1	1	0	0.9375V
1	0	1	1	1	0.9250V
1	1	0	0	0	0.9125V
1	1	0	0	1	0.9000V
1	1	0	1	0	0.8875V
1	1	0	1	1	0.8750V
1	1	1	0	0	0.8625V
1	1	1	0	1	0.8500V
1	1	1	1	0	0.8375V






NVIDIA CORPORATION

ASSEMILY BASE LEVEL GENERIC SCHEAMTIC ONLY


ALL WIDEA DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE SOMEONS, FLES, DRAWNINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR REFERENCE SOMEONS, FLES, DRAWNINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR REFERENCE SOMEONS, FLES, DRAWNINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR REFERENCE SOMEONS, FLES, DRAWNINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR REFERENCE SOMEONS, FLES, DRAWNINGS, DIAGNOSTICS, LISTS AND OTHER MORE AND SEPRENCE TO THE MATERIALS DAY

ONLY OF THE SECONDAY


THE SE





-10/2006/2006





APRICADO
















NVIDIA CORPORATION

			1	AS EXPRESSWAY		1			
		ASSEMBLY	BASE LEVEL GENERIC SCHEMATIC ONLY POWER BRAKE AND LED			SANTA CLARA,	, CA 95050, USA		4
		PAGE DETAIL				NV PN	600-1G600-BASE-QS1		7
ALL INVIDIA DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEING PROVIDED AS IS: THE MATERIALS MAY									
CONTAIN KNOWN AND LINKNOWN VIOLATIONS OR DEVIATIONS OF INDUSTRY STANDARDS AND SPECIFICATIONS. NIVIDIA MAKES NO WARRANTIES, EXPRESSED, IMPLIED, STATUTORY OR OTHERWISE WITH RESPECT TO THE MATERIALS OR OTHERWISE, AND EXPRESSLY DISCLAIMS ALL								PAGE 43 OF 45	
MPLED WARRANTES INCLIDING, WITHOUT LINITATION, THE WARRANTES OF DESIGN, OF NONNFRINGEMENT, REPCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ARISING FROM A COURSE OF DEALING, TRADE USAGE, TRADE PRACTICE, OR INDUSTRY STANDARDS.								DATE 21-APR-2015	1
	A B C	D	F	F	G		Н		

-M/MM/PMA

