# TUF 3-GTX1660S-O6G-GUNDAM (CG161P)

**Repair Guide** 

# **Model List**


Model name	60PN			
TUF 3-GTX1660S-O6G-GUNDAM	YV0DSC	CG161P	2020/12/08	

## **STANDARD APPEARANCE**


TUF 3-GTX1660S-O6G-GUNDAM




#### **BLOCK DIAGRAM**



#### **POWER FLOW**




## **VOLTAGE MEASURE POINT**



## **BGA REFLOW PROFILE**

Setpoints (Co	elsius)									
Zone	1	2	3	4	5	6	7	8	9	10
Top	100	125	150	170	190	215	235	250	255	200
Bottom	100	125	150	170	190	215	235	250	255	200
Conveyor Sp	eed ( inc	h/min ):	26.00							



\_\_\_\_

PWI= 86%	Max Rising Slope		Max Falling Slope		Preheat 130-220C		Reflow Time /220C		Peak Temp		Tot Time /230C	
U4 CEN - 1	1.80	-28%	-2.69	18%	115.35	71%	86.97	84%	243.84	38%	67.38	43%
M2 - 1	2.07	-17%	-3.28	-13%	120.00	78%	86.84	83%	245.08	51%	68.78	47%
J7 - 2	2.15	-14%	-3.41	-21%	121,51	80%	84.73	78%	245,34	53%	68.12	46%
L7 - 2	2.35	-8%	-3.76	-38%	115.18	71%	89.37	96%	248.28	83%	63,36	68%
Delta	0.66		1.08	1000000	8.35	1000000	4.85	1 10000000	4.44	18000	8.00	12000