P690: GT218, DDR3 MEMORY 64MX16/32MX16

Page 1: P690 Overview

Page 2: PCI Express Interface

Page 3: Frame Buffer Interface

Page 4: DDR3 Memories

Page 5: DAC A Slim VGA

Page 6: DAC B VGA Header

Page 7: TMDS Interface

Page 8: DisplayPort Connector

Page 9: IFPC, IFPE Interface, Fan, Mechanical

Page 10: XTAL, ROM, SPDIF, JTAG

Page 11: Thermal Protection, IFP_IOVDD, Straps

Page 12: Power Supply I: FBVDD/Q, PEX_VDD, 5V, 3V3_F

Page 13: Power Supply II: PLLVDD, NVVDD

V183 2.0 pcb change list

Page 2: Add EC1802 for 12V_PEX use, G1.E15 pin NC

Page 3: Add R72

Page 5: ESD diose move to close connector side

Page 7: Add EMI suggestion Page 8: Add HDMI function

Page 8: G1.H6 pin connector to GND

Page 9: G1.P6 D7 pin connector to GND

Page 10: Del JTAG · I2C SCH, U503 pin 3 connector to ROM_VCC

Page 12: Change FBVDDQ PWM sch, Add C99 for 3V3_PEX

Page 12 : Change PEX_VDD . 5V

Page 13: Change NVVDD PWM sch

Page 13: Del PEX_PLL sch

V183 2.3 pcb change list

Page 8: HDMI change to Link C

V183 5.0 pcb change list

Page 5 : Del Slim type VGA connector

Page 6: Del Fly cable VGA connector


Page 7: Del DVI-I connector, Add DMS59 connector


Page 8 : Del HDMI connector


| 1 | MOJ. | VARIANT | NVPN | ASSEMBLY | | |
|-----|------|-------------------------|-------------------------|---|---|--|
| | В | BASE | 600-10690-BASE-000 | BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL | | |
| | 1 | SKU0000 | 600-10690-0000-000 | GT218-300, 550/1375/800, 512MB/64bit, 64Mx16 DDR3, DVI-DL+DP+VGA, DT | | |
| | 2 | <undefined></undefined> | <undefined></undefined> | <undefined></undefined> | 1 | |
| | 3 | <undefined></undefined> | <undefined></undefined> | <undefined></undefined> | | |
| | 4 | <undefined></undefined> | <undefined></undefined> | <undefined></undefined> | | |
| | 5 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 6 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 7 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 8 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 9 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 0 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| - 1 | 1 | <undefined></undefined> | <undefined></undefined> | <undefined></undefined> | | |
| | 2 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 3 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 4 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | 5 | <undefined></undefined> | <undefined></undefined> | <undefineds< th=""><th></th><th></th></undefineds<> | | |
| | | | | | | |


NVIDIA CORPORATION ANTA CLARA, CA 95050, USA 600-10690-BASE-000 A NV_PN


ALL WICH A ESION SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE BOARDINGS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS ON PROBACTION (DISCHERA AND SEPRANLEY, MUTERALS) AND EARLY OF THE MATERIALS AND CONTAIN PROVIDED AS IT. THE MATERIALS AND THE ROCK AND THE AND
































| Title: Basienet Report | FBA_CMD-286> 3.9C 3.4H 4.2A 4.2C | FBA_DQS_WPo4> 3.1G 3.4B 4.4D | NVVDD 132G | PEX_TXX3* 2:3A<2:3D | SNN_FBA2_NC_A11 4.9C | STRAP2 10.3C<11.1G>11.4A> |
|--|--|--|--|--|---|--|
| Design: design Date: Dec 1 21:48:15 2008 | 4.2E 4.2F FBA_CMD<27> 3.3C 3.4H 4.2A 4.2C | FBA_DQS_WP-d5 | NVVDD_SENSE | PEX_TXX4 2:3Ac2:3D PEX_TXX4* 2:3Ac2:3D | SNN_FBA2_NC_J2 4.2C SNN_FBA2_NC_J10 4.2C | 11.4B STRAP_REF0 10.1G< 10.9C |
| | 4.2E 4.2F | FBA_DQS_WP<7> 3.1G 3.4B 4.5E | PEX_CLKREQ* 2.1E 2.1G< | PEX_TXX5 2:3Ac 2:3D | SNN_FBA2_NC_L2 4.2C | STRAP_REF1 10.1G< 10.9C |
| asse nets and synonyms for | FBA_CMD<28> 3.9C 3.3E 4.3E 4.3F | FBA_ZQ0 4.1G< 4.3A | PEX_PLL 13.2G | PEX_TXX5* 2:3A<:2:3D | SNN_FBA2_NC_L10 42C | THERMDA 10.1G< 10.2C |
| ssign_lb.DESIGN(@design_lb.design(sch | FBA_CMD<20> 3.90 3.4H 4.1A 4.1C FBA_CMD<30> 3.2E 3.3C 4.3A 4.9C | FBA_ZQ1 4.1G<4.9C FBA_ZQ2 4.1G<4.9E | PEX_PLLVDD 2.1G<2.5F PEX_PRSNT 2.1C.2.1G< | PEX_TXX6 2:3A<2:3D PEX_TXX6* 2:3A<2:3D | SNN_FBA2_NC_M8 42C SNN_FBA2_NC_T1 4.9C | THERMDC 10.1C 10.1G< THERM_N 11.1G<11.2C |
| se Signal Location([Zone][dir]) | FBA_D S 3.18 4.48 | FBA_ZQ2 4.1Gc.4.3E FBA_ZQ3 4.1Gc.4.3F | PEX_PERCIX 2.10.2.1Gz | PEX_TXX7 2.3A+2.3D | SNN_FBA2_NC_T1 4.3C SNN_FBA2_NC_T8 4.2C | THERM_N_R 11.1G<11.2B |
| | FBA_D483.0> 3.1A>3.1G>4.4A> | FBVDDQ 12.2H | PEX_REFCLK* 2.2D 2.5A< | PEX_TXX7* 2.3D 2.4A< | SNN_FBA2_NC_T11 4.9C | THERM_P* 11.1G<11.2C |
| | FBA_D<1> 3.18 4.48 FBA D<2> 3.18 4.48 | FB_CAL_PD_VDDQ 3.2G<3.4C | PEX_RST 11.10c 11.3C PEX_RST* 2.2Do 11.10c 11.2Ec | PEX_TXX8 2.4Ac.2.4D PEX_TXX8* 2.4Ac.2.4D | SNN_FBA3_NC_A1 4.3E SNN_FBA3_NC_A11 4.3E | THERM_P_Q 11.1Gc11.2B THERM SHUTDOWN* 11.1Gc 11.2Ac 13.4Ac |
| USE 12.2H EX 13.2G | FBA_0<2> 3.18 4.48 FBA_0<3> 3.18 4.48 | FB_CAL_PU_OND 3.2G< 3.4C FB_CAL_TERM_GND 3.2G< | PEX_RST* 220> 11.10c 11.2Ec PEX_RST_R* 11.10c 11.2E | PEX_TXX8* 24A<24D PEX_TXX9 24A<24D | SNN_FBA3_NC_A11 4.3E SNN_FBA3_NC_J2 4.2E | THERM_SHUTDOWN* 11.1G> 11.2A> 13.4Ac XTALOUTBUFF 10.1Fc 10.5E |
| PROT 11.1H | FBA_D<4> 3.18 4.48 | FB_PLIAVDD 3.2G< 3.5C | PEX_RX0 2.2D 2.4A< | PEX_TXX9° 2.4A<2.4D | SNN_FBA3_NC_J10 4.2E | XTALSSIN 10.1F<10.5C |
| 12.2H | FBA_D-do 3.18 4.48 | FB_VREF_A 4.1G< 4.3D | PEX_RX0* 2.2D 2.4A c | PEX_TXX10 2.4Ac 2.4D | SNN_FBA3_NC_L2 4.2E | XTAL_IN 10.1F< 10.5C |
| PEX 13.2G | FBA_D<6> 3.18 4.48 | FB_VREF_A_Q 4.1G< | PEX_RX1 2.2D 2.4A< | PEX_TXX10° 2.4Ac 2.4D | SNN_FBA3_NC_L10 42E | XTAL_OUT 10.1F< 10.5D |
| A_BLUE 5.1G<5.4C A_BLUE_C 5.1G>5.4F>7.3F< | FBA_D<7> 3.1B 4.4B FBA_D<8b 3.1B 4.4B | FB_VREF_B 4.1G< 4.3H FB_VREF_B_Q 4.1G< | PEX_RX11 | PEX_TXX11 | SNN_FBA3_NC_M8 4.2E SNN_FBA3_NC_T1 4.3E | |
| GREEN 5.1G<5.4C | FBA_D 0> 3.18 4.58 | GPI00_DVI_A_HPD 7:1G<7:4D | PEX_RX2* 2.3D.2.4A< | PEX_TXX12 24Ac24D | SNN_FBA3_NC_T8 4.2E | |
| GREEN_C 5.1G> 5.4F> 7.3F< | FBA_D<10> 3.18 4.58 | GPI00_DVI_A_HPD_C 7.1G=7.3F | PEX_RX3 2.3D 2.4A< | PEX_TXX12* 2.4A<2.4D | SNN_FBA3_NC_T11 4:3E | |
| CA_HSYNC 5.1G<5.4C | FBA_D<11> 32B 4.5B | GPI00_DVI_A_HPD_R 7.1G< 7.4E | PEX_RX3* 2:3D 2:4A< | PEX_TXX13 2.4A<2.5D | SNN_FBA4_NC_A1 4.3F | |
| A_HSYNC_C 5.1G> 5.3F> 7.4F< A_HS_BUF 5.1G< 5.3D | FBA_D<12> 3.28 4.58 FBA_D<13> 3.28 4.58 | GPIO4_FAN_TACH 9.1G<9.4D>10.2E< GPIO5_NVVDDCTL 10.2E>13.1G<13.5D< | PEX_RX4 2.3D 2.4Ac PEX_RX4* 2.3D 2.4Ac | PEX_TXX13* 2.4A<2.5D PEX_TXX14 2.4A<2.5D | SNN_FBA4_NC_A11 4.3F SNN_FBA4_NC_J2 4.2F | |
| A_RED | FBA_D<14> 328 4.58 | GPIOS_NVVDDCTL_R 13.4E | PEX_RX5 2.3D 2.4A< | PEX_TXX14* 24Ac 25D | SNN_FBA4_NC_J10 4.2F | |
| _RED_C 5.1G>5.4F>7.3F< | FBA_D<15> 3.28 4.58 | GPIO8_THERM_OVERT* 10.2E> 11.1G< 11.2D< | PEX_RXS* 2.3D 2.4A< | PEX_TXX15 2.4A< 2.5D | SNN_FBA4_NC_L2 4.2F | |
| RSET 52G<5.48 | FBA_D<16> 3.28 4.4C | GPI09_FAN_PWM 9.1G> 9.4D< 10.2E> | PEX_RX6 2:3D 2:5A< | PEX_TXX15* 2.4Ac 2.5D | SNN_FBA4_NC_L10 42F | |
| VREF 5.2G-5.4B VSYNC 5.1G-5.4C | FBA_D<17> 3.28 4.4C FBA_D<18> 3.28 4.4C | GPIO19_IFPD_HPD_8.1F<8.4D | PEX_RX6* 2.3D 2.5A< PEX_RX7 2.3D 2.5A< | PEX_VDD 12.2H PS 3V3 FUSE FAULT 12.1G<12.3F | SNN_FBA4_NC_M8 42F SNN_FBA4_NC_T1 4.3F | |
| _VSYNCS.1G<-S.4C _VSYNC_C | FBA_D<18> 3.28.4.4C FBA_D<19> 3.28.4.4C | GPIO_DP_HPD_C 8.1F<8.4F GPIO_DP_HPD_R 8.1F<8.4E | PEX_RX7 2.3D 2.5A< PEX_RX7* 2.4D 2.5A< | PS_3V3_FUSE_FAULT 12.1G<12.3F PS_3V3_FUSE_ISET 12.1G<12.3F | SNN_FBA4_NC_T1 4.3F SNN_FBA4_NC_T8 4.2F | |
| _VS_BUF | FBA_D<20> 3.28 4.40 | GPIO_DP_HPD_R 8.1F< 8.4E GPU_PLLVDD 10.1F< 10.4C | PEX_RX8 2.4D 2.5A < | PS_3V3_FUSE_SLEW 12.1G< 12.3F PS_3V3_FUSE_SLEW 12.1G< 12.3F | SNN_FBA4_NC_T11 4.3F | |
| 3_BLUE 6.1G< 6.4C | FBA_D<21> 3.28 4.4C | GPU_TESTMODE 10.1G< 10.4E | PEX_RX8* 2.4D 2.5A c | PS_5V_ADJ 12.1G< 12.2B | SNN_FB_VREF 3.5B | |
| 3_BLUE_C | FBA_D<22> 3.28 4.4C | 12CA_SCL 5.1G<5.2C<10.2E> | PEX_RX9 2.4D 2.5A< | PS_FBVDDQ_BOOT 12.1G< 12.3E | SNN_GPIO2 10.2E | |
| 3_GREEN 6.1G < 6.4C | FBA_D<23> 3.28 4.4C | 12CA_SCL_C 5.1F> 5.1G> 7.3F< | PEX_RX9* 2.4D.2.5A< | PS_F8VDDQ_CP 12.10<12.4E | SNN_GPIO3 10.2E | |
| _GREEN_C | FBA_D<24> 3.28 4.4C FBA_D<25> 3.28 4.5C | 12CA_SDA 5.1G⇔5.2C⇔10.2E⇔ 12CA_SDA_C 5.1G⇔5.2F⇔7.3F⇔ | PEX_RX10 24D 25Ac PEX_RX10* 24D 25Ac | PS_FBVDDQ_CP_RC 12:1G<12:4E PS_FBVDDQ_EN 12:1G<12:5C | SNN_GPIO6 10.2E SNN_GPIO7 10.2E | |
| B_HSYNC_C | FBA_D<26> 3284.5C FBA_D<26> 3284.5C | 12CA_SDA_C 5.1G+5.2F+5.7.3F+5 12CB_SCL 6.1G+6.2C+10.2E> | PEX_RX10 2.4D 2.5A c PEX_RX11 2.4D 2.5A c | PS_FBVDDQ_EN* 12.1G< 12.5C PS_FBVDDQ_EN* 12.1G< 12.5C | SNN_GPI010 10.2E SNN_GPI010 10.2E | |
| B_HS_BUF 6.1G<6.3D | FBA_D<27> 32B 4.5C | 12CB_SCL_C 6:1G<6:2E | PEX_RX11* 24D2.5Ac | PS_FBVDDQ_FB 12:1G= 12:4E | SNN_GPI011 10.2E | |
| :B_RED | FBA_D<28> 3.28 4.5C | 12CB_SDA 6.1G ⇔ 6.2C ⇔ 10.2E ⇔ | PEX_RX12 2.4D.2.5Ac | PS_FBVDDQ_FB_RC 12.1Gc 12.4G | SNN_GPI012 10.2E | |
| B_RED_C 6:1G<6:4E | FBA_D<29> 3.28 4.5C | 120B_SDA_C 6.1G-6.2E | PEX_RX12* 2.5A<2.5D | PS_FBVDDQ_FS 12.10=12.4D | SNN_GPI013 10.2E | |
| S_RSET 6.2G-6.4B | FBA_D<30> 3.28 4.5C FBA_D<31> 3.28 4.5C | 12CC_SCL 10.1G<10.2E 12CC_SCL_R 10.1G<10.2F | PEX_RX13 | PS_FBVDDQ_LG 12.1G<12.4E PS_FBVDDQ_PHASE 12.1G<12.4E | SNN_GPI014 10.2E SNN_GPI017 10.3E | |
| B_VREF 8.2G-8.4B B_VSYNC 8.1G-8.4C | FBA_D<32> 3.28 4.90 FBA_D<32> 3.28 4.4D | 12CC_SCI_R 10.1G< 10.2F 12CC_SDA 10.1G< 10.2E | PEX_RX13* 2:5A<2:5D PEX_RX14 2:5A<2:5D | PS_FBVDDQ_PVCCS 12:10<12:3E | SNN_GPI017 10.3E SNN_GPI018 10.3E | |
| CB_VSYNC_C 6:1G<6:3E | FBA_D<33> 3.28 4.4D | I2CC_SDA_R 10.1G< 10.2F | PEX_RX14* 2:5Ac 2:5D | PS_FBVDDQ_RC 12.1G< 12.4G | SNN_GPU_AA6 10.3C | |
| C8_VS_BUF 6.1G< 6.3D | FBA_D<34> 3.2B 4.4D | I2CH_SCL 10.1Gc 10.3E | PEX_RX15 2.5Ac 2.5D | PS_FBVDDQ_UG 12.1G< 12.4E | SNN_GPU_C15 9.2H | |
| 5V 12.2H | FBA_D<35> 3.2B 4.4D | 12CH_SDA 10.1G<10.3E | PEX_RX15* 2.5A<2.5D | PS_FBVDDQ_UG_R 12.1G=12.3F | SNN_GPU_D15 9.2H | |
| MODE* 8.1F< 8.2F MODE_C 8.1F< 8.3G | FBA_D<36> 3.28 4.4D FBA_D<37> 3.28 4.4D | I2CS_SCL | PEX_SMCLK 2.1D> 10.1G< 10.3B PEX_SMDAT 2.2D⇔ 10.1G⇔ | PS_FBVDDQ_VCC5 12.1G<12.3D PS_FBVDDQ_VCC12 12.1G<12.3E | SNN_GPU_IS 9.2H SNN_GPU_NS 10.3C | |
| MODE_C 8.1F<8.3G CLK0 3.1G>3.4D>4.2A< | FBA_D<37> 3.28 4.4D FBA_D<38> 3.28 4.4D | 12CS_SDA 10.1G<-10.2C IFPAB_IOVDD 7.2G<-7.3C | PEX_SMDAT 2.2D > 10.1G > 10.38 > | PS_FBVDDQ_VCC12 12.1G< 12.3E PS_NVVDD_BOOT 13.1G< 13.9C | SNN_GPU_NS 10.3C SNN_GPU_T8 10.3C | |
| 4.2Bc 4.4Ac | FBA_D<30> 3.28 4.4D | IFPAB_IDVDD 7.2G<7.3C | PEX_TCLK 2.1D> 10.2Ac 10.2Gc | PS_NVVDD_CP 13.1G<13.3C | SNN_GPU_W6 10.9C | |
| _CLK0* 3.1G> 3.4D> 4.2A< | FBA_D+40> 3:28 4:4D | IFPAB_RSET 7.2G< 7.3C | PEX_TDI 2.1D> 10.2A< 10.2G< | PS_NV/DD_CP_RC 13.1G<13.4D | SNN_GPU_Y8 10.3C | |
| 4.28<.45A< | FBA_D<41> 3.38 4.5D | IFPAB_TXC 7:1G∈7.4D | PEX_TD0 2:10 | | | |

Е

Α

С

