P393-A01 Base Design

P393-A01, G92, 8Mx32/16Mx32 GDDR3 (800/1000 MHz), DVI-I-DL, DVI-I-DL/DisplayPort, HDTVout/Stereo

Table of Contents:

Page 1: Overview

Page 2: PCI Express 1.0

Page 3: MEMORY: GPU Partition A/B

Page 4: MEMORY: GPU Partition C/D

Page 5: FBA Partition

Page 6: FBB Partition

Page 7: FBC Partition

Page 8: FBD Partition

Page 9: FrameBuffer Net Rules

Page 10: DACA Interface

Page 11: DACC Interface

Page 12: IFP A/B and C/D Interface

Page 13: DACB and Stereo Interface

Page 14: Multi-use IO(MIO) Interface

Page 15: DisplayPort Transmitter

Page 16: MISC: GPIO, I2C, BIOS, PLL, and XTAL

Page 17: Thermal Control/Protection and SPDIF Input

Page 18: Power/GND and Decoupling

Page 19: Configuration Straps and Mechanical

Page 20: Power Supply: 5V, STEREO_5V, 2V5, DP_PWR

Page 21: Power Supply: 1V2, 1V8

Page 22: Power Supply: FBVDD/Q, 8V5

Page 23: Power Supply: NVVDD Regulator

Page 24: Power Supply: NVVDD Phase 1 & 2

Page 25: Power Supply: NVVDD Phase 3

Page 26: Power Supply: Filter/Detection 3V3, 12V, 12V PEX6

Page 27: Power Supply: Hybrid Power

1.V117-0C Base on P393

2.page 2 del Q1209.R1219.R58.R55, circuit .del net pex rst link page27

3.page 10 del I2CA SCR R,I2CA SDA R link net Page 27

4.page 11 del I2CB_SCR_R,I2CB_SDA_R link net page27

5.page 15 del Display port circuit

6.page 16 del I2CS for Hybrid power circuit, del GPIO 4/10 net, R91 link gnd, del R66,R75

7.page 14 del MIOB D2/3/4/5/6/7/10 net link page 19

8.page 20 del DP POWER circuit

9.page 27 del Hybrid power circuit

10.page 3/5/6. update FBA_CMD(25..0)/FBB_CMD(25..0)

11.page 4/7/8. update FBC CMD(25..0)/FBD CMD(25..0)

12.page 17. del GPIO4 FAN PWM R net

13.page 17. Del SPDIF circuit , change p403 SPDIF circuit

14.page 12. add EMI

				_
sxu	VARIANT	NVPN	ASSEMBLY	11
В	BASE	600-10393-base-100	P393 - BASE LEVEL GENERIC SCHEMATIC ONLY, COMMON & NO_STUFF ASSEMBLY NOTES AND BOM NOT FINAL	1
1	SKU_DT_0000	600-10393-0000-100	P393 G92-300 512MB GDDR3 16Mx32 DVI-I+DVI-I+HDTV	1
2	SKU_DT_0002	600-10393-0002-100	P393 G92-200 512MB GDDR3 16Mx32 DVI-I+DVI-I+DVI-I+DTV	1
3	SKU_WS_0500	600-50393-0500-100	P393 G92-875 512MB GDDR3 16Mx32 DVI-I+DP4STEREO	1
4	SKU_WS_0501	600-50393-0501-100	P393 G92-850 512MB GDDR3 16Mx32 DVI-I+DVI-I+DTV	1
5	SKU_DT_0004	600-10393-0004-100	P393 G92-270 512MB GDDR3 16Mx32 DVI-I+DVI-I+HDTV	1
6	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
7	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
8	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
9	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
10	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
11	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
12	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
13	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П
14	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	1
15	<undefined></undefined>	<undefined></undefined>	<undefined></undefined>	П

ALL INVIDIA DESIGN SPECIFICATIONS, REFERENCE SPECIFICATIONS, REFERENCE SOARDS, FILES, DRAWINSS, DIAGNOSTICS, LISTS AND OTHER DOCUMENTS OR INFORMATION (TOGETHER AND SEPARATELY, MATERIALS) ARE BEING PROVIDED AS IS: THE MATERIALS MAY



COMPAN INDIVIDUAL DUNNOMN VIOLATIONS OF REVIATIONS OF INDUSTRY STANDARDS AND SPECIFICATIONS. WIND MAKES SO WERRANTIES, EMPERANTIES, ENTRE STANDARDS WITH ESPECT TO THE MITTERIALS OR OTHERWISE, AND EXPRESS AND SECURITIES.

**PRESS AND STANDARD STANDARD STANDARDS AND SPECIFICATIONS. WIND MAKES SO WERRANTIES, EMPERANTIES, ENTRE STANDARDS OR STANDARDS OR CONTROL TO THE SERVICE OF THE STANDARD STANDARDS OR STAN



















































