MS-V378-22
E2904
4GB GDDR5, 128b, 256Mx32
modular displays

TABLE OF CONTENTS

Page	Description
1	Table of Contents
2	BLOCK DIAGRAM
3	PCI Express
4	GPU FB_AB
5	MEM: FBA[31:0]
6	MEM: FBA[63:32]
7	MEM: FBB[31:0]
8	MEM: FBB[63:32]
9	GPU PWR
10	GPU GND FBVDDQ
11	IFPAB
12	IFPEF
13	IFPCD
14	GPIO, THERMAL, MISC
15	Straps,ROM, XTAL,
16	Power Sequence Control
17	1V8_AON
18	PEXVDD
19	FBVDD CONTROLLER
20	NVVDD CONTROLLER
21	MXM Connector
22	GPIO Pin Define

MSI CONFIDENTIAL
00205363 weistang(唐浩健)
RD(C)20200513O1 RMA工程課
劉毓 (30001789)

MICRO-STAR INT'L CO.,LTD

MS-V378

Size: Custom | Document Description: Table of Contents | Rev: 2.2

Date: Friday, November 08, 2019 | Sheet 1 of 22

Page2: Block Diagram



00205363 RD(C)2020051301 (30001789) 劉巍
MSI CONFIDENTIAL weistang(唐浩倢) RMA工程課

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size: Custom	Document Description: Block Diagram	Rev 2.2
Date: Friday, November 08, 2019	Sheet 2 of 22	

Page3: PCI Express



PEX_DVDD	1uF X6S	4.7uF X6S	10uF X6S	22uF X5R
N19M-Q3	4	2	2	1

PEX_HVDD	1uF X6S	4.7uF X6S	10uF X6S	22uF X5R
N19M-Q3	4	2	2	1

MSI CONFIDENTIAL

Page4: MEMORY: GPU Partition A/B



MSI CONFIDENTIAL
RMA工程課

MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	GPU FB_AB	2.2

Date: Friday, November 08, 2019 Sheet 4 of 22

Page5: MEMORY: FBA Partition 31..0



0020563
MSI CONFIDENTIAL
R(C)20
wei sang(唐浩健)
13051
(3000
RMA工程課
程序

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size: Custom	Document Description: MEM: FBA[31:0]	Rev: 2.2
Date: Friday, November 08, 2019	Sheet 5 of 22	

Page6: MEMORY: FBA Partition 63..32



MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	MEM: FBA[63:32]	2.2

Date: Friday, November 08, 2019 Sheet 6 of 22

MSI CONFIDENTIAL
00205363 weistang(唐浩棟) RD(C)2020/5/13 RMA工程課 劉魏 (30001763)

Page7: MEMORY: FBB Partition 31..0



MSI CONFIDENTIAL
00205363 RD(C)20200519
weistang(唐浩倢)
(30001769) BMA工程課

MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	MEM: FBB[31:0]	2.2

Date: Friday, November 08, 2019 Sheet 7 of 22

Page8: MEMORY: FBB Partition 63..32



MSI CONFIDENTIAL
00205363 RD (C) 2020/01301 weistang(唐浩偉)
劉巍(30001789) RMA工程課

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size Custom	Document Description MEM: FBB[63:32]	Rev 2.2
Date: Friday, November 08, 2019	Sheet 8 of 22	

Page09: GPU PWR

NVVDD+NVDDS

13 x 1uF(Under GPU)
2 x 47uF(Under GPU)
3 x 22uF(Near GPU)

2 x 47uF(Near GPU)
10 x 22uF(Near GPU)

NVVDD	1uF X7R	47uF X6S	10uF X6S	22uF X6S
N19M-Q3	13	4	0	13



MSI CONFIDENTIAL
www.kazus.ru
RD02-2020051301 (3000178)
微星机密（浩健）RD部门

MICRO-STAR INT'L CO.,LTD	
MS-V378	
Size: Custom	Document Description: GPU PWR
Rev: 2.2	
Date: Friday, November 08, 2019	Sheet 9 of 52

PAGE 10: GPU GND FBVDDQ



FBVDDQ

12 x 1uF(Under GPU)
2 x 22uF(Under GPU)

6 x 22uF(Near GPU)

FBVDDQ	1uF X7R	10uF X6S	22uF X6S
N19M-Q3	12	0	8





1V8_AON	0.1uF X7R	1uF X6S	4.7uF X6S
N19M-Q3	2	1	1



FBVDDQ

12 x 1uF(Under GPU)
2 x 22uF(Under GPU)

6 x 22uF(Near GPU)





1V8_AON	0.1uF X7R	1uF X6S	4.7uF X6S
N19M-Q3	2	1	1

MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	GPU GND FBVDDQ	2.2

Date: Friday, November 08, 2019 Sheet 10 of 22

0205613 MSI CONFIDENTIAL
RD(C)20200513001 Mustang(昂梅)
密碼(3001789) RMA工程課

Page11: IFPAB



IFPx / AUX 90 ohm Differential
TOP/BOTTOM 4 / 5 mil
L3/L4/L6 4 / 6 mil

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size: Custom	Document Description: IFPAB	Rev: 2.2
Date: Friday, November 08, 2019	Sheet 11 of 22	

MSI CONFIDENTIAL
RD(仁)2006130(200001789)
劉耀 Yaoliu Liu(唐浩健)
RMA工程課

Page12: IFPEF



IFPx / AUX 90 ohm Differential
TOP/BOTTOM 4 / 5 mil
L3/L4/L6 4 / 6 mil



MSI CONFIDENTIAL
0020536 weistang(唐浩健)
RD(C)20200305001 RMA工程課
劉鐵錘(30001789)

MICRO-STAR INT'L CO.,LTD	
MS-V378	
Size: Custom	Document Description: IFPEF
Rev: 2.2	
Date: Friday, November 08, 2019	Sheet 12 of 22

Page13: IFPCD



0020053 MSI CONFIDENTIAL
RD(C)2020051301 weistang(唐浩健)
劉銘 (20001789) RMA工程課

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size: Custom	Document Description: IFPCD	Rev: 2.2
Date: Friday, November 08, 2019	Sheet 13 of 22	

Page14: GPIO, THERMAL, MISC



MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	GPIO, THERMAL, MISC	2.2

Date: Friday, November 08, 2019 Sheet 14 of 22

MSI CONFIDENTIAL
00205563 RD(C)20200513013
weistang(唐浩健)
(30001789) RMA工程課

Page15: Straps,ROM, XTAL

STRAP2	STRAP1	STRAP0	RAMCFG[4:0]	
L	L	L	0000	SAMSUNG 256x32
L	L	H	0001	MICRON-F 256x32 8G
L	H	L	0010	HYNIX-M 256x32 8G
L	H	H	0011	
H	H	L	0110	HYNIX-A 128Mx32 4G
H	H	H	0111	SAMSUNG-E 128Mx32 4G
L	L	M	1000	HYNIX-B 128x32 4G

ROM_SO	ROM_SI	ROM_SCLK	SOR_EXPOSED[3:0]	1:ENABLE 0:DISABLE
L	L	L	1111 DEFAULT	SOR0/1/2/3 ENABLE
L	L	H	1110	
L	H	L	1101	
L	H	H	1100	
H	L	L	1011	
H	L	H	1010	
H	H	L	1001	
H	H	H	1000	
L	L	M	0111	
L	M	L	0110	
L	M	H	0101	
L	H	M	0100	
H	L	M	0011	
H	M	L	0010	
H	M	H	0001	
H	H	M	0000	

STRAP5	STRAP4	STRAP3	SMB_ALT_ADDR	DEVID_SEL	PCIE_CFG	VGA_DEVICE
M	H	H	1	1	1	1
M	H	L	1	1	1	0
M	L	H	1	1	0	1
M	L	L	1	1	0	0
L	H	M	1	0	1	1
L	M	H	1	0	1	0
L	M	L	1	0	0	1
L	L	M	1	0	0	0
H	H	H	0	1	1	1
H	H	L	0	1	1	0
H	L	H	0	1	0	1
H	L	L	0	1	0	0
L	H	H	0	0	1	1
L	H	L	0	0	1	0
L	L	H	0	0	0	1 DEFAULT
L	L	L	0	0	0	0

H=High :Tied to 1.8V
M=Middle:Tied to 0.9V
L=Low :Tied to 0V

1:SMB_ALT_ADDR ENABLE
0:SMB_ALT_ADDR DISABLE

1:DEVID_SEL REBRAND
0:DEVID_SEL ORIGNAL

1:PCIE_CFG LOW POWER
0:PCIE_CFG HIGH POWER

1:VGA_DEVICE ENABLE
0:VGA_DEVICE DISABLE

Multilevel Straps

0000	5.1K to GND	1000	5.1K to VCC
0001	10K to GND	1001	10K to VCC
0010	15K to GND	1010	15K to VCC
0011	20K to GND	1011	20K to VCC
0100	24.9K to GND	1100	24.9K to VCC
0101	30.1K to GND	1101	30.1K to VCC
0110	34.8K to GND	1110	34.8K to VCC
0111	45.3K to GND	1111	45.3K to VCC



MSI CONFIDENTIAL

MICRO-STAR INT'L CO.,LTD
MS-V378
Size: Custom | Document Description: Straps,ROM, XTAL | Rev 2.2
Date: Friday, November 08, 2019 | Sheet 15 of 22

Page16: Power Sequence Control

N17x POWER ON= 1V8_AON->1V8_MAIN->NVVDD->PEX_VDD->FBVDDQ->DGPU_PWRGD

N17x POWER OFF= PEX_VDD->FBVDDQ/NVVDD->1V8_MAIN->1V8_AON



GPIO1_GC6FBEN: it is high for keeping FBVDDQ power on during GC6

OR GATE	M74VHC1GT32DFT2G	VCC=3V (VIH Min=1.4 V; LH Max=0.53V)
AND GATE	M74VHC1GT08DFT2G	VCC=3V (VIH Min=1.4 V; LH Max=0.53V)

MICRO-STAR INT'L CO.,LTD
MS-V378
Size: Custom | Document Description: Power Sequence Control | Rev: 2.2
Date: Friday, November 08, 2019 | Sheet 16 of 22

MSI CONFIDENTIAL
00205363 weistang(魏唐伟)
RD(C)20200513O1 RMA工程课
(3009178)
密级

PAGE 17: 1V8_AON

POWER UP Sequence

1V8_AON -> 1V8_MAIN->NV3V3 -> NVVDD -> NVVDDS / PEX_VDD -> FBVDDQ



Voltage = 1.8V
Current = ? A
OCP(typi) = ? A

1V8_AON



Power Sequence Control



PIN2: MXM_PWR_EN is 3.3V INPUT
PIN3: GPIO4_GC6_PWR_EN is 1.8V INPUT
PIN4: FBVDDQ_ON_INPUT 3.3V INPUT
PIN6: FBVDDQ_ON_OUTPUT 3.3V OUTPUT
PIN7: PEX_VDD_EN_IC 3.3V OUTPUT
PIN9: NVVDD_EN_IC 3.3V OUTPUT
PIN12: 1V8_MAIN_EN_IC 3.3V OUTPUT
PIN13: 1V8_AON_EN_IC 3.3V OUTPUT

POWER Down Sequence

NVVDDS/PEX_VDD/FBVDDQ ->NVVDD/NV3V3->1V8_MAIN> 1V8_AON



MICRO-STAR INT'L CO.,LTD
MS-V378
Size: Custom
Document Description: 1V8_AON
Rev: 2.2
Date: Friday, November 08, 2019
Sheet 17 of 22

002205363 MSI CONFIDENTIAL weistang(唐伟健) RD6 20200513011 RMA工程课 (1001789)

PAGE 18: PEXVDD



MSI CONFIDENTIAL
0020526363 RD(C)20200513017 Weistang(唐浩倢) RMA工程課 (30001789) 劉巍

MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	PEXVDD	2.2
Date: Friday, November 08, 2019	Sheet 18 of 22	

Page 19: FBVDD CONTROLLER

Copy from
MS-16R3-1.0

Full-Phase CCM ==> 1.8V
PR39 Stuff
PR37 Non_Stuff

OCP A
Peak A
AVG A



MSI CONFIDENTIAL
00205363 weixiang8(唐浩倢)
RD(C)20200513 RMA工程課
(30001789)

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size: Custom	Document Description: FBVDD CONTROLLER	Rev: 2.2
Date: Friday, November 08, 2019	Sheet 19 of 22	

Page20: NVVDD CONTROLLER

Copy from
MS-16R1-1.0

UP9509P

EDP-Peak 90A
EDP-Con 47A

VBoot:0.8V
Vmin:0.5V / Vmax:1.25V



MSI CONFIDENTIAL

MICRO-STAR INT'L CO.,LTD

MS-V378

Size	Document Description	Rev
Custom	NVVDD CONTROLLER	2.2
Date: Friday, November 08, 2019	Sheet 20 of 22	

Page22: MXM Connector



00205363 MSI CONFIDENTIAL
RD(C)20200518(Weistang 魏浩健)
劉振華(63001789) RMA工程課

MICRO-STAR INT'L CO.,LTD		
MS-V378		
Size: Custom	Document Description: MXM Connector	Rev: 2.2
Date: Friday, November 08, 2019	Sheet 21 of 22	

Page23: GPIO Pin Define

Pin Name	N17P	N18P	N17P Functional Description	N17P Recommended Default Pull-up or Pull-down	N18P Recommended Default Pull-up or Pull-down
GPIO0	NVVDD_PWM	NVVDD_PWM_VID	PWM Output to control NVVDD	0 to 1V8 PWM output	
GPIO1	GC6_FB_EN	GC6_FB_EN	FB Enable for GC6 2.1	OD, 10K pull-down	OD, 10K pull-down
GPIO2	GPU_EVENT#	GPU_EVENT#	GPU wake signal for GC6 2.1	10K pull-up to 1V8 _AON	10K pull-up to 1V8 _AON
GPIO3	NVVDDS_PWM	UNUSED	PWM output to control the NVVDDS power supply	0 to 1V8 output	
GPIO4	1V8_MAIN_EN	1V8_MAIN_EN	GPU POWER Sequencing for GC6 2.1	OD, 10K pull-up to 1V8 _AON	OD, 10K pull-up to 1V8 _AON
GPIO5	FRM_LCK#	FRM_LCK#	Active low Frame Lock	OD, 10K pull-up to 1V8 _AON	OD, 10K pull-up to 1V8 _AON
GPIO6	NVVDD_PSI	NVVDD_PSI	Phase shedding	10K pull-up to 1V8 _AON	10K pull-up to 1V8 _AON
GPIO7	LCD_BL_PWM	LCD_BL_PWM	Panel Backlight PWM Brighteness Control	100K pull-down	100K pull-down
GPIO8	MEM_VDD_CTL	MEM_VDD_CTL	Memory Voltage Control	pull-up/pull-down to set the FBVDD/Q power-on voltage	pull-up/pull-down to set the FBVDD/Q power-on voltage
GPIO9	THERM_ALERT	THERM_ALERT	Active Low Thermal Alert	OD, 10K pull-up to 1V8_AON	OD, 10K pull-up to 1V8_AON
GPIO10	MEM_VREF_CTL	MEM_VREF_CTL	Memory VREF Control	100K pull-down	100K pull-down
GPIO11	LCD_VCC	LCD_VCC	Panel Power Enable	100K pull-down	100K pull-down
GPIO12	PWR_LEVEL	PWR_LEVEL	AC power detect or power supply overdraw input	100K pull-up to 1V8_AON	10K pull-up to 1V8_AON
GPIO13	LCD_BLEN	UNUSED	Panel Backlight Enable	100K pull-down	
GPIO14	HPD_A	HPD_A	Hot Plug Detect for IFPA		10K pull-up to 1V8 _AON
GPIO15	HPD_B	HPD_B	Hot Plug Detect for IFPB		10K pull-up to 1V8 _AON
GPIO16	SYS_PEX_RST_MON#	UNUSED	System side PCIe reset monitor	10K pull-up to 1V8 _AON	
GPIO17	HPD_D	HPD_D	Hot Plug Detect for IFPD		10K pull-up to 1V8 _AON
GPIO18	HPD_E	HPD_E	Hot Plug Detect for IFPE		10K pull-up to 1V8 _AON
GPIO19	3DVision	UNUSED	3D Vision L/R signal	100K pull-down	
GPIO20	GC5_MODE	NB_GC6			10K pull-down
GPIO21	UNUSED	LCD_BLEN			100K pull-down
GPIO22	UNUSED	ADC_MUX_SEL			2.2K pull-up See Circuit
GPIO23	GPU_PEX_RST_HOLD#	RESERVED	GPU PCIe self-reset control	OD, 10K pull-up to a gated 3V3	100K pull-down
GPIO24	HPD_F	UNUSED	Hot Plug Detect for IFPF		
GPIO25	UNUSED	FBVDD_PSI#			
GPIO26	UNUSED	FP_FUSE			10K pull-down
GPIO27	HPD_C	HPD_C	Hot Plug Detect for IFPC		10K pull-up to 1V8 _AON

MSI CONFIDENTIAL
weistang(唐浩健) RMA工程課
2020051301 (30001789)