SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPRIETARY INFORMATION HAIT IS
SAMSUNG ELECTRONICS CO'S PROPERTY.
D NOT DISCLOSE TO OR DUPLICATE FOR OTHER
EXCEPT AS AUTHORIZED BY SAMSUNG.

SM-S921U REV0.6


SM-S921U Common

S_AP PCB part


2023. 10. 06


TG	System		Power Audio		RF			VIsual (CAM)	VIsual (Disp.) VIsual (Sensor)	HW Structure
Ref#.	11nnn	12nnn	13nnn	14nnn	15nnn	16nnn	17nnn	18nnn	19nnn	10nnn
Contents	AP IO AP Power decap	AP Associated UFS memory Motor Driver JTAG Key FPCB PCB ID	Core PMIC group	Audio AMP Charger NFC+SIM MFC	RF Ant.			CAM PMIC Wide CAM Tele 3x CAM Tele 10x CAM MCU	ALS	Interposer Shieldcan Bosshole
sheet	sheet1	sheet2	sheet3	sheet4	sheet5	sheet6	sheet7	sheet8	sheet9	sheet10


Engineer: SEC
Drawn by: SEC
Trawn by: SEC
TITLE:
DOC CRIL CHK:
MFG ENGR CHK:
MFG ENGR CHK:
REY: Drawing Number: 9 Page: 9





Ref#. 11nnn



























SM-S921U Common




SM-S921U Common

JTAG12401 JTAG12402 JTAG12402



SM-S9210 Common



SM-S9210 Common

SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTIAINS CONFIDENTIAL
PROPPLITARY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO'S PROPERTY.
NOT DISCLOSE TO OR DUPLICATE FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

SM-S921U REV0.6A SM-S921U Common

M_RF PCB part

2023.10.19

TG	System		Power Audio		RF			Visual (CAM)	VIsual (Disp.) VIsual (Sensor)	HW Structure
Ref#.	21nnn	22nnn	23nnn	24nnn	25nnn	26nnn	27nnn	28nnn	29nnn	20nnn
Contents	IF Sub PBA	PCB ID JTAG	BATT conn. DCM leakage WPC conn.	Audio AMP 2nd/3rd MIC RCV cont.	ANT mmW ANT LFEM	LPAMID TRCV RF PMIC QET	BT/WiFi GPS UWB	Flash UWCAM VTCAM	Sensor Display PMIC Display conn.	Interposer Shieldcan
sheet	sheet21	sheet22	sheet23	sheet24	sheet25	sheet26	sheet27	sheet28	sheet29	sheet20

Engineer

Drawn by:

RED CERC.

DOC CERC. CHK:


WE D ENGY. CHK:


WHO E DRAC CHK:


Danged: GA CHK:


REV


Drawing Number:


































SM-S921U Common









JTAG22001 JTAG22002 JTAG22000

SM-S921U IFSUB PBA REV0.7


sheet01: ANT

sheet02: LOGIC






SENSOR




HALL SENSOR



Stacked Dual SIM SOCKET

BtoB CON




SUB PCB IF CONNECTOR

SUB VERSION




ADC RANGE	TYPICAL VALUE	ID	EXT_PU	EXT_PD	DM1
0 ~ 300	0	8	NC	332K, 1%	EUR_Sub6 Global_Sub6
301 ~ 600	480	0	332K, 1%	120K, 1%	NA_mmW NA_CAN_Sub6
601 ~ 900	720	4	270K, 1%	180K, 1%	CHN_Sub6
901 ~ 1200	1080	5	180K, 1%	270K, 1%	KOR_Sub6_RC
1201 ~ 1400	1320	6	120K, 1%	332K, 1%	JPN_mmW
1401 ~ 1530	1480	7	100K, 1%	470K, 1%	Global_Sub6_RD


AUDIO




MOTOR conn.



USB/BATTERY THERMISTOR



SPK CONTACT



MAIN MIC

