















	CIS/SWA/MEA/SEA	LATIN	KOR
FDD	1/ 2/ 3/ 5/ 7/ 8/ 20/28	1/2/3/4/5/7/8/12/17/20/26/28/66	
TDD	38/ 40/ 41	38/ 40/ 41	
3G	1/ 2/ 5/ 8	1/2/4/5/8	
2G	850/900/1800/1900	850/900/1800/1900	



1	2	3	4	5	6	7	8	9	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----



# TRANCEIVER



SAMSUNG CONFIDENTIAL  
THIS DOCUMENT CONTAINS CONFIDENTIAL  
PROPRIETARY INFORMATION THAT IS  
SAMSUNG ELECTRONICS CO.'S PROPERTY.  
DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS  
EXCEPT AS AUTHORIZED BY SAMSUNG.

# NFC


# MST

(GLOBAL NC, KOR ONLY)


# BT/WIFI

# GPS


# SENSORS




SENSOR LDO




MAGNETIC




ALS Sensor NC



6 AXIS(ACC+GRYO)



BOM NC FOR GLOBAL



SENSOR LDO

NFC	NFC PART	Power supply of SIM		NFC_CHECK:GPIO52 (BPI_BUS15 ANT2)	
	U3004	R5029	R5030	R4032	R4036
NFC	CONNECT	short	open	10K ohm	open
nonNFC	NC	open	short	open	10K ohm

# AP\_(MTK\_MT6769V\_11\*11.8)

