


























| | A022G(CIS/SWA) | A022F(SEA/MEA) | A022M(LATIN) |
|-----|-------------------|------------------------|-------------------------------------|
| FDD | 1/ 3/ 5/ 7/ 8/ 20 | 1/ 3/ 5/ 7/ 8/ 20 / 28 | 1/ 2/ 3/ 4/ 5/ 7/ 8/ 12/ 17/ 28/ 66 |
| TDD | 38/ 40/ 41 | 38/ 40/ 41 | |
| 3G | 1/ 5/ 8 | 1/ 5/ 8 | 1/ 2 / 4/ 5/ 8 |
| 2G | 850/ 900/ 1800 | 850/ 900/ 1800 | 850/ 900/ 1800/ 1900 |





BT/WIFI/GPS




SENSOR PART




Proxy LDO

(Delete_REV02)




Proxy Sensor

(Delete_REV02)



Sensor LDO






Accel. Sensor




BOOT CONFIG

PCB JTAG






PMIC VCDT




IF PMIC (S2MU005_3.9x3.5)



IF Detect

BATTERY CON


SIM / SD CARD PART



MOTOR







POWER & VOLUME KEY

MEMORY(eMCP)





BOTH

2D BARCODE


| REGION | | MEMORY | |
|--|----------------------|--|----------|
| R3033  | F (SEA, MEA, SWA) | R3033  | 2GB+32GB |
| R3035  | G (CIS) | R3045  | 3GB+32GB |
| R3041  | M (LA) | R3046  | 3GB+64GB |

LP3 2GB + eMMC 32GB : 1108-000654, KMQX60013M-B419 (SWA JIO)
LP3 2GB + eMMC 32GB (NEW) : KMQX60013A-B419 (SWA JIO)


MAIN FPCB_PART (78pin) 6.55" HD+ TFT HID




OVP





TSP TA




MAIN MIC



Sub MIC NC




EAR MIC



AP Shieldcan




RF Shieldcan




PMIC Shieldcan


SHIELD CAN




| RCAM1_13M_34pin | RCAM2_2M_Macro_24pin | 5M_FRONT_24pin |
|-----------------|----------------------|----------------|
|-----------------|----------------------|----------------|




RCAM2_2M_Macro_24pin **5M_FRONT_24pin**




5M_FRONT_24pin




| RCAM1 LDO | RCAM2_LDO | |
|-----------|-----------|--|
| | | |



RCAM2_LDO




CAMERA MIPI SWITCH **LCD_LDO** **BLIC**



LCD_LDO **BLIC**

| | | |
|-----------|------------------------|-------|
| Engineer: | | |
| Drawn by: | CAMERA, DISPLAY | |
| R&D CHK: | TITLE: | Size: |



| | | | | | |
|----------|----------|----------|----------|-----------|------------------------|
| B | L | I | C | Engineer: | CAMERA, DISPLAY |
| | | | | Drawn by: | |
| | | | | R&D CHK: | |