



Title	Block Diagram
-------	---------------


Date: Thursday, September 08, 2022 Sheet 1 of 54

REAR CAMERA_MAIN_50M



REAR CAMERA 2M

FRONT CAMERA 16M/8M

DSI



©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title SM6375_CSI/DSI		
Size D	Project QN6362A_MB_V1	Rev v1
Date: Thursday, September 08, 2023		
Sheet 4 of 54		





Schematic design notice of "06_SM6375_GPIO"

Note 06-1: NO external Pull-up on the GPIOs (GPIO_117, GPIO_119,GPIO_120, GPIO_103, GPIO_106, GPIO_113, GPIO_51,GPIO_50)


Note 06-2: FAST_BOOT_SEL [2: 0]


BOOT_CONFIG[3:1]/FAST_BOOT_SEL[2:0]	SM6375 FAST BOOT OPTIONS
0b000	UFS HS G1 -> SD -> eDL (eDL path - USB only)
0b001	SD -> UFS HS G1 -> eDL (eDL path USB only)
0b010	USB -> eDL (eDL path - SD then USB)
0b011	eMMC -> SD -> eDL (eDL path - USB only)
0b100	SD -> eMMC -> eDL (eDL path USB only)
0b101	UFS HS G1 -> eDL (eDL path - USB only)
0b110	UFS HS G1 -> SD -> eDL (eDL path - USB only)
0b111	eMMC -> eDL (eDL path - USB only)

Core Design			
华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title		SM6375_GPIO	
Size	Project	QN6362A_MB_V1	
D		Rev v1	
Date: Thursday, September 08, 2022		Sheet 6 of 54	



Core Design			
华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title		SM6375_PWR1	
Size	Project		Rev
D	QN6362A_MB_V1		V1
Date: Thursday, September 08, 2022		Sheet 7 of 54	









©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title		SM6375_GND
Size D	Project QN6362A_MB_V1	Rev V1
Date:	Thursday, September 08, 2023	Sheet 10 of 54

PMK8003

SM4350 R1135 NC//R1136 OR
SM6375 R1135 OR//R1136 NC




3.7.1 Option hardware controls
The GPIO pin insensitive drivers for boot up behavior of the PMIC. The configuration for various options is shown in Table 3-20 and Table 3-21.

Table 3-20 Option pin state for SM7225, SM6350, and SM4350


Resistor value (Ω) (%) accuracy	Boot options
5200	No SD card boot
8200	SD card boot

Table 3-21 Option pin state for SM7225, SM6350-AC


PMIC8003 Pin name	Resistor value (Ω) (%) accuracy
GPIO_4	5200



NTC



HW ID



Core Design		
华勤通讯 Huaqin Telecom Technology Com., Ltd		
Title PMK8003_CLK/NTC		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2022 Sheet 11 of 54		




Table 3-6 PM6375 SNPS regulator summary for SM6375/SM4350

Regulator	Circuit type	I _{LOAD} (mA)	Default on booting voltage (V)	Specified range (V)	Programmab le range (V)	Default on	Expected use (SM6375/SM4350)
S1A_S2A	FTS510	6000	0		0.32~1.352	N	Modem
S3A	FTS510	4500	0.828		0.32~1.352	Y	APC0
S4A	FTS510	4500	0		0.32~1.352	N	APC1
S3A_S4A	FTS510	9000	0		0.32~1.352	N	APC1
S5A	HFS510	4000	0.952		0.32~2.04	Y	LV Sub Reg
S6A	HFS510	2000	1.352		0.32~2.04	Y	MV Sub Reg
S7A	HFS510	2500	2.04		0.32~2.04	Y	HV Sub Reg
S8A	FTS510	4500	0		0.32~1.352	N	GFX

©Core Design

华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title PM6375_BUCKS

Size D Project QN6362A_MB_V1 Rev V1

Date: Thursday, September 08, 2022 Sheet 13 of 54

PM6375 BUCK Circuits
REF 1401-1499





Table 3-6 PM6375 SMPS regulator summary for SM6375/SM4350



Regulator	Circuit type	I _{RATED} (mA)	Default on booting voltage (V)	Specified range (V)	Programmable range (V)	Default on	Expected use (SM6375/SM4350)
S1A_S2A	FTS510	8000	0		0.32~1.352	N	Modem
S3A	FTS510	4500	0.828		0.32~1.352	Y	APCD
S4A	FTS510	4500	0		0.32~1.352	N	APC1
S3A_S4A	FTS510	5000	0		0.32~1.352	N	APC1
S5A	HFS510	4000	0.952		0.32~2.04	Y	LV Sub Reg
S6A	HFS510	2000	1.352		0.32~2.04	Y	MV Sub Reg
S7A	HFS510	2500	2.64		0.32~2.04	Y	HV Sub Reg
S8A	FTS510	4500	0		0.32~1.352	N	GFX

©Core Design 华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title PM6375_LDOS		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2023		
Sheet 14 of 54		




©Core Design			
华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title PM6375_CNTRL/GPIO/BOB/FLASH			
Size D	Project QN6362A_MB_V1	Rev V1	
Date: Thursday, September 08, 2022		Sheet 15 of 54	


LCD LED Driver





Rear CAM FLASH




闪光灯料号 主供: HQ1211049000
二供: HQ11210822000



©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title 16.Amoled/Flash_LED/RGB Deriver		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Saturday, October 08, 2022	Sheet 16 of 54	




RECEIVED PA



Note 20-4:

i2C Slave Address / Write / Read (7-bit mode)		
AW87390FCR	0X58	
FS1599SN	0X34	



«Core Design»



华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title	PM6150A_DISPLAY
-------	-----------------

Size D	Project QN6362A_MB_V1	Rev v1
-----------	--------------------------	-----------

Date: Thursday, September 08, 2022 Sheet 19 of 54

华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title QN6362A_MB_V1		
Size D	Project QN6179A_KB_V1	Rev V1
Date: Thursday, September 08, 2022Sheet 21 of 54		



HQ11150937000, LDO_1.05V_500 mA WL2831D105-4/TR
HQ11150936000, LDO_1.2V_500 mA
HQ11154597000, LDO_1.1_500 mA
HQ11152324000, LDO_3.1V_1000 mA

CAMERA 供电电压分布

	AVDD	DVDD	DOVDD	AFVDD
FCAM13M	NA	NA	NA	NA
FCAM16M	2.8V	1.1V	1.8V	NA
FCAM8M	2.8V	1.2V	1.8V	NA
RCAM50MAF	2.8V	1.05V	1.8V	2.8V
RCAM50M0IS	NA	NA	NA	NA
微距2M	2.8V	NA	1.8V	NA
广角8M	NA	NA	NA	NA
景深2M	NA	NA	NA	NA

Note 22-1:

I2C Slave Address / Write / Read (7-bit mode)		
ET5907MV	0X35	Read:0X6B / Write:0X6A
FAN53870UC00X	0X35	Read:0X6B / Write:0X6A
WL2868C-20/TR	0X2F	Read:0X5F / Write:0X5E

©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title Camera_LDO		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2022		Sheet 22 of 54

[illegible]

I2C Slave Address / Write / Read (7-bit mode)		
AW87390FCR	0X59	
FS1599SN	0X35	

[illegible]


单点下地

华勤通讯 Huaqin Telecom Technology Com.,Ltd

Size D	Project QN6362A_MB_V1	Rev v1
-----------	--------------------------	-----------

Date: Thursday, September 08, 2022 Sheet 24 of 54


eCOMPASS



Note 25-1:

I2C Slave Address / Write / Read (7-bit mode)		
AK09919C-L	0x0E	Write:0x1C / Read:0x1D
MMC5603NJL	0x30	Write:0x60 / Read:0x61


ALS+PS



Note 25-2:


I2C Slave Address / Write / Read (7-bit mode)		
STK33562	0x46	Write:0x8C / Read:0x8D

Accelerate+Gyroscope




Note 25-3:

I2C Slave Address / Write / Read		
ICM42607	AD0=	Write:0xD0 / Read:0xD1




*Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title		
SENSOR		
Size	Project	Rev
D	QN6362A_MB_V1	V1
Date: Thursday, September 08, 2022		
Sheet 25 of 54		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----




Date: Thursday, September 08, 2022 Sheet 26 of 54

Mirco Camera 2M



Main Camera 50M OIS

★NOTE:



«Core Design»

华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title

REAR_CAM

Size
D


Project	
---------	--

QN6362A_MB_V1

Rev
V1


Date: Thursday, September 08, 2022 Sheet 27 of 54

Front CAM 8M





*Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title FRONT_CAM		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2022		
Sheet 28 of 54		


UFS+LPDDR4x



E-SIM




BATT CON



Note 30-1:

i2C Slave Address / Write / Read (7-bit mode)		
CW2217B	0X64	Read:0XC9 / Write:0XC8
SM5602	0X71	Read:0XE3 / Write:0XE2



«Core Design

华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title	
-------	--

SIM/SD/BATT

Size	D
------	---


	Project
--	---------

QN6362A MB V1

Rev
V1

Date: Thursday, September 08, 2022 Sheet 30 of 54


NFC



Note 20-4:

I2C Slave Address / Write / Read (7-bit mode)		
PN557	0X28	
SN110P	0X7	


KEYPAD



UART




VCHG



JTAG




FORCE USB BOOT




©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title		
TEST_POINT/SHIELD		
Size	Project	Rev
D	QN6362A_MB_V1	V1
Date: Thursday, September 08, 2022		
Sheet 31 of 54		


©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title Reserve_NC_BB		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2022 Sheet 34 of 53		



SDR735 RF Port




FBRX CPL SP4T



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title SDR735_TX_RX_FBRX			
Size D	Project QN6362A_MB_V1		Rev V1
Date: Thursday, September 08, 2022		Sheet 37 of 53	

Phase 2N PA



华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title 5G_PA0_NZ5627K#1

Size E Project QN6362A_MB_V1


Rev v1

Date: Thursday, September 08, 2022 Sheet 38 of 53


LB TRX(P2N PA)

位号	Description	Code	Vendor	SKU
DUP3905	B26_DUP	RAYEYB31MBA0B0AR00	Murata	LA&EU
	B5_DUP	SFX836EY702	Wiso.	PRC


B26_DUP (LA&EU&JP)
B5_DUP (PRC)



B8_DUP




B28B_DUP (LA&PRC&JP)




LB TRX(P5N PA)


B12/17_DUP (LA&JP)



B13_DUP (LA)



B28A_DUP (LA&PRC&JP)
B20+28_DFX (EU)





位号	Description	Code	Vendor	SKU
DUP3928A	B28A_DFX	NDP028-0718XA	华勤	LA&PRC
	B20+28_DFX	B1295	RF360	EU


该Diplexer仅在50版本使用，需e20，Latan是028A_DUP

华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title LB TRX0			
Size E	Project	QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2022	Sheet 39 of 53		

MB TRX(NZ5627K)



HB TRX(NZ5627K)



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title		MHB TRX0	
Size	Project	QN6362A_MB_V1	Rev v1
Date: Thursday, September 08, 2022		Sheet 40 of 53	

ANT0:
LMB_TRX0/NR_TRX1
0.6~2.2G


LM+H合路器#1

DPDT #1_TRX0

L+M(H)合路器#2

DPDT #2_TRX1

ANT1:
LMHB_TRX1/NR_TRX0
0.6~2.69G



LA&EU&JP

SKU	位号
LA&EU	C4151, C4152
PRC	C4133, C4110

CO-PAD

SPDT_SRS #2(PRC)

SKU	位号
LA&EU&JP	R4117, R4118
PRC	I4109, R4112

LA&EU&JP

SPDT_SRS #3(PRC)

SKU	位号
LA&EU&JP	R4114, R4115
PRC	I4110, R4113

ANT4:
MHB_DRX_MIMO
1.7~2.7G

SP4T_SRS(PRC)

SPDT_SRS #1(PRC)

SKU	位号
LA&EU	C4153, C4154
PRC	C4138, R4111

LA&EU&JP

MHB+n77合路器

ANT5:
HB_TRX0/NR_TRX1
2.3~2.69G, 3.3~4.2G

ANT6:
MHB_PRX_MIMO
1.7~2.7G

华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title TXM_FX5808A


Size Project QN6362A_MB_V1

Rev v1

Date: Thursday, September 08, 2022 Sheet 41 of 53

Phase 5N PA

位号	Description	Code	Vendor	SKU
PA4201	Phase2N PA	NA5627K	飞腾	LA&EU&JP
	Phase5N PA	FX5627N	飞腾	PRC



华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title			
LMH_TRX1			
Size E	Project QN6362A_MB_V1	Rev v1	
Date: Thursday, September 08, 2022		Sheet 42 of 53	

HB


B7 DUP (LA&EU)


LB

20+28 TPX (EU)


该器件only用EU版本

SP4T_TX #1 (LA&EU&PRC)









SPDT for B12_B13




SP2T for B28A/B28B






n77/n78_LPAMIF FX6880



LFEM N77/78 DRX /DRX MIMO



华勤通讯 Huaqin Telecom Technology Com.,Ltd


Title
N77/N78/B42_LPAF_FX6880

Size
E Project
QN6362A_MB_V1


Rev
v1

Date: Thursday, September 08, 2022 Sheet 47 of 53


QET4101 for 3/4/5G PA#1 & B11 PA



QET6105_1 for 5G PA#2+N77 LPAF





ANT8:WIFI CHO 5G&2.4G GPS





华勤通讯 Huaqin Telecom Technology Com.,Ltd			
Title GPS/WIFI_2.4G_5G/BT			
Size D	Project QN6362A_MB_V1		Rev V1
Date: Thursday, September 08, 2022		Sheet 50 of 53	


ANT2:B42+N77/78 TRX0



ANT4 :M/HB DRX MIMO+B32




ANT6: M/HB PRX MIMO+B32



TOP GND

Desense+ANT reserved

ANT8:GPS+WIFI 2.4 5 TRX



华勤通讯 Huaqin Telecom Technology Com.,Ltd

Title

ANT

Size	D
------	---

Project	
---------	--

QN6362A_MB_V1

Rev
V1

Date: Thursday, September 08, 2022 Sheet 51 of 54

©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
Title		
Size D	Project QN6362A_MB_V1	Rev V1
Date: Thursday, September 08, 2022		Sheet 53 of 53

V2.0

2021/11/09: U4301 change to QLN5030, add L4359/L4360;

2021/11/09: U5202 change to QLN5030, add L4418/L4419;

11/08 1. DEL L5137, 2. 更换 LNA4902 GPS LNA 为AW5005DNRZ

11/09 1. 修改L5201/L5205封装 0603.

2021/11/09: U4304/U4702/U4116 封装由TDK 变更为村田。

2021/11/12: 删除电感L4342, 增加电阻R4320

QLN5030 V3.0 test

2021/11/20: 删除L4407

2021/11/20: 删除L4731,C4706,C4705

2021/11/24: U4304/U4702/U4116 封装更改2520;

2021/11/24: C4320/C4321/C4304/C4306/C4315/C4363/C4311

NFC V3.0

2021/11/30: 删除C5222/C5224/C5225/L5206/L5203

2021/11/30: C5217/C5204/C5205 封装0402

2021/12/8: RF_B3_PRX2_LNA_IN和RF_B1B66_PRX2_LNA_IN port 交换;

2021/12/8: add C4431, PRC co-pad兼容设计;

V4.0

2021/12/8: add R5401,R5402;

V5.0

2021/01/18: L5036 0402变为0201

©Core Design		
华勤通讯 Huaqin Telecom Technology Com.,Ltd		
TitleRF_Changelist		
SizeD	ProjectQN6362A_MB_V1	RevV1
Date: Thursday, September 08, 2023Sheet 54 of 53		