



CP PART (S333)


CP PMIC





SHANNON333 Bypass capacitors




UCP302-1
SA5333DA01-L330-2CA



UCP302-2
SA5333DA01-L330-2CA
(Power / GND part)



CP HW VER



REV0.0	0010	DV1
REV0.1	0011	DV2
REV0.2	0100	PV1
REV0.3	0101	PV2
REV0.4	0110	PV2_1



CP JTAG

Rev	CP, CP PMIC
REV0.0	0010
REV0.1	0011
REV0.2	0100
REV0.3	0101
REV0.4	0110


SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO. PROPERTY
AND NOT BE LOANED, REPRODUCED OR
NOT BE RELEASED TO OR DISCLOSED FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMSUNG.

SENSORS


Debug port




Sensor HUB




6 Axis Sensor
(GYRO, ACCEL)



Magnetic Sensor





HRM Sensor




Barometer Sensor

BT/WIFI




SUS PLATE

BTP




NFC





Project:	SENSOR, WIFI/BT/GPS/NFC
Version:	1.0
File Name:	MAIN_REV0.2
File Path:	MAIN
File Size:	100KB
File Date:	20150713-123551

4. EXYNOS7420(ISTOR), eMMC





0000	None
0001	REV0.0 DV3
0010	None
0011	REV0.1 DV2
0100	REV0.2 PV1
0101	None
0110	None
0111	REV0.3 PV2
1000	None
1001	REV0.4 PV2-3
1010	None




HW Version Check
HW Revision Setting





XOM0 : ATLAS / L : APOLLO
XCCBYPASS : CCI Bypass / L : CCI Enable
XCPUAXISSEL : AXI3 / L : ACE
PAD_DBGSRSEL : Audio JTAG / L : ARM JTAG
AP_JTAG_DBGSEL : Test Mode / L : Function




HW I2C




PCB JTAG



UCP500-1
S5E7420AL0-LA30




STANDARD CONFIDENTIAL
PROPERTY OF SAMSUNG ELECTRONICS CO., LTD.
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT
MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM
OR BY ANY MEANS, ELECTRONIC OR MECHANICAL,
INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY
INFORMATION STORAGE AND RETRIEVAL SYSTEM.



**UCP500-2
S5E7420AL0-LA30**


32GB / 64 GB : USE SC6008 AND SC6009
128 GB : USE SC6001

Shieldcan




FOR 128GB

PIC-80G2501-AP
GH3-10007A




AP_IRDA
MAIN_REV0.2




SAMSUNG CONFIDENTIAL
THIS DOCUMENT CONTAINS CONFIDENTIAL
PROPERTY INFORMATION THAT IS
SAMSUNG ELECTRONICS CO. PROPERTY
AND NOT BE LOANED, REPRODUCED OR
DISCLOSED TO ANY OTHER PERSON OR
ENTITY WITHOUT THE WRITTEN
CONSENT OF SAMSUNG ELECTRONICS CO.

AUDIO




AUDIO CODEC

SENSOR & SUB MIC CON




SPK AMP




2MIC NS(SMD ES804)

RCV CON




Ear MIC




SUB FPCB IF CONN. (USB2.0 / Main ANT / MIC)

Project	AUDIO, SUB PCB CON.
Version	1.0
File Name	MAIN_REV0.2
File Path	
File Size	
File Date	
File Time	
File User	
File Group	
File Permission	
File Comment	

CAMERA




MIPI Filters




COMPANION IC

DISPLAY (For WQHD)



MIPI Filters



```
user60|swcad60|10.253.20.112|20150713-123601
```