








COMPANY: Shanghai Ragentek Intelligent Technology Limited

DRAWN	GW	DATED	2014-09-15

MODEL: J5800



TITLE: 1 GSM

Modified Date: 2015/3/25

VERSION: V1.0	SHEET: 1 OF 11
---------------	----------------

FILTER-BALUN




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:








	DCXO_32K_EN	XMODE	VXODIG
DCXO + 32K XO	0 1 " GND 1 0	1 1 " VIO18 1 0	1 1 " VIO18 1 0
DCXO + 32K- Less	1 1 " VTXXCO28 1 0	1 0 " VTXXCO28 1 0	1 0 " VTXXCO28 1 0

COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5800	2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 2_MT6166	Modified Date:	
CHECKED	Wu Xu	DATED	< >		VERSION: V1.0	SHEET: 2 OF 11

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




BOARD ID



RF Solution ADC

ADC=0.9V, RF Solution 1
ADC=1.5V, RF Solution 2
ADC=0.6V, RF Solution 3
ADC=0.3V, RF Solution 4



COMPANY:			
Shanghai Ragentek Intelligent Technology Limited			
DRAWN	GW	DATED	2014-09-15
CHECKED	Wu Xu	DATED	< >



MODEL: J5800

TITLE: 3_MT6588/92-BB

Modified Date: 2015/3/25

VERSION: V1.0 | SHEET: 3 OF 11

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:





COMPANY: 上海锐嘉科通信技术有限公司 Shanghai RagenTek Communication Technology Co.,Ltd				MODEL: J5800	Modified Date: 2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 4_MT6592-PWR/MEMORY	VERSION: V1.0	SHEET: 4 OF 1
CHECKED	Wu Xu	DATED	< >			


Pulse charger

MT6322 PMIC


Charger





BATTERY CONNECTOR



DC/DC



Test Point



COMPANY:
Shanghai Ragentek Intelligent Technology Limited

MODEL: J5800

Modified Date: 2015/3/25

DRAWN GW

DATED 2014-09-15


VERSION: V1.0

CHECKED Wu Xu


DATED < >

SHEET: 5 OF 11


Audio PA




Main Microphone




Headset Connector




Earphone Microphone



Receiver




3.5mm Audio Jack



COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5800		Modified Date: 2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 6_AUDIO		VERSION: V1.0	SHEET: 6 OF 11
CHECKED	Wu Xu	DATED	< >				

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


MT6625_WIFI/BT/GPS/FM




COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5800		Modified Date: 2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 7_MT6625_WIFI/BT/GPS		VERSION: V1.0	SHEET: 7 OF 11
CHECKED	Wu Xu	DATED	< >				

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


LCM EMI FILTER & ESD





OLED Power



LCD & TP CONNECTOR





QMC6983 & MMC34160PJ COMPASS






COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5800		Modified Date: 2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 8_LCD/CTP		VERSION: V1.0	SHEET: 8 OF 11
CHECKED	Wu Xu	DATED	< >				

Back Camera £ ¨ Main £ ©

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




Front Camera £ ¨ Sub £ ©




COMPANY:				MODEL:		Modified Date:	
Shanghai Ragentek Intelligent Technology Limited				J5800		2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 9_CAMERA/FLASH_LED		VERSION: V1.0	SHEET: 9 OF 11
CHECKED	Wu Xu	DATED	< >				

LIR	ECO NO:	APPROVED:	DATE:


Dual Micro SIM/UIM Connector




Side Key Connector



Micro 5 Pin USB Connector




T Flash Connector





COMPANY: 上海锐嘉科通信技术有限公司 Shanghai RagenTek Communication Technology Co.,Ltd				MODEL: J5800		Modified Date: 2015/3/25		
DRAWN	GW	DATED	2014-09-15	TITLE: 10_SIM/TF/KEY/USB		VERSION: V1.0	SHEET: 10	CH
CHECKED	Wu Xu	DATED	< >					

LTR	ECO NO:	APPROVED:	DATE
r			


G_Sensor Accelerometer



MIC/SPK/Keypad_Led Connector




MT6333




C859 / C860 are for VMEM_FB / VCORE_FB decoupling proposal.
It can be cancel for cost-down proposal

P/L sensor and HALL



HALL



COMPANY: 上海锐嘉科通信技术有限公司 Shanghai RagenTek Communication Technology Co.,Ltd				MODEL: J5800	Modified Date: 2015/3/25	
DRAWN	GW	DATED	2014-09-15	TITLE: 11_KEYPAD/VIB/COMPASS/MT6333	VERSION: V1.0	SHEET: 11 of 1
CHECKED	Wu Xu	DATED	< >			