










REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

屏蔽罩与MARK点

eMMC+LPDDR3



CAP need be close to VREFCA and VREFDQ

COMPANY: 上海锐嘉科通信技术有限公司
Shanghai RagenTek Communication Technology Co.,Ltd

MODEL: J5086_V1.1

Modified Date: 2016/4/14

DRAWN	YANXU	DATED	2015-10-14
CHECKED	Wu Xu	DATED	< >



TITLE: 4_MEMORY

VERSION: V1.1


SHEET: 4 017

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:


Fingerprint



Audio PA




MAIN MIC




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


Headset Connector



Earphone Microphone




Receiver



3.5mm Audio Jack


COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5086_V1.1	Modified Date: 2016/4/14	
DRAWN	YANXU	DATED	2015-10-14	TITLE: 7_AUDIO	VERSION: V1.1	SHEET: 7 OF 17
CHECKED	Wu Xu	DATED	< >			

LCD BIAS




I2C Address:0x3F


LCD_BACKLIGHT



LCM EMI FILTER & ESD




LCD_CONNECTOR




COMPANY:				MODEL:		Modified Date:	
Shanghai Ragentek Intelligent Technology Limited				J5086_V1.1		2016/4/14	
DRAWN	YANXU	DATED	2015-10-14	TITLE: 8_LCD/TP		VERSION: V1.1	SHEET: 8 OF 17
CHECKED	Wu Xu	DATED	< >				

Back Camera (Main)




REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

Front Camera (Sub)




Front Camera Flash LED
Back Camera Dual Flash LED



I2C ADD:0X63


COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5086_V1.1		Modified Date: 2016/4/14	
DRAWN	YANXU	DATED	2015-10-14	TITLE: 9_CAMERA		VERSION: V1.1	SHEET: 9 OF 17
CHECKED	Wu Xu	DATED	< >				

FOR MMC35240: R550/R556/R557/R551/R564=NC;R552=0R
FOR AF7133E: R550/R552/R557/R551=0R;R556/R564=NC




```
FOR MMC35240:I2C Address:0x60
FOR AF7133E: R551/R564 SET I2C ADDR
FOR AF7133E: PIN D1=High I2C ADDR=0X1C
FOR AF7133E: PIN D1=Low I2C ADDR=0X1E
```

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE



I2C Address:0x18

579ALS-028WA



I2C Address:0x53

COMPANY: Shanghai Ragentek Intelligent Technology Limited				MODEL: J5086_V1.1	Modified Date: 2016/4/14	
DRAWN	YANXU	DATED	2015-10-14	TITLE: 10_SENSOR	VERSION: V1.1	SHEET: 10 OF 17
CHECKED	Wu Xu	DATED	< >			

E



C





A



6	5	4	3	2		
---	---	---	---	---	--	--

SKY77643 / RF5410 WCDMA_BAND1/2/4/5+FDD_BAND4/7/17/28+TDD_B41

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY: 上海锐嘉科通信技术有限公司 Shanghai RagenTek Communication Technology Co.,Ltd			
DRAWN	YANXU	DATED	2015-10-14
CHECKED	Wu Xu	DATED	< >

MODEL: J5086_V1.1

Modified Date:	2016/4/14
----------------	-----------

TITLE: 13_SKY77643/RF5410

VERSION: V1.1

SHEET: 13 OF 17


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

The schematic diagram illustrates the RF front end for the B20/WiFi co-existence mode. It shows the connection between the LTE_TRXB20 input, the B20_PA_OUT output, and the U760 antenna. The circuit includes several components: capacitors C778, C783, C784, and C793; inductors L770, L768, and L771; and a matching network. The U760 component is labeled with TX, RX, and ANT pins. The output is connected to the LTE_RFIP1_LB1 and LTE_RFIP1_HB1 ports.

The schematic diagram illustrates the RF front end circuit. It begins with a GSM_1900 antenna input connected to a matching network consisting of a series resistor labeled RT59 and a shunt capacitor labeled L766. The output of this network connects to the IN pin of a U758 double-balanced mixer. The mixer's OUT pins are connected to two parallel LC filter stages. Each stage consists of a series capacitor (C786 or C787) and a shunt combination of an inductor (L773) and a capacitor (C785). The final outputs are labeled LTE_RFIP1_HB1 and LTE_RFIP1_HB1.

Modified Date:	
VERSION: V1.1	SHEET: 14 OF 17

B28_TRX




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

COMPANY: 上海锐嘉科通信技术有限公司 Shanghai RagenTek Communication Technology Co.,Ltd				MODEL: J5086_V1.1		Modified Date: 2016/4/14	
DRAWN	YANXU	DATED	2015-10-14	TITLE: 15_PRX2		VERSION: V1.1	SHEET: 15
CHECKED	Wu Xu	DATED	< >				

1



[illegible]

1



1



+

