

WATERFRONT OWNER'S GUIDE

Seawalls · Docks & Boat Lifts · Waterfront Decks

Written for waterfront owners in Miami-Dade County — Miami Beach, Miami, Coral Gables, Key Biscayne, Surfside, Bay Harbor Islands, Aventura and the bay and canal communities in between.

INCLUDES: 15 QUESTIONS TO ASK EVERY CONTRACTOR

Waterfront work is among the most expensive and most heavily permitted work you can buy for your home, and among the least transparent. This guide gives you the part nobody hands you: who has to approve the job, which paperwork protects your money, how to check a company in about ten minutes, and what to ask before you sign.

Every local rule in this guide carries its code section, and the figures were checked against the primary sources in October 2026. Rules change. Confirm with your building department before you rely on one.

Start Here

What this guide is for

Waterfront work is among the most expensive and most heavily permitted work you can buy for your home, and among the least transparent. This guide gives you the part nobody hands you: who has to approve the job, which paperwork protects your money, how to check a company in about ten minutes, and what to ask before you sign. This edition covers Miami-Dade, where the county's environmental permit covers most marine work — even inside city limits — and your city sets the seawall height.

The four things that decide how your project goes

PERMITS	Several layers of government can touch one seawall or dock (Chapter 1 lists them). Missing one can stop work, void insurance, or surface years later when you sell.
THE CONTRACTOR	License category, insurance and workers' comp decide who pays if something goes wrong on your property.
THE PAPERWORK	Florida's lien law can make you pay twice for the same work if the right documents are missing.
THE ELEVATION	Local rules set a minimum seawall height in a specific measuring system. Build to the wrong number and the wall may not pass, or may not comply later.

How to use this guide

Read Chapters 1 and 2 before you call anyone. Take the 15 questions to every estimate. Use the ten-minute check in Chapter 4 before you sign. Keep the closing checklist on the last page next to your final payment.

One honest caveat

Rules change, and they change city by city. Every figure in this guide is sourced, and the sources are listed so you can check them yourself. Figures were checked against the primary sources in October 2026. Before you sign a contract, confirm the current requirement with your building department. This guide is information, not legal or engineering advice.

Not sure where your shoreline stands?

Answer a few questions about your seawall, dock or deck and get a free Shore Score, cost estimate and the rules for your exact address. [ScoreMyShore.com](#) — free, about 2 minutes

Chapter 1

Who has to approve your project

A seawall or dock is not one permit. It is a stack. A contractor who promises to "handle the permit" should be able to name every layer that applies to your job.

WHAT IT COVERS	1. City or county building permit
----------------	-----------------------------------

Structure, elevation, setbacks, inspections. The one that gets finaled and closed.

2. County environmental review

Work in, on or over the water. In some counties a separate license with its own clock.

3. State: FDEP

Environmental Resource Permit — or a written verification that your project is exempt.

4. State: submerged lands

The bottom of most waterways is state-owned. Building over it needs consent, sometimes a lease.

5. Federal: Army Corps

A Department of the Army permit (nationwide, general or individual) for work in navigable waters (33 CFR 322.3). For some minor work the Corps lets FDEP review it through a State Programmatic General Permit; ask whether one applies to your job.

The exemptions homeowners can actually use

Florida law exempts several common residential projects from the state ERP. "Exempt" does not mean "no paperwork" — it means one layer gets simpler, and you should get it verified in writing.

PRIVATE SINGLE-FAMILY DOCK	1,000 sq ft over-water (500 sq ft in Outstanding Florida Waters). Boat shelters, lifts and roofs count toward it. One exempt dock per 65 ft of shoreline.
SEAWALL RESTORATION	Rebuilt in the same place, or no more than 18 inches waterward of where it was, where the wall was damaged within the last year by a discrete event such as a storm, or the work needs only minimal backfilling.
NEW SEAWALL BETWEEN TWO EXISTING ONES	Must adjoin both, follow the same line, and run no more than 150 feet.
FLOATING BOAT LIFT OR PLATFORM	Wholly within a previously permitted slip, or up to 500 sq ft combined (200 sq ft in Outstanding Florida Waters) beside a qualifying dock or bulkhead.

Source. Florida Statutes 403.813(1)(b), (e), (o) and (s); Florida Administrative Code 62-330.051(5) and (12); FDEP Form 62-330.050(1), adopted in Rule 62-330.050(2), requests written verification of an exemption.

Ask for the exemption in writing

A verbal "that's exempt" is worth nothing at closing. FDEP has a form for verifying one. Ask your contractor to request it, and keep the response in your permit file.

Submerged lands: the layer most owners have never heard of

A letter of consent can cover one minimum-size private residential dock per parcel, and a seawall no more than 3 feet waterward of the mean or ordinary high water line. Structures must sit at least 25 feet inside your riparian lines (10 feet for marginal docks). Exceptions include a single-family dock on a lot with under 65 feet of frontage and a written concurrence from the neighbour. A letter of consent covers up to 10 sq ft of state bottom per linear foot of shoreline; beyond that you need a lease, with fees. Source: Florida Administrative Code 18-21.004(3)(d) and 18-21.005(1)(c)-(d).

Chapter 2

Seven costly mistakes

1. **Fixing the cap and ignoring what's behind the wall** Many seawall failures start on the land side. Water and soil move through joints and cracks, the anchors (tie-backs and deadmen) corrode, and voids open behind the wall. A new cap on a wall with failing anchors buys time, not a fix. Ask what the plan is for the anchors, the drainage and the soil behind the wall — not just the part you can see.

2. **Building a new wall in front of a failing one without an engineered design** Putting a new wall waterward of the old one is common and sometimes correct. Done without an engineered design, it can trap the old failure behind a new face, and it can push you past the 18-inch limit that keeps your project simple at the state level.

3. **The permit shortcut** Unpermitted marine work is the quiet killer of closings. It surfaces in a municipal lien search, it can be uninsurable, and the fix is often removing and redoing the work. Never accept "we don't need a permit for this" without seeing it in writing from the building department.

4. **Ignoring drainage** Weep holes and filter fabric let water out and keep soil in. Clogged, missing or badly built drainage puts full water pressure on the wall every time the tide drops. A quote that never mentions weep holes, filter fabric or backfill material is not a complete quote.

5. **Picking the material by price alone** Concrete, vinyl, steel, composite and riprap each behave differently depending on soil, exposure, water depth, access and what your neighbors have. Ask why this material for this site, and what the alternative would cost over the life of the wall.

6. **Hiring without checking license, insurance and permit history** All three take about ten minutes to verify, and all three are public. Chapter 4 shows exactly where to look.

7. **Waiting until after a storm** After a named storm, every crew in the county is booked, emergency work gets priced accordingly, and your options narrow to whoever answers the phone. The cheapest time to deal with a wall is while it's still a maintenance problem. Bonus mistake: planning the wall without the dock and the deck. Replacing a seawall usually means taking the dock off and putting it back. Soil loss behind the wall can undermine deck footings. Planning the three together is one mobilization, one permit cycle and one round of landscape repair instead of three.

15 questions to ask every company

Ask all fifteen, of every bidder, and write down the answers. The differences between companies show up here long before they show up in the price.

What is your Florida license number, and which category is it?

You want the state license number, not a photo of a truck decal. Marine work has its own specialty categories, and general or building contractors can also hold the scope.

Who pulls the permits — you or me?

The correct answer is the contractor. An owner-pulled permit shifts liability for code compliance onto you.

Which agencies have to approve this job?

They should be able to name every layer that applies: city, county environmental, state, submerged lands, federal.

Is my project exempt at the state level, and will you get that in writing?

See the exemption limits in Chapter 1.

What elevation are you building to, and in which datum? "Four feet" means two different walls in NAVD88 versus the old NGVD29. Get the number and the datum in the contract.

What's your plan for the anchors and the drainage?

Tie-backs or deadmen, weep holes, filter fabric, backfill. If a quote covers only the visible face, it is not comparable to one that doesn't.

Who is doing the actual work — your crew or a sub?

Pile driving and barge work are often subcontracted. Every sub needs its own insurance and workers' comp.

Can I see your certificate of insurance and your workers' comp status?

Ask for the certificate, then verify it yourself. Chapter 4 shows how.

How will you get equipment to the water, and who repairs the damage?

Barge or land access, driveway and pavers, irrigation, landscaping, the neighbor's lawn. Put restoration in writing.

What's the payment schedule, and what is due before work starts?

Large deposits are a risk. Tie payments to milestones you can see: permits issued, piles set, cap poured, final inspection passed.

Will you provide lien releases with each payment?

Partial releases as you go, final releases from the contractor and every supplier before the last check. This is what stops you paying twice.

What is the warranty, in writing — on workmanship and on materials?

Ask what voids it, who honors it if the company is sold, and whether the material warranty is from the manufacturer.

What could change the price once you start?

Rock, unexpected soil conditions, utilities, seagrass findings, a deeper footing. Ask for the unit price of the likely change orders now.

How long will the permit take, and how long will the work take?

Permitting is usually the long pole. Ask for a realistic range and what typically causes delays in your city.

Who calls for the final inspection, and who confirms the permit is closed?

The final inspection is not the same as the permit being closed. Ask for the closed permit record before the final payment.

- Three answers that should end the conversation
- "You don't need a permit for that."
- "Pay cash and I'll knock off the tax."
- "Just put the permit in your name, it's faster."

A quote you can actually compare

A comparable quote names: the length and height of the structure, the elevation and the datum, the material and thickness, the anchor system, the drainage detail, the backfill, the demolition and disposal plan, what gets restored afterward, which permits are included, the payment schedule, and the warranty. If two quotes are \$30,000 apart, the answer is almost always in one of those lines.

Chapter 4 · The Ten-Minute Check

How to check a company yourself

All of this is public, free, and takes about ten minutes. Do it before you sign, not after something goes wrong.

1. License — 2 minutes Search the contractor's name or license number at the state licensing portal. Confirm the license is active, that the name matches the company on your contract, and check the discipline history. Verify a license: myfloridalicense.com/portalsearches/VerifyLicensee File a complaint / check unlicensed activity: myfloridalicense.com

Which license covers this work?

Since May 2024, state rule 61G4-15.100 lists the Marine Specialty Contractor plus narrower marine seawall, bulkhead, dock and pile-driving specialty categories. A certified general contractor's scope also covers this work. If a company offers only a county card, call that county's building department and ask whether it is still recognized.

2. Workers' compensation — 3 minutes In construction, coverage is required from the first employee (s. 440.02(20)(b)2). Up to three officers or LLC members owning at least 10% can be exempt, but an exemption covers only that named person (s. 440.05) — not the four-person crew that shows up. If an uninsured worker is hurt on your property, that can become your problem, and your homeowners policy usually will not cover it. Coverage and exemption search: dwcdataportal.fldfs.com/POCData.aspx

3. Insurance — 3 minutes Ask for a certificate of general liability naming you as certificate holder, covering the project dates, plus certificates for every subcontractor. Then call the agency listed on the certificate and confirm the policy is in force. Certificates are the easiest document in this trade to fake. Confirm the agency is licensed: licenseesearch.fldfs.com State licensing minimums are low — \$300,000 liability and \$50,000 property damage for general and building contractors, \$100,000 and \$25,000 for residential and most specialty contractors (Rule 61G4-15.003). Treat them as a floor, not a target.

4. Permit history — 2 minutes Look up the company's recent permits in your local portal, and look up your own address while you're there. Open or expired permits on your property are worth finding now rather than at closing. Miami-Dade permit records: miamidade.gov/global/economy/building/online-services.page · City of Miami: apps.miami.gov/iBuildPortal · Miami Beach: miamibeachfl.gov/permits-search-dashboard

Chapter 5

The paperwork that protects your money

Florida's construction lien law can require a homeowner to pay twice for the same work — once to the contractor, and again to a supplier the contractor never paid. These documents are what prevent that.

WHY YOU CARE	Lien law warning in the contract
● Direct contracts over ● \$2,500 on 1–4 unit ● residential property	

Required by s. 713.015 in 12-point capitalised bold type, signed and dated by you. Its absence tells you how this company runs.

Recovery Fund disclosure

RESIDENTIAL CONTRACTS OVER \$2,500	Required by s. 489.1425. Points to the state fund that can pay you if a licensed contractor takes your money and abandons the job.
------------------------------------	--

Notice of Commencement

DIRECT CONTRACTS OVER \$2,500	You (the owner) record it with the county and post it at the site (s. 713.13). Over \$5,000, the building department needs a copy before the first inspection (s. 713.135; HVAC repair under \$15,000 excepted). Payments made after it expires are improper — meaning you may have to pay again.
NOTICE TO OWNER	From subs and suppliers

They must serve it no later than 45 days after starting (s. 713.06). Every notice you receive is someone who can lien your home. Keep the list.

Releases of lien

WITH EVERY PAYMENT	Partial releases as you go; final releases from the contractor and from everyone who sent a Notice to Owner, before the final check.
--------------------	--

Final contractor's affidavit

BEFORE FINAL PAYMENT	States that every lienor who served a notice has been paid, or names who has not and how much (s. 713.06(3)(d)).
----------------------	--

The Recovery Fund, and the number that surprises people

If a licensed contractor causes you a financial loss and you win a judgment you cannot collect, Florida's Homeowners' Construction Recovery Fund may pay part of it. For contracts signed on or after July 1, 2024, the caps are \$100,000 per claim against a Division I contractor (general, building or residential) and \$30,000 per claim against a Division II contractor, which includes the marine specialties (s. 489.143(3)). The fund pays nothing if the contractor was unlicensed when you signed (s. 489.141). A contractor licensed only in a marine specialty falls under the lower cap. It is worth asking which category your contractor holds before you hand over a large deposit.

If they came to you

Florida gives buyers the right to cancel a "home solicitation sale" over \$25 until midnight of the third business day after signing (Sundays and federal holidays do not count), and the contract must carry a "BUYER'S RIGHT TO CANCEL" notice (ss. 501.021, 501.025, 501.031). The catch: a sale that results from your own request for specific goods or services is excluded. The right matters most after a storm, when crews knock on doors.

Closing the permit is part of the job

A final inspection is not the same as a closed permit. Open permits show up in title searches and can stall a sale years later. Florida law lets a property owner close a permit even if the original contractor is gone, by hiring another licensed contractor to finish and obtain the inspections, and lets local agencies close expired permits where the work was substantially completed (s. 553.79(16)). Do not rely on that as a plan — confirm the permit shows closed in your local portal before the final payment.

Chapter 6

Mangroves, manatees and seagrass

These rules delay more South Florida projects than anything except permitting itself — and two of them can generate fines against you, the property owner, for something a crew did.

Mangroves: the six-foot line

Trimming under the state exemptions may not take a mangrove below 6 feet, and removing, defoliating or destroying one needs a permit. An owner may trim a riparian fringe only where the mangroves are 10 feet or less before trimming. Above 10 feet, a professional mangrove trimmer is required; the ceiling is 24 feet pre-trim, and for mangroves 16 feet or taller, no more than 25% of the foliage per year. These exemptions are written for shorelines of 150 feet or less. Second and later violations run up to \$100 per mangrove trimmed and \$250 per mangrove altered, and restoration can require replanting to replace the lost canopy within five years. Source: Florida Statutes 403.9326 and 403.9332. The "we'll open up your view" offer A crew that offers to clear the mangroves for a better view is proposing penalties and a multi-year restoration obligation that attach to your property, not theirs. Get the trimming plan in writing and confirm the trimmer's credentials.

Manatees

Standard manatee conditions are attached to in-water authorizations in Florida, including exempt work (FWC Standard Manatee Conditions for In-Water Work, 2011; Rule 62-330.050(9)). Crews must idle in the work area, use turbidity barriers manatees cannot get tangled in, post the required signs, and shut down all in-water operations if a manatee comes within 50 feet. Expect occasional lost hours; a contractor who has never had to stop for a manatee has probably not worked here long.

Seagrass and the bottom

State rules favor native vegetation and riprap over new vertical seawalls wherever feasible (Rule 18-21.004(2)(f)), and dock designs are routinely modified — narrower, higher, or moved — to avoid shading seagrass. If a survey finds seagrass or hardbottom at your site, expect the design to change. That is normal, and it is better found before the contract than after.

Elevation, and the datum trap

Elevations are measured from an agreed zero. NGVD29 is the old zero; NAVD88 is the modern one that current flood maps and most seawall ordinances use, though some older city codes still state heights in NGVD29 or mean sea level. The ground does not move — only the number describing it does. Across the South Florida Water Management District the same point reads roughly 0.6 to 1.6 feet lower in NAVD88 than in NGVD29 (SFWMD), and the offset varies by location, so it is never safe to convert with a rule of thumb. Put both in the contract "Top of cap at 5.0 ft NAVD88, verified by survey" is enforceable. "Four feet high" is not. Ask for the surveyor's elevation certificate at the end.

Chapter 7 · Your Local Rules

Miami-Dade County

Two things make Miami-Dade different: a county environmental permit that applies inside every city, and seawall heights that are set by your city rather than the county.

The Class I permit — required even inside city limits

Work in, on, over or upon tidal waters in Miami-Dade needs a Class I permit from the county's environmental division (DERM), including within municipalities (Sec. 24-48(1)(d)). That covers seawalls and bulkheads, docks, piers, boat lifts and davits, riprap, and dredging and filling. Some minor work, such as cap crack repair and backfilling, is exempt (Sec. 24-48(3)), and mangrove trimming done under the state Mangrove Act is exempt. It sits on top of your city building permit, and alongside the state and federal layers. To qualify for the short-form permit, a single-family dock, lift, davit or pile may not protrude more than 25% of the width of the waterway (Sec. 24-48.2(l)(A)(2)). Seawall replacement at the mean high water line or within 18 inches waterward of the existing wall qualifies for the simpler short-form review (Sec. 24-48.2(l)(A)(1)). Class I short-form permits are valid 2 years; standard-form and mangrove permits 3 years. Extensions can take the total to no more than 10 years (Sec. 24-48.9). On 1 July 2025 the County Commission adopted Ord. 25-73. The DERM Director now decides standard-form applications, except substantial changes to Commission-approved permits or covenants and applications tied to a variance that needs a hearing. For Class I seawall and bulkhead applications, the county targets an initial completeness review within 10 calendar days and a short-form decision within 90 calendar days after the completeness summary; these timelines started when the county's electronic permit system went live on 1 December 2025. Miami-Dade Code Chapter 24, Secs. 24-48 to 24-48.9; Ord. 25-73.

There is no countywide seawall height

Miami-Dade's county code governs where a seawall may go and what it may impact, not how high it must be. Your city sets the elevation. Never accept a height figure that isn't tied to your city's code.

Chapter 7 · Continued

What your city adds

MIAMI BEACH	New seawalls, and existing walls needing substantial improvement (\$500 or more per linear foot), must reach 5.7 ft NAVD88. Lesser repairs may build to 4.0 ft NAVD88 if designed and built to accommodate 5.7 ft later (Code Secs. 54-61, 54-62(a), as amended by Ord. 2025-4754, 23 July 2025). Owners must maintain seawalls and keep tidal water off adjacent property: 60 days to show progress, 6 months to file permit applications with the city and county, 730 days to complete. Fines run \$250 for a first offense and \$500 per day after.
CITY OF MIAMI	On new construction or substantial improvement, seawalls, bulkheads and living shorelines on tidally influenced and waterfront properties citywide must reach at least 6 ft NAVD88. On the Miami River and its tributaries the minimum is 4 ft NAVD88, built so the wall can be raised at least 2 ft (City Code Sec. 29-89(a)(4)). Repairs of 50% or more of length or cost must bring the full property frontage to standard (Sec. 29-89(a)(5)).
SURFSIDE	On Biscayne Bay, Indian Creek and Point Lake, seawall tops must be at or above the FEMA base flood elevation, no higher than the town's design flood elevation (about 8.5 ft NAVD), and built to take 2 more feet (Town Code Sec. 90-63.4, Ord. 23-1734, 14 March 2023).
OTHER CITIES	Coral Gables requires 6 ft NGVD29, an older datum (Zoning Code Sec. 3-706). Bay Harbor Islands requires a cap at 5.50 ft above mean sea level (Code Sec. 23-12(10)(c)). For Key Biscayne, Aventura, Sunny Isles Beach and others, ask the building department for the figure and the section number in writing.

Bay-front development: shoreline development review

Along Biscayne Bay, Dumfoundling Bay, Maule Lake and Little Maule Lake, and the Intracoastal from NE 163rd Street to the Broward line, county shoreline review sets a minimum 25-foot setback for buildings, measured from the seawall cap, riprap or mean high water line, rising with building height to a maximum of 75 feet (Sec. 33D-38). Single-family homes and duplexes are excluded from this review (Sec. 33D-34(2)). Two Miami-Dade questions to add to your fifteen "Is this a short-form or standard Class I permit, and what is your expected timeline?" "What elevation does my city require, and which code section says so?"

Chapter 8

What to check, and when

Ten minutes twice a year and after every storm. Most expensive failures are visible months before they become emergencies.

- Seawall
- Cracks in the cap, or a gap opening between the cap and the panels
- Soft ground, sunken pavers or depressions within a few feet of the wall
- Sand fans, wet streaks or small channels at the base of the wall at low tide
- Any lean toward the water — sight down the wall from one end
- Weep holes blocked, or no weep holes at all
- Rust stains bleeding through the concrete
- Water topping the wall at king tides

- Dock and boat lift
- Pilings soft, split or thinning at the waterline
- Sections that move, sway or sag underfoot
- Loose, rotted or missing boards; lifted fasteners
- Rust on bolts, brackets, cleats and lift hardware
- Frayed lift cables, slipping gearbox, unusual motor noise
- Boat weight creeping up on you — a bigger boat on an older lift
- Any exposed or damaged wiring near the water

Waterfront deck

Railings that wobble — treat as a safety issue, not a to-do
Soft or bouncy spots underfoot
Rot where the deck meets the house (the ledger) and at the posts
Corroded hangers, screws and connectors
Footings that have settled, especially near the seawall
After a named storm in Miami-Dade Photograph everything the same week, before repairs. Check for new soil loss behind the wall, shifted pilings and water marks above the cap. In Miami-Dade, keep the photos with your Class I permit file.

Glossary

Cap: the concrete beam across the top of a seawall. Tie-back / deadman: the anchor system that holds the wall against soil pressure. Weep hole: a drain that relieves water pressure behind the wall. Riprap: rock placed at the base of a wall to absorb wave energy. MHW: mean high water. NAVD88: the modern elevation datum. ERP: the state Environmental Resource Permit. Letter of consent / lease: permission to use state-owned bottom. SPGP: a

Corps general permit under which FDEP reviews certain minor work for the Corps. King tide: the highest seasonal tides, usually in fall.

Before You Pay

The closing checklist

Do not release the final payment until every line is checked. Final inspection passed, and the permit shows closed in the local portal Written verification of any claimed state exemption is in your file Surveyor's elevation certificate matches the elevation and datum in the contract Final release of lien from the contractor Final releases from every supplier or sub that sent you a Notice to Owner Final contractor's affidavit Written warranty, with start date and what voids it Photos of the finished work, including the drainage and anchors before backfill Landscaping, pavers and irrigation restored as agreed Copies of all permits and approvals for your closing file

Know where your shoreline stands — free

Answer a few questions about your seawall, dock or deck. You'll get a Shore Score for each structure, a cost range for Miami-Dade, and the rules that apply at your address. If something looks wrong, we'll book a free on-site inspection to take a closer look.

Sources

Florida Statutes 403.813, 403.9326, 403.9332, 440.02, 440.05, 489.105, 489.141, 489.1425, 489.143, 501.021, 501.025, 501.031, 553.79, 713.015, 713.02, 713.06, 713.13, 713.135 · Florida Administrative Code 18-21.004, 18-21.005, 61G4-15.003, 61G4-15.100, 62-330.050, 62-330.051 · 33 CFR 322.3 · Miami-Dade Code Chapter 24 (24-48 to 24-48.9) and Chapter 33D · Miami-Dade Ordinance 25-73 (1 July 2025) · City of Miami Beach Code 54-61 to 54-65 (Ordinances 2021-4393 and 2025-4754) · City of Miami Code 29-89 (Ordinance 13980) · Town of Surfside Code 90-63.4 (Ordinance 23-1734) · Coral Gables Zoning Code 3-706 · Bay Harbor Islands Code 23-12 · FWC Standard Manatee Conditions for In-Water Work · SFWMD vertical datum fact sheet.

WallDockDeck is a waterfront resource for South Florida and the Keys. On-site inspections and construction work are performed by licensed partner contractors. This guide is general information, not legal, engineering or permitting advice, and rules change — confirm current requirements with your local building department before signing a contract. Edition: October 2026.