JONIK NDOVU FARM · LAIKIPIA, KENYA

Quality Assurance & Acceptance Testing Master Manual

End-to-End Verification Guide for Digital Platform, Investor Portal & Governance Systems

This testing specification provides a comprehensive, rigorous protocol for validation engineers, QA testers, and security auditors evaluating the Jonik Ndovu Farm web application. Covers responsive layouts, multi-tier investor workflows, role-based access control, cryptographic verification, audit trails, and security compliance.

TARGET SYSTEM
Jonik Ndovu Farm Web Application & Data Room

ARCHITECTURE
Next.js 14 (App Router) · React 18 · TypeScript · Tailwind CSS

TESTING SCOPE
Public Experience · Investor Onboarding · Data Room · Admin Console · Security

BASE URL (LOCAL)
`http://localhost:3000`

TEST SUITE VERSION
v2.4.0 (Post-Security Audit & Git Commit 7e399be)

RELEASE TARGET
Q4 2026 Active Investment Round

Classification: **CONFIDENTIAL · INTERNAL QA DISTRIBUTION ONLY**

Document ID: **JNF-QA-2026-V2**

01 Test Environment Setup & Pre-Configured Test Accounts

Before starting test execution, ensure the Next.js development server or staging instance is running. The application relies on server-side HTTP cookies for session persistence and file-based state storage in `server-storage/db.json`.

> **Quick Verification of Running Server**
>
> Run in terminal: `curl -I http://localhost:3000`. Verify that HTTP 200 OK is returned. If starting from cold, execute:
>
> ```
> npm run dev # Starts Next.js development server on http://localhost:3000
> ```

Pre-Configured Test Credentials Matrix

The following accounts are pre-seeded in the database to enable instant role-based testing across all privilege levels without manual database seeding:

Role	Account Email	Password	Access Level	Primary Testing Purpose
SUPER ADMIN	`admin@jonikndovufarm.com`	`NdovuAdmin2026!`	Full Governance (`/admin`)	Command Center, user approvals, campaign manager, audit logs, doc uploads.
APPROVED	`investor.approved@example.com`	`Approved2026!`	Tier 3 Accredited (`/portal`)	Full Data Room access, 10-Year Model download, watermarked PDF testing.
REGISTERED	`investor.registered@example.com`	`Registered2026!`	Tier 2 Verified (`/portal`)	Executive overview access, locked Tier 3 teaser, NDA submission workflow.
PUBLIC/NEW	*Tester provides new email*	*Tester defined (8+ chars)*	Public (`/` , `/investment`)	End-to-end registration flow, validation errors, and email verification.

> 🔑 **Development Email Verification Code Bypass**
>
> When testing the email verification flow for newly registered accounts in local or staging environments, use the standard universal verification code: `123456`. Real SMTP emails are also dispatched when SMTP environment variables are populated.

Platform Routes & URLs Map

Route / URL	Required Role	Description
`/`	Public	Brand homepage with hero, value propositions, metrics, campaign banner, and CTA.
`/investment`	Public	Investment thesis, round timetable, capital structure, and financial highlights.
`/investor-access`	Public	Tier 2 registration gateway with multi-field qualification questionnaire.
`/login`	Public	Unified investor authentication interface (Google OAuth + Email/Password).
`/portal`	Registered / Approved	Investor Data Room & Diligence Portal (displays Tier 2 or Tier 3 materials).
`/portal/opportunity`	Registered / Approved	In-depth architectural, conservation, and agro-tourism synergy specifications.
`/admin/login`	Public / Admin	Governance authentication portal with administrator credentials and passkey input.
`/admin`	Super Admin	Command Center Dashboard: KPIs, recent activity, system health.
`/admin/investors`	Super Admin	User Management: Tier upgrading, account suspension, reactivation, deletion.
`/admin/access-requests`	Super Admin	Investor accreditation queue: Review registration requests and approve NDAs.
`/admin/documents`	Super Admin	Diligence Room management: Upload, replace, edit metadata, and delete documents.
`/admin/audit-log`	Super Admin	Immutable security audit trail capturing all logins, downloads, and status changes.

02 Test Suite 1: Public Brand & Responsive Presentation

Validates brand aesthetics, typography hierarchy (Playfair Display serif headings and Plus Jakarta Sans body), responsiveness across viewports, and call-to-action routing.

☐ TC-PUB-01 Homepage Hero & Brand Aesthetic (Desktop 1280px+) HIGH

Preconditions: Browser opened in desktop resolution (1280×800 or wider).

- Navigate to `http://localhost:3000/`.
- Inspect the top navigation bar: verify logo, 6 main navigation items, and "Investor Access" CTA button.
- Verify the luxury earth color palette: Deep Forest Evergreen (`#16281E`), Warm Earth Gold (`#A88B65`), Ivory (`#FAFAF7`).
- Check the hero pill banner at the top of the hero text: "LAIKIPIA CONSERVANCY ECO-SYSTEM · PRIVATE ROUND".
- Verify typography: Headings use Playfair Display serif; body text is clean sans-serif.

> **Expected Result:** Page renders with zero horizontal scrollbar; typography is sharp and legibly spaced; buttons have smooth hover transitions (gold glow); hero imagery loads without layout shifts.

☐ TC-PUB-02 Active Campaign Window Banner & Mobile Responsiveness (375px) CRITICAL

Preconditions: Responsive mode set to 375px width (iPhone SE viewport).

- Navigate to `http://localhost:3000/`.
- Examine the top Campaign Window Banner ("ACTIVE DILIGENCE ROUND").
- Verify that the banner remains in a clean single-row or neatly wrapped layout without text overlapping or badge clipping.
- Verify the hero eyebrow pill text does not overflow or wrap awkwardly (uses compact 10px tracking).
- Tap the hamburger navigation icon: verify the mobile drawer expands smoothly with full navigation links and close button.

> **Expected Result:** Zero horizontal scrolling or layout breakages at 375px width; hamburger menu opens and closes cleanly; closing date and status badges remain readable.

☐ TC-PUB-03 Tablet Viewport Layout & Investment Timetable Card (768px) MEDIUM

Preconditions: Viewport set to 768px width (iPad portrait).

- Navigate to `http://localhost:3000/investment`.
- Scroll down to the Campaign Timetable Card.
- Examine the status pills ("Active Diligence", "Closing Date", "Allocation Open").
- Verify that none of the pill badges wrap their text onto two lines (protected with `whitespace-nowrap`).
- Inspect the 4-column metric grid: verify it gracefully collapses to 2 columns without clipping card contents.

> **Expected Result:** Responsive grid reflows naturally to 2 columns; all badges maintain intact padding and nowrap text.

☐ **TC-PUB-04** Public Inquiries & Contact Submission Form HIGH

Preconditions: User is unauthenticated.

- Navigate to the contact/inquiry section on `/investment` or `/`.
- Attempt to submit with empty fields: verify HTML5 and custom client-side validation errors trigger.
- Fill in valid details: Full Name: "Dr. Arthur Pendelton", Email: "arthur@capitalpartners.uk", Message: "Requesting conversation regarding Year 3 cash flow waterfall."
- Click "Send Inquiry" button.

> **Expected Result:** Button displays loading state; success toast/banner appears acknowledging submission; inquiry is written to `db.json` under `inquiries` array.

03 Test Suite 2: Investor Registration, Verification & Onboarding

Verifies the end-to-end journey of a prospective investor: registration form input validation, password strength enforcement, email verification, and session initiation.

☐ TC-INV-01 Registration Form Field Validation & Accessibility — CRITICAL

Preconditions: Unauthenticated browser session.

- Navigate to `http://localhost:3000/investor-access`.
- Inspect form labels: click the label text for "Full Legal Name", "Business Email", and "Password". Verify that clicking the label correctly shifts browser focus to the associated input (confirms `htmlFor` / `id` pairing).
- Enter an invalid email format (e.g. `tester@domain` without TLD) and short password (4 chars).
- Click "Submit Access Request".

> **Expected Result:** Submission is blocked; clear error messages indicate email format and minimum 8-character password requirement.

☐ TC-INV-02 Complete New Investor Registration & Email Dispatch — CRITICAL

Preconditions: Form on `/investor-access`.

- Fill valid registration details:
  - Full Legal Name: `Sarah Jenkins, CFA`
  - Business Email: `sarah.jenkins.test@heritage-capital.com`
  - Password: `InvestorPass2026!` (Confirm: `InvestorPass2026!`)
  - Organization: `Heritage African Investments`
  - Country: `Kenya` | Category: `Institutional Investor`
  - Investment Interest: `Equity` | Indicative Range: `$500,000 – $1,000,000`
  - Check the confidentiality and terms agreement checkbox.
- Click "Submit Access Request".
- Observe URL redirection to `/login?verify=email&email=...`. Verify that `?code=123456` is **NOT** present in the URL (security fix verification).

> **Expected Result:** User is redirected to the verification screen; user record is created in `server-storage/db.json` with `role: "registered"` and `emailVerified: false`; random 6-digit verification code is generated.

☐ TC-INV-03 Email Verification Code Submission (Dev Fallback & Failure Modes) — CRITICAL

Preconditions: On email verification prompt with email `sarah.jenkins.test@heritage-capital.com`.

- **Step A (Negative):** Enter an incorrect 6-digit code: `999999` and click "Verify Email".
- Verify error message: "Invalid verification code. Please check your email and try again." (Verify that no code hints are leaked in the error text).
- **Step B (Positive):** Enter the test verification code: `123456` (or stored code) and submit.
- Observe notification: "Email address verified successfully. Tier 2 portal access is now active."

> **Expected Result:** Bad code is rejected with HTTP 400; valid code sets `emailVerified: true` in database, removes `verificationCode` from storage, and grants Tier 2 portal entry.

☐ **TC-INV-04** Unified Login Screen & Password Visibility Toggle — MEDIUM

Preconditions: Logged out. Navigate to `http://localhost:3000/login`.

- Verify two sign-in options: "Sign in with Google" button and Email/Password credentials form.
- Type password into the password field: verify characters are masked by default.
- Click the "Show" eye icon: verify characters switch to visible plaintext.
- Click "Hide": verify characters are masked again.
- Enter email `investor.registered@example.com` and password `Registered2026!`. Click "Sign In with Password".

> **Expected Result:** Authentication succeeds; session cookie `jonik_session_user` is set; user is redirected to `/portal`.

04 Test Suite 3: Tiered Data Room & Digital NDA Execution

Verifies the boundary between Tier 2 (Registered) and Tier 3 (Approved) document visibility, dynamic watermarking on confidential financial models, and digital NDA execution.

☐ TC-ACC-01 Tier 2 Registered Investor View & Locked Document Badges — HIGH

Preconditions: Logged in as `investor.registered@example.com` (Password: `Registered2026!`).

- Navigate to `http://localhost:3000/portal`.
- Verify header badge reads: "TIER 2 VERIFIED INVESTOR".
- Inspect the documents grid:
  • Tier 2 documents (e.g. "Executive Overview", "Architectural Master Plan") display active "Download" buttons.
  • Tier 3 documents (e.g. "10-Year Illustrative Financial Model", "Full Valuation Model") display locked status with "Tier 3 Diligence Required" badges.
- Verify the total document count in the category filter header displays dynamically (not hardcoded).

> **Expected Result:** Tier 2 user sees available overview documents; confidential materials display lock icons; clicking locked items triggers the Tier Upgrade modal.

☐ TC-ACC-02 Digital NDA Execution & Tier 3 Upgrade Request — CRITICAL

Preconditions: Logged in as Tier 2 user on `/portal`.

- Click "Request Tier 3 Diligence Access" or click on a locked financial model document card.
- Observe the Tier Upgrade Modal popping up with complete NDA legal terms: Non-Disclosure Agreement, Confidential Information definition, Term (24 months), Jurisdiction (Republic of Kenya).
- Attempt to click "Execute NDA & Submit Request" without checking the agreement checkbox: verify submission is blocked.
- Check the acknowledgment checkbox: "I agree to the non-disclosure terms and confirm I am an accredited or institutional investor."
- Click "Execute NDA & Submit Request".

> **Expected Result:** System records `ndaAccepted: true` and timestamp in database; status updates to "Diligence Review Pending"; an audit log entry `TIER_UPGRADE_REQUESTED` is recorded.

☐ TC-ACC-03 Tier 3 Approved Investor Full Access & Watermarked Document Download — CRITICAL

Preconditions: Log in as approved investor: `investor.approved@example.com` (Password: `Approved2026!`).

- Navigate to `http://localhost:3000/portal`.
- Verify user badge displays "TIER 3 APPROVED INVESTOR · ACCREDITED".
- Locate the "10-Year Illustrative Financial Model" (Document ID `doc-07`).
- Verify the download button is enabled and reads "Download (XLSX)".
- Click "Download (XLSX)".
- Check browser downloads: verify file `Jonik_Ndovu_Farm_V3_10_Year_Illustrative_Model.xlsx` is saved.
- Repeat with a PDF document: verify server processes the dynamic watermark stamp containing: `CONFIDENTIAL · PREPARED EXCLUSIVELY FOR: investor.approved@example.com · [TIMESTAMP] · IP: [ACTOR_IP]`

> **Expected Result:** File downloads successfully without permission errors; download count increments in database; audit log records `DOCUMENT_DOWNLOADED` event with investor email and IP.

05 Test Suite 4: Governance Command Center & Administrator Controls

Validates administrative management of prospective investors, Tier 3 approval pipeline, user account state transitions, data room document management, and live campaign window controls.

☐ TC-ADM-01 Administrator Authentication & Passkey Validation — CRITICAL

Preconditions: Unauthenticated. Navigate to `http://localhost:3000/admin/login`.

- **Step A (Negative):** Enter email `admin@jonikndovufarm.com` and invalid password `WrongPassword123!`. Click "Authenticate to Command Center". Verify error "Invalid administrator email or password."
- **Step B (Negative):** Enter a non-admin user email `investor.registered@example.com` with their password. Verify access is rejected (only role `admin` permitted).
- **Step C (Positive):** Enter `admin@jonikndovufarm.com` and password `NdovuAdmin2026!`. Submit form.

> **Expected Result:** Admin session established; user is redirected to `/admin` dashboard; audit log records `ADMIN_LOGIN_SUCCESS` with client IP.

☐ TC-ADM-02 Investor Accreditation Review & Tier 3 Approval Workflow — HIGH

Preconditions: Logged in as administrator.

- Navigate to `/admin/access-requests`.
- Locate pending access requests in the queue (e.g. `Amina Odhiambo` or the newly registered test investor).
- Click "Review Profile" to inspect organization, indicative range, and executed NDA status.
- Click the green "Approve Tier 3 Diligence Access" button.
- Verify status tag immediately updates to "Approved" and audit event `TIER_UPGRADE_APPROVED` is generated.

> **Expected Result:** User role updates to `approved` in the database; corresponding AccessRequest record is marked approved; approval timestamp and administrator email are recorded.

☐ TC-ADM-03 Investor Directory: User Suspension, Reactivation & Deletion — CRITICAL

Preconditions: Logged in as administrator on `/admin/investors`.

- Locate an active registered investor (e.g. `investor.registered@example.com`).
- Click "Actions" menu and select "Suspend User Access". Verify confirmation prompt.
- Confirm suspension: verify status badge changes to red "Suspended".
- Open an incognito/private browser window and attempt to log in as the suspended user at `/login`: verify login is blocked with error: "This account has been suspended by an administrator."
- Return to Admin console, select "Reactivate Account". Verify status returns to "Active".
- Verify audit log displays `USER_SUSPENDED` and `USER_ACTIVATED` events respectively.

> **Expected Result:** Suspended users are immediately barred from authenticating and blocked from accessing protected routes; reactivation restores full access; audit actions are logged accurately.

☐ TC-ADM-04 Live Campaign Window Configuration Manager — HIGH

Preconditions: Logged in as administrator on `/admin`.

- Navigate to the Campaign Manager widget or `/admin` dashboard.
- Edit Campaign Round Name: Change to "SERIES A EXPANSION · TRANCHE 1".
- Change Round Status dropdown from "active" to "under_review" or "extended".
- Update Target Capital to "$3,000,000".
- Click "Save Campaign Configuration".
- Open public homepage `http://localhost:3000/` in a separate tab.
- Verify that the top Campaign Window Banner reflects the new round name and updated status badge in real time.

> **Expected Result:** Campaign settings persist to `db.json`; public banner updates immediately; audit log records `CAMPAIGN_WINDOW_UPDATED`.

☐ TC-ADM-05 Security & Audit Log Inspection — MEDIUM

Preconditions: Logged in as administrator on `/admin/audit-log`.

- Inspect the chronological audit log table.
- Verify every event has: Timestamp (ISO 8601), Actor Email, Actor Role, Action Type, Target Resource, Client IP, and Detailed Description.
- Test Action filter dropdown: filter by `DOCUMENT_DOWNLOADED`. Verify table updates to show only document downloads.
- Filter by `ADMIN_LOGIN_SUCCESS`: verify administrator sign-ins are listed.

> **Expected Result:** Audit logs are chronologically sorted (newest first); filtering functions properly; sensitive credentials (passwords, salts) are nowhere in the details.

06 Test Suite 5: Security, Penetration & Vulnerability Testing

Verifies the application against unauthorized access, privilege escalation, credential leakage, API injection, brute-force attacks, and session tampering.

☐ TC-SEC-01 Direct URL Route Protection (Middleware Guarding) CRITICAL

Preconditions: Unauthenticated session (clear all cookies or use fresh incognito window).

- Attempt to directly load: `http://localhost:3000/portal`.
  - Verify immediate 307/302 HTTP redirection to `/login?redirect=%2Fportal`.
- Attempt to directly load: `http://localhost:3000/admin`.
  - Verify immediate redirection to `/admin/login?redirect=%2Fadmin`.
- Attempt to directly load: `http://localhost:3000/admin/investors`.
  - Verify redirection to `/admin/login`.
- Test open-redirect injection: load `/login?redirect=https://evil.com`. Log in. Verify user is redirected to `/portal` (safe default) and **NOT** to the external domain.

> **Expected Result:** Middleware blocks unauthenticated access; open redirect exploits fail closed; only relative internal paths are honored.

☐ TC-SEC-02 Direct API Access Protection & HTTP Status Enforcement CRITICAL

Preconditions: Terminal / curl / Postman without authentication cookies.

- Execute: `curl -s -o /dev/null -w "%{http_code}" http://localhost:3000/api/portal/documents`
  - Verify returned HTTP status code is `401` (Unauthorized).
- Execute: `curl -s -o /dev/null -w "%{http_code}" http://localhost:3000/api/portal/documents/doc-07/download`
  - Verify returned HTTP status code is `401` (Unauthorized).
- Execute: `curl -s -o /dev/null -w "%{http_code}" http://localhost:3000/api/admin/users`
  - Verify returned HTTP status code is `403` (Forbidden).

> **Expected Result:** All protected API endpoints return 401 or 403 when session cookie is absent; no JSON payload or document bytes are returned.

☐ TC-SEC-03 Privilege Escalation: Tier 2 Requesting Tier 3 Document Download CRITICAL

Preconditions: Authenticated as Tier 2 user (`investor.registered@example.com`).

- Extract the active `jonik_session_user` cookie for the registered user.
- Craft an authorized HTTP GET request targeting Tier 3 document `doc-07`:
  `curl -H "Cookie: jonik_session_user=usr-registered" http://localhost:3000/api/portal/documents/doc-07/download`
- Inspect the response status and JSON body.

> **Expected Result:** Server returns HTTP 403 Forbidden with message: `"Access denied. This document requires Tier 3 Approved clearance."` Download stream is strictly blocked.

☐ TC-SEC-04 Zero Credential Exposure in JSON API Responses (Fix Verification) CRITICAL

Preconditions: Authenticated as approved user or administrator.

- Execute authenticated request to `GET /api/portal/documents`.
- Inspect the `user` object in the returned JSON.
- Verify that none of the following fields are present:
  - `passwordHash`: Must be undefined / omitted.
  - `passwordSalt`: Must be undefined / omitted.
  - `verificationCode`: Must be undefined / omitted.
- Execute administrative user status update at `POST /api/admin/users`. Inspect returned `user` object: verify sensitive hashes are stripped.

> **Expected Result:** API responses are sanitized; zero cryptographic salts, hashes, or verification tokens leak to browser memory or developer tools network tab.

☐ TC-SEC-05 Brute-Force Attack Mitigation & Rate Limiting HIGH

Preconditions: Automated script or repeated curl commands.

- Execute 6 consecutive failed login attempts to `POST /api/auth/login` from the same IP with bad passwords within 1 minute.
- Inspect the response to the 6th attempt.
- Verify HTTP 429 Too Many Requests status.
- Verify the response includes headers: `Retry-After`, `X-RateLimit-Limit: 5`, `X-RateLimit-Remaining: 0`.

> **Expected Result:** 6th request is dropped with HTTP 429; application prevents automated password guessing.

07 Test Suite 6: Accessibility, Performance & UI Polish

Validates WCAG 2.1 AA accessibility conformance, screen reader landmarks, keyboard navigation focus indicators, touch targets, and motion preferences.

☐ TC-UX-01 Keyboard Navigation & Accessible Focus Indicators — HIGH

Preconditions: Unauthenticated on `http://localhost:3000/`. Do not use mouse.

- Press `Tab` repeatedly from the top of the page.
- Verify skip-to-content link appears on initial tab press and shifts focus directly to main content area when activated with `Enter`.
- Tab through navigation links: verify each active item displays a high-contrast 2px warm gold focus ring (`#A88B65`).
- Navigate through the registration form on `/investor-access` using only `Tab`, `Space`, and `Enter`. Verify form can be fully completed and submitted without mouse interaction.

> **Expected Result:** Complete keyboard accessibility; visible focus outlines on every interactive control; logical tab order matching visual layout.

☐ TC-UX-02 Screen Reader ARIA Semantics & Landmarks — MEDIUM

Preconditions: Inspect DOM or enable Windows Narrator / ChromeVox.

- Inspect the main navigation element in DevTools: verify `aria-label="Primary navigation"` .
- Inspect the mobile hamburger toggle button: verify presence of `aria-expanded="false"` (toggling to `true` when open) and `aria-controls="mobile-nav-drawer"` .
- Inspect mobile drawer container: verify `id="mobile-nav-drawer"` and `role="navigation"` .
- Inspect all `<img>` tags across homepage and investment page: verify descriptive `alt` text is present.

> **Expected Result:** Accessibility tree reflects full structural semantics; assistive devices announce drawer expansion state and navigation context accurately.

☐ TC-UX-03 Reduced Motion Accessibility Preference — LOW

Preconditions: Open DevTools Rendering tab, set Emulate CSS media feature `prefers-reduced-motion: reduce` .

- Reload `http://localhost:3000/` .
- Inspect floating badges, hero animations, and smooth transitions.
- Verify all parallax, scale, and infinite keyframe animations are disabled or simplified to instant transitions.

> **Expected Result:** Page renders statically without disorienting movement, honoring user vestibular preferences.

08 Defect Logging Protocol & Acceptance Sign-Off Matrix

Defect Severity Rubric

Severity	Definition	Examples	Resolution SLA
CRITICAL (P1)	Security bypass, data leakage, crash, or broken primary revenue/onboarding flow.	Password hash leak, unauthenticated document download, Tier 2 downloading Tier 3 doc.	Immediate Blocker (Within 4 Hours)
HIGH (P2)	Major feature broken with no obvious workaround; significant layout breakdown.	NDA execution failure, admin cannot approve investors, form validation failure.	Fix before staging deployment (24 Hours)
MEDIUM (P3)	Minor functional issue or responsive flaw where a workaround exists.	Badge wrapping on tablet, filter count discrepancy, slow query.	Fix before next milestone sprint
LOW (P4)	Cosmetic defect, minor visual imperfection, typo, or minor styling nuance.	Slight spacing inconsistency, subtle color variation.	Backlog enhancement

Standard Defect Incident Report Template

```
[DEFECT-ID]: JNF-BUG-00X Title: [Concise summary, e.g. "Campaign timetable badge wraps text on 768px viewport"] Severity: [Critical / High / Medium / Low] Module: [Public / Investor Access / Portal / Admin / API / Security] Preconditions: [User role, device resolution, browser version] Steps to Reproduce: 1. Navigate to URL ... 2. Perform action ... 3. Observe result ... Expected Behavior: [What should have happened according to this spec] Actual Behavior: [What actually happened] Screenshots / API Response: [Attach image or JSON snippet] Tester Name & Date: [Jane Doe · 28 October 2026]
```

Formal Acceptance Testing Sign-Off Matrix

Once all test suites have been executed and all Critical and High defects are resolved, stakeholders must execute the sign-off table below prior to production cutover:

Testing Domain	Assigned Lead / Tester	Status	Execution Date	Signature
Suite 1: Public Brand & Responsive	Lead Frontend QA Tester	PASSED	28 Oct 2026	_____
Suite 2: Investor Onboarding & Auth	User Experience QA Engineer	PASSED	28 Oct 2026	_____
Suite 3: Data Room & Tier Access	Functional Acceptance Tester	PASSED	28 Oct 2026	_____

Testing Domain	Assigned Lead / Tester	Status	Execution Date	Signature
Suite 4: Governance Command Center	Administrative Reviewer	PASSED	28 Oct 2026	_____
Suite 5: Security & Penetration	Principal Security Engineer	PASSED	28 Oct 2026	_____
Suite 6: Accessibility & Performance	Accessibility Specialist	PASSED	28 Oct 2026	_____

AUTHORIZATION & RELEASE APPROVAL

The undersigned platform directors confirm that all test criteria specified in this manual have been validated against the production candidate codebase. Security controls, multi-tier data protection, and responsive branding conform to the standards required for institutional capital syndication.

Platform Engineering Director: _____ **Date:** 28 October 2026