MT 910 Confirmation of Credit

MT 910 Scope

This message is:

- sent by an account servicing institution to an account owner
- sent by an account servicing institution to a party authorised by the account owner to receive the information
- sent by a concentrating financial institution to an account owner or a party authorised by the account owner to receive the information

It is used to notify the account owner of an entry which has been credited to its account. The entry will be further confirmed by statement.

For use of messages in the corporate to bank environment, see the MT message implementation guide for corporate customers available on www.swift.com.

MT 910 Format Specifications

MT 910 Confirmation of Credit

Status	Tag	Field Name	Content/Options	*No.*
M	20	Transaction Reference Number	16x	1
M	21	Related Reference	16x	2
M	25a	Account Identification	No letter option or P	3
O	13D	Date/Time Indication	6!n4!n1!x4!n	4
M	32A	Value Date, Currency Code, Amount	6!n3!a15d	5
O	50a	Ordering Customer	A, F, or K	6
O	52a	Ordering Institution	A or D	7
O	56a	Intermediary	A or D	8
O	72	Sender to Receiver Information	6*35x	9
M = Mandatory, O = Optional - Network Validated Rules may apply				

MT 910 Network Validated Rules

C1 Either field 50a or field 52a must be present (Error code(s): `C06`).

MT 910 Usage Rules

- This message type is not normally sent if statements for the account are frequently transmitted.
- This message type does not normally result in any bookings. It is a confirmation to the Receiver (account owner) of a credit to its account.
- Where a correspondent bank has received a cover payment and sends a confirmation of credit (MT 910) to the Beneficiary Bank, the reference from field 21 of the inward payment message must be passed on unchanged in field 21 of the MT 910 message.

MT 910 Field Specifications

MT 910 - 1. Field 20: Transaction Reference Number

Format

`16x`

Presence

Mandatory

Definition

This field specifies the reference assigned by the Sender to unambiguously identify the message.

Network Validated Rules

This field must not start or end with a slash '/' and must not contain two consecutive slashes '//' (Error code(s): `T26`).

MT 910 - 2. Field 21: Related Reference

Format

`16x`

Presence

Mandatory

Definition

This field contains the reference for the account owner (Receiver), for example, field 21, from the SWIFT message which resulted in this credit.

Network Validated Rules

This field must not start or end with a slash '/' and must not contain two consecutive slashes '//' (Error code(s): `T26`).

Usage Rules

This reference must be copied unchanged from the inward message that caused the credit on the account, for example, field 20 of a received MT 103, or field 21 of the MT 202 (or MT 205) or MT 202 COV (or MT 205 COV) must be copied unchanged to this field.

MT 910 - 3. Field 25a: Account Identification

Format

No letter option	`35x`	`(Account)`
Option P	`35x` `4!a2!a2!c[3!c]`	`(Account)` `(Identifier Code)`

Presence

Mandatory

Definition

This field identifies the account which has been credited and optionally the identifier code of the account owner.

Network Validated Rules

Identifier Code must be a registered BIC (Error code(s): `T27, T28, T29, T45`).

Usage Rules

Option P must only be used if the Receiver of the message is not the account owner.

MT 910 - 4. Field 13D: Date/Time Indication

Format

Option D	`6!n4!n1!x4!n`	`(Date)(Time)(Sign)(Offset)`

Presence

Optional

Definition

This field indicates the date, time and time zone when the entry is posted to the account, in the books of the account servicing institution.

Codes

One of the following codes must be used in Sign (Error code(s): `T15`):

+	Plus	The + sign.
-	Minus	The - sign.

Network Validated Rules

Date must be a valid date expressed as YYMMDD (Error code(s): `T50`).

Time must be a valid time expressed as HHMM (Error code(s): `T38`).

Time offset is expressed as 'HHMM', where the hour component, that is, 'HH', must be in the range of 00 through 13, and the minute component, that is, 'MM' must be in the range of 00 through 59. Any 'HH' or 'MM' component outside of these range checks will be disallowed (Error code(s): `T16`).

Usage Rules

The time zone in which Time is expressed is to be identified by means of the offset against the UTC (Coordinated Universal Time - ISO 8601).

Example

If a financial institution in New Zealand posted the entry to the account at 15.15 PM local time on 08 January 2014, Date/Time Indication field would be completed as follows:

```
:13D:1401081515+1300
```

where `140108` is the date, `1515` is the local time in New Zealand and `+1300` is the offset of local New Zealand time in January against UTC.

Offsets of local time zones against UTC are published in the BIC Directory download file (TZ***.txt file), which is available on www.swiftrefdata.com.

MT 910 - 5. Field 32A: Value Date, Currency Code, Amount

Format

Option A	`6!n3!a15d`	`(Date)(Currency)(Amount)`

Presence

Mandatory

Definition

This field specifies the value date, currency code and amount of the credit.

Network Validated Rules

Date must be a valid date expressed as YYMMDD (Error code(s): `T50`).

Currency must be a valid ISO 4217 currency code (Error code(s): `T52`).

The integer part of Amount must contain at least one digit. The decimal comma ',' is mandatory and is included in the maximum length. The number of digits following the comma must not exceed the maximum number allowed for that specific currency as specified in ISO 4217 (Error code(s): `C03, T40, T43`).

MT 910 - 6. Field 50a: Ordering Customer

Format

Option A	`[/34x]`	`(Account)`
	`4!a2!a2!c[3!c]`	`(Identifier Code)`

Option F	35x 4*(1!n/33x)	(Party Identifier) (Number/Name and Address)
Option K	[/34x] 4*35x	(Account) (Name and Address)

In option F, the following line formats must be used (Error code(s): T54):

Line 1 (subfield Party Identifier)	/34x	(Account)
Lines 2-5 (subfield Number/Name and Address)	1!n/33x	(Number)(Details)

Or

Line 1 (subfield Party Identifier)	4!a/2!a/27x	(Code)(Country Code)(Identifier)
Lines 2-5 (subfield Number/Name and Address)	1!n/33x	(Number)(Details)

Presence

Conditional (see rule C1)

Definition

This field identifies the customer or financial institution (from a Category 1 Payment), which originated the transaction resulting in this credit.

Codes

In option F, when Party Identifier is used with the (Code)(Country Code)(Identifier) format, one of the following codes must be used in Code (Error code(s): T55):

ARNU	Alien Registration Number	The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Alien Registration Number.
CCPT	Passport Number	The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Passport Number.
CUST	Customer Identification Number	The code followed by a slash, '/' must be followed by the ISO country code of the issuer of the number, a slash, '/', the issuer of the number, a slash, '/' and the Customer Identification Number.
DRLC	Driver's Licence Number	The code followed by a slash, '/' must be followed by the ISO country code of the issuing authority, a slash, '/', the issuing authority, a slash, '/' and the Driver's Licence Number.
EMPL	Employer Number	The code followed by a slash, '/' must be followed by the ISO country code of the registration authority, a slash, '/', the registration authority, a slash, '/' and the Employer Number.

NIDN	National Identity Number	The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the National Identity Number.
SOSE	Social Security Number	The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Social Security Number.
TXID	Tax Identification Number	The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Tax Identification Number.

Codes

In option F, Number must contain one of the following values (Error code(s): `T56`):

1	Name of Ordering Customer	The number followed by a slash, '/' must be followed by the name of the ordering customer.
2	Address Line	The number followed by a slash, '/' must be followed by an address line (Address Line can be used to provide, for example, street name and number, or building name).
3	Country and Town	The first occurrence of number 3 must be followed by a slash, '/', the ISO country code and, optionally, additional details that are preceded by a slash '/'. Other occurrences of number 3 must be followed by a slash '/' and the continuation of additional details. Additional details can contain town, which can be complemented by postal code (for example zip) and country subdivision (for example state, province, or county). The country code and town should, preferably, indicate the country and town of residence.
4	Date of Birth	The number followed by a slash, '/' must be followed by the date of birth in the YYYYMMDD format.
5	Place of Birth	The number followed by a slash, '/' must be followed by the ISO country code, a slash '/' and the place of birth.
6	Customer Identification Number	The number followed by a slash, '/' must be followed by the ISO country code of the issuer of the number, a slash, '/', the issuer of the number, a slash, '/' and the customer identification number.
7	National Identity Number	The number followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the national identity number.
8	Additional Information	The number followed by a slash, '/' is followed by information that completes one of the following: • the identifier provided in subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format. • the customer identification number provided in subfield 2 (Name and Address) with number 6. • the national identity number provided in subfield 2 (Name and Address) with number 7.

Network Validated Rules

Identifier Code must be a registered BIC (Error code(s): `T27, T28, T29, T45`).

In option F, subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format: Country Code must be a valid ISO country code (Error code(s): `T73`).

In option F, subfield 2 (Name and Address):

- The first line must start with number 1 (Error code(s): `T56`).
- Numbers must appear in numerical order (Error code(s): `T56`).
- A line starting with number 3 must be present (Error code(s): `T56`).
- The first occurrence of number 3 must be followed by a valid ISO country code (Error code(s): `T73`).
- Numbers 1, 2, and 3 may be repeated. The same number must not occur more than 2 times (Error code(s): `T56`).
- Number 4 must not be used without number 5 and vice versa (Error code(s): `T56`).
- Number 4 must be followed by a valid date in the format YYYYMMDD and this date, local to the sender, must not be later than the date on which the message is successfully sent to SWIFT (Error code(s): `T50`).
- Numbers 5, 6 and 7 must be followed by a valid ISO country code (Error code(s): `T73`), a slash '/' and additional Details (Error code(s): `T56`).
- Numbers 4, 5, 6, 7 and 8 must not be repeated (Error code(s): `T56`).
- The use of number 8 is only allowed in the following instances (Error code(s): `T56`):
  - to continue information on the identifier of the ordering customer provided in subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format.
  - to continue information on the customer identification number provided in subfield 2 (Name and Address) following number 6.
  - to continue information on the national identity number provided in subfield 2 (Name and Address) following number 7.

Usage Rules

If the account number is known, it must be stated in Account.

When option A is used, this field can only contain a financial institution BIC if the message that caused the credit is a Category 1 message and a financial institution BIC was present in 50A Ordering Customer.

In option F, subfield 2 (Name and Address): Numbers 1, 2 and 3 may be repeated.

In option F, subfield 2 (Name and Address): if number 2 is present, the first occurrence of number 3 must include the town in additional details.

In option F, subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format: if additional space is required for providing the Identifier of the ordering customer, one of the following options must be used:

1. First option (preferred): Identify the ordering customer with a different identifier where the length is not an issue.
2. Second option: Continue the information in subfield 2 (Name and Address) using number 8.

In option F, subfield 2 (Name and Address): if additional space is required for providing the Customer Identification Number (number 6) or the National Identity Number (number 7) of the ordering customer, one of the following options must be used:

1. First option (preferred): Identify the ordering customer with a different identifier where the length is not an issue.
2. Second option: Continue the information in subfield 2 (Name and Address) using number 8.

When Chinese characters are necessary and when use is bilaterally agreed, the Chinese Commercial Code e-table and guidelines must be followed as published in www.swift.com > Standards > Document centre > Market Practice > Chinese Commercial Code eTable Information.

Example

Option F - Example 1

```
:50F:/12345678
1/SMITH JOHN
2/299, PARK AVENUE
3/US/NEW YORK, NY 10017
```

Option F - Example 2

```
:50F:/BE30001216371411
1/PHILIPS MARK
3/BE/ANTWERPEN
4/19720830
5/BE/BRUSSELS
```

Option F - Example 3

```
:50F:DRLC/BE/BRUSSELS/NB0949042
1/DUPONT JACQUES
2/HIGH STREET 6, APT 6C
3/BE/BRUSSELS
```

Option F - Example 4

```
:50F:NIDN/DE/121231234342
1/MANN GEORG
3/DE/DUSSELDORF
6/DE/ABC BANK/1234578293
```

Option F - Example 5

```
:50F:CUST/DE/ABC BANK/123456789/8-123456
1/MANN GEORG
2/LOW STREET 7
3/DE/FRANKFURT
8/7890
```

This means that the customer identification number of Mann Georg assigned by ABC Bank is `123456789/8-1234567890`.

MT 910 - 7. Field 52a: Ordering Institution

Format

Option A	[/1!a][/34x]	(Party Identifier)
	4!a2!a2!c[3!c]	(Identifier Code)
Option D	[/1!a][/34x]	(Party Identifier)
	4*35x	(Name and Address)

Presence

Conditional (see rule C1)

Definition

This field identifies the financial institution which originated the transaction resulting in this credit. If field 50a is present, then this field identifies the financial institution of the ordering customer present in the original transaction that resulted in this credit.

Codes

In option A, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

AT	5!n	Austrian Bankleitzahl
AU	6!n	Australian Bank State Branch (BSB) Code
BL	8!n	German Bankleitzahl
CC	9!n	Canadian Payments Association Payment Routing Number
CN	12..14n	China National Advanced Payment System (CNAPS) Code
ES	8..9n	Spanish Domestic Interbanking Code
FW	without 9 digit code	Pay by Fedwire
GR	7!n	HEBIC (Hellenic Bank Identification Code)
HK	3!n	Bank Code of Hong Kong
IE	6!n	Irish National Clearing Code (NSC)
IN	11!c	Indian Financial System Code (IFSC)
IT	10!n	Italian Domestic Identification Code
PL	8!n	Polish National Clearing Code (KNR)
PT	8!n	Portuguese National Clearing Code
SC	6!n	UK Domestic Sort Code

Codes

In option D, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

AT	5!n	Austrian Bankleitzahl
AU	6!n	Australian Bank State Branch (BSB) Code
BL	8!n	German Bankleitzahl
CC	9!n	Canadian Payments Association Payment Routing Number
CH	6!n	CHIPS Universal Identifier
CN	12..14n	China National Advanced Payment System (CNAPS) Code
CP	4!n	CHIPS Participant Identifier
ES	8..9n	Spanish Domestic Interbanking Code

FW	9!n	Fedwire Routing Number
GR	7!n	HEBIC (Hellenic Bank Identification Code)
HK	3!n	Bank Code of Hong Kong
IE	6!n	Irish National Clearing Code (NSC)
IN	11!c	Indian Financial System Code (IFSC)
IT	10!n	Italian Domestic Identification Code
PL	8!n	Polish National Clearing Code (KNR)
PT	8!n	Portuguese National Clearing Code
RU	9!n	Russian Central Bank Identification Code
SC	6!n	UK Domestic Sort Code
SW	3..5n	Swiss Clearing Code (BC code)
SW	6!n	Swiss Clearing Code (SIC code)

Network Validated Rules

Identifier Code must be a registered financial institution BIC (Error code(s): `T27, T28, T29, T45`).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): `C05`).

Usage Rules

The coded information contained in field 52a must be meaningful to the Receiver of the message.

Option A is the preferred option.

Option D should only be used when the ordering financial institution has no BIC.

MT 910 - 8. Field 56a: Intermediary

Format

Option A	`[/1!a][/34x]`	`(Party Identifier)`
	`4!a2!a2!c[3!c]`	`(Identifier Code)`
Option D	`[/1!a][/34x]`	`(Party Identifier)`
	`4*35x`	`(Name and Address)`

Presence

Optional

Definition

This field identifies the financial institution from which the Sender received the funds, when other than the ordering institution.

Network Validated Rules

Identifier Code must be a registered financial institution BIC (Error code(s): `T27, T28, T29, T45`).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): `C05`).

MT 910 - 9. Field 72: Sender to Receiver Information

Format

```
6*35x                (Narrative)
```

In addition to narrative text, structured text with the following line formats may be used:

Line 1	`/8c/[additional information]`	`(Code)(Narrative)`

Lines 2-6	`[//continuation of additional information]`
	or
	`[/8c/[additional information]]`
		`(Narrative)`
		or
		`(Code)(Narrative)`

Presence

Optional

Definition

This field contains additional information for the Receiver.

Usage Rules

This field may contain information only, that is, no instructions may be included.

The structured format may be used for bilaterally agreed codes.

Additional explanatory information, which may be continued on the next lines, is preceded by a double slash '//'.

This field may contain ERI to transport dual currencies, as explained in the chapter "Euro-Related Information (ERI)" in the Standards MT General Information.

In order to comply with the EC-directive on cross border credit transfers, the optional code EXCH may be used to transport an exchange rate. In line with ERI, the code EXCH is placed between slashes, followed by the exchange rate, format 12d, and terminated with another slash.

MT 910 Examples

Narrative

Chase Manhattan Bank, New York, informs ABN Amro Bank, Amsterdam, of a credit to its account number 6-9412771, by order of Bank Austria, Vienna. The value date of the credit is 23 January 2014, for US dollars 500,000, and is received from Bankers Trust Company, New York.

Chase Manhattan sends the following confirmation to ABN Amro:

Information Flow



SWIFT Message

Explanation	Format
Sender	CHASUS33
Message Type	910
Receiver	ABNANL2A
Message Text	
Transaction Reference Number	:20:C11126C9224
Related Reference	:21:494936/DEV
Account Identification (1)	:25:6-9412771
Date/Time Indication	:13D:1401231426+0100
Value Date, Currency Code, Amount	:32A:140123USD500000,
Ordering Institution	:52A:BKAUATWW
Intermediary	:56A:BKTRUS33