


ALTER TABLE (ADD NEW COLUMNS)



UPDATE STATEMENT (dept_id)






DEPTNO	DNAME	LOC	MANAGER_ID
10	Administration	1700	-
70	Public Relations	2600	-
80	Sales	2500	-
20	Marketing	1800	-
30	Purchasing	1900	100
50	Shipping	1500	-
60	IT	1400	-
40	Human Resources	2400	-
10	Administration	1700	-
20	Marketing	1800	-

More than 10 rows available. Increase rows selector to view more rows.


10 rows returned in 0.00 seconds Download

UPDATE STATEMENT (employees)



EMPLOYEE_ID	LAST_NAME	EMAIL	SALARY	COMMISSION_PCT	HIRE_DATE	FIRSTNAME	JOB_ID	MANAGER_ID	DEPARTMENTID
102	De Haan	LDEHAAN	17000	-	-	-	-	100	50
100	KING	SKING	24000	-	-	-	-	200	60
101	Kochhar	NKOCHHAR	17000	-	-	-	-	201	60
200	WHALEN	JWHALEN	4400	-	-	-	-	100	10

4 rows returned in 0.01 seconds Download



```
VALUES (80, 'Sales', 2500);

CREATE TABLE copy_employees
AS (SELECT * FROM employees);
desc copy_employees;

INSERT INTO copy_employees(employee_id , last_name , email, salary, DepartmentID, Manager_ID)
VALUES (100, 'KING', 'SKING', 24000, 60,)
INSERT INTO copy_employees(employee_id , last_name , email, salary, DepartmentID, Manager_ID)
VALUES (101, 'Kochhar', 'NKOCHHAR', 17000, 60, 100)
INSERT INTO copy_employees(employee_id , last_name , email, salary, DepartmentID, Manager_ID)
VALUES (102, 'De Haan', 'LDEHAAN', 17000, 60, 100)
INSERT INTO copy_employees(employee_id , last_name , email, salary, DepartmentID, Manager_ID)
VALUES (200, 'WHALEN', 'JWHALEN', 4400, 10, 100)

SELECT * FROM copy_employees
```