HP LaserJet Enterprise flow M830 MFP series



M830z • M830z with Near Field Communication & Wireless Direct



HP LaserJet Enterprise flow M830z (with Near Field Communication & Wireless Direct) MFP shown

HP LaserJet Enterprise flow M830 MFP series



HP LaserJet Enterprise flow M830z (with Near Field Communication & Wireless Direct) MFP

- Wireless direct printing is standard in the HP LaserJet Enterprise flow MFP M830z D7P68A, and may be added as an option to the HP LaserJet Enterprise flow MFP M830z CF367A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting
- Touch-to-print capability is standard in the HP LaserJet Enterprise flow MFP M830z D7P68A, and may be added as an option to the HP LaserJet Enterprise flow MFP M830z CF367A. Mobile device must support near field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting
- 3 HP Imaging and Printing Security Center must be purchased separately.
- ⁴ The HP Universal Print Driver is free and available for download at <u>hp.com/go/upd</u>
- 5 Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an internet connection to a HP Web-connected printer. App or software may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.
- ⁶ Supports OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint™ and the AirPrint logo are trademarks of Apple Inc.
- Paper-handling options depend on the output configuration selected at time of purchase.
- 8 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

This powerful MFP boosts productivity with flexible send options, versatile paper-handling tools, two-sided scanning, and professional finishing touches. Mobile printing is simple with wireless direct printing and touch-to-print technology.^{1,2}

Top features

Give workgroups the speed they need

- Let departments scan without worry. HP EveryPage detects potential errors or missed pages on the spot.
- Create easily searchable scanned files, using built-in optical character recognition software.
- Simplicity all around—make it easy for all to print with one common driver.⁴
- Forget email—easily scan and send documents to Microsoft® SharePoint® in one step.

Keep business moving

- Save on both sides—capture documents faster with two-sided, single-pass scanning.
- Add finishing touches faster—let employees bind big jobs faster using the built-in finishing options.⁷
- Don't wait—print right away with Instant-on Technology.
- Make it easy to be efficient, with an intuitive touchscreen and keyboard for entering file information.

Mobile printing—more efficient

- Mobile printing at a touch—enable touch-to-print convenience from mobile devices.²
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software.⁵
- Printing made Apple® simple—let employees print wirelessly from an iPad®, iPhone®, or iPod touch®.6

Invest once, expand easily and manage efficiently

- Expand your options. Easily upgrade firmware on your schedule. Easily integrate solutions
 or devices at will.
- Help build business efficiency. Centrally monitor and control printers with HP Web Jetadmin.8
- Apply fleet-wide policies to help protect all your HP devices with the HP Imaging and Printing Center.³
- Confidently safeguard the sensitive data sent to your MFP with the HP High-Performance Secure Hard Disk.

Product walkaround

- 1 NFC/wireless for direct wireless printing, touch to print
- 2 Hardware integration Pocket for solution integration
- 3 500-sheet input tray (1st tray)
- 4 500-sheet input tray (2nd tray)
- 5 3,500-sheet High-capacity tray
- 6 200-sheet Auto Document Feeder with HP EveryPage, full sized keyboard, switchable background, Scan to Sharepoint & convenience OCR
- 7 Full 8" pivoting light touch SVGA Colour Control Panel with FutureSmart firmware & scan preview
- 8 Easy Access USB port
- 9 100-sheet MP Tray, with long paper extension
- 10 Built-in auto duplex
- 11 Encrypted HDD

HP LaserJet Enterprise flow M830z (with Near Field Communication & Wireless Direct) MFP shown



Series at a glance







M830z (with Near Field Communication & Wireless Direct)

| Part number | CF367A | D7P68A |
|--------------------------------------|--------|--------|
| Gigabit Ethernet networking | √ | √ |
| Automatic two-sided printing | √ | √ |
| Two 500-sheet input trays | √ | √ |
| 100-sheet multi-purpose tray | √ | √ |
| 3,500-sheet High-capacity tray | √ | √ |
| HP High Performance Secure Hard Disk | √ | √ |
| ENERGY STAR® qualified | √ | √ |

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window


Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

EcoHighlights



• Save energy—HP Auto-On/Auto-Off Technology turns the MFP on when you need it—off when you don't.1



ENERGY STAR® qualified Join HP in more sustainable printing

ENERGY STAR hp.com/ecosolutions

¹ HP Auto-On and Auto-Off capabilities subject to printer and settings.

Product at a glance

| Printers HP LaserJet Enterprise flow M830z MFP HP LaserJet Enterprise flow M830z (with Near Field Communication & Wireless Direct) MFP | CF367A D7P68A |
|---|--|
| Toner cartridges¹ HP 25X Black LaserJet Toner Cartridge (40,000 pages) | CF325X |
| Orderable supplies HP Stapler Cartridge Refill HP 2-pack 2000-Staple Cartridge HP LaserJet 110-Volt Maintenance/Fuser Kit (200,000 pages) HP LaserJet 220-Volt Maintenance/Fuser Kit (200,000 pages) HP ADF Roller Replacement Kit (100,000 pages) | C8091A CC383A C2H67A C2H57A C1P70A |
| Accessories HP LaserJet Stapler/Stacker HP LaserJet Stapler/Stacker with 2/3 Hole Punch HP LaserJet Stapler/Stacker with 2/4 Hole Punch HP LaserJet Booklet Maker/Finisher USB Wireless Print Server JetDirect 2800w NEC/Wireless Direct Accessory | CZ994A CZ995A CZ996A CZ285A J8026A |

| JetDirect 2800w NFC/Wireless Direct Accessory | J8029A |
|--|---------------|
| | 3002311 |
| HP Care Packs | |
| HP 2-year Next Business Day LaserJet M830 MFP Hardware Support | U8C79E |
| HP 3-year Next Business Day LaserJet M830 MFP Hardware Support | U8C80A |
| HP 3-year Next Business Day LaserJet M830 MFP Hardware Support | U8C80E |
| HP 4-year Next Business Day LaserJet M830 MFP Hardware Support | U8C81E |
| HP 5-year Next Business Day LaserJet M830 MFP Hardware Support | U8C82E |
| HP 3-year Next Business Day + Disk Media Retention LaserJet M830 MFP Hardware Su | upport U8C89E |
| HP 4-year Next Business Day + Disk Media Retention LaserJet M830 MFP Hardware Su | upport U8C90E |
| HP 5-year Next Business Day + Disk Media Retention LaserJet M830 MFP Hardware Su | upport U8C91E |
| HP 3-year Next Business Day Call to Repair with Disk Media Retention LaserJet | |
| M830 MFP Hardware Support | U8C98E |
| HP 4-year Next Business Day Call to Repair with Disk Media Retention LaserJet | |
| M830 MFP Hardware Support | U8C99E |
| HP 5-year Next Business Day Call to Repair with Disk Media Retention LaserJet | |
| M830 MFP Hardware Support | U8D00E |
| HP 1-year Post Warranty Next Business Day LaserJet M830 MFP Hardware Support | U8D04PA |
| HP 1-year Post Warranty Next Business Day LaserJet M830 MFP Hardware Support | U8D04PE |
| HP 2-year Post Warranty Next Business Day LaserJet M830 MFP Hardware Support | U8D05PE |

Paper

hp.com/apac/paper

Software

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

¹ Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details, see hp.com/go/learnaboutsupplies

Technical specifications

| | HP LaserJet Enterprise flow M830z MFP (CF367A) | HP LaserJet Enterprise flow M830z (with Near Field Communication & Wireless Direct) MFP (D7P68A) |
|---|--|--|
| AIO functions | Print, copy, scan, fax; AiO multitasking supported: Yes | Print, copy, scan, fax; AiO multitasking supported: Yes |
| Print | | |
| Duplex print options | Automatic (standard) | Automatic (standard) |
| Speed ¹ | Up to 56 ppm (Black, A4) | Up to 56 ppm (Black, A4) |
| First page out | As fast as 9.5 sec (Black, A4) | As fast as 9.5 sec (Black, A4) |
| Technology | Laser | Laser |
| Resolution | Black (best): Up to 1200 × 1200 dpi; Black (normal): HP FastRes 1200 (1200 dpi quality), 600 × 600 dpi with HP Resolution Enhancement technology | Black (best): Up to 1200 x 1200 dpi; Black (normal): HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology |
| Print resolution technologies | HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x 300 dpi | HP ProRes 1200 (1200 \times 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600×600 dpi, 300×300 dpi |
| Print cartridges number | 1 (black) | 1 (black) |
| Printer smart software features | HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Colour, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple, offset, booklet making, hole punch | HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Colour, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple, offset, booklet making, hole punch |
| Mobile printing capability ² | HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing (optional) | HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing |
| Standard print languages | HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation, native PDF printing (v 1.4) | HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation, native PDF printing (v 1.4) |
| Printer management | HP Web Jetadmin; HP Utility (Mac) | HP Web Jetadmin; HP Utility (Mac) |
| can | | |
| Speed ³ | Normal, A4: Up to 70 ppm (b&w), up to 68 ppm (colour) | Normal, A4: Up to 70 ppm (b&w), up to 68 ppm (colour) |
| Туре | Flatbed, ADF | Flatbed, ADF |
| Technology | Contact Image Scanner (CIS) | Contact Image Scanner (CIS) |
| Duplex ADF scanning | Yes, single-pass ADF | Yes, single-pass ADF |
| Resolution | Hardware: Up to 300×600 dpi (ADF); Up to 600×600 dpi (flatbed); Optical: Up to 600 dpi; Enhanced: Up to 600 dpi | Hardware: Up to 300×600 dpi (ADF); Up to 600×600 dpi (flatbed); Optical: Up to 600 dpi; Enhanced: Up to 600 dpi |
| File format | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| Input modes | Front-panel scan, copy, fax, email | Front-panel scan, copy, fax, email |
| Scan size maximum | ADF, Flatbed: 297 x 432 mm (11.7 x 17 in) | ADF, Flatbed: 297 x 432 mm (11.7 x 17 in) |
| Bit depth/Grayscale levels | 24-bit/256 | 24-bit |
| ору | | |
| Speed ⁴ | Up to 56 cpm (Black, A4) | Up to 56 cpm (Black, A4) |
| Resolution | Black (text and graphics): Up to 600×600 dpi; Colour (text and graphics): Up to 600×600 dpi | Black (text and graphics): Up to 600×600 dpi; Colour (text and graphics): Up to 600×600 dpi |
| Max number of copies | Up to 999 copies | Up to 999 copies |
| Copier reduce enlarge | 25 to 400% | 25 to 400% |
| Copier settings | Image adjustment (Darkness, Contrast, Background Cleanup, Sharpness); Reduce/Enlarge; Auto-Scaling; N-up; Multi-Feed Detection; Job Build; Auto-Size Detection; Edge-to-Edge; 2-sided ID Scan; Optimize Text/Picture; Book Mode; One-Pass Duplex; Change Size; Change Orientation | Image adjustment (Darkness, Contrast, Background Cleanup, Sharpness); Reduce/Enlarge; Auto-Scaling; N-up; Multi-Feed Detection; Job Build; Auto-Size Detection; Edge-to-Edge; 2-sided ID Scan; Optimize Text/Picture; Book Mode; One-Pass Duplex; Change Size; Change Orientation |
| Copier smart software features | Enhanced Productivity with 55 pages per minute; dual-head scanning, expanded 4,600-sheet input high capacity; new finishing options including hole punch (regional variations); and a robust duty cycle | Enhanced Productivity with 55 pages per minute; dual-head scanning, expanded 4,600-sheet input high capacity; new finishing options including hole punch (regional variations); and a robust duty cycle |

Technical specifications

| Fax | | |
|---|--|--|
| Transmission speed | 3 sec per page, 33.6 kbps | 13 sec per page, 33.6 kbps |
| Resolution | Black (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi; Black and white (fine): 200 x 200 dpi, 256 levels of gray; Black and white (superfine): 300 x 300 dpi, 256 levels of gray | Black (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi; Black and white (fine): 200 x 200 dpi, 256 levels of gray; Black and white (superfine): 300 x 300 dpi, 256 levels of gray |
| Fax smart software features | Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule | Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule |
| Memory | Up to 500 pages | Up to 500 pages |
| Features | Auto fax reduction supported: Yes; Auto-Redialling: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (Poll to receive only); Junk barrier supported: Yes; PC interface supported: Yes; Telephone handset supported: No; Fax telephone mode supported: No | Auto fax reduction supported: Yes; Auto-Redialling: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (Poll to receive only); Junk barrier supported: Yes; PC interface supported: Yes; Telephone handset supported: No; Fax telephone mode supported: No |
| Connectivity | | |
| Standard connectivity | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; NFC/Wireless; 1 Foreign Interface; 2 Internal USB Host |
| Network capabilities | Ethernet; Fast Ethernet; 802.3/802.3u; RJ-45 (10/100/1000Base-TX); Optional NFC/Wireless | Ethernet; Fast Ethernet; 802.3/802.3u; RJ-45 (10/100/1000Base-TX); NFC/Wireless |
| Network ready | Standard (built-in Ethernet) | Standard (built-in Ethernet) |
| Wireless capability | Optional, enabled with purchase of a hardware accessory | Yes, NFC/Wireless |
| Memory | 1.5 GB | 1.5 GB |
| Processor speed | 800 MHz | 800 MHz |
| Duty cycle⁵ | Up to 300,000 pages | Up to 300,000 pages |
| Recommended monthly page volume ⁶ | Up to 15,000 to 50,000 | Up to 15,000 to 50,000 |
| Paper handling | | |
| Input | Two 500-sheet input trays, 100-sheet multi-purpose tray, 3,500-sheet High-capacity tray | Two 500-sheet input trays, 100-sheet multi-purpose tray, 3,500-sheet High-capacity tray |
| Output | Up to 3,000 sheets (with optional stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker) | Up to 3,000 sheets (with optional stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker) |
| Media type | Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), labels, cardstock, transparencies | Paper (bond, colour, letterhead, plain, preprinted, prepunched recycled, rough), labels, cardstock, transparencies |
| Media weight | Tray 1: 60 to 220 g/m²; Tray 2/3: 60 to 199 g/m²; High-capacity Input tray: 60 to 199 g/m² | Tray 1: 60 to 220 g/m²; Tray 2/3: 60 to 199 g/m²; High-capacity Input tray: 60 to 199 g/m² |
| Supported media sizes | Tray 1: A3, A4, A5, RA3, B4, B5, 8k, 16k, postcards (JIS double), envelopes (DL, C5, B5); Tray 2, 3: A3, A4, A5, B4, B5; High-capacity Input tray : A4 | Tray 1: A3, A4, A5, RA3, B4, B5, 8k, 16k, postcards (JIS double), envelopes (DL, C5, B5); Tray 2, 3: A3, A4, A5, B4, B5; High-capacity Input tray: A4 |
| Dimensions (W x D x H) | 1650 x 715 x 1100 mm | 1650 x 715 x 1100 mm |
| Veight | 204 kg (with stapler hole punch), 223 kg (with booklet maker) | 204 kg (with stapler hole punch), 223 kg (with booklet maker) |
| What's in the box | HP LaserJet M830x Multifunction Printer; Black print cartridge; keyboard overlay; fax cable; CD(s) with software and documentation; Getting Started Guide; power cord; choice of output paper handling device. Printer must be ordered with one of four paper output accessories | HP LaserJet M830x Multifunction Printer; Black print cartridge; keyboard overlay; fax cable; Near Field Communications (NFC) Module; CD(s) with software and documentation; Getting Started Guide; power cord; choice of output paper handling device. Printer must be ordered with one of four paper output accessories |
| Warranty features | One-year, onsite limited warranty; 24-hour support; 7 days a week phone support | One-year, onsite limited warranty; 24-hour support; 7 days a week phone support |
| Compatible operating systems | Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 (82-bit/64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX JetDirect (hp.com/go/sip/fidirectunix_software) | Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 (SP1 or higher) (32-bit/64-bit), Mindows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac 05 X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX (betDirect (hp.com/go/jetdirectunix_software) |

Technical specifications

| Minimum system requirements | PC: Windows 8; Windows 7 SP1+; Windows Vista; Windows Server 2003 (SP1+); Windows Server 2008; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 200 MB available hard disk space; operating system compatible hardware system requirements see microsoft.com Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com) | PC: Windows 8; Windows 7 SP1+; Windows Vista; Windows Server 2003 (SP1+); Windows Server 2008; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 200 MB available hard disk space; operating system compatible hardware system requirements see microsoft.com Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com) |
|-----------------------------------|--|--|
| Fonts and Typefaces | 105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts | 105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts |
| Control panel | 20.3 cm (8.0-in) colour LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket | 20.3 cm (8.0-in) colour LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket |
| Display | 20.3 cm (8.0-in), SVGA LCD (colour graphics) | 20.3 cm (8.0-in), SVGA LCD (colour graphics) |
| Power | Power supply type: Built-in power supply Power supply required: Japan and Taiwan: Input Voltage: 100 to 127 VAC, 50/60 Hz, 11.0 A; Rest of the world (including EU): Input Voltage: 220 to 240 VAC, 50/60 Hz, 5.5 A Power consumption: 1030 watts (Printing), 60 watts (Ready), 6.0 watts (Sleep 1), 2.5 watts (Auto On/Auto Off), 0.3 watts (Off) | Power supply type: Built-in power supply Power supply required: Japan and Taiwan: Input Voltage: 100 to 127 VAC, 50/60 Hz, 11.0 A; Rest of the world (including EU): Input Voltage: 220 to 240 VAC, 50/60 Hz, 5.5 A Power consumption: 1030 watts (Printing), 60 watts (Ready), 6.0 watts (Sleep 1), 2.5 watts (Auto On/Auto Off), 0.3 watts (Off) |
| Software included | HP PCL 6 Discrete Printer Driver, Mac SW Link to Web (Mac Installer), Windows Installer | HP PCL 6 Discrete Printer Driver, Mac SW Link to Web (Mac Installer), Windows Installer |
| Acoustic ⁷ | Acoustic power emissions: 7.5 B(A) Acoustic power emissions (active copy): 7.6 B(A) Acoustic power emissions (ready): 5.3 B(A) Acoustic pressure emissions bystander (active copy): 59 dB(A) Acoustic pressure emissions bystander (active, printing): 58 dB(A) Acoustic pressure emissions bystander (ready): 37 dB(A) | Acoustic power emissions: 7.5 B(A) Acoustic power emissions (active copy): 7.6 B(A) Acoustic power emissions (ready): 5.3 B(A) Acoustic pressure emissions bystander (active copy): 59 dB(A) Acoustic pressure emissions bystander (active, printing): 58 dB(A) Acoustic pressure emissions bystander (ready): 37 dB(A) |
| Operating environment | Operating humidity range: 10 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 10 to 80% RH Operating temperature range: 10 to 32.5° C (50 to 91° F) Recommended operating temperature range: 10 to 32.5° C (50 to 91° F) Storage temperature range: 0 to 40° C (32 to 104° F) | Operating humidity range: 10 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 10 to 80% RH Operating temperature range: 10 to 32.5° C (50 to 91° F) Recommended operating temperature range: 10 to 32.5° C (50 to 91° F) Storage temperature range: 0 to 40° C (32 to 104° F) |
| Security management | Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF (uses FIPS 140 validated cryptographic libraries from Microsoft), Encrypted Email, Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions; Security Management: Compatible with HP Imaging & Printing Security Center | Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF (uses FIPS 140 validated cryptographic libraries from Microsoft), Encrypted Email, Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions; Security Management: Compatible with HP Imaging & Printing Security Center |
| Electromagnetic emission standard | CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:1998 +A1 +A2; FCC Title 47 CFR, Part 15 Class A (USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries | CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:1998 +A1 +A2; FCC Title 47 CFR, Part 15 Class A (USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries |
| Safety approvals and requirements | IEC 60950-1:2005 +A1; EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries | IEC 60950-1:2005 +A1; EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries |











Ordering Information

Number Description

CF367A HP LaserJet Enterprise flow M830z MFP D7P68A HP LaserJet Enterprise flow M830z

(with Near Field Communication & Wireless Direct) MFP

Supported paper

Asia Pacific: hp.com/apac/printingsupplies

Solutions

For more solutions information, please visit hp.com/go/gsc

Hewlett-Packard offices

| Australia | (613) 8833 5000 | hp.com.au |
|-------------|-------------------|------------------|
| China | (010) 6564 3888 | hp.com.cn |
| Hong Kong | (852) 3559 7777 | hp.com.hk |
| India | (80) 2612 9000 | hp.com/in |
| Indonesia | (62-21) 5799 1088 | hp.com/id |
| Japan | (03) 5628 1101 | hp.com/jp |
| Korea | (02) 2199 0114 | hp.co.kr |
| Malaysia | (603) 2332 3333 | hp.com.my |
| New Zealand | (09) 918 9555 | hp.co.nz |
| Philippines | (632) 888 5900 | hp.com/ph |
| Singapore | (65) 6275 3888 | <u>hp.com.sg</u> |
| Taiwan | (02) 8722 9000 | hp.com.tw |
| Thailand | (662) 353 9500 | hp.com/th |
| Vietnam | (848) 3823 4151 | hp.com/vn |

For the following countries, please fax your queries to: (65) 6275 6707 Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Srilanka For more information, please visit us at hp.com/apac/homeandoffice

For more information visit our website at hp.com

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.



¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² HP ePrint: Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. HP Wireless Direct printing; Requires purchase of optional HP Jetdirect 2800w USB Wireless Print Server J8029A HIP accessory. Apple AirPrint™ Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. Mobile Apps: For additional solutions, see hp.com/go/mobile-printing-solutions

³ Scan speeds measured from automatic document feeder when scanning to digital file. Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software.

⁴ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see https://example.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁷ Acoustic values are subject to change. For current information see hp.com/support