Data sheet

HP Color LaserJet Pro MFP M476 series



Connect the office to a wired or wireless MFP with vibrant color printing and scanning features.

This HP Color LaserJet Pro MFP connects the whole office to vibrant color printing, even on the go^{1,3,4}—and improves productivity with fast, versatile scanning that can send documents directly to email, network folders, and the cloud.



HP Color LaserJet Pro MFP M476 series

Print on your terms

- Just go and print—easily send print jobs wirelessly without a network.¹
- Enable touch-to-print convenience from mobile devices.²
- Easily print from smartphone, tablets and notebooks at work, home, or on-the-go;
 Mopria-certified.³
- Share all your printer has to offer—set up, print, and share with Ethernet and wireless connectivity.⁴

Scan fast, send securely

- Finish faster—with less standing around—using single-pass, dual-head scanning.
- Control access to walkup features and easily look up network email addresses, using LDAP connectivity.
- Scan, send, simple—capture and route digital files directly to the cloud, email, or network folders.⁷
- With HP Flow CM Professional, you can easily collaborate on, search, and share your business content.⁵

Move jobs fast

- Save time and help reduce paper costs, using automatic two-sided printing.⁶
- Work smarter—access content and quickly launch tasks from the 3.5-inch color touchscreen.⁷
- Finish projects fast—use the 50-page automatic document feeder to save time.
- Just walk up and print on this MFP from your USB drive, using the easy-access USB port.

¹ Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw and dw only. ² Touch-to-print capability is standard on the HP Color LaserJet Pro MFP M476 dw only. ³ Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up. ⁴ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ HP Flow CM Professional is available in the United States and Canada only and through select HP partners. ⁶ Automatic two-sided printing is not available on the HP Color LaserJet Pro MFP M476nw. ⁷ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com


Product walkaround

- 1 50-sheet automatic document feeder (ADF) with single-pass, dual-head scanning
- 2 Flatbed scanner
- 3 150-sheet output bin
- 4 One-door access to the preinstalled cartridges
- 5 50-sheet multipurpose tray
- 6 250-sheet input tray 2
- 7 3.5-inch (8.89 cm) color touchscreen control panel with HP Business Apps
- 8 Built-in wireless direct and touch-to-print capabilities^{1,3}
- 9 Easy-access USB port
- 10 Built-in automatic two-sided printing²
- 11 Convenient front on/off button
- 12 Telephone line out port
- 13 RJ-11 fax port
- 14 Built-in wireless networking ⁴
- 15 Fast Ethernet network port
- 16 Hi-Speed USB 2.0 printing port

HP Color LaserJet Pro MFP M476dw shown



Front view



Rear I/O panel close-up

Series at a glance







Model	HP Color LaserJet Pro MFP M476nw	HP Color LaserJet Pro MFP M476dn	HP Color LaserJet Pro MFP M476dw
Part number	CF385A	CF386A	CF387A
50-sheet multipurpose tray 1	✓	✓	✓
250-sheet tray 2	✓	✓	✓
250-sheet tray 3	Optional	Optional	Optional
Wireless direct³	✓	Not available	✓
Touch-to-print ¹	Not available	Not available	✓
Ethernet networking	✓	✓	✓
Wireless networking	✓	Not available	✓
Automatic duplexer	Not available	✓	✓

¹ Touch-to-print capability is standard on M476dw only. ² Available on the M476dw model only. ⁴ Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only. ⁴ Wireless networking is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices











Top Features

Easily print how you want, where you want. Across the office or on the go, printing to this MFP is simple and direct—even without a network—using Ethernet, wireless options, or touch-to-print technology. 1,2,3

Capture scans in a single pass and send them quickly to their next destination—email, network folders, or the cloud.⁵ Help boost productivity with fast, secure sign-on and advanced processing, routing, and retrieval tools.

Make copying and scanning more hands free, with a 50-page automatic document feeder and automatic two-sided printing.⁴ Let your fingers fly through tasks at the touchscreen. The easy-access USB makes it simple to walk up and print.

Accessories			
CF106A	HP LaserJet 250-sheet Paper Feeder		
Supplies ⁶			
CF380A	HP 312A Black LaserJet Toner Cartridge		
CF380X	HP 312X Black LaserJet Toner Cartridge		
CF381A	HP 312A Cyan LaserJet Toner Cartridge		
CF382A	HP 312A Yellow LaserJet Toner Cartridge		
CF383A	HP 312A Magenta LaserJet Toner Cartridge		
Services			
U1H64E	HP 3-vear Next Business Day Color LaserJet M475/M476 MFP Hardware Support		
U1H65E	HP 3-year 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support		
U1H66E	HP 3-year 4hr 13 x 5 Color LaserJet M475/M476 MFP Hardware Support		
U1H72PE	HP 1-year Post Warranty 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support		
U1H74PE	HP 1-year Post Warranty Next Business Day Color LaserJet M475/M476 MFP		
	Hardware Support		

¹ Touch-to-print capability is standard on the HP Color LaserJet Pro MFP M476dw only. ² Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See https://documents.org/leg/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up. ³ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁴ Automatic two-sided printing is not available on the HP Color LaserJet Pro MFP M476nw. ⁵ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see https://documents.org/leg/businessmobileprinting is not available on the HP Color LaserJet Pro MFP M476nw. ⁵ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see https://documents.org/leg/businessmobileprinting in the result of the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see https://documents.org/leg/businessmobileprinting in the result of the

HP Color LaserJet Pro MFP M476 series

Technical specifications	HP Color LaserJet Pro MFP M476nw (CF385A)	HP Color LaserJet Pro MFP M476dn (CF386A)	HP Color LaserJet Pro MFP M476dw (CF387A)		
AiO functions		Print, copy, scan, fax; AiO multitasking supported: Yes			
Duplex print options	Manual (driver support provided)		(standard)		
Print speed¹	Normal, letter: Up to 21 ppm black, Up to 21 ppm color				
First page out		Black (ready): As fast as 16.5 sec; Color (ready): As fast as 16.5 sec			
Print resolution	Black (best): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi				
Print technology	Butter Besty, up to door addupt, soft (besty, up to door addupt).				
Print resolution technologies	Ldset HPImageRET 3600				
Print cartridges number		4 (1 each black, cyan, yellow, magenta)			
Mobile printing capability ²	HP ePrint, Apple AirPrint™, Wireless direct printing, Mopria-certified, Mobile Apps	HP ePrint, Apple AirPrint™, Mopria-certified, Mobile Apps	HP ePrint, Apple AirPrint™, Wireless direct printing, NFC touch-to-print, Mopria-certified, Mobile Apps		
Standard print languages		HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PCLm, PDF, URF			
Printer smart software features	HP ePrint, Apple AirPrint™, Wireless Direct Print, Mopria-certified, HP Auto-On/Auto-Off Technology, Intuitive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	HP ePrint, Apple AirPrint™, Mopria-certified, HP Auto-On/Auto-Off Technology, Intuitive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	HP ePrint, Apple AirPrint™, Wireless Direct Print, Mopria-certified, HP Auto-On/Auto-Off Technology, Intuitive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB		
Printer management					
	HP Web Jetadmin; HP Utility (Mac); HP Imaging & Printing Security Center; Device Toolbox				
Scan type/technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)				
Scan speed ³	Normal, A4: Up to 17 ppm (b&w), up to 13 ppm (color); Duplex: Up to 31 ipm (b&w), up to 11 ipm (color)				
Scan resolution	Enhanced: Up to 300 x 300 dpi (ADF); up to 1200 x 1200 dpi (Flatbed); Hardware: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed) Optical: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed)				
Scan file format		PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF			
Scan input modes	From PC: Solution Center Lite (Windows Vista, Windows XP) or Device Stage (Windows 7); TWAIN-compliant or WIA-compliant software				
Scan size maximum	Tronners, Jouann Center Life (Wilholds visas, Wilholds Art of Device Jacoby Wilholds 7), Twente-composit of Wile-Companies Software 8.5.14 in (216.x 356 mm)				
Scanner advanced features					
	Scan-to-e-mail, scan-to-cloud, Scan-to-USB, Scan-to-network folder, LDAP e-mail lookup				
Bit depth/Grayscale levels	Bit Depth: 24-bit (color); 8-bit (mono); Grayscale: 256				
Copy speed⁴	Normal, letter: Up to 21 cpm black, Up to 21 cpm color				
Copy resolution	Black (text and graphics): Up to 300 × 420 dpi; Color (text and graphics): Up to 300 × 420 dpi (Flatbed); 300 × 360 dpi (ADF)				
Max. no. of copies	black (text and graphics); by to 300 x 420 byt, color (text and graphics); by to 300 x 420 byt (relatively, 300 x 360 byt (404)). Up to 99 copies				
Copier resize					
	25 to 400%				
Copier settings	Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper; Multi-page copy; Collation; Tray Select; Two-Sided; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults				
Fax speed	3 sec per page				
Fax resolution	Black (standard): 203 x 98 dpi; Black and White (fine): 203 x 196 dpi; Black Photo Grayscale: 300 x 300 dpi (halftone); Black and White (superfine): 300 x 300 dpi (no halftone)				
Fax smart software features	Permanent fax memory backup, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, receive to PC (not available with Macintosh), print fax log				
Fax features	Auto fax reduction supported: Yes; Auto-Redialing: Ye	s; Fax delayed sending: No; Distinctive ring detection supported: Yes; Fax f peed dialing numbers: Up to 120 numbers; PC interface supported: Yes, PC	orwarding supported: Yes; Junk barrier supported: Yes;		
Standard connectivity	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host USB	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Host USB	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host USB		
Network capabilities		Via built-in 10/100 Base-TX Ethernet; authentication via 802.11x			
Network ready	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)	Standard (built-in Fast Ethernet)	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)		
Wireless capability	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP	No No	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP; NFC		
Memory	256 MB				
Processor speed	800 MHz				
	lin to		pages		
Duty cycle (monthly) ⁵	Up to	40,000 pages; Recommended monthly page volume: Up to 1,000 to 2,500	pages		
Paper handling					
Input	50-she	et multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Fee	der (ADF)		
Output	150-sheet output bin				
Media type	Paper (bond, brochure, colored, glo	ssy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcard	ds, transparencies, labels, envelopes		
Media weight	-); Tray 2, optional Tray 3: 16 to 43 lb (up to 47 lb with postcards, up to 58 lb wit			
	1 ray 1: 16 to 47 to (up to 58 to with HP Color laser glossy photo papers				
Media sizes custom		Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in	1		
ADF capacity		Standard, 50 sheets			
Dimensions (W x D x H)	16.5 x 18.4 x 19.7 in; Max: 16.5 x 26.7 x 19.7 in	16.5 x 19.1 x 19.7 in; Max: 16.5 x 27.3 x 19.7 in	16.5 x 18.4 x 19.7 in; Max: 16.5 x 26.7 x 19.7 in		
Weight	61.2 lb	63.8 lb	61.2 lb		
What's in the box ⁷	HP LaserJet Pro MFP M476, Preinstalled introductory HP Laser	Jet Black, Cyan, Yellow, Magenta print cartridges (~1,200 pages); Hardware Inst	allation guide; Printer documentation and software on CD-ROM;		
Energy efficiency compliance	Software drivers and documentation on CD-ROMs; CDs containing software and electronic documentation; Power cord; USB cable (Wireless Units only); Telecom cable Not applicable ENERGY STAR® qualified; Blue Angel UZ 171 certified				
Warranty features	ANABE TO S				
Compatible operating systems	One-year limited warranty Windows full software installs supported on: Windows 8 & 8.1 (32 & 64-bit) Windows 7 (32 & 64-bit), Windows Vista (32 & 64-bit), Windows XP (32-bit) (5P2 or higher); Mac full software installs: Mac OS X v 10.6 Leopard, v 10.7 Lion, v 10.8 Mountain Lion, v 10.9 Mavericks; Mobile OS native print support: iOS, Android, Windows 8 RT. Other OSs driver support: Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9				
Compatible network operating Systems	HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; OS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; Windows 2000; MPE-IX; Citrix MetaFrame Server; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Windows 2003 SP2+ 64-bit; Windows Server 2003 SP2+ Windows Final Services; Windows Vista (32-bit and 64-bit); Windows Vista Ready, Windows XP SP3+ Professional and Windows XP SP3+ PS1 or greater (32-bit and 64-bit); Windows Server 2008 SP3+ Home; Windows XP SP3+ Professional and Windows Vista (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit)				
Minimum system requirements	PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server 2003 (SP1+); Windows Server 2008; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; dedicated universal serial bus (USB 1.1 or 2.0 or 3.0) or network connection or Wireless connection; 200 MB available hard disk space; Operating system compatible hardware system requirements see microsoft.com; Mac: OS X 10.6 Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), network or wireless connection; 1 GB of available hard-disk space				
Environmental ranges	Operating temperature range: 59 to 86° F (15 to 30° C); Recommended operating temperature: 59 to 80.6° F (15 to 27° C); Non-operating humidity range: 10 to 95% RH (non-condensing); Operating humidity range: 20 to 70% RH (non-condensing); Recommended operating humidity range: 20 to 70% RH (non-condensing)				
Acoustic ⁸	Acoustic power emissions: 6.5 B(A); Acoustic pressure emissions: 28 dB(A)				
Power	Power supply type: Built-in power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 397 watts (print/copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 watts (Auto-Off/Manual-On), 0.2 watts (Off)				
Display	Fower Consumptions: 357 waits (print/copy), 1.5 waits (seapy), 1.5 waits (seapy), 0.5 waits (seapy), 1.5 wai				
Fonts and typefaces	84 scalable TrueType fonts				
Software included	Windows: HP Installer/Uninstaller (with Wireless setup assist), HP PCL 6 print driver, HP WIA Scan Driver, HP Scan, HP Fax Setup Wizard, Scan to Folder Setup Wizard, Scan-to-e-mail setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP (Device Experience), HP Help & Learn Center, HP Product Improvement Study: Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Updater				
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; SNMPv3				

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp_com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HPWeb Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp_com/go/printenter. And for additional solutions, see hp_com/go/mobile-printing-solutions. Supports the following devices running i05 4.2 or later: IPad^a, IPad^a 2, IPhone a (GGs or later), IPado touch^a (Gr dependation or later). Works with HP's AirPrint** enabled printers and requires the printer be connected to the same network as your IOS device. Willeless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint topa, IPad, IPhone, and IPad touch are trademarks of Apple inc., registered in the U.S. and other than the same and distance from the access point. AirPrint, the AirPrint topa, IPad, IPad touch are trademarks of Apple inc., registered in the U.S. and to the IPad same and distance from the access point. AirPrint, the AirPrint topa, IPad, IPad touch are trademarks of Apple inc., registered in the U.S. and to the IPad same and device in the U.S. and other are trademarks of Apple inc., registered in the U.S. and to the Air Same and the Air Same and

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.

