HP LaserJet Enterprise MFP M527 series



Finish tasks faster, and help protect against threats with multi-level device security.

Finish tasks faster with an MFP that starts right away and helps conserve energy. Multi-level device security helps protect from threats. Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.



HP LaserJet Enterprise MFP M527dn



HP LaserJet Enterprise MFP M527f



HP LaserJet Enterprise Flow MFP M527c



Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.7 seconds from energy-efficient sleep mode.
- Speed through jobs. Print and scan both sides of the page at once.
- This MFP leads its class in low energy use—thanks to its innovative design and toner technology.³
- Now 24% smaller—this MFP fits in tight places to boost performance in any workspace.9

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown¹⁰.
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.
- Centralize control of your printing environment with HP Web Jetadmin¹²—and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.²
- $\bullet \ \ \text{Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology}.$
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge. 13

Stay connected with secure mobile printing options

Original LaserJet Toner Cartridges not included; please purchase separately

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.⁴
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.6
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.7
- Easily access, print, and share resources with Ethernet and optional wireless networking.5

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/Liclaims ² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges Laim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies ³ Based on HP testing using the ENERGY STAR® programs' Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Liclaims ⁴ Wireless direct printing is standard on the HP LaserJet Enterprise Flow MFP M5272 only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise MFP M527dn/f/c. Mobile device needs to be connected directly to the WiFi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/Dusinessmobileprinting ⁵ Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁶ Touch-to-print capability is standard on the HP LaserJet Enterprise Flow MFP M527z only. Requires purchase of optional Hp Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise MFP M527dn/f/c. Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see hp.com/go/businessmobileprinting ⁷ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint accoun

HP LaserJet Enterprise Flow MFP M527z

Product walkaround

- 1. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage
- 2. Hardware Integration Pocket (HIP) for connecting accessory and third-party devices
- 3. Built-in wireless direct3 and NFC touch-to-print4
- 4. Easy-access USB port to save and print files directly²
- 5. 250-sheet output tray
- 6. Top cover (access to Original HP Toner cartridges with JetIntelligence)
- 7. 100-sheet multipurpose tray
- 8. 550-sheet tray 2
- 9. Intuitive 8-inch (20.3 cm) touchscreen control panel
- 10. Pull-out keyboard for easy, accurate data entry
- 11. Convenience stapler
- 12. Convenient front on/off button
- 13. Built-in automatic duplexer
- 14.800 MHz processor, 1.5 GB RAM⁵
- 15. HP High-Performance Secure Hard Disk
- 16. Slot for optional cable-type security lock
- 17. Fax port
- 18. HP Jetdirect Gigabit Ethernet print server
- 19. Hi-Speed USB 2.0 printing port
- 20. Hi-Speed USB 2.0 port (for connecting third party devices)
- 21. Rear door (access to the print path)



Series at a glance









Model

HP LaserJet Enterprise HP LaserJet Enterprise HP LaserJet Enterprise HP LaserJet Enterprise

	MFP M527dn	MFP M527f	Flow MFP M527c	Flow MFP M527z
Product number	F2A76A	F2A77A	F2A81A	F2A78A
Fax	Optional	\checkmark	$\sqrt{}$	$\sqrt{}$
HP High-Performance Secure Hard Disk	Optional	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
100-page ADF with single-pass, two sided scanning	V	$\sqrt{}$	√ (Plus HP EveryPage)	√ (Plus HP EveryPage)
Advanced workflow capabilities including pull-out keyboard	Not available	Not available	V	√
Wireless direct³ and NFC touch to print⁴	Optional	Optional	Optional	$\sqrt{}$
ENERGY STAR® and Blue Angel certified	√	√	$\sqrt{}$	$\sqrt{}$

'Solutions deployed through the Hardware Integration Pocket may require additional purchase. 'An administrator must enable the easy-access USB port before use. ³ Wireless direct printing is standard on the HP LaserJet Enterprise Flow MFP M527a nly. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise MFP M527dn/f/c. Mobile device needs to be connected directly to the Wi-Fin network of a wireless direct-capable MFP or printer prior to printing on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. *Touch-to-print capability is standard on the HP LaserJet Enterprise Flow MFP M527dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. *Maximum memory can be expanded to 2 GB (System memory) by replacing standard memory module. 2 GB Memory DIMM Kit (B3G84-67909) can be purchased separately. Please visit hp.com/bus//parts for purchase of the printing. *Maximum memory manual printing.**Communication (NFC)-enabled printing.**Communication (NFC)

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc

Compatible with Windows*10











Top features

Work quickly with the fastest first page out from sleep mode—on the most energy-efficient MFP in its class. 1.3 Launch two-sided printing, scan, and fax right from the touchscreen. Reload paper less often with a 2300-sheet maximum capacity.

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.¹⁰

Bring out the best in your MFP. Print more high-quality pages than ever before, using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices.

Accessories

F2A72A - HP LaserJet 500-sheet Paper Tray

F2A73A - HP LaserJet Printer Cabinet

E5K48A - HP 1GB DDR3x32 144-pin 800MHz SODIMM

B5L29A - HP Secure High Performance Disk Drive¹¹

B5L53A - HP LaserJet MFP Analog Fax Accessory 60011

F2A87A - HP Internal USB Ports for M506/M527

J8031A - HP JetDirect 2900nw Print Server

J8030A HP JetDirect 3000w NFC/Wireless Accessory¹²

F5S62A - HP Trusted Platform Module Accessory

CZ208A - HP Common Card Reader

B5L31A - HP Foreign Interface Harness

A7W12A - HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese 13

A7W14A - HP LaserJet Keyboard Overlay Kit Swedish¹³

Supplies

CF287A - HP 87A LaserJet Toner Cartridge, black

CF287X - HP 87X LaserJet Toner Cartridge, black

Q7732A - HP Staple Cartridge Refill

B5L52A - HP 200 ADF Roller Replacement Kit

Services

HP LaserJet Enterprise Flow MFP M527 series

U8TT5E - HP 3 year Next Business Day + DMR LaserJet M527 MultiFunction Hardware Support

U8TT6E - HP 4 year Next Business Day + DMR LaserJet M527 MultiFunction Hardware Support

U8TT7E - HP 5 year Next Business Day + DMR LaserJet M527 MultiFunction Hardware Support

U8TT8E - HP 3 year 4 hour 9X5 + DMR LaserJet M527 MultiFunction Hardware Support

U2010E - HP Network Installation mid-range LaserJet Multifunction printer Service

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/lcaims ² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original Laser/et Toner Cartridges. For more information, see hp.com/go/lcaims ² More pages versus predecessor cartridges with HP 97X High Yield Black Original Laser/et Toner Cartridges. For more information, see hp.com/go/lcaims ² More pages on HP besting using the ENERGY STAR® programs '1 Stypical Electricity Consumption (TEC) method or as reported in energystar gov eversus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/lcaims ² Mireless direct printing is standard on the HP Laser/et Enterprise Flow MFP M527 only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Laser/et Enterprise MFP M527dn/f/c. Mobile device needs to be connected directly to the WiFi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting ⁵ Wireless are networking requires purchase of the HP Jetdirect 2900w Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁸ Purchase of optional paper trays required to reach maximum input capacity. ¹⁰ Some features require additional purchase. Learn more at hp.com/go/printsecurity ¹¹ M5272 bundles only. ¹³ M5272 bundles only

HP LaserJet Enterprise MFP M527 series

Marchane Profession Profe		Enterprise MFP M527 series				
Internation	Technical Specifications	HP LaserJet Enterprise MFP M527dn(F2A76A) HP LaserJet Enterprise MFP M527f(F2A77A) HP LaserJet Enterprise Flow MFP M527z(F2A78A) Print converse for All multitaction connected Voc				
The standard of the control beautings of the c						
The control point of the contr						
THE COLUMN TO TH						
PRINTS AFFIRM STATE AND						
The contract for the filter of the contract of						
Principle Company of						
ica Taga 17 Annohogy and Taga 17 Annohogy and Taga 17 Annohogy and Taga 17 Annohogy Annohogy 18 An						
See Treatment March 1991 A March 1992 A Mar						
Section From the Company of the Comp						
AND A MASTER Tippid down for Park 19th First First First Park 19th Park 19th First Park 19th						
See	scan rice rormac	M527c & M527fz: Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF,				
See Section	Scan Input Modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications				
Carear beligness impay and present probabilities impay and probabilities impay	Scan Size	ADF: 8.5 x 14 in Maximum; 4 x 6 in Minimum; Flatbed: 8.5 x 14 in				
And tablest codes (Caption Caption Cap	Scan Speed	Up to 45 ppm/45 ipm (b&w), up to 49 ppm/40 ipm (color) ¹⁹ ; Duplex: Up to 45 ipm (b&w), up to 40 ppm/60 ipm (color) ¹⁹ ; Duplex: Up to 68 ipm (b&w), up to 60 ipm (color)				
Special Standard Standard Control		orientation; Embedded Optical Character Recognition (OCR), Auto crop to page, Auto-tone				
Copy Securities Black Black Host and Graphical (to to 100 Copy 100 Copy Securities Black Black Host and Graphical (to 100 Copy 100 C	Digital Sending Standard	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint (M527c &M527z only); Send to FTP (M527c &M527z only); Send to LAN Fax(M527f, M527c &M527z only); Send to Internet Fax (M527f, M527c &M527c only); OCR (M527c &M527z only); Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Clor Sense; Auto Crop To Content; Compact PDF; Auto Tonescale (M527c &M527z only); Auto Orientation (M527c				
Copy Proceedings	Copy Speed					
Technology (particular) The properties for the properties of properties (particular) The properties for the properties (particular) The properties (particular	** *					
Increased and a second control of	••					
Capital Estimates	<u>'</u>					
The Seption of the Control of the Co		Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; content orientation; collation; booklet; job build; edge-to-edge job storage; ID Copy; Book Copy; A-to-B to the contract of the				
Fix Resource Teachers Stored Fines Fix Sections Fix Resource 1	Fax Speed					
Fax Sentant Services Fax Remorphy (i) (0) 500 pages (in the Fax Reputation Services) (in Sentanting Sentantin						
Fax Remary 10 100 200						
Forward Disposed to the Company Supported to No. Face Pollulary Supported to No. Disposed to N		Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing; Yes; Fax Delayed Sending; No; Distinctive Ring Detection Supported: No; Fax				
Polylin Pic Apple Sonjaur Compatible Mac CS v102.4 or Inginet. SMNN1 Next Aug. ITER ITTR PIT	Turredules	Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes; (poll to receive only); Fax Telephone Mode Supported: No; Junk Barri Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No				
Individual Copyrights Diptoral, enabled with purchase of FM accessories. Sounder Data Has apparent PM	Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax (M527f, M527c & M527c & M527c anly), Wireless Direct 802.11 b/g/n (M527z only), NFC (M527z only).				
Interest patients of patients of the patients	Network Capabilities	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telne IGMPv2, B00TP/DHCP, WINS, IP Direct Mode, WS Print				
New Province Special Plant (1992) New Province Spe	Network Ready					
Standards: 1.2 GG (Printer). 500 MB (Scanner) A Printers Standard (Scanner) A Printer Standard (Scanner) A Printers Standard (Wireless Capability	Optional, enabled with purchase of HW accessories. No Yes, integrated NFC/HP Wireless Direct				
Processor Speed 1.2 (pit) 1.2 (pit) 1.3 (pit) (Find disks Standard, methods better Playly-Reformance Secure Hard Disk, minimum 2000 (See,Mess) 1.8 (particular Englishment (See, Mess) 1.9 (particular Engl	Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria-certified¹²; Wireless Direct Printing (M527z only); NFC touch-to-print¹³(M527z only)				
File Frase-Temporary (b) Files, Secure Frase-bol Data, Secure Frase-	Memory	Standard: 1.25 GB (Printer), 500 MB (Scanner); Maximum: 2.0 GB (Printer), 500 MB (Scanner)				
Poetby Cycle Monthly Letter: Up to 150,000 pages, *Recommended Parabolity Spage Volume: 2016 of 150 pages	Processor Speed	1.2 GHz 1.2 GH				
Injust Capacities: 1.5556-sheet input Irvy; x 100-sheet multipupone tray; 2 x optional additional SSS-sheet input Irvy; x 100-sheets standardial beside splight policy Objects standardial besides; additional bootwards refered (pagets; Standards (pagets) policy objects; Envelope Receive (post Standards (pagets) policy objects; Automatic Standards (pagets) policy objects; Envelope Receive (post Standards (pagets) policy objects; Automatic Standards (pagets) policy objects; Automatic Standards (pagets) policy objects; Automatic Standards (pagets) policy (pagets) pol		File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB				
250 sheets standard labels legal. Duplac Options: Automatic (standard (Natio Document Feeder Capacity: Standard, 100 sheets; Earwidge Feeder No. Standard Paper Trays; 2: Refail Type's Support-Ref. Paper Chord, of letterhead, plan principating paperunder, expected, cutually represented to the properties of the propert	Duty Cycle					
Product Dimensions ## 40.2 lb 48.5 lb 48.5 lb 48.5 lb 48.5 lb 48.5 lb 49.1 lb ## Warranty Features One-year next-business day, onsite warranty. Warranty and support options easy by product, country and local legal requirements. So to http://www.hp.com/support to learn about HP award winning service and support option region. ### EMERION STAPPS certified, Blue Angel, CECP, PEPATE BURRON STAPPS certified, Blue Angel, CECP, PEPATE ### BURRON STAPPS certified, Blue Angel, CECP, PEPATE	Paper Handling	250 sheets standard labels legal. Duplex Options: Automatic (standard Nato Document Feeder Capacity: Standard, 100 sheets; Envelope Feeder: No. Standard Paper Trays: 2, Media Types Supported: Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies, user-defined; Media Weight Supported: Tray 1: 16 to 32 lb; Tray 2+: 16 to 32 lb; Media Sizes Supported: Tray 1: Letter, legal, executive, 4.8 G, 5.8 B, 8.5 x 13, envelopes (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 x 13; cypional Automatic Duplexer: letter; Media Sizes Custom: Tray 1: Letter, to 6.5 t				
Product Weight 48.2 b) 48.5	Product Dimensions					
Plaseriet MSZ? Printer, IP 87A Black Original Laser let Toner (~ 9000 pages). (Do containing software and electronic documentation; User Guide; Support Flyers, Warranty, Cards, Required Erratos One-year, next-business day, onate warranty, Warranty and support options way by product, country and local legal requirements. Go to Inter/www.hp.com/Support to learn about IPP award winning service and support option region Control Planet Bo-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home Eutorin Guide. Blue Angel; ECCP, EPEA** Control Planet Bo-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home Eutorin Guide. Blue Angel; ECCP, EPEA** For Windows (55; IPP Software Installed Flore) Eutoring (adjustable angle) display; illuminated Home Eutorin Guide. Software Installed For Windows (55; IPP Software Installed Flore) Eutoring (adjustable angle) display; illuminated Home E						
Person Energy Efficiency Compliance Energy Efficiency Compliance Energy Efficiency Compliance ENERGY STAR® certified; Blue Angel; EECP, EPEAT® ENERGY STAR® certified; Blue Angel; EPEAT® ENERGY STAR® certified; Blue						
Energy Efficiency Compliance Energy Efficiency Compliance So-in Cool CCD with touchscreen; ordating displasable angled displays, illuminated Home button (for quick return to the Home menul) Bioplay Description 8.0 -in C2.0.3 cm) color LCD with touchscreen; ordating displasable angled displays, illuminated Home button (for quick Return to the Home menul) 8.0 -in C2.0.3 cm) touchscreen, SVGA LCD (color graphics), smooth gesture enabled touchscreen For Windows OS; HP Software installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DMP), HP Send Tax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Menute in the Home menuly interested (For Mindows OS; HP Software) 105 internal. True Type fornts scalable in HP PCL, 92 internal scalable fornts in HP postscription Level 3 emulation (Euro symbol buttl-in); Internal Unicode Fornts (Andele Mono World Type); 2 internal Windows Vota 8 Fornts (Cambria), additional fornt solutions available via thirt-party Hash membrases of the Plant of Software) 105 internal. True Type fornts scalable in HP PCL, 92 internal scalable fornts in HP postscription Level 3 emulation (Euro symbol buttl-in); Internal Unicode Fornts (Andele Mono World Type); 2 internal Windows Vota 8 Fornts (Cambria), additional fornt solutions available via thirt-party Hash membrases (Fornts and PDE Semination available via HITLAN (Fornts and PDE Semination available via HIT						
8.0-in (2.0.3 cm) color LCD with tourbscreen; rotating (adjustable angle) display; illuminated Home button (for quick obspace) 8.0-in (2.0.3 cm) color LCD with tourbscreen; rotating (adjustable angle) display; illuminated Home button (for quick obspace) 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen, SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 8.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 9.0° (2.0.3 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 9.0° (2.0.4 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 9.0° (2.0.4 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen 9.0° (2.0.4 cm) tourbscreen; SVEA LCD (color graphics), smooth gesture enables tourbscreen scaled before the scale product of	wallality reactiles					
For Windows OS; HP Software installer/Uninstaller, HP PCL 6 Printer Driver; HP Device Experience (DVP), HP Send Fax, HP Undate, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Melcome Screen, (Directs users to HP.com or OS App Soure for Laserslet Software) 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP potscript, Level 3 emulation (Euro symbol built-in); Internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Cambrial) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Garbarian) (Andale World Vista) (Andale World Vi		8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick 8.0-in (20.3 cm) color LCD with touch 8.0-in (20.3 cm) color				
Welcome Screen, (Directs users to HP, com or OS App Soure for Laser let Software) Fonts and Typefaces Obstituting TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscrippt Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 internal Windows Vista 8 Fonts (Cambria) additional font solutions available in Hit PCS from the Software; Windows 10 and 12	Display Description					
105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscrippt Level 3 emulation (Euro symbol built-in): Internal Unicode Fonts (Andale Mono World Type): 2 Internal Windows Vista 8 Fonts (Ca Cambrial) additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laser.jetfonts Windows OS compatible with In-Box Driver; Windows 75P3 all 32-bit editions (Wendows 10 all 32- & 64-bit editions (sextuding RT OS for Tablets); Windows Vista all 32-bit editions (Wendows 75P3 all 32-bit editions (Wendows 10 all 32- & 64-bit editions (Sextuding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From http://www.HP.com); Windows NP 32-bit editions (Wendows 87B-11 all 32-& 64-bit editions (Wendows 10 all 32-& 64-bit editions (Wendows 87B-11 all 32-& 64-bit editions (Wendows 87B-11 all 32-& 64-bit editions (Wendows 18B-11 all 32-& 64-bit editions (Wendows 18B-11 all 32-& 64-bit editions (Wendows 87B-11 all 32-& 64-bit editions (Wendows 87B-11 all 32-& 64-bit editions) (Wendows 18B-11 all 32-& 64-bit editions (Wendows 87B-11 all 32-& 64-bit editions) (Wendows 18B-11 all 32-& 64-bit editions (Wendows 18B-11 all 32-& 64-bit editions) (Wendows 18B-11 all 32-& 64-bit editions (Wendows 18B-11 all 32-& 64-bit editions) (Wendows 18B-11 all 32-& 64-bit editions (Wendows 18B-11 all 32-& 64-bit editions) (Wendows 18B-11 all 32-& 64-bit editions (Wendows 18B-11 all 32-& 64-bit editions) (Wendows 1	Software Included					
Windows OS compatible with in-Box Driver; Windows XP SP3 all 32-bit editions (VP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows S7 all 32-8 64-bit editions (Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S7 all 32-8 64-bit editions (Evaluding RT OS for Tablets); Windows S6 (In-OS Tablets); Windows S8 (In-OS Tablets); Wind	Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscriopt Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri,				
Services); Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows So compatible with Universal Print Driver (URD) or Product-Specific drivers from http://www.HP.com; Windows Society 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Clirix (N Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter); Windows Server 2008/2008 R2 32-64-bit delitions (Severer 1/SP1); Nove Enterprise Server 2 Office and Emails (SP1/SP2) Standard/Enterprise/Datacenter (SP1/SP1/SP2) Standard/Enterprise/Datacenter/Datacen	Compatible Operating Systems	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-& 64-bit editions (** A64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From http://www.HP.com); Windows XP SP3 32-& 64-bit editions (excluding RT OS for Tablets); Windows XP SP3 32-& 64-bit editions (Windows Vista all 32-& 64-bit editions); Windows Vista all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all 32-& 64-bit editions (excluding RT OS for Tablets); Windows A7 all				
for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space compatible hardware (For OS hardware requirements see http://www.microsoft.com), MAC: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB HD; OS compatible hardware (For OS hardware requirements see http://www.apple.com) Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input Voltage: 100 to 127 VAC, 50/60 Hz, 7.5 A (+/- 10%); Input Voltage: 220 to 240 VAC, 50/60 Hz, 4.0 A (+/- 10%) (Not dual voltage, input volt requirement and supplied power cord varies by part number and option code identifier); Power Consumption: 671 watts (Printing), 27.8 watts (Ready), 3.2 watts (Sleep), 0.71 watts (Auto-Off/Auto-On), LAN connection: 0.06 (Auto-Off), 0.06 watts (Off) ³ Acoustics Acoustic Power Emissions: 6.8 B/A); Acoustic Pressure Emissions: 54 dB(A) ⁷ Operating Temperature Range: 59 to 90.5%; Recommended Operating Temperature: 63.5 to 77%; Storage Temperature Range: 4 to 140%; Non-Operating Humildity Range: 10 to 90% RH; Operating Humildity Range: 10 to 90% RH; Operating Humildity Range: 10 to 90% RH; Operating Range: 30 to 70% RH		Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 R2 64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from http://www.HP.com; Windows Server 2008/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Window Server 2008/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Window Server 2003/2003 R2); Citrix MetaFrame Presentation Server, 30:2 Citrix MetaFrame Presentation Server, 30:2 Citrix MetaFrame Presentation Server, 30:2 Citrix MetaFrame Presentation Server, 40:4 St.; Citrix MetaFrame Presentation Server,				
Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input Voltage: 100 to 127 VAC, 50/60 Hz, 7.5 A (+/- 10%); Input Voltage: 220 to 240 VAC, 50/60 Hz, 4.0 A (+/- 10%) (Not dual voltage, input volt requirement and supplied power cord varies by part number and option code identifier); Power Consumption: 671 watts (Printing), 27.8 watts (Ready), 3.2 watts (Sleep), 0.71 watts (Auto-Off/Auto-On), LAN connection: 0.06 (Auto-Off), 0.06 watts (Off) ³ Acoustics Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 54 dB(A) ⁷ Operating Environment Operating Temperature Range: 59 to 90.5%; Recommended Operating Temperature: 63.5 to 77%; Storage Temperature Range: -4 to 140%; Non-Operating Humidity Range: 10 to 90% RH; Operating H	Minimum System Requirements	PC: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-& 64-bit editions; Windows 8/8.1 all 32-& 64-bit editions (excluding RT of Tablets); Windows 10 all 32-& 64-bit editions; (excluding RT of Tablets); Windows 10 all 32-& 64-bit editions; (excluding RT of Tablets); Windows 10 all 32-& 64-bit editions; (excluding RT of Sof Tablets); Windows 10 all 32-& 64-bit editions; (excluding RT of Sof Tablets); (D-ROM or DVD drive, or Internet Connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; (05 compatible hardware); (Far of Sof Tablets); (D-ROM or DVD) driver(exc); (SV 10.10 Yoseneritie; Internet; USB; 1 GB HD; 05 compatible hardware (For OS Nardware);				
Operating Environment Operating Temperature Range: 59 to 90.5%; Recommended Operating Temperature: 63.5 to 77%; Storage Temperature Range: -4 to 140%; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 80% RH; Recommended Humidity Operating Range: 30 to 70% RH		Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input Voltage: 100 to 127 VAC, 50/60 Hz, 7.5 A (+/- 10%); Input Voltage: 220 to 240 VAC, 50/60 Hz, 4.0 A (+/- 10%) (Not dual voltage, input voltage requirement and supplied power cord varies by part number and option code identifier); Power Consumption: 671 watts (Printing), 27.8 watts (Ready), 3.2 watts (Sleep), 0.71 watts (Auto-Off/Auto-On), LAN connection: 0.06 watt				
80% RH; Recommended Humidity Operating Range: 30 to 70% RH	Acoustics					
Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for V	· •					
IPsec Configuration using IPsec Plug-in	Security Management					

Includes size A toner cartridge. ² AirPrint[™] and IOS 4.2 or later devices require an 802.11 wireless network connection to the printer. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple[®] Inc. Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at the convigor/mobileprinting¹ Power requirements are based on the country/region where the printer and void the product wranning. Power power interprint on values by Epically based on measurement of 115 V doesn't. ⁸ Based on the BA TEC method with the following possible exceptions. I mining to less steps depleted value in accrodance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see ho, com/go/learnaboutsupplies *1+P Sures/poly) eylers you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies internet access required. To learn more, visit h To Good Market and the maximum the PR varies are subject to change. For current informations see ho, com/support *4 Maximum memory is with 1.6 GBM installed. The maximum the PR varies are subject to change for current informations see ho, com/support *4 Maximum memory is with 1.6 GBM installed. The maximum the PR varies are subject to change for current informations see ho, com/support *4 Maximum memory is with 1.6 GBM installed. The maximum the PR varies are subject to change for current informations see ho, com/support *4 Maximum memory is with 1.6 GBM installed. The maximum the PR varies are subject to change for current informations on the product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to sa

Learn more at hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

