

Hüpattl! Design System.

Thoughtful tools, crafted with care. A complete reference for building products against the Hüpattl! visual system — tokens, type, components, voice.

SIGNAL

YELLOW

SITE

PRIMARY

ELECTRIC

BLUE

SITE

SECONDARY

WARM

ORANGE

PHOTO

APP

TERMINAL

GREEN

LOG

VIEWER

Principles & voice

Ten principles, one constant reference

The system is built against Dieter Rams's Ten Principles of Good Design. Restraint first, decoration last. Each component answers: *is this honest, is this useful, is it as little as possible?*

VOICE RULES

- **Plain, declarative sentences.** Subject, verb, object. Avoid clauses that bury the point.
- **Show, don't sell.** Describe what the tool *does*, not what it *is*.
- **Specifics over superlatives.** Numbers, units, names of things. Not "blazing fast" — "60ms cold start."
- **Quiet humor, rare.** One dry aside per page is enough. Never quippy, never zany.
- **No exclamation marks** in body copy. The brand name has the only one allowed.
- **No emoji.** Ever. Use the iconography system.
- **Sentence case** for headlines, buttons, menu items. Title case only for proper nouns.
- **"You"** to address the reader. **"We"** sparingly. Never "users." Never "folks."

GOOD

A photo viewer that gets out of the way.
Browse, tag, and export. No accounts. No cloud. No telemetry.

No logs open yet.
Drop a file here, or press ⌘0.

Couldn't read nginx.access.log — permission denied.

AVOID

~~Welcome aboard! 🎉 Let's get started with your blazing-fast photo journey...~~

~~Folks love our amazing cloud-powered AI photo experience.~~

~~Oops! Something went wrong.~~

Color · neutrals

Neutrals are warm. Off-white paper, warm grays through to a near-black ink. The warmth pulls the system away from clinical/SaaS territory toward something physical and printed.

PAPER → INK SCALE



SEMANTIC SURFACE · LIGHT VS DARK

DATA-THEME="LIGHT"		DATA-THEME="DARK"	
--bg	var(--paper)	--bg	oklch(15% 0.0170)
--bg-2	var(--paper-2)	--bg-2	oklch(19% 0.01270)
--bg-3	var(--paper-3)	--bg-3	oklch(23% 0.01370)
--fg	var(--ink)	--fg	oklch(95% 0.00580)
--fg-2	var(--warm-5)	--fg-2	oklch(78% 0.00875)
--fg-3	var(--warm-4)	--fg-3	oklch(62% 0.01075)
--border	oklch(90% 0.00580)	--border	oklch(28% 0.01275)
--hairline	oklch(93% 0.00580)		

70)

--hairlineoklch(24% 0.012
70)

Color · product accents


Each product picks an accent via [data-accent="..."] on <html>. The accent drives heroes, primary CTAs, brand marks, and selected/active states. The website has two — yellow as primary, blue as secondary.

PRODUCT	TOKEN	LIGHT VALUE		DARK VALUE	
website · yellow	--accent		oklch(86% 0.18 95)		oklch(88% 0.18 95) Signal yellow. Dark text on top.
	--accent-fg		oklch(18% 0.010 70) —		Always ink — yellow needs dark fg.
	--accent-soft		oklch(96% 0.06 95)		oklch(35% 0.10 95) Tinted surface, hover.
	--accent-ink		oklch(55% 0.14 90)		oklch(85% 0.16 90) Link / text on paper.
website · blue	--accent-2		oklch(52% 0.22 265)		oklch(70% 0.20 265) Electric blue. Paper text on top.
photo · orange	--accent		oklch(70% 0.18 45)		oklch(78% 0.18 50) Warm orange.
	--accent-soft		oklch(95% 0.05 50)		oklch(32% 0.10 50) Tinted surface.
logs · green	--accent		oklch(70% 0.20 150)		oklch(80% 0.20 150) Terminal green. Dark fg.
	--accent-soft		oklch(95% 0.06 150)		oklch(28% 0.10 150) Tinted surface.

USAGE

```
/* product-level setting */
<html data-theme="light" data-accent="orange">

/* in components — never hard-code, always token */
.btn-primary { background: var(--accent); color: var(--accent-fg); }
.link        { color:      var(--accent-ink); }
.hero        { background: var(--accent); color: var(--accent-fg); }
```



Status colors are reserved for inline semantic indicators in product UI — toasts, validation, log levels. Never decorative.

--success

oklch(58% 0.14 1 45)

--success-soft

oklch(94% 0.04 1 45)

--warn

oklch(72% 0.14 7 5)

--warn-soft

oklch(95% 0.05 8 0)

--danger

oklch(56% 0.18 2 7)

--danger-soft

oklch(94% 0.04 2 7)

--info

oklch(56% 0.14 2 30)

--info-soft

oklch(94% 0.03 2 30)

INLINE USE

• SAVED

• 12 UNSTAGED

• FAILED

• UPDATE

• V0.4.1

• BETA

RULES

- **Soft pairs** with strong — solid status color on its tinted variant. Never two solid status colors stacked.
- **Never decorative.** A green border doesn't mean "approved" unless something is actually approved.
- **Accompany with text.** Color alone is not a state — pair with a word or icon for accessibility.

Typography

The whole system is built on **IBM Plex**. Three styles, three jobs. Numerals are tabular everywhere — alignment matters.

FAMILY	TOKEN	STACK	USE
IBM Plex Mono	--font-mono	"IBM Plex Mono", ui-monospace, Menlo, monospace	UI labels, code, metadata, numbers, captions. The default voice.
IBM Plex Sans Condensed	--font-display	"IBM Plex Sans Condensed", "IBM Plex Sans", sans-serif	Headlines, hero type, section titles.
IBM Plex Sans	--font-body	"IBM Plex Sans", ui-sans-serif, system-ui, sans-serif	Long-form body (>2 paragraphs), legal.

HERO
--text-5x1
104px · lh 1.05 · 1s
-.02

Aa Bb 01

DISPLAY
--text-4x1
72px · lh 1.05 · 1s
-.02

Quietly confident

H1
--text-3x1
48px · lh 1.18 · 1s
-.01

A photo viewer that gets out of the way.

H2
--text-2x1
34px · lh 1.18

Built around your folders.

H3
--text-x1
26px · lh 1.18

Open recent files

LEAD
--text-1g
20px · lh 1.6

Browse, tag, and export. No accounts. No cloud. No telemetry.

BODY --text-md 17px · lh 1.6	We built this because the alternatives were noisy. Hüpattl! Photo reads from your filesystem, never copies, never phones home.
UI --text-base 15px · lh 1.45 · tabular	2 of 14 · 1.4 mb · 1,402,318 lines
META --text-meta 11px · uppercase · ls .08	RELEASE · SEPT 2025 · V0.4.1

Spacing

A single 4px base. All padding, gap, margin uses these tokens — no magic numbers. Generous whitespace. Cards breathe more than you think they need.

--space-1		4px
--space-2		8px
--space-3		12px
--space-4		16px
--space-5		20px
--space-6 · gutter		24px
--space-8		32px
--space-10		40px
--space-12		48px
--space-16		64px
--space-20		80px
--space-24		96px
--space-32		128px

LAYOUT CONTAINERS

--container	1200px — marketing max-width
--container-text	720px — long-form reading column
--gutter	var(--space-6) — default flex/grid gap

Radius • shadow • motion

CORNER RADII

Standard modern, never round-everything. Square-ish corners on big surfaces (10–14px on a 600px card barely registers), full radius only where the shape demands it.

--radius-sm • 6px • chips, badges

--radius-md • 10px • buttons, cards

--radius-lg • 14px • large surfaces

--radius-xl • 20px • hero blocks (rare)

--radius-pill • 999px • toggles, pills

none • 0 • tables, code blocks

SHADOW ELEVATION • TWO-STEP, WARM-TINTED

--shadow-1
RESTING CARDS,
DROPDOWNS

--shadow-2
MODALS, POPOVERS,
DRAG PREVIEWS

--shadow-3
OVERLAYS (RARE)

MOTION • QUIET

--dur-quick	120ms • color/opacity micro-changes
--dur	150ms • default for every transition
--dur-slow	240ms • route changes, panel slides
--ease	cubic-bezier(0.2, 0, 0, 1) — ease-out
animates	opacity, 1–2px translate (press), background-color, knob x
never animates	bounce, spring, overshoot, page-load fade-ups, ambient motion

Interactive states

Every interactive surface follows the same state contract. Focus-visible is always present on keyboard navigation — never hidden.

Button states · primary

btn-primary

Default

Hover

Pressed

Disabled

Focus

hover · background +4% ink overlay (light) / +6% paper overlay (dark) · press · translateY(1px) + opacity .92 · focus · 2px solid accent, 2px offset · disabled · opacity .4, cursor not-allowed

TOKENS

--hover-overlay	light · oklch(0% 0 0 / 0.04) — dark · oklch(100% 0 0 / 0.06)
--press-overlay	light · oklch(0% 0 0 / 0.08) — dark · oklch(100% 0 0 / 0.10)
--focus-ring	0 0 0 2px var(--bg), 0 0 0 4px var(--accent)
--scrim	light · oklch(15% 0.01 70 / 0.50) — dark · oklch(8% 0.005 70 / 0.65)

RULES

- **Cursor only on hover.** No transform on hover. Save motion for press.
- **No grayscale for disabled.** Opacity 0.4, cursor: not-allowed.
- **Never remove focus rings.** If your design can't accommodate the ring, the design is wrong.
- **Modal scrim** are **solid**. 50% opacity ink, no blur. No frosted nav bars.

Buttons

Variants

primary · secondary · ghost · danger




SPEC

```
.btn {
  font-family: var(--font-mono);
  font-size: 13px; font-weight: 500;
  letter-spacing: .02em;
  padding: 9px 16px;
  border-radius: var(--radius-md);
  border: 1px solid transparent;
  display: inline-flex; gap: 8px; align-items: center;
  transition: var(--transition-base);
}
.btn-primary {
  background: var(--accent);
  color: var(--accent-fg);
  border-color: color-mix(in oklch, var(--accent), black 8%);
}
.btn-secondary {
  background: var(--bg);
  color: var(--fg);
  border-color: var(--border-strong);
}
.btn-ghost { background: transparent; color: var(--fg); }
.btn-danger { background: var(--bg); color: var(--danger);
              border-color: color-mix(in oklch, var(--danger), white 60%); }
.btn-icon { padding: 9px; } /* always with aria-label */
```

RULES

- **Sentence case labels.** "Open file" not "Open File" not "OPEN FILE."
- **Primary CTA is label-only** in marketing — no icon. In product UI, icon-only buttons get a tooltip.
- **One primary per surface.** Everything else is secondary or ghost.
- **Danger sits on the right** in confirm dialogs, not the left.



Inputs & forms

Field states

text · search · invalid · select

PROJECT NAME

hupattl-website

Lowercase, no spaces.

SEARCH · FOCUSED

nginx

%K to open.

API KEY · INVALID

hp_.....

Key expired on Aug 14.

THEME

System ▾


Follows OS preference.

SPEC

```
.field      { display: flex; flex-direction: column; gap: 6px; }
.field__label { font: 500 11px/1.3 var(--font-mono);
               text-transform: uppercase; letter-spacing: .08em;
               color: var(--fg-3); }
.field__input { font: 400 13px/1.4 var(--font-mono);
                padding: 9px 12px;
                border-radius: 8px;
                border: 1px solid var(--border-strong);
                background: var(--bg);
                color: var(--fg); }
.field__input:focus {
  outline: none;
  border-color: var(--accent);
  box-shadow: 0 0 0 3px color-mix(in oklch, var(--accent), transparent 75%);
}
.field__input--invalid { border-color: var(--danger); }
.field__hint           { font-size: 11px; color: var(--fg-3); }
.field__hint--error    { color: var(--danger); }
```

RULES

- **Labels are always present** and always above the input. No placeholder-as-label.
- **Inline hints** sit below. Error hints replace neutral hints, same slot.
- **Tabular numerics** on every numeric input.
- **Focus ring is accent-colored.** 3px ring at 25% alpha + solid border swap.



Badges · tags · keyboard

Status badges

6 variants · pill · uppercase mono

• V0.4.1

• SAVED

• 12 UNSTAGED

• FAILED

• UPDATE

• BETA

Tags

file · filter

.log

.json

jpeg

raw

portrait

2025-09

Keyboard hints

kbd

⌘ K

⇧ ⌘ F

Esc

↩

SPEC · BADGE

```
.badge {
  display: inline-flex; align-items: center; gap: 6px;
  padding: 3px 10px;
  border-radius: var(--radius-pill);
  font: 600 11px/1.3 var(--font-mono);
  letter-spacing: .06em; text-transform: uppercase;
  font-variant-numeric: tabular-nums;
}

.badge--success { background: var(--success-soft); color: oklch(38% .10 145); }
.badge--warn     { background: var(--warn-soft);   color: oklch(48% .14 75); }
.badge--danger   { background: var(--danger-soft); color: oklch(40% .16 27); }
.badge--info     { background: var(--info-soft);   color: oklch(40% .14 230); }
.badge__dot      { width: 6px; height: 6px; border-radius: 999px;
                  background: currentColor; }
```

Cards

1px border, no shadow at rest. --shadow-1 only when interactive and hovered. Internal padding: --space-6 default, --space-8 for hero cards. Titles in IBM Plex Sans Condensed, meta rows in mono.

FILE · 02 OF 14

nginx.access.log

1.4 mb · 1,402,318 lines · today, 14:02

↗ HOVER · INTERACTIVE

Open settings

Appearance, fonts, photos.

HERO · ACCENT SURFACE

A photo viewer that gets out of the way.

CARD RECIPES

- **Data card.** meta label · h3 display · meta row. No shadow. 1px border.
- **Interactive card.** Same, plus cursor: pointer, hover adds --shadow-1 + accent meta color.
- **Hero / accent card.** Solid --accent background, --accent-fg text, larger padding (--space-8), no border, radius --radius-lg.
- **Inset / well.** Background --bg-3, no border, radius --radius-md. Used for code blocks and read-only data.
- **Never** rounded corners with a left-border accent stripe. Never colored borders except on selected.

Toggles

The Hüpattl! toggle is signature: external left/right labels, **left = ON**, right = OFF. Two flavors share the same labeling rules.

iOS-sliding · primary

left=on · right=off · external labels

ON



OFF

NOTIFY



SILENT

RAW



JPEG

LIVE



PAUSED

Segmented · variant

two pills in a track

LIST

GRID

RAW

JPEG

TAIL


ALL

API

```
<Toggle
  on          { /* boolean */ }
  labelOn    ="On"
  labelOff   ="Off"
  variant    ="slide"    // "slide" | "segmented"
  accent     ="orange"   // inherits product accent by default
  onChange   = {fn}
/>
```

Iconography

We use **Lucide** line icons exclusively. 1.5px stroke, round caps + joins, `currentColor` fill. 20px nominal in UI controls, 16px in dense lists, 24px in marketing.



DO · DON'T

- **Use.** Toolbar buttons (with tooltip). Inline status in dense data. File-type marks in lists. Hero diagrams in marketing.
- **Don't use.** As a substitute for a clear text label. In body copy. On primary CTA buttons in marketing — label-only feels more confident.
- **Whitelist for non-Lucide glyphs:** ↑ ↓ ← → · ✓ — ✖ ∞ ^ ☰
- **No emoji. No unicode icon hacks.** If Lucide doesn't have it, draw it to spec and add to `assets/icons/`.

Brand & product marks

No bespoke logo file. The wordmark is rendered from type — **IBM Plex Sans Condensed Bold**, optical sizing only. The exclamation point is the only one allowed in the system.

WORDMARK

Master · light

paper · ink

Hüpattl!

Master · dark

ink · paper

Hüpattl!

PRODUCT MARKS

Website yellow + blue

• Hüpattl!

Photo orange

• Hüpattl!
Photo

Logs green

• Hüpattl! Logs

CLEARSPACE · MINIMUM SIZE · WHAT WE NEVER DO

- **Clearspace** = cap-height of the H in Hüpattl! on all sides.
- **Minimum size** = 14px wordmark height in UI; 24px in marketing.
- **Never** stretch, outline, rotate, gradient-fill, or place on patterned grounds.
- **Never** drop the umlaut or the exclamation point — they're load-bearing.

- **Color rules:** ink on paper, paper on ink, accent on paper. Never accent on accent.

Using this in code

FILE STRUCTURE

```
design-system/
├── colors_and_type.css      ← single source of truth · 105 tokens
├── fonts/
│   ├── ibm-plex.css        ← @font-face declarations
│   └── ibm-plex-*.woff2    ← Mono / Sans / Sans Condensed
├── assets/
│   ├── icons/              ← Lucide subset, offline copy
│   └── logo/               ← wordmark variants
```

BOOTSTRAP ANY PAGE

```
<!doctype html>
<html lang="en" data-theme="light" data-accent="orange">
<head>
  <meta charset="utf-8">
  <link rel="stylesheet" href="/design-system/colors_and_type.css">
</head>
<body>
  <h1 class="h-display">A photo viewer that gets out of the way.</h1>
</body>
</html>
```

PER-PRODUCT SETUP

website	data-accent="yellow" (primary) · uses --accent-2 for blue
photo	data-accent="orange"
logs	data-accent="green"
dark mode	add data-theme="dark" on <html> — all tokens flip automatically

THE HARD RULES

- **Never hard-code color.** Always var(--...). New colors go in colors_and_type.css first.
- **Never invent type sizes.** Use --text-* tokens.
- **Never magic-number spacing.** Always --space-.*.
- **One accent per product.** The website's two accents are the only exception in the system.
- **Photography over illustration.** If a real photo doesn't exist yet, use a flat warm color block as a placeholder — never an abstract SVG.

- **No emoji. No glassmorphism. No gradients. No decorative borders.**