Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

Web programiranje 1

https://bjelan.github.io/guarder/index.html

Guarder

Contents

| Uvod | 3 |
|--|----|
| Tehnologije I program koji su korišćeni za izradu sajta: | 3 |
| Opis funkcionalnosti sajta: | 3 |
| Template | 3 |
| Organizacija sajta | 4 |
| Mapa sajta: | 4 |
| RSS | 4 |
| Opis sajta i sekcija: | 5 |
| index.html | 5 |
| Header | 5 |
| Hero | 5 |
| About | 5 |
| Services | 6 |
| Guards | 6 |
| Testimonials | 7 |
| Contact | 7 |
| Footer | 9 |
| author.html | 10 |
| Kodovi | 10 |
| HTML | 10 |
| index.html | 10 |
| author.html | 19 |
| CSS | 24 |
| style.css | 24 |
| new-style.css | 45 |
| JS | 47 |
| custom is | 47 |

Uvod

Tehnologije i programi koji su korišćeni za izradu sajta:

- 1. HTML
- 2. CSS
- 3. JavaScripz
- 4. jQuery
- 5. XML
- 6. Visual Studio Code

Opis funkcionalnosti sajta:

- Dinamičko ispisivanje navigacije u headeru
- Dinamičko ispisivanje navigacije u footeru
- Slider u hero sekciji na početnoj stranici
- Dinamičko ispisivanje usluga na početnoj stranici
- Dinamičko ispisivanje čuvara na početnoj stranici
- Dinamičko ispisivanje testimonala na početnoj stranici
- Forma za slanje zahteva za usluge, sa validacijom regularnim izrazima kao i proverama za ostala polja, zatim ispisivanje grešaka i na kraju potvrda da je forma uspešno popunjena
- Prijavljivanje na newsletter, sa validacijom unetog mail-a

Template

Za izradu sajta korišćen je template:

https://www.free-css.com/free-css-templates/page295/guarder, dok je moj CSS pisan u fajlu new-style.css, a JS u fajlu custom.js

Organizacija sajta

Mapa sajta:

RSS

```
<?xml version="1.0"?>
<rss version="2.0">
<channel>
   <title>Guarder | Home</title>
    <link>https://bjelan.github.io/guarder/index.html</link>
    <description>Notifications about changes in our site</description>
   <item>
        <title>Guarder - About us</title>
        <link>https://bjelan.github.io/guarder/index.html#about</link>
        <description>Changes in about us section</description>
    </item>
    <item>
        <title>Guarder - Services</title>
        <link>https://bjelan.github.io/guarder/index.html#services</link>
        <description>Changes in services section</description>
    </item>
    <item>
        <title>Guarder - Guards</title>
        <link>https://bjelan.github.io/guarder/index.html#guards</link>
        <description>Changes in guards section</description>
    </item>
    <item>
        <title>Guarder - Testimonials</title>
```

Opis sajta i sekcija:

index.html


Header

Header sadrži logo i navigaciju koja je dinamički ispisana. Header se nalazi na svakoj stranici.



Hero

Hero sekcija sadrži slider sa benefitima rada sa nama, i sadrži dugmiće za kretanje slidera




About

Sekcija about sadrži našu biografiju I opis kako smo mi uspešni u svom poslu



Services Sekcija sa uslugama sadrži sve naše usluge I kratak opis o njima



Guards

Sekcija guards prikazuje naše čuvare koji rade za nas, njihova imena i poziciju koju obavljaju

OUR GUARDS

Trained, vigilant, and dedicated, our professional security personnel at Guarder are the embodiment of reliability, ensuring a steadfast presence to protect what matters most to you.







Testimonials

Sekcija sa klijentima se sastoji iz utisaka naših klijenata. Ovde je korišćen slider sa strelicama za kretanje kroz utiske klijenata

WHAT IS SAYS OUR CLIENTS





Anna Ros


Guarder exceeded my expectations with their impeccable security services. As a woman living alone, their team provided a sense of safety and assurance that I hadn't experienced before. I can now confidently say that Guarder is my trusted partner in ensuring my home is secure.

Contact

Sekcija za kontaktiranje i slanje zahteva za obavljanje posla se sastoji iz nekoliko različitih elemenata forme. Svaki element ima svoju validaciju, da li kroz regularne izraze ili neku kratku proveru. Pritiskom na dugme "SEND" korisniku će se ispisati sve napravljene greške ukoliko ih ima, a ukoliko bude pravilno popunio formu, prikazaće mu se modal sa jasnom porukom i stranica će se osvežiti njegovim zatvarenjem modala









Footer

Footer se sastoji iz linkova ka dokumentaciji, sitemap-u I rss-u, zatim kratkih kontakt informacija, I prijave za newsletter. Footer se nalazi na svakoj stranici.



author.html

Stranica o autoru sadrži moju sliku i kratku biografiju o meni



Kodovi

HTMI

index.html

```
<meta name="keywords" content="Guarder, security, professional security, home</pre>
security, office security, bodyguard services, security personnel, contact us,
send us a request" />
  <meta name="author" content="Pavle Bjelanović 58/22" />
 <!-- Site Metas -->
 <link rel="shortcut icon" href="images/favicon.png" type="image/x-icon">
 <title>Guarder</title>
 <!-- bootstrap core css -->
 <link rel="stylesheet" type="text/css" href="css/bootstrap.css" />
 <!-- fonts style -->
 link
href="https://fonts.googleapis.com/css?family=Open+Sans:400,700|Poppins:400,600
,700&display=swap" rel="stylesheet" />
 <!-- Custom styles for this template -->
 <link href="css/style.css" rel="stylesheet" />
 <link href="css/new-style.css" rel="stylesheet" />
 <!-- responsive style -->
 <link href="css/responsive.css" rel="stylesheet" />
<body>
 <div class="hero area">
   <!-- header section strats -->
   <div class="hero bg box">
     <div class="img-box">
        <img src="images/hero-bg.jpg" alt="Bodyguard">
   </div>
   <header class="header section">
      <div class="header bottom">
        <div class="container-fluid">
          <nav class="navbar navbar-expand-lg custom_nav-container">
            <a class="navbar-brand" href="index.html">
                Guarder
              </span>
            </a>
```

```
<button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
          <span class=""></span>
         </button>
         <div class="collapse navbar-collapse ml-auto"</pre>
id="navbarSupportedContent">
          </div>
       </nav>
      </div>
    </div>
   </header>
   <!-- end header section -->
   <!-- slider section -->
   <section class=" slider section ">
    <div id="carouselExampleIndicators" class="carousel slide" data-</pre>
ride="carousel">
      <div class="carousel-inner">
     </div>
      <div class="container idicator_container">
       class="active">
         to="1">
         to="2">
       </div>
    </div>
   </section>
   <!-- end slider section -->
 </div>
 <!-- about section -->
 <section class="about_section layout_padding" id="about">
  <div class="container">
    <div class="row">
     <div class="col-md-6 px-0">
```

```
<div class="img_container">
           <div class="img-box">
              <img src="images/about-img.jpg" alt="Guarder-AboutImage" />
            </div>
         </div>
       </div>
       <div class="col-md-6 px-0">
         <div class="detail-box">
            <div class="heading_container">
               Who Are We?
              </h2>
            </div>
            Welcome to Guarder, where your safety is our priority. With a
steadfast commitment to providing top-notch security solutions, Guarder stands
as a beacon of protection in an ever-changing world. Our team of highly trained
professionals is dedicated to ensuring your peace of mind by delivering
comprehensive security services tailored to your specific needs.
            At Guarder, we understand that security is not just a service -
it's a promise. Our years of experience and unwavering dedication make us your
trusted partner in safeguarding what matters most to you. Whether it's your
home, business, or event, we employ cutting-edge technology and strategic
expertise to create a secure environment tailored to your unique requirements.
            Explore the peace of mind that comes with choosing Guarder as your
security solution. Your safety is our mission, and we take pride in being the
guardians of your well-being.
         </div>
       </div>
      </div>
    </div>
 </section>
 <!-- end about section -->
 <!-- service section -->
 <section class="service_section layout_padding" id="services">
    <div class="container">
      <div class="heading_container heading_center">
         Our services
       </h2>
      </div>
      <div class="row">
```

```
</div>
   </div>
 </section>
 <!-- end service section -->
 <!-- team section -->
 <section class="team_section layout_padding" id="guards">
   <div class="container">
      <div class="heading_container heading_center">
       <h2>
         Our Guards
       </h2>
         Trained, vigilant, and dedicated, our professional security personnel
at Guarder are the embodiment of reliability, ensuring a steadfast presence to
protect what matters most to you.
       </div>
     <div class="row">
     </div>
   </div>
 </section>
 <!-- end team section -->
 <!-- client section -->
 <section class="client_section layout_padding" id="testimonials">
   <div class="container">
      <div class="heading_container heading_center">
         What is says our clients
       </h2>
      <div id="carouselExampleControls" class="carousel slide" data-</pre>
ride="carousel">
       <div class="carousel-inner">
       </div>
       <div class="carousel btn-box">
```

```
<a class="carousel-control-prev" href="#carouselExampleControls"</pre>
role="button" data-slide="prev">
            <i class="fa fa-angle-left" aria-hidden="true"></i></i>
            <span class="sr-only">Previous</span>
          <a class="carousel-control-next" href="#carouselExampleControls"</pre>
role="button" data-slide="next">
            <i class="fa fa-angle-right" aria-hidden="true"></i></i>
            <span class="sr-only">Next</span>
          </a>
        </div>
      </div>
    </div>
  </section>
  <!-- end client section -->
  <!-- contact section -->
  <section class="contact_section layout_padding" id="contact">
    <div class="contact_bg_box">
      <div class="img-box">
        <img src="images/contact-bg.jpg" alt="Contact Image">
      </div>
    </div>
    <div class="container">
      <div class="heading container heading center">
        <h2>
          Send us a request
        </h2>
      </div>
      <div class="">
        <div class="row">
          <div class="col-md-7 mx-auto">
            <form action="#" id="contactForm">
              <div class="contact_form-container">
                <div>
                  <div class="form-group">
                    <label for="fullName">FULL NAME</label>
                    <input type="text" class="form-control" id="fullName"</pre>
placeholder="Jhon Doe">
                  </div>
                  <div class="form-group">
                    <label for="email">EMAIL</label>
                    <input type="email" class="form-control" id="email"</pre>
placeholder="jhondoe@gmail.com">
                  </div>
                  <div class="form-group">
```

```
<label for="phone">PHONE NUMBER</label>
                    <input type="text" class="form-control" id="phone"</pre>
placeholder="+381624561256">
                  </div>
                  <div class="form-group">
                    <label for="selectService">SELECT SERVICE</label>
                    <select id="selectService">
                      <option value="0">Select Service</option>
                      <option value="1">Home Security</option>
                      <option value="2">Office Security</option>
                      <option value="3">Bodyguard</option>
                    </select>
                  </div>
                  <div class="form-group">
                     <label for="selectGuard">SELECT GUARDS</label>
                    <select id="selectGuard">
                      <option value="0">Select Guard</option>
                      <option value="1">Martin Anderson</option>
                      <option value="2">Denny Butler</option>
                      <option value="3">Nathan Mcpherson</option>
                    </select>
                  </div>
                  <div class="form-group">
                    <label for="requestedDate">SELECT DATE</label>
                    <input type="date" id="requestedDate"/>
                  </div>
                  <div class="form-group" id="preferredMethod">
                    <label class="form-check-label">PREFERRED CONTACT
METHOD</label>
                    <div class="form-check">
                      <input class="form-check-input contactMethodRadio"</pre>
type="radio" name="contactMethod" id="EmailRadio">
                      <label class="form-check-label" for="EmailRadio">
                        EMAIL
                      </label>
                    </div>
                    <div class="form-check" id="secondContactMethod">
                      <input class="form-check-input contactMethodRadio"</pre>
type="radio" name="contactMethod" id="PhoneRadio">
                      <label class="form-check-label" for="PhoneRadio">
                        PHONE
                      </label>
                    </div>
                  </div>
                  <div class="form-group">
```

```
<label for="message">MESSAGE</label>
                   <textarea class="form-control" id="message"</pre>
rows="5"></textarea>
                 </div>
                 <div class="btn-box ">
                   <button type="submit">
                     Send
                   </button>
                 </div>
               </div>
             </div>
           </form>
         </div>
       </div>
     </div>
   </div>
  </section>
 <!-- end contact section -->
 <!-- info section -->
 <section class="info_section ">
   <div class="container">
     <div class="row">
       <div class="col-md-4">
         <div class="info_logo">
           <a class="navbar-brand" href="index.html">
             <span>
               Guarder
             </span>
           </a>
         <l
           <a href="documentaion.pdf">Documentation</a>
           <a href="rss.xml">Rss</a>
           <a href="sitemap.xml">Sitemap</a>
         </div>
       </div>
       <div class="col-md-4">
         <div class="info_info">
             Contact Us
           </h5>
         </div>
         <div class="info_contact">
```

```
<a href="" class="">
      <i class="fa fa-map-marker" aria-hidden="true"></i></i>
      <span>
        Djure Jaksica 55, 11000 Beograd
      </span>
    </a>
    <a href="callto:+011234567890" class="">
      <i class="fa fa-phone" aria-hidden="true"></i></i>
        Call: +011234567890
      </span>
    </a>
    <a href="mailto: guarder@official.com" class="">
      <i class="fa fa-envelope" aria-hidden="true"></i></i>
        guarder@official.com
      </span>
    </a>
  </div>
</div>
<div class="col-md-4">
  <div class="info_form ">
    <h5>
      Newsletter
    </h5>
    <form action="" id="newsletterForm">
      <input type="email" placeholder="Enter your email">
      <button>
        Subscribe
      </button>
    </form>
    <div class="social box">
      <a href="https://facebook.com">
        <i class="fa fa-facebook" aria-hidden="true"></i></i>
      <a href="https://twitter.com">
        <i class="fa fa-twitter" aria-hidden="true"></i></i>
      </a>
      <a href="https://youtube.com">
        <i class="fa fa-youtube" aria-hidden="true"></i></i>
      <a href="https://instagram.com">
        <i class="fa fa-instagram" aria-hidden="true"></i></i></i>
      </a>
    </div>
```

```
</div>
        </div>
      </div>
    </div>
  </section>
  <!-- end info section -->
  <div class="modal fade" id="exampleModalCenter" tabindex="-1" role="dialog"</pre>
aria-labelledby="exampleModalCenterTitle" aria-hidden="true">
    <div class="modal-dialog modal-dialog-centered" role="document">
      <div class="modal-content">
        <div class="modal-header d-flex justify-content-center">
          <h3 class="modal-title text-center" id="exampleModalLongTitle">Thanks
for submitting the form. We'll contact you soon.</h3>
        </div>
        <div class="modal-footer">
          <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Close</button>
        </div>
      </div>
    </div>
  </div>
  <footer class="container-fluid footer_section">
      © Guarder <span id="currentYear"></span> All Rights Reserved. Pavle
Bjelanović 58/22
    </footer>
  <!-- footer section -->
  <script src="js/jquery-3.4.1.min.js"></script>
  <script src="js/bootstrap.js"></script>
  <script src="js/custom.js"></script>
</body>
</html>
```

author.html

```
<!DOCTYPE html>
<html>
```

```
<head>
 <meta charset="utf-8" />
 <meta http-equiv="X-UA-Compatible" content="IE=edge" />
 <!-- Mobile Metas -->
 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
 <meta name="description" content="Guarder provides professional security</pre>
services, including home security, office security, bodyguard services, and
highly trained security personnel. Ensure your safety with Guarder's reliable
and discreet security solutions." />
  <meta name="keywords" content="Guarder, security, professional security, home</pre>
security, office security, bodyguard services, security personnel, contact us,
send us a request" />
 <meta name="author" content="Pavle Bjelanović 58/22" />
 <!-- Site Metas -->
 <link rel="shortcut icon" href="images/favicon.png" type="image/x-icon">
 <title>Guarder</title>
 <!-- bootstrap core css -->
 <link rel="stylesheet" type="text/css" href="css/bootstrap.css" />
 link
href="https://fonts.googleapis.com/css?family=Open+Sans:400,700|Poppins:400,600
,700&display=swap" rel="stylesheet" />
 <!-- Custom styles for this template -->
 <link href="css/style.css" rel="stylesheet" />
 <link href="css/new-style.css" rel="stylesheet" />
 <!-- responsive style -->
 <link href="css/responsive.css" rel="stylesheet" />
</head>
<body>
 <div class="hero area">
   <!-- header section strats -->
   <div class="hero_bg_box">
      <div class="img-box">
        <img src="images/hero-bg.jpg" alt="">
     </div>
    </div>
```

```
<header class="header section">
      <div class="header bottom">
       <div class="container-fluid">
         <nav class="navbar navbar-expand-lg custom nav-container">
            <a class="navbar-brand" href="index.html">
               Guarder
             </span>
            </a>
            <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
             <span class=""></span>
            </button>
            <div class="collapse navbar-collapse ml-auto"</pre>
id="navbarSupportedContent">
             </div>
         </nav>
       </div>
      </div>
    </header>
    <!-- end header section -->
   <section id="myInfo">
       <div class="container">
           <div class="row">
                <div class="col-lg-6 col-12">
                    <img class="img-fluid" src="images/moja_slika.jpeg"</pre>
alt="Pavle Bjelanović 58/22">
               </div>
               <div class="col-lg-6 d-flex flex-column justify-content-</pre>
center">
                    <h1 class="text-white">Pavle Bjelanović 58/22</h1>
                    <h4 class="text-white mt-3">
                        Imam 19 godina, rođen sam u Beogradu. Završio sam
srednju školu Osma beogradska gimnazija, posle koje sam odlučio da upišem
visoku ICT školu.
                    </h4>
                </div>
           </div>
       </div>
```

```
</section>
  <!-- info section -->
<section class="info section ">
 <div class="container">
   <div class="row">
     <div class="col-md-4">
       <div class="info_logo">
         <a class="navbar-brand" href="index.html">
           <span>
             Guarder
           </span>
         </a>
       <u1>
         <a href="documentaion.pdf">Documentation</a>
         <a href="rss.xml">Rss</a>
         <a href="sitemap.xml">Sitemap</a>
       </div>
     </div>
     <div class="col-md-4">
       <div class="info_info">
         <h5>
           Contact Us
         </h5>
       </div>
       <div class="info_contact">
         <a href="" class="">
           <i class="fa fa-map-marker" aria-hidden="true"></i></i>
             Djure Jaksica 55, 11000 Beograd
            </span>
         </a>
          <a href="callto:+011234567890" class="">
           <i class="fa fa-phone" aria-hidden="true"></i></i>
             Call: +011234567890
           </span>
         </a>
          <a href="mailto: guarder@official.com" class="">
           <i class="fa fa-envelope" aria-hidden="true"></i></i>
             guarder@official.com
           </span>
         </a>
```

```
</div>
        </div>
        <div class="col-md-4">
          <div class="info form ">
              Newsletter
            </h5>
            <form action="" id="newsletterForm">
              <input type="email" placeholder="Enter your email">
              <button>
                Subscribe
              </button>
            </form>
            <div class="social box">
              <a href="https://facebook.com">
                <i class="fa fa-facebook" aria-hidden="true"></i></i>
              <a href="https://twitter.com">
                <i class="fa fa-twitter" aria-hidden="true"></i></i>
              <a href="https://youtube.com">
                <i class="fa fa-youtube" aria-hidden="true"></i></i>
              <a href="https://instagra,.com">
                <i class="fa fa-instagram" aria-hidden="true"></i></i>
              </a>
            </div>
          </div>
        </div>
      </div>
   </div>
  </section>
 <!-- end info_section -->
 <!-- footer section -->
 <footer class="container-fluid footer_section">
     © Guarder <span id="currentYear"></span> All Rights Reserved. Pavle
Bjelanović 58/22
   </footer>
 <!-- footer section -->
 <script src="js/jquery-3.4.1.min.js"></script>
 <script src="js/bootstrap.js"></script>
 <script src="js/jquery.magnific-popup.js"></script>
```

```
<script src="js/custom.js"></script>
</body>
</html>
```

CSS

style.css

```
@import url("font-awesome.min.css");
body {
 font-family: "Poppins", sans-serif;
 color: #0c0c0c;
 background-color: #ffffff;
ul{
 list-style-type: none;
.info_section ul{
 margin-left: 0;
 padding-left: 0;
.layout_padding {
 padding-top: 90px;
 padding-bottom: 90px;
.layout_padding2 {
 padding-top: 45px;
 padding-bottom: 45px;
.layout_padding2-top {
 padding-top: 45px;
.layout_padding2-bottom {
 padding-bottom: 45px;
.layout_padding-top {
 padding-top: 90px;
.layout_padding-bottom {
```

```
padding-bottom: 90px;
.heading_container {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
     -ms-flex-direction: column;
         flex-direction: column;
.heading container h2 {
 position: relative;
 font-weight: bold;
 text-transform: uppercase;
 padding-bottom: 10px;
.heading_container h2::before {
 content: "";
 width: 40px;
 height: 7px;
 background-color: #f1db25;
 border-radius: 10px;
 position: absolute;
 bottom: 0;
 left: 0;
.heading_container.heading_center {
 -webkit-box-align: center;
     -ms-flex-align: center;
         align-items: center;
 text-align: center;
.heading_container.heading_center h2::before {
 left: 50%;
 -webkit-transform: translateX(-50%);
         transform: translateX(-50%);
/*header section*/
```

```
.hero_area {
 min-height: 100vh;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
 position: relative;
.hero_bg_box {
 position: absolute;
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 overflow: hidden;
 z-index: -1;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-pack: center;
     -ms-flex-pack: center;
          justify-content: center;
.hero_bg_box .img-box {
 width: 100%;
.hero_bg_box .img-box img {
 min-width: 100%;
 min-height: 100%;
.hero_bg_box::before {
 content: "";
 position: absolute;
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
```

```
background: -webkit-gradient(linear, left top, right top, from(rgba(0, 0, 0,
0.8)), to(rgba(0, 0, 0, 0.35)));
  background: linear-gradient(to right, rgba(0, 0, 0, 0.8), rgba(0, 0, 0,
0.35));
.sub_page .hero_area {
 min-height: auto;
.sub_page .custom_nav-container.navbar-expand-lg .navbar-nav .nav-item .nav-
link {
  padding-bottom: 21px;
.hero area.sub pages {
 height: auto;
.header_section {
  padding: 0;
.header section .container-fluid {
  padding-right: 25px;
  padding-left: 25px;
.header section .nav container {
 margin: 0 auto;
.header_top {
 background-color: #1c1c1c;
  padding: 15px 0;
.header_top .contact_link-container {
  display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
  -webkit-box-pack: justify;
      -ms-flex-pack: justify;
          justify-content: space-between;
```

```
.header_top .contact_link-container a {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
 color: #ffffff;
 font-size: 15px;
.header_top .contact_link-container a i {
 font-size: 20px;
 color: #f1db25;
 margin-right: 5px;
.header_bottom{
 padding: 10px 0;
#navbarSupportedContent {
 -webkit-box-pack: justify;
      -ms-flex-pack: justify;
          justify-content: space-between;
.custom_nav-container {
 z-index: 99999;
 padding: 0;
.custom_nav-container .navbar-nav {
 margin-left: auto;
.custom_nav-container .navbar-nav .nav-item .nav-link {
 padding: 10px 15px;
 color: #ffffff;
 text-align: center;
 border-radius: 10px;
 text-transform: uppercase;
 -webkit-transition: all .2s;
 transition: all .2s;
```

```
.custom_nav-container .navbar-nav .nav-item:hover .nav-link, .custom_nav-
container .navbar-nav .nav-item.active .nav-link {
 background-color: #1c1c1c;
a,
a:hover,
a:focus {
 text-decoration: none;
a:hover,
a:focus {
 color: initial;
.btn,
.btn:focus {
 outline: none !important;
 -webkit-box-shadow: none;
          box-shadow: none;
.navbar-brand {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
  -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
.navbar-brand span {
 font-weight: bold;
 color: #ffffff;
 font-size: 24px;
.custom_nav-container .navbar-toggler {
 outline: none;
```

```
.custom_nav-container .navbar-toggler {
 padding: 0;
 width: 37px;
 height: 42px;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
.custom_nav-container .navbar-toggler span {
 display: block;
 width: 32px;
 height: 4px;
 background-color: #ffffff;
 border-radius: 15px;
 margin: 7px 0;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 position: relative;
 transition: all 0.3s;
.custom_nav-container .navbar-toggler span::before, .custom_nav-container
.navbar-toggler span::after {
 content: "";
 position: absolute;
 left: 0;
 height: 100%;
 width: 100%;
 background-color: #ffffff;
 border-radius: 15px;
 top: -10px;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
.custom_nav-container .navbar-toggler span::after {
 top: 10px;
.custom nav-container .navbar-toggler[aria-expanded="true"] {
 -webkit-transform: rotate(360deg);
         transform: rotate(360deg);
```

```
.custom_nav-container .navbar-toggler[aria-expanded="true"] span {
  -webkit-transform: rotate(45deg);
          transform: rotate(45deg);
.custom_nav-container .navbar-toggler[aria-expanded="true"] span::before,
.custom nav-container .navbar-toggler[aria-expanded="true"] span::after {
 -webkit-transform: rotate(90deg);
          transform: rotate(90deg);
 top: 0;
/*end header section*/
/* slider section */
.slider_section {
  -webkit-box-flex: 1;
      -ms-flex: 1;
         flex: 1;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
  -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
  -webkit-box-pack: center;
      -ms-flex-pack: center;
          justify-content: center;
  color: #ffffff;
.slider_section .row {
 -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
.slider_section .detail-box {
 width: 100%;
 margin: 0 auto;
.slider section .detail-box h1 {
 text-transform: uppercase;
 font-size: 3rem;
```

```
color: #ffffff;
 font-weight: 600;
.slider_section .detail-box h1 span {
 color: #f1db25;
.slider_section .detail-box p {
 margin-top: 25px;
.slider_section .detail-box .btn-box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 margin-top: 30px;
.slider_section .detail-box .btn-box a {
 width: 180px;
 text-align: center;
 margin: 5px;
.slider_section .detail-box .btn-box .btn-1 {
 display: inline-block;
 padding: 10px 35px;
 background-color: #ffffff;
 color: #000000;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 border: 1px solid transparent;
.slider_section .detail-box .btn-box .btn-1:hover {
 background-color: transparent;
 border-color: #ffffff;
 color: #ffffff;
.slider_section .detail-box .btn-box .btn-2 {
 display: inline-block;
 padding: 10px 35px;
 background-color: #f1db25;
```

```
color: #ffffff;
 color: #0c0c0c;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 border: 1px solid transparent;
.slider_section .detail-box .btn-box .btn-2:hover {
 background-color: transparent;
 border-color: #f1db25;
 color: #f1db25;
.slider_section .img-box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
.slider_section .img-box img {
 width: 100%;
.slider section .idicator container {
 position: relative;
.slider_section ol.carousel-indicators {
 margin: 0;
 bottom: -75px;
 -webkit-box-pack: end;
     -ms-flex-pack: end;
          justify-content: flex-end;
.slider_section ol.carousel-indicators li {
 width: 20px;
 height: 20px;
 border-radius: 100%;
 text-align: center;
 background-color: #f1db25;
 opacity: 1;
 border: none;
 margin: 0 4px;
```

```
.slider_section ol.carousel-indicators li.active {
 background-color: #ffffff;
.about_section .row {
 -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
.about_section .img_container .img-box img {
 width: 100%;
.about section .detail-box {
 background-color: #ffffff;
 padding: 45px 25px;
 -webkit-box-shadow: 0 0 5px 0 rgba(0, 0, 0, 0.05);
          box-shadow: 0 0 5px 0 rgba(0, 0, 0, 0.05);
 position: relative;
 margin-left: -45px;
.about_section .detail-box p {
 margin-top: 5px;
.about section .detail-box a {
 display: inline-block;
 padding: 10px 35px;
 background-color: #f1db25;
 color: #ffffff;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 border: 1px solid transparent;
 text-transform: uppercase;
.about_section .detail-box a:hover {
 background-color: transparent;
 border-color: #f1db25;
 color: #f1db25;
```

```
.service_section {
 background-color: #1c1c1c;
.service_section .heading_container {
 color: #ffffff;
.service_section .box {
 background-color: #ffffff;
 padding: 25px 15px;
 text-align: center;
 -webkit-box-shadow: 0 0 15px 0 rgba(0, 0, 0, 0.2);
          box-shadow: 0 0 15px 0 rgba(0, 0, 0, 0.2);
 margin-top: 45px;
.service_section .box .img-box svg {
 width: 75px;
 height: auto;
 fill: #1c1c1c;
.service_section .box .detail-box {
 margin-top: 25px;
.service_section .box .detail-box h6 {
 font-size: 18px;
 font-weight: bold;
 text-transform: uppercase;
 margin-bottom: 20px;
.service_section .box .detail-box a {
 display: inline-block;
 padding: 8px 35px;
 background-color: #f1db25;
 color: #ffffff;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 border: 1px solid transparent;
 margin-top: 10px;
```

```
.service_section .box .detail-box a:hover {
 background-color: transparent;
 border-color: #f1db25;
 color: #f1db25;
.client_section {
 text-align: center;
.client_section #carouselExampleControls {
 padding: 0 10%;
.client_section .box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
 -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
 margin-top: 45px;
.client section .box .img-box {
 width: 145px;
.client_section .box .img-box img {
 width: 100%;
.client_section .box .detail-box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
 -webkit-box-align: center;
```

```
-ms-flex-align: center;
         align-items: center;
 margin-top: 20px;
.client_section .box .detail-box h4 {
 font-weight: bold;
 font-size: 18px;
 padding: 0 10px;
 border-bottom: 1px solid #ffffff;
.client_section .box .detail-box p {
 margin-top: 10px;
.client_section .carousel_btn-box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-pack: center;
     -ms-flex-pack: center;
         justify-content: center;
.client_section .carousel-control-prev,
.client_section .carousel-control-next {
 position: absolute;
 top: 50%;
 width: 45px;
 height: 45px;
 border: none;
 opacity: 1;
 background-color: #1c1c1c;
 color: #ffffff;
 border-radius: 100%;
 -webkit-transform: translateY(-50%);
         transform: translateY(-50%);
 font-size: 18px;
.client_section .carousel-control-prev:hover,
.client section .carousel-control-next:hover {
 background-color: #f1db25;
```

```
.client_section .carousel-control-prev {
 left: 0;
.client_section .carousel-control-next {
 left: initial;
 right: 0;
.contact_section {
 position: relative;
 color: #ffffff;
.contact_section .row {
 -webkit-box-align: center;
     -ms-flex-align: center;
          align-items: center;
.contact_section .contact_form-container {
 margin-top: 35px;
.contact_section .contact_form-container input {
 border: none;
 outline: none;
 color: #000000;
 height: 45px;
 width: 100%;
 padding-left: 15px;
 background-color: #ffffff;
.contact_section .contact_form-container input::-webkit-input-placeholder {
 color: #000000;
.contact_section .contact_form-container input:-ms-input-placeholder {
 color: #000000;
.contact_section .contact_form-container input::-ms-input-placeholder {
```

```
color: #000000;
.contact_section .contact_form-container input::placeholder {
 color: #000000;
.contact_section .contact_form-container input.message_input {
 height: 120px;
.contact_section .contact_form-container .btn-box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-pack: center;
     -ms-flex-pack: center;
         justify-content: center;
 margin-top: 25px;
.contact_section .contact_form-container button {
 display: inline-block;
 padding: 10px 60px;
 background-color: #f1db25;
 color: #ffffff;
 color: #0c0c0c;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 border: 1px solid transparent;
 text-transform: uppercase;
 font-weight: bold;
.contact_section .contact_form-container button:hover {
 background-color: transparent;
 border-color: #f1db25;
 color: #f1db25;
.contact bg box {
 position: absolute;
 top: 0;
 left: 0;
 width: 100%;
```

```
height: 100%;
  overflow: hidden;
 z-index: -1;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-pack: center;
      -ms-flex-pack: center;
          justify-content: center;
 -webkit-box-align: center;
      -ms-flex-align: center;
          align-items: center;
.contact_bg_box .img-box {
 width: 100%;
.contact_bg_box .img-box img {
 min-width: 100%;
 min-height: 100%;
.contact bg box::before {
 content: "";
 position: absolute;
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 background: -webkit-gradient(linear, left top, right top, from(rgba(0, 0, 0,
0.7)), to(rgba(0, 0, 0, 0.35)));
 background: linear-gradient(to right, rgba(0, 0, 0, 0.7), rgba(0, 0, 0,
0.35));
/* end contact section */
.team_section .box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
     -ms-flex-direction: column;
          flex-direction: column;
```

```
overflow: hidden;
 margin-top: 45px;
 position: relative;
.team_section .box .img-box {
 width: 100%;
.team_section .box .img-box img {
 width: 100%;
.team_section .box .detail-box {
 position: absolute;
 width: 100%;
 color: #ffffff;
 padding: 25px 15px;
 text-align: center;
 bottom: 0;
 background-color: rgba(28, 28, 28, 0.75);
.team section .btn-box {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-pack: center;
      -ms-flex-pack: center;
         justify-content: center;
 margin-top: 45px;
.team section .btn-box a {
 display: inline-block;
 padding: 10px 45px;
 background-color: #f1db25;
 color: #ffffff;
 -webkit-transition: all 0.3s;
 transition: all 0.3s;
 border: 1px solid transparent;
.team_section .btn-box a:hover {
 background-color: transparent;
```

```
border-color: #f1db25;
 color: #f1db25;
.info_section {
 background-color: #101010;
 color: #ffffff;
 padding: 75px 0 10px 0;
.info_section .row > div {
 margin-bottom: 25px;
.info_section h5 {
 margin-bottom: 25px;
 font-size: 24px;
.info_section .info_logo {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
 -webkit-box-align: start;
      -ms-flex-align: start;
          align-items: flex-start;
.info_section .info_logo .navbar-brand {
 padding: 0;
 margin-bottom: 20px;
.info_section .info_logo .navbar-brand span {
 font-size: 24px;
 color: #ffffff;
.info_section .info_links ul {
 padding: 0;
```

```
.info_section .info_links ul li {
 list-style-type: none;
.info_section .info_links ul li a {
 color: #ffffff;
.info_section .info_contact {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction: normal;
      -ms-flex-direction: column;
          flex-direction: column;
}
.info_section .info_contact a {
 color: #ffffff;
 margin-bottom: 10px;
.info_section .info_contact a i {
 font-size: 20px;
 margin-right: 5px;
.info_section .info_form form input {
 outline: none;
 border: none;
 width: 100%;
 padding: 7px 10px;
 border-radius: 30px;
.info_section .info_form form button {
 padding: 8px 35px;
 outline: none;
 border: none;
 color: #ffffff;
 color: #0c0c0c;
 background: #f1db25;
 border-radius: 30px;
```

```
margin-top: 15px;
 text-transform: uppercase;
.info_section .info_form .social_box {
 margin-top: 25px;
 width: 100%;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
.info_section .info_form .social_box a {
 margin-right: 10px;
 color: #ffffff;
 font-size: 20px;
/* footer section*/
.footer_section {
 font-weight: 500;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-pack: center;
      -ms-flex-pack: center;
         justify-content: center;
 padding: 20px;
 background-color: #101010;
.footer_section p {
 color: rgba(254, 254, 255, 0.7);
 margin: 0;
 text-align: center;
.footer_section a {
 color: rgba(254, 254, 255, 0.7);
/* end footer section*/
/*# sourceMappingURL=style.css.map */
```

new-style.css

```
.white-popup {
    position: relative;
    background: #FFF;
    padding: 20px;
    width: auto;
    max-width: 500px;
    margin: 20px auto;
html{
    scroll-behavior: smooth;
section{
    padding-top: 150px!important;
    padding-bottom: 150px!important;
.info_section ul li a{
    color: #ffffff;
#guards .box{
    cursor: pointer;
#guards .detail-box{
    transform: translateY(100%);
    transition: all 0.3s ease-in-out;
#guards .detail-box.active{
    transform: translateY(0%);
#contact select{
    padding: 10px;
    border: none;
    outline: none;
    color: #000000;
    height: 45px;
    width: 100%;
    background-color: #ffffff;
.contactMethodRadio{
    padding: 0px!important;
    border: none;
    outline: none;
    color: #000000;
```

```
height: 15px!important;
    width: 15px!important;
    background-color: #ffffff;
#about .detail-box p{
   transform: scale(0.3);
    text-align: center;
    transition: all 0.8s ease-in-out;
#about .detail-box p.active{
   font-size: 16px;
   transform: scale(1);
   text-align: center;
#about img{
   transform: translateX(-200%);
   transition: all 0.8s ease-in-out;
#about img.active{
    transform: translateX(0%);
#services .row .singleService{
   z-index: -1;
   transform: translateY(200%);
#services .row .singleService.active{
    z-index: 1;
   transform: translateY(0%);
#services .row .singleService:nth-child(1){
    transition: all 1s ease-in-out;
#services .row .singleService:nth-child(2){
   transition: all 1.4s ease-in-out;
#services .row .singleService:nth-child(3){
   transition: all 1.7s ease-in-out;
.error{
   color: red;
   margin-top: 5px;
   margin-bottom: 5px;
    font-size: 17px;
```

```
}
.success{
    color: green;
    margin-top: 5px;
    margin-bottom: 5px;
    font-size: 17px;
}
```

JS

custom.js

```
//navbar
let ul = document.querySelector("#navbarSupportedContent ul");
let links = ["Home", "About", "Services", "Guards", "Contact", "Author"];
let linksHref = ["index.html", "index.html#about", "index.html#services",
"index.html#guards", "index.html#contact", "author.html"];
links.forEach((link, index) => {
  let li = document.createElement("li");
  li.classList.add("nav-item");
  if(index == 0){
    li.classList.add("active");
  let a = document.createElement("a");
  a.classList.add("nav-link");
  a.href = linksHref[index];
  a.innerHTML = link;
  li.appendChild(a);
 ul.appendChild(li);
});
if(window.location.href.includes("index.html")){
//carousel
let carouselInner = document.querySelector(".slider_section .carousel-inner");
let carouselTextH1 = ["Safety Sentinel", "Guarder Secure", "Uncompromised
Safety"];
let carouselTextP = [
  "Experience unparalleled peace of mind with our professional security
services, ensuring a safe haven for your tranquil lifestyle.",
  "Guarder Secure stands as your dedicated security partner, committed to
putting safety at the forefront of your priorities.",
  "Embrace uncompromised safety with our round-the-clock security solutions,
providing you with continuous peace of mind in every aspect of your life.",
carouselTextH1.forEach((text, index) => {
```

```
let carouselItem = document.createElement("div");
  carouselItem.classList.add("carousel-item");
 if (index == 0) {
   carouselItem.classList.add("active");
 let container = document.createElement("div");
 container.classList.add("container");
 let row = document.createElement("div");
 row.classList.add("row");
 let col = document.createElement("div");
 col.classList.add("col-md-7");
 let detailBox = document.createElement("div");
 detailBox.classList.add("detail-box");
 let h1 = document.createElement("h1");
 let span = document.createElement("span");
 span.innerHTML = text;
 h1.appendChild(span);
 let p = document.createElement("p");
 p.innerHTML = carouselTextP[index];
 let btnBox = document.createElement("div");
 btnBox.classList.add("btn-box");
 let btn1 = document.createElement("a");
 btn1.classList.add("btn-1");
 btn1.href = "index.html#about";
 btn1.innerHTML = "Read more";
 let btn2 = document.createElement("a");
 btn2.classList.add("btn-2");
 btn2.href = "index.html#contact";
 btn2.innerHTML = "Get A Ouote";
 btnBox.appendChild(btn1);
 btnBox.appendChild(btn2);
 detailBox.appendChild(h1);
 detailBox.appendChild(p);
 detailBox.appendChild(btnBox);
 col.appendChild(detailBox);
 row.appendChild(col);
 container.appendChild(row);
 carouselItem.appendChild(container);
 carouselInner.appendChild(carouselItem);
});
//services
let serviceRow = document.querySelector("#services .row");
let serviceNames = ["Home Security", "Office Security", "Bodyguard"];
let serviceDetails = [
```

```
"Safeguard your home with our advanced security systems and vigilant
personnel, ensuring a protective shield around your loved ones and cherished
possessions.",
  "Guarder provides comprehensive office security solutions, integrating
advanced technology and expert personnel to create a secure workspace.",
  "Experience discreet and reliable personal protection with Guarder's
bodyguard services, where our highly trained professionals prioritize your
safety.",
];
let serviceIcons = ["homesecurity", "officesecurity", "bodyguard"];
serviceNames.forEach((name, index) => {
  serviceRow.innerHTML += `
 <div class="col-md-4 singleService">
 <div class="box ">
    <div class="img-box">
      <img src="images/${serviceIcons[index]}.png" alt="${serviceIcons[index]}"</pre>
/>
    </div>
    <div class="detail-box">
      <h6>
        ${name}
      </h6>
        ${serviceDetails[index]}
      </div>
 </div>
  </div>
});
//guards
let guardsSectionRow = document.querySelector("#guards .row");
let guardNames = ["Martin Anderson", "Denny Butler", "Nathan Mcpherson"];
let guardDesignations = ["SUPERVISOR", "SUPERVISOR", "SUPERVISOR"];
let guardImages = ["t1.jpg", "t2.jpg", "t3.jpg"];
guardNames.forEach((name, index) => {
  guardsSectionRow.innerHTML += `
 <div class="col-md-4 col-sm-6 mx-auto">
    <div class="box">
      <div class="img-box">
        <img src="images/${guardImages[index]}" alt="${name}">
      </div>
      <div class="detail-box">
          ${name}
```

```
</h5>
        <h6 class="">
         ${guardDesignations[index]}
     </div>
   </div>
  </div>
});
let guardBoxes = document.querySelectorAll("#guards .box");
guardBoxes.forEach((box) => {
  box.addEventListener("mouseover", () => {
   let textBox = box.querySelector(".detail-box");
   textBox.classList.add("active");
 });
 box.addEventListener("mouseout", () => {
   let textBox = box.querySelector(".detail-box");
   textBox.classList.remove("active");
 });
});
//testimonials
let testimonialCarouselInner = document.querySelector("#testimonials .carousel-
let testimonialNames = ["Hakim Jabil", "Anna Rose", "Marc Jacobs"];
let testimonialTexts = [
  "I travel frequently for business, and having Guarder\'s bodyguard services
has been a game-changer for my personal security. Their team is not only highly
skilled but also discreet, providing me with a level of confidence and peace of
mind during my travels that is truly invaluable.",
  "Guarder exceeded my expectations with their impeccable security services. As
a woman living alone, their team provided a sense of safety and assurance that
I hadn't experienced before. I can now confidently say that Guarder is my
trusted partner in ensuring my home is secure.",
  "Choosing Guarder for my office security was a game-changer. Their
professionalism and attention to detail are unparalleled. With their advanced
systems and proactive personnel, I've witnessed a significant improvement in
the overall safety of our workplace."
1;
let testimonialImages = ["client.png", "client2.png", "client3.png"];
testimonialNames.forEach((name, index) => {
 testimonialCarouselInner.innerHTML += `
    <div class="carousel-item ${index == 0 ? "active" : ""}">
      <div class="box">
        <div class="img-box">
         <img src="images/${testimonialImages[index]}" alt="${name}">
```

```
</div>
                     <div class="detail-box">
                         <h4>
                               ${name}
                         </h4>
                              ${testimonialTexts[index]}
                         </div>
               </div>
          </div>
});
//form validation
let form = document.querySelector("#contactForm");
form.addEventListener("submit", (e) => {
    e.preventDefault();
    let fullName = document.querySelector("#fullName");
    let email = document.guerySelector("#email");
    let phone = document.querySelector("#phone");
    let service = document.querySelector("#selectService");
    let guard = document.querySelector("#selectGuard");
    let requestedDate = document.querySelector("#requestedDate");
    let contactMethod = document.querySelector(".contactMethodRadio:checked");
    let methodDiv = document.querySelector("#secondContactMethod");
    let message = document.querySelector("#message");
    let fullNameRegex = /^[A-Z][a-z]+\s[A-Z][a-z]+\s[A-Z][a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\s[a-z]+\
    let emailRegex = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
    let phoneRegex = /^[0-9]{10}$/;
    if(!fullNameRegex.test(fullName.value)){
         writeOrRemoveParagraph(fullName, "write", "fullName");
     else{
          writeOrRemoveParagraph(fullName, "remove");
     if(!emailRegex.test(email.value)){
          writeOrRemoveParagraph(email, "write", "email");
    else{
          writeOrRemoveParagraph(email, "remove");
     if(!phoneRegex.test(phone.value)){
          writeOrRemoveParagraph(phone, "write", "phone");
    else{
```

```
writeOrRemoveParagraph(phone, "remove");
if(service.value == "0"){
  writeOrRemoveParagraph(service, "write", "service");
else{
  writeOrRemoveParagraph(service, "remove");
if(guard.value == "0"){
  writeOrRemoveParagraph(guard, "write", "guard");
else{
  writeOrRemoveParagraph(guard, "remove");
if(requestedDate.value == ""){
  writeOrRemoveParagraph(requestedDate, "write", "requestedDate");
else if (new Date(requestedDate.value) < new Date()) {</pre>
  writeOrRemoveParagraph(requestedDate, "write", "requestedDate");
else{
  writeOrRemoveParagraph(requestedDate, "remove");
if(!contactMethod){
  writeOrRemoveParagraph(methodDiv, "write", "contactMethod");
else{
  writeOrRemoveParagraph(methodDiv, "remove");
if(message.value.length < 5){</pre>
  writeOrRemoveParagraph(message, "write", "message");
else{
  writeOrRemoveParagraph(message, "remove");
let errors = document.querySelectorAll(".error");
if(errors.length == 0){
  $(".modal").modal("show");
  $(".modal-footer button").click(function(){
      $(".modal").modal("hide");
      setTimeout(function(){
          window.location.href = "index.html";
      }, 1000);
```

```
});
writeOrRemoveParagraph = (element, operation, elName) => {
 if(!element.nextElementSibling && operation == "write"){
   let p = document.createElement("p");
   p.classList.add("error");
   switch(elName){
      case "fullName":
        p.innerHTML = "Please enter a valid name! Example: John Doe";
       break;
      case "email":
        p.innerHTML = "Please enter a valid email address! Example:
jhondoe@gmail.com";
       break;
      case "phone":
        p.innerHTML = "Please enter a valid phone number! Example: 0603456789";
       break;
      case "service":
        p.innerHTML = "Please select a service!";
       break;
      case "guard":
        p.innerHTML = "Please select a guard!";
       break;
      case "contactMethod":
        p.innerHTML = "Please select a contact method!";
       break;
      case "requestedDate":
        p.innerHTML = "Date cannot be in the past or cannot be an empty
field!";
       break;
      case "message":
        p.innerHTML = "Message must be at least 5 characters long!";
        break;
   element.after(p);
 else if (element.nextElementSibling && operation == "remove") {
   if(element.nextElementSibling){
      element.nextElementSibling.remove();
 else{
   return;
```

```
//page animations
window.addEventListener("scroll", () => {
 let aboutSection = document.querySelector("#about");
 let aboutSectionPostion = aboutSection.getBoundingClientRect().top;
 let windowPosition = window.innerHeight;
 let abooutImage = document.querySelector("#about img");
 if (aboutSectionPostion < windowPosition - 300) {</pre>
    abooutImage.classList.add("active");
   $("#about .detail-box p").addClass("active");
 let servicesSection = document.querySelector("#services");
 let servicesSectionPostion = servicesSection.getBoundingClientRect().top;
 let serviceSingle = document.querySelectorAll("#services .row
.singleService");
 if (servicesSectionPostion < windowPosition - 400) {</pre>
    serviceSingle.forEach((service) => {
      service.classList.add("active");
   });
});
//newsletter validation
$("#newsletterForm button").click((e) => {
 e.preventDefault();
 let email = $("#newsletterForm input").val();
 let emailRegex = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
 if (!emailRegex.test(email)) {
   $("#newsletterForm input").css("border", "1px solid red")
   if(!document.querySelector("#newsletterForm .error")){
      let p = document.createElement("p");
      p.classList.add("error");
      p.innerHTML = "Please enter a valid email address!
Example:jhondoe@gmail.com";
      $("#newsletterForm button").before(p);
 } else {
    $("#newsletterForm input").css("border", "1px solid green")
    let pExists = document.querySelector("#newsletterForm .error");
    if (pExists) {
      pExists.remove();
   let p = document.createElement("p");
```

```
p.classList.add("success");
  p.innerHTML = "Thank you for subscribing to our newsletter!";
  $("#newsletterForm button").before(p);
  setTimeout(() => {
        $("#newsletterForm input").val("");
        p.remove();
        $("#newsletterForm input").css("border", "none")
        }, 2000);
  }
});
//write current year
$("#currentYear").html(new Date().getFullYear());
```