

Thallo Health

Microneedling Aftercare

Post-treatment advice

LONDON REGENERATIVE HEALTH

Rejuvenation, regeneration, discretion.

Draft patient education material - clinician approval required before use

Aftercare Instructions

Please follow these instructions carefully after your treatment.

Seek advice promptly if you notice:

- Increasing redness, swelling, warmth or pain after the first 24-48 hours.
- Pus, blisters, open sores, spreading rash, fever, chills, or feeling unwell.
- Breathing difficulty, collapse, or swelling of lips, tongue or throat - call 999.

QUICK REFERENCE

First 24 hours

Keep skin clean. Avoid make-up, sweating, heat and active skincare.

Days 2-3

Use gentle cleanser, simple moisturiser and sunscreen once tolerated.

Days 4-7

Resume routine only if skin feels calm and intact. Do not pick flaking skin.

WHAT IS NORMAL

- Redness, warmth, tightness, tenderness, mild swelling, pinpoint bleeding or bruising.
- Dryness, mild flaking or peeling, roughness, sensitivity or mild itching over the next few days.
- Redness and swelling commonly improve over 24-72 hours but can last longer depending on treatment depth and your skin.
- Results build gradually over weeks to months. A course of treatments may be advised.

FIRST 24 HOURS - DO

- Wash hands before touching the treated area.
- Use only products recommended by your clinician, or gentle cleanser and simple moisturiser if advised.
- Pat dry with a clean towel; do not rub. Sleep on a clean pillowcase.

FIRST 24 HOURS - AVOID

- Make-up unless your clinician has said it is suitable.
- Exercise, heavy sweating, sauna, steam rooms, hot baths, hot tubs and swimming.
- Retinoids, exfoliating acids, vitamin C acids, scrubs, peels and unapproved skincare.
- Picking, rubbing, scratching, shaving over, or using facial brushes/devices.

SUN PROTECTION

- Avoid direct sun while skin is red, warm, sensitive or peeling. Use broad-spectrum SPF 30-50 once tolerated; reapply outdoors. Avoid sunbeds completely.

Care timeline

Gentle, simple care protects the skin barrier while it settles.

TIMELINE



Immediately after

Skin may look pink or red and feel warm, tight, dry or mildly tender.



First 24 hours

Keep routine simple. Avoid heat, sweating, make-up and active ingredients.



Days 2-3

Redness and sensitivity should begin to settle. Continue gentle cleanser, moisturiser and sunscreen.



Days 4-7

Dryness or light flaking may occur. Do not pick or scrub. Restart actives only when cleared.



After 1 week

Most patients gradually return to normal routine unless advised otherwise.

Use gentle, simple products

- Use gentle cleanser, plain moisturiser or barrier-support cream, and sunscreen during the day.
- Avoid retinoids, exfoliating acids, vitamin C/brightening serums, scrubs, peels, at-home devices and fragrance-heavy products until cleared.
- If a product stings strongly or worsens redness, swelling, rash or discomfort, stop and seek advice.

Before future treatment, tell us if

- Pregnant/breastfeeding; new infection, cold sore, rash, sunburn, wound or recent tanning.
- History of keloid scarring, poor healing, diabetes, immunosuppression, cancer treatment, bleeding disorder or blood-thinning medicines.

Follow-up and contact

Thallo will normally check in around 48 hours and again around 2 weeks. Contact the clinic if symptoms worsen instead of improving. For urgent symptoms use NHS 111, 999 or A&E as appropriate.

Disclaimer: general aftercare guidance, not a substitute for personalised medical advice. Follow individual clinician advice.