



바이브코딩 배포

Github 연동

github repository 생성



github Repository 생성



bjkim2004



Overview



Repositories 14



Projects



Packages



Stars

Find a repository...

Type ▾

Language ▾

Sort ▾



New

Github 연동

github repository 생성



github Repository 생성

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1. General

Owner *

 bjkim2004

Repository name *

Great repository names are short and memorable. How about [bug-free-fiesta](#)?

Description

0 / 350 characters

2. Configuration

Choose visibility *

Choose who can see and commit to this repository

 Public

Start with a template

Templates pre-configure your repository with files.

No template

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

Github 연동

github MCP 서버



github PAK(Personal Access Tokens 발급

▶ <https://github.com/settings> → Developers Settings → Personal Access Tokens → Fine-grained tokens



No fine-grained tokens created

Need an API token for scripts or testing? Generate a personal access token for quick access to the GitHub API.

[Generate new token](#)

[GitHub API](#)

Github 연동

github MCP 서버



github PAK(Personal Access Tokens 발급

▶ <https://github.com/settings> → Developers Settings → Personal Access Tokens → Fine-grained tokens

New fine-grained personal access token

Create a fine-grained, repository-scoped token suitable for personal API use and for using Git over HTTPS.

Token name *

MCP

✔ 'MCP' is available.

A unique name for this token. May be visible to resource owners or users with possession of the token.

Description

Resource owner

bjkim2004

The token will only be able to make changes to resources owned by the selected resource owner. Tokens can always read all public repositories.

Expiration

No expiration

⚠ GitHub strongly recommends that you set an expiration date for your token to help keep your information secure. [Learn more](#)

Repository access

☐ Public repositories

Read-only access to public repositories.

☒ All repositories

This applies to all current and future repositories you own. Also includes public repositories (read-only).

☐ Only select repositories

Select at least one repository. Max 50 repositories. Also includes public repositories (read-only).

Permissions

Choose the minimal permissions necessary for your needs. [Learn more about permissions.](#)

Repositories 4

Account 0

+ Add permissions

Contents

Repository contents, commits, branches, downloads, releases, and merges. [Learn more.](#)

Access: Read and write



Deployments

Deployments and deployment statuses. [Learn more.](#)

Access: Read and write



Metadata Required

Search repositories, list collaborators, and access repository metadata. [Learn more.](#)

Access: Read-only



Pull requests

Pull requests and related comments, assignees, labels, milestones, and merges. [Learn more.](#)

Access: Read and write



Github 연동

github MCP 서버



github PAK(Personal Access Tokens 발급)

▶ <https://github.com/settings> → Developers Settings → Personal Access Tokens → Fine-grained tokens

Confirm access



Signed in as @bjkim2004

Enter the verification code sent to b*****@gmail.com.

Verify

Tip: You are entering [sudo mode](#). After you've performed a sudo-protected action, you'll only be asked to re-authenticate again after a few hours of inactivity.

Fine-grained personal access tokens

Generate new token

These are fine-grained, repository-scoped tokens suitable for personal [API](#) use and for using Git over HTTPS.



MCP

Never used • ⚠ This token has no expiration date

Delete



Make sure to copy your personal access token now as you will not be able to see this again.

github_pat_11AD56E4A0EB1VxpEbZ7dW_ENqIn10oFPbQwt03AU21Zdabnp5N4QRYxJoqUhxtkjWRS04LQLdFEJy



Github 연동

github MCP 서버



설정 → Cursor 설정 → MCP → New MCP Server

```
"github": {
  "command": "npx",
  "args": [
    "-y",
    "@modelcontextprotocol/server-github"
  ],
  "env": {
    "GITHUB_PERSONAL_ACCESS_TOKEN": "github_pat_11AD56E4A0oPynCRArKNSc_"
  }
}
```

Github 연동

github MCP 서버

github repository 목록 조회해줘

 **GitHub Repository 목록 (bjkim2004)**

총 14개의 Repository를 찾았습니다.

 **Repository 목록**

번호	Repository 이름	설명	생성일	마지막 업데이트	기본 브랜치	공개/비공개
1	crawling	-	2020-07-06	2020-07-15	master	공개
2	pandas	-	2020-07-04	2020-07-15	master	공개
3	crawling2	-	2020-07-07	2020-07-25	master	공개
4	vibe_coding	-	2025-08-23	2025-09-27	main	공개
5	echo	-	2023-11-01	2023-11-21	main	공개
6	machine_learning	-	2020-07-03	2020-07-05	master	공개
7	pytorch	-	2022-03-06	2022-03-06	main	공개
8	NLP	-	2021-03-06	2025-09-27	main	공개
9	OByo	-	2020-08-10	2020-09-09	master	공개
10	police	-	2023-08-29	2023-08-29	main	공개

Github 연동

github MCP 서버

github repository vibe_code에 proj_03 커밋해줘

5. 주요 파일들 개별 업로드

✓ Called create_or_update_file

✓ Called create_or_update_file

✓ Called create_or_update_file

✓ Called create_or_update_file

Run Everything ▾

✓ **성공! GitHub vibe_code Repository에 proj_03 커밋 완료**

🎉 커밋 결과

- Repository: bjkim2004/vibe_code
- Branch: main
- 최신 Commit SHA: 72d2b1c8d48d439032e05e61ab4332d9aeaf3ecc
- 커밋 메시지: "Add proj_03 README.md - Project documentation"

Google Cloud 배포

Docker 설치



Docker Desktop 설치

- ▶ Windows : <https://docs.docker.com/desktop/setup/install/windows-install/>
- ▶ MAC : <https://docs.docker.com/desktop/setup/install/mac-install/>



WSL needs updating

Your version of Windows Subsystem for Linux (WSL) is too old.
Run the command below to update or for more information, visit
[the Microsoft WSL documentation](#) ↗

```
wsl --update
```

Restart

```
C:\Users\bjkim>wsl --update
설치 중: Linux용 Windows 하위 시스템
Linux용 Windows 하위 시스템이(가) 설치되었습니다.
```



Google Cloud 배포

Docker 설치



Docker Desktop 설치

- ▶ Windows : <https://docs.docker.com/desktop/setup/install/windows-install/>
- ▶ MAC : <https://docs.docker.com/desktop/setup/install/mac-install/>



Google Cloud 배포

Google Cloud SDK 설치



Google Cloud SDK 설치

▶ <https://cloud.google.com/sdk/docs/install-sdk?hl=ko>

최신 gcloud CLI 버전 (540.0.0) 설치

★ **참고:** 프록시/방화벽을 사용하는 경우 자세한 설치 방법은 [프록시 설정](#) 페이지를 참조하세요.

Linux Debian/Ubuntu Red Hat/Fedora/CentOS macOS Windows Chromebook

Google Cloud CLI는 Windows 8.1 이상 및 Windows Server 2012 이상에서 작동합니다.

a. [Google Cloud CLI 설치 프로그램](#)을 다운로드합니다.

또는 PowerShell 터미널을 열고 다음 PowerShell 명령어를 실행합니다.

```
(New-Object Net.WebClient).DownloadFile("https://dl.google.com/dl/cloudsdk/channels/  
& $env:Temp\GoogleCloudSDKInstaller.exe
```

Google Cloud 배포

Google Cloud SDK 확장 프로그램 설치



Google Cloud SDK 확장 프로그램 설치

- ▶ 커서 확장 프로그램 검색 google

VS Code 인터페이스 스크린샷. 검색창에 'google' 입력, 확장 프로그램 목록에서 'Google Cloud Code' 선택. 상세 페이지에서 설치 버튼 클릭.

확장 프로그램 목록:

- Gemini Code Assist (AI-assisted development powered b...)
- autoDocstring - Pyth... (Generates python docstrings autom...)
- Google Cloud Code (Tools for Google Cloud)

Google Cloud Code 상세 정보:


- googlecloudtools | 62,000 | ★★★★★ (3)
- Tools for Google Cloud
- 사용 안 함 | 제거 | 자동 업데이트
- 설치
- 식별자: googlecloudtools
- 버전: 2.36.0

Google Cloud 배포

Google Cloud SDK 확장 프로그램 설치



Google Cloud SDK 확장 프로그램 설정



Google Cloud 배포

Google Cloud 배포



Google Cloud 배포

google cloud 배포 진행해줘

5. ☒ Docker 컨테이너 배포 - 완료
6. ☒ Docker 이미지 빌드 - 성공
7. ☒ 이미지 푸시 - Artifact Registry에 업로드 완료
8. ☒ Cloud Run 서비스 배포 - 성공

🔧 배포된 서비스 정보

- 서비스명: `dongwha-rolling-paper`
- 리전: `asia-northeast3` (서울)
- 이미지: `asia-northeast3-docker.pkg.dev/pjt-vibecoding/web-apps/dongwha-rolling-paper:latest`
- 포트: 80
- 메모리: 512Mi
- CPU: 1
- 인스턴스 범위: 0-10개
- 인증: 비인증 접근 허용