GSVFD Firefighter Taskbook — NFPA 1010 (2024)

Greenwood-Slidell Volunteer Fire Department · Oct 11, 2026

Member information

This taskbook tracks a new member from probationary volunteer to Firefighter I and II at Greenwood-Slidell VFD. The trainee keeps it and presents it at every drill, call and evaluation.

Field	Entry
Trainee name	
Member / radio number	
Date joined	
Certification track (Support Person / Firefighter I / Firefighter II)	
EMS level required by the department (NFPA 1010 Ch. 10)	
Assigned mentor / FTO	
Training officer	
Target completion date (FF I)	
Target completion date (FF II)	

Field	Entry
Prior certifications (TCFP, SFFMA, EMT, hazmat, etc.)	

Trainee acknowledgment: I understand I may not perform any task on an emergency scene until it is signed off at the Performed level, and I will operate only under direct supervision until released by the Chief.

Trainee signature: _____ Date: _____

How to use this taskbook

This taskbook follows NFPA 1010 (2024), which replaced NFPA 1001 (2019). Firefighter I is in Chapter 6 and Firefighter II in Chapter 7, and every task below carries its 1010 JPR number. Each JPR is signed off in three steps before the trainee may perform it on a call.

Sign-off levels

Level	Meaning	Who signs
K — Knowledge	Trainee can explain the requisite knowledge for the JPR, its hazards and the department SOP	Mentor or any qualified member
D — Demonstrated	Evaluator has shown the skill; trainee performed it with coaching	Mentor or FTO
P — Performed	Trainee performed it alone, safely, to the JPR standard, in full PPE	Member certified at that level or higher, or the training officer

Rules

- Each task is signed at P on a separate day from its D sign-off.
- Live-fire evolutions follow NFPA 1400 (2026), and the trainee must meet its student prerequisites first (see the live-fire section).
- Skills involving SCBA, ladders, live fire or extrication are evaluated with a safety officer present.
- Department SOPs and manufacturer instructions govern equipment operating sequences.
- A failed attempt is not signed. Note it in the remarks and re-test at a later drill.

- Lost or damaged pages are re-signed from training records, not from memory.

Certification tracks

Track	NFPA 1010	Role at GSVFD
Support Person	Chapter 5	Exterior support only (optional track for members who will not go interior)
Firefighter I	Chapter 6	Team member under direct supervision, including interior operations once released
Firefighter II	Chapter 7	Works under general supervision; can assume and transfer command

Timeline

Phase	Content	GSVFD target
0	Orientation and prerequisites	First 30 days
1	Firefighter I (Ch. 6)	Within 12 months
2	Firefighter II (Ch. 7)	Within 24 months

Until Phase 1 is complete, the trainee responds as exterior support only. The Chief releases the trainee for interior operations in writing.

Current NFPA standards referenced

Subject	Current standard	Replaces
Firefighter qualifications	NFPA 1010 (2024)	1001, 1002, 1003, 1005
Hazardous materials responders	NFPA 470 (2022)	472, 1072
Training: live fire, respiratory protection, RIT, thermal imagers, vehicle operations	NFPA 1400 (2026)	1402, 1403, 1404, 1407, 1408, 1410, 1451
Health and safety program, safety officer, incident management	NFPA 1550 (2024)	1500, 1521, 1561

Subject	Current standard	Replaces
Medical, fitness, infection control, rehab	NFPA 1580 (2025)	1581, 1582, 1583, 1584
Turnout gear and SCBA care and maintenance	NFPA 1850 (2025)	1851, 1852
Turnout gear, SCBA and PASS design	NFPA 1970 (2025)	1971, 1975, 1981, 1982
Wildland fire protection	NFPA 1140 (2022)	1051, 1141, 1143, 1144
Fire hose care and service testing	NFPA 1930	1962

State certification through SFFMA. This taskbook is the department's training record, not the certification exam. SFFMA still tests Firefighter I and II on its NFPA 1001 (2019) skill sheets, and the SFFMA crosswalk section near the end maps every task to its 1001 section and SFFMA skill sheet. To certify a member:

1. The member registers in the SFFMA Portal, and the department certification coordinator uploads training records until the discipline shows 100% complete.
2. The member takes the written exam: Structural Firefighter I or II, 100 questions, 2 hours, 70% to pass.
3. The department requests a skills exam through Portal. An SFFMA skill examiner evaluates it on SFFMA's sheets; an FTO's P sign-off here does not count as that exam.
4. Everything, including the skills exam, is finished within two years of the written exam date, when the written score expires.

Hazmat Awareness and Operations are tested separately on SFFMA's NFPA 470 sheets.

Phase 0 — Orientation and prerequisites

The trainee completes these items before riding any apparatus. Record certificate numbers where they apply.

Department orientation

#	Task	Standard	Date	Evaluator
0.1	Department history, district boundaries, mutual-aid partners	Names the first-due area, neighboring departments and the dispatch center		
0.2	Bylaws, SOPs and code of conduct	Signs acknowledgment of receipt and review		
0.3	Chain of command and rank structure	Identifies officers and who to report to on scene		
0.4	Response policy (paging, POV response, station response)	Explains when to go to the station vs. the scene and POV light/siren rules		
0.5	Station tour: bays, gear storage, decon area, SCBA fill, hazards	Locates each item without help		
0.6	Apparatus orientation: each engine, brush truck and tanker	Locates every compartment's major equipment on each unit		
0.7	Personnel accountability system	Places tag correctly at staging and on entry		
0.8	Rehab, infection control and exposure reporting (NFPA 1580)	Explains rehab triggers, exposure reporting and post-fire contamination control		

PPE issue — gear must be compliant with NFPA 1970 and is tracked under NFPA 1850.

#	Item	Size / serial	Date issued	Issued by
0.9	Structural coat and pants			
0.10	Helmet, hood, gloves, boots			
0.11	Wildland PPE (NFPA 1140)			
0.12	Radio / pager			

#	Item	Size / serial	Date issued	Issued by
0.13	SCBA facepiece fit test (OSHA 1910.134; annual)			

Required certifications and courses

#	Requirement	Basis	Certificate / ID	Date	Verified by
0.14	Medical evaluation and fitness for duty	NFPA 1580			
0.15	EMS at the level the department sets (first aid provider, EMR, EMT, AEMT or paramedic)	NFPA 1010 Ch. 10			
0.16	CPR / AED (BLS provider)	Department			
0.17	ICS-100 and ICS-200 (IS-700 and IS-800 recommended)	NFPA 1010 4.4.1.11			
0.18	Hazardous Materials Awareness	NFPA 470			
0.19	Hazardous Materials Operations, with mission-specific PPE and Product Control	NFPA 470 (Ch. 7, 9.2, 9.6)			
0.20	Wildland S-130 / S-190 (if the department requires)	NFPA 1140 / Department			
0.21	Driver background check and insurance approval (before any driving)	Department			

Phase 1 — Firefighter I: general, communications and SCBA

Enter the date and evaluator initials in each K / D / P box. A task is complete when P is signed. Times marked "GSVFD standard" are department benchmarks, not NFPA requirements.

General requirements (NFPA 1010 6.1)

#	JPR	Task	Performance standard	K	D	P
1.1	6.1.1	Department organization, role of Firefighter I, mission, SOPs and rules	Explains each and the role of other agencies at incidents			

#	JPR	Task	Performance standard	K	D	P
1.2	6.1.1	Fire and life safety initiatives; health and safety program (NFPA 1550)	Explains the 16 Firefighter Life Safety Initiatives and two-in / two-out			
1.3	6.1.1	Behavioral health and fitness	Names signs of behavioral or emotional distress, how to reach the member assistance program, and why fitness matters for the job			
1.4	6.1.2	Don structural PPE	Full PPE with no exposed skin; GSVFD standard 60 seconds			
1.5	6.1.2	Doff PPE, field reduction of contaminants, prepare for reuse	Performs on-scene gross decon, doffs without contaminating face or hands, bags gear for cleaning			
1.5a	6.1.2	Inspect PPE (SFFMA FF I #22)	Inspects coat, pants, helmet, gloves, hood and boots; states when inspections are done and whether each item needs cleaning, repair or replacement per SOP and NFPA 1850			
1.6	6.1.2	Locate information in department documents and reference materials	Finds an answer in the SOPs and in the ERG			

Communications (6.2)

#	JPR	Task	Performance standard	K	D	P
1.7	6.2.1	Initiate the response to a reported emergency	Obtains address, nature, callback; relays to dispatch promptly and accurately			
1.8	6.2.2	Transmit and receive radio communications	Clear, complete messages with correct unit IDs and channels; tells routine traffic from emergency traffic and evacuation signals			

#	JPR	Task	Performance standard	K	D	P
1.8a	SFFMA (1001 4.2.2)	Receive a call on the station telephone	Answers per procedure; records and relays the caller's information accurately; tells routine from emergency calls. Dropped from NFPA 1010 but still on the SFFMA communications skill sheet			
1.9	6.2.3	Activate an emergency call for assistance (Mayday) in vision-obscured conditions	Transmits Mayday with LUNAR (location, unit, name, air, resources); activates the emergency button and PASS			

SCBA and scene safety (6.3.1–6.3.3, 6.3.5)

#	JPR	Task	Performance standard	K	D	P
1.10	6.3.1	Don SCBA and go on air	PPE plus SCBA on air; GSVFD standard 60 seconds			
1.11	6.3.1	Controlled breathing and low-air warnings	Uses controlled breathing; recognizes every low-air alarm; exits hazardous area before air depletion			
1.12	6.3.1	SCBA emergency procedures	Responds correctly to regulator failure, air depletion and low-air alarm without compromising respiratory protection			
1.13	6.3.1	Replace an SCBA cylinder (self and partner)	Cylinder changed and unit returned to service			
1.14	6.3.1	Exit through a restricted passage	Passes a restricted opening using reduced-profile technique without removing the facepiece			
1.15	6.3.2	Respond on apparatus	Mounts and dismounts correctly; seat belt on whenever moving; uses required PPE			
1.16	6.3.3	Establish and operate in protected work areas	Deploys traffic and scene control devices; dismounts safely in traffic; identifies downed wires, solar (PV) systems and battery storage systems; works only inside the protected area			

#	JPR	Task	Performance standard	K	D	P
1.17	6.3.5	Exit a hazardous area as a team	Follows a guideline or hoseline out in obscured conditions; keeps team integrity; reaches a safe haven before air runs out			

Phase 1 — Firefighter I: fireground operations

All fireground tasks are performed in full PPE, and on air wherever the task calls for SCBA.

Ropes, knots and forcible entry (6.3.20, 6.3.4)

#	JPR	Task	Performance standard	K	D	P
1.18	6.3.20	Knots and rope care	Ties clove hitch, figure-8, figure-8 on a bight, bowline, half hitch and safety knot gloved; explains life-safety vs. utility rope and when rope goes out of service			
1.19	6.3.20	Hoist tools	Hoists axe, pike pole, ladder, dry and charged hoseline and fan with the correct knot for each			
1.20	6.3.4	Force entry through doors	Opens inward- and outward-swinging doors with hand tools; maintains door control; opening left safe for entry			
1.21	6.3.4	Force entry through windows and locks	Gains entry through a window and a padlock or through-the-lock with the right tool			
1.22	6.3.4	Breach a wall	Opens a wall large enough for an SCBA-equipped firefighter, using hand or power tools			

Ground ladders (6.3.6)

#	JPR	Task	Performance standard	K	D	P
1.23	6.3.6	Carry and raise single and roof ladders	Correct carry; stable footing; correct climbing angle			
1.24	6.3.6	Carry, raise and extend an extension ladder (one- and two-firefighter)	Extended to the needed height with the fly locked; tip against a reliable structural component			

#	JPR	Task	Performance standard	K	D	P
1.25	6.3.6	Mount, ascend, work from, dismount and descend a ladder	Three points of contact; leg lock applied; assignment completed from the ladder			

Hose, streams and water supply (6.3.10, 6.3.15)

#	JPR	Task	Performance standard	K	D	P
1.26	6.3.10	Carry, couple and uncouple hose; extend a hoseline	Couples and uncouples various handline connections; extends a line without losing water to the nozzle longer than needed			
1.27	6.3.10	Advance 1½-in. or larger lines, charged and uncharged	Advances up ladders and up and down interior and exterior stairs			
1.28	6.3.10	Operate a charged line secured to a ground ladder	Line secured; stream operated safely from the ladder			
1.29	6.3.10	Operate nozzles	Opens, closes and adjusts flow and pattern; shuts down without water hammer			
1.30	6.3.10	Replace a burst hose section	Line controlled, section replaced, flow restored			
1.31	6.3.15	Connect a pumper to a hydrant (forward and reverse lay)	Connections tight; hydrant fully opened and closed; flow unobstructed			
1.32	6.3.15	Hand lay a supply line	Line laid and connected per assignment			
1.33	6.3.15	Draft from a static source and portable tank	Places and connects hard suction; deploys portable tank and transfer equipment; tanker loaded and off-loaded			

Fire control, search and ventilation

#	JPR	Task	Performance standard	K	D	P
1.34	6.3.16	Extinguish incipient Class A, B and C fires	Selects the correct extinguisher, carries and approaches safely, fire fully out			

#	JPR	Task	Performance standard	K	D	P
1.35	6.3.8	Extinguish exterior Class A fires (piles, small unattached structures, containers)	Protects exposures; avoids collapse hazards; uses handline or master stream; preserves signs of origin			
1.36	6.3.7	Attack a passenger vehicle fire as a team	Identifies fuel type including EV, CNG and propane; controls leaks; keeps flash-fire protection; opens and overhauls all compartments			
1.37	6.3.19	Combat a ground cover fire as a team	Reports threats to property; recognizes safety threats and retreats when needed; builds fire line with hand tools or suppresses with water			
1.38	6.3.9	Primary and secondary search as a team	Searches all assigned areas; assesses tenability; keeps team integrity			
1.39	6.3.9	Victim removal: drags, carries and ladder rescue	Removes a victim with no respiratory protection to safety			
1.40	6.3.9	Rescue a downed firefighter	Rescues a firefighter whose SCBA is working and one whose SCBA has failed			
1.41	6.3.10	Attack an interior structure fire as a team (live fire)	Uses direct, indirect and combination attack; controls door and flow path; attacks at grade, above and below grade; locates wall and subfloor fire			
1.42	6.3.11	Horizontal ventilation (natural, mechanical, hydraulic)	Ventilates only on order; clears openings safely; places fans correctly; structure cleared of smoke			
1.43	6.3.12	Vertical ventilation	Sounds the roof; secures roof ladder to ground ladder; cuts and clears a vent opening; retreats when done			
1.44	6.3.17	Operate emergency scene lighting	Runs generator and lights within manufacturer limits; deploys cords; resets GFI			
1.45	6.3.18	Turn off building utilities	Identifies and shuts off gas, electric and water; reports hazards			

#	JPR	Task	Performance standard	K	D	P
1.46	6.3.21	Operate an air monitor	Bump-tests and operates the department's monitor; recognizes high and low alarms and takes protective action			

Overhaul and property conservation (6.3.13, 6.3.14)

#	JPR	Task	Performance standard	K	D	P
1.47	6.3.13	Overhaul a fire scene	Exposes and extinguishes hidden fire in walls, ceilings and floors without compromising structure; preserves origin evidence			
1.48	6.3.14	Salvage: cover contents, water chutes and catch-alls, cover openings	Building and contents protected from further damage			
1.49	6.3.14	Control sprinkler flow	Stops a sprinkler head with wedges or a stopper; operates the main control valve			

Phase 1 — Firefighter I: preparedness and maintenance

Equipment is returned to service clean, inspected and documented after every use. NFPA 1010 section 6.4 (Rescue Operations) has no Firefighter I requirements.

#	JPR	Task	Performance standard	K	D	P
1.50	6.5.1	Clean and check ground ladders	Rungs, beams, halyard, locks and heat sensor checked; findings recorded; ladder ready or reported			
1.51	6.5.1	Clean and check SCBA	Completes the department SCBA check per NFPA 1850 and manufacturer; tags out a defective unit			
1.52	6.5.1	Clean and check rope	Inspects for damage and contamination; updates rope log			
1.53	6.5.1	Clean and check hand tools, ventilation equipment and salvage covers	Cleaned with correct solvents; damage reported; returned to its compartment			

#	JPR	Task	Performance standard	K	D	P
1.54	6.5.2	Clean, inspect and return fire hose to service	Washes and dries hose; replaces gaskets; marks defective hose; rolls and reloads correctly			
1.55	Dept.	Apparatus daily / weekly check-off	Completes the truck check sheet for each unit; reports deficiencies			
1.56	Dept.	Clean structural PPE after a fire	Performs routine cleaning per NFPA 1850 and the manufacturer; reports gear needing advanced cleaning			

Phase 1 complete — Firefighter I

Trainee: _____ Date: _____

Training officer: _____ Date: _____

Released for interior operations by Chief: _____ Date: _____

Phase 2 — Firefighter II (NFPA 1010 Chapter 7)

Phase 2 begins after the Chief signs the Phase 1 release. The trainee must already meet Firefighter I, and P sign-offs come from a member certified at Firefighter II or higher.

General and communications (7.1, 7.2)

#	JPR	Task	Performance standard	K	D	P
2.1	7.1.1–7.1.2	Assume, organize and transfer command within the incident management system	Determines need for command, establishes it on a mock incident, and transfers it to an arriving officer			
2.2	7.2.1	Complete a basic incident report	Report complete and accurate with correct codes (NERIS / department system)			
2.3	7.2.2	Communicate the need for team assistance	Keeps the supervisor informed of team needs by radio per SOPs			

Fireground operations (7.3)

#	JPR	Task	Performance standard	K	D	P
2.4	7.3.1	Extinguish an ignitable liquid fire with foam as a team	Selects foam for hydrocarbon or polar solvent; proportions correctly; builds and holds the blanket; faces the hazard on retreat			
2.5	7.3.2	Coordinate an interior attack line	Selects attack technique for the fire's level; coordinates search, rescue and ventilation; reports changing conditions to command			
2.6	7.3.3	Operate a thermal imager (new in NFPA 1010)	Uses the TI to locate a victim in obscured conditions, find hot spots during overhaul, and read a liquid level in a container			
2.7	7.3.4	Control a flammable gas cylinder fire as a team	Identifies contents and safe havens; cools the cylinder; closes the valve; does not extinguish flame until gas is shut off; faces the cylinder on approach and retreat			
2.8	7.3.5	Protect evidence of fire cause and origin	Locates the origin area; protects evidence until investigators arrive			

Rescue operations (7.4)

#	JPR	Task	Performance standard	K	D	P
2.9	7.4.1	Vehicle extrication: stabilize, manage hazards and glass	Cribs and struts the vehicle; manages battery, airbags and alternative-fuel systems; removes glass safely			
2.10	7.4.1	Vehicle extrication: disentangle a victim as a team	Removes doors, roof, steering column or dash with hand and power tools without further injury to the victim			
2.11	7.4.2	Assist technical rescue teams	Retrieves requested rescue tools within the time the department sets; establishes public barriers			

Fire and life safety, preparedness and maintenance (7.5)

#	JPR	Task	Performance standard	K	D	P
2.12	7.5.1	Perform a fire safety survey in an occupied structure	Identifies hazards, gives recommendations to the occupant, refers unresolved issues			
2.13	7.5.2	Present fire safety information to station visitors or a small group	Presents prepared material accurately and answers or refers questions			
2.14	7.5.3	Prepare a preincident survey	Records occupancy data, water supply and protection systems; draws an accurate site sketch			
2.15	7.5.4	Maintain power plants, power tools and lighting	Cleans, fuels and runs saws, generator and extrication power unit; records maintenance			
2.16	7.5.5	Perform an annual fire hose service test	Tests hose per NFPA 1930 (formerly 1962); removes failed hose from service; records results			

Phase 2 complete — Firefighter II

Trainee: _____ Date: _____

Training officer: _____ Date: _____

Phase E — First responder EMS (Wise County protocols)

These tasks train members to start care under the Wise County First Responder protocols and hand off to Wise County EMS. Run them alongside Phase 1; they are taught in the GSVFD First Responder EMS Instructor Guide and are not part of SFFMA firefighter certification. Tasks marked EMT-B are signed only for members certified as EMT or higher.

Role and assessment

#	Protocol	Task	Performance standard	K	D	P
E.1	II	First responder role and general orders	States who leads care, when care passes to Wise County EMS, and the 11 general orders in order			
E.2	IV	Patient refusal and cancelling the EMS unit	Confirms the patient may refuse under protocol IV, explains risks, completes the refusal form			

#	Protocol	Task	Performance standard	K	D	P
E.3	V, VI	Air evacuation criteria; riding in the ambulance	Names the air evacuation criteria; states the ride-along rules			
E.4	II	Scene size-up and initial assessment	Scene safety, gloves, responsiveness, ABCs, severe bleeding and level of consciousness, in order			
E.5	App. 3	History and physical exam	SAMPLE, OPQRST and DCAP-BTLS exam on a patient; checks for a medical alert tag			
E.6	App. 3	Baseline vital signs	Breathing, pulse, skin, pupils, BP and SpO2 accurately, repeated at the protocol interval			
E.7	App. 1	Glasgow Coma Scale	Scores eyes, verbal and motor correctly on three patients			

Airway, CPR and trauma

#	Protocol	Task	Performance standard	K	D	P
E.8	16, 18	Open and maintain an airway	Head-tilt chin-lift, modified jaw thrust, suction, recovery position			
E.9	Various	Oxygen and BVM	Sets up the cylinder; NRB at the protocol rate; two-rescuer BVM with oxygen and visible chest rise			
E.10	10	CPR-AED, adult and pediatric	CPR with minimal pauses; AED attached, analyzed and followed; pediatric pads under 8 years or 90 lb			
E.11	3	Bleeding control, with and without an impaled object	Direct pressure, BP cuff or tourniquet when bleeding persists; impaled object stabilized			
E.12	23	Shock, hemorrhagic and cardiogenic	Recognizes shock; positions, oxygen, blankets and vitals every 5 min per type			
E.13	2, 14	Amputation and evisceration	Packages an amputated part correctly; dresses an evisceration without replacing organs			

#	Protocol	Task	Performance standard	K	D	P
E.14	6	Chest injuries	Treats rib fractures, flail chest (no tape) and a sucking chest wound (three-sided dressing)			
E.15	5, App. 2	Burns	Classifies degree and severity with the Rule of Nines; treats thermal, chemical and electrical burns			
E.16	15	Fractures and dislocations	Checks distal pulse and sensation before and after; splints as found or with gentle traction if pulseless			
E.17	16, 18	Head, neck and spine; multiple trauma	Manual stabilization, neuro check before and after, long spine board as a team; multiple trauma steps in order			

Medical, environmental and special patients

#	Protocol	Task	Performance standard	K	D	P
E.18	1, 4	Breathing difficulty and allergic reaction	Positions, oxygen, BVM if needed; EMT-B: assists the patient's own inhaler or epinephrine auto-injector			
E.19	7, 11	Chest pain and stroke	Treats chest pain as a heart attack; stroke positioning and neuro exam; EMT-B: aspirin and nitroglycerin assist with the BP check			
E.20	12, 21	Diabetic emergencies and seizures	Oral sugar only when alert with a gag reflex (EMT-B: oral glucose); protects a seizing patient			
E.21	9, 17	Heat and cold emergencies	Tells heat exhaustion from heat stroke and cools correctly; frostbite and hypothermia care with the 30-minute ETA rule			
E.22	19, 20, 24	Poisoning, radiation and snakebite	Care by route of poisoning; radiation scene rules; snakebite care with no tourniquet or ice			

#	Protocol	Task	Performance standard	K	D	P
E.23	13, 22	Emotionally disturbed patient; sexual assault	Requests law enforcement when needed; privacy and evidence rules for a sexual assault patient			
E.24	8, 25	Childbirth and vaginal bleeding	Normal delivery on a manikin, cord clamping, APGAR at 1 and 5 min, complications, bleeding care			
E.25	II	First Responder report form	Completes the form accurately from a scenario			
E.26	All	EMS scenarios as team lead	Passes three scenarios (medical, trauma, and one more) on the scenario evaluation sheet			

Live fire and call log

A trainee may not take part in a live-fire evolution until every prerequisite below is signed. These carry over from NFPA 1403 into NFPA 1400 (2026). All evolutions are run to NFPA 1400 with an instructor-in-charge and a safety officer.

Live-fire student prerequisites

#	Prerequisite	Date	Evaluator
LF.1	Firefighter I training in safety, fire behavior, portable extinguishers, PPE, ladders, hose, appliances and streams		
LF.2	Firefighter I training in overhaul, water supply, ventilation, forcible entry and building construction		
LF.3	Fire dynamics: fire components, heat transfer, conditions for flashover		
LF.4	Compartment fire development: fuel- vs. ventilation-limited fire, flow path, backdraft and smoke explosion, fire behavior indicators		
LF.5	PPE components, capabilities and limitations		
LF.6	Nozzle technique and door control: cooling, direct and indirect attack, door entry size-up and control		

Live-fire and call log

The trainee logs at least 2 supervised live-fire evolutions and 10 emergency responses before the Phase 1 release (GSVFD standard). Add rows as needed.

Date	Incident / drill #	Type (structure, vehicle, grass, MVA, medical, drill)	Role / tasks performed	Supervisor initials

Remarks and remediation

Date	Task #	Note (failed attempt, coaching given, re-test date)	Evaluator

SFFMA crosswalk

Every task maps to an SFFMA Firefighter I or II skill sheet except the department-only items and the thermal imager, which SFFMA does not test yet. SFFMA sheets cite NFPA 1001 (2019) section numbers, so the coordinator uploads training against those.

Taskbook #	Task	NFPA 1010	NFPA 1001 (2019)	SFFMA skill sheet
1.1–1.3	Organization, safety, behavioral health	6.1.1	4.1.1	Written exam only
1.4–1.5	Don and doff PPE	6.1.2	4.1.2	FF I #23
1.5a	Inspect PPE	6.1.2	4.1.2	FF I #22
1.6	Locate information in documents	6.1.2	4.1.2	FF I #21
1.7	Initiate response	6.2.1	4.2.1	FF I #1
1.8	Radio communications	6.2.2	4.2.3	FF I #1 (radio)
1.8a	Station telephone	—	4.2.2	FF I #1 (telephone)
1.9	Mayday / emergency call	6.2.3	4.2.4	FF I #10
1.10–1.14	SCBA	6.3.1	4.3.1	FF I #16
1.15	Respond on apparatus	6.3.2	4.3.2	FF I #13
1.16	Protected work areas	6.3.3	4.3.3	FF I #14
1.17	Exit hazardous area	6.3.5	4.3.5	FF I #10
1.18–1.19	Knots and hoisting	6.3.20	4.3.20, 4.1.2	FF I #24
1.20–1.22	Forcible entry	6.3.4	4.3.4	FF I #3
1.23–1.25	Ground ladders	6.3.6	4.3.6	FF I #4
1.26–1.30	Hose and nozzles	6.3.10	4.3.10	FF I #5
1.31–1.33	Water supply	6.3.15	4.3.15	FF I #19
1.34	Portable extinguishers	6.3.16	4.3.16	FF I #2

Taskbook #	Task	NFPA 1010	NFPA 1001 (2019)	SFFMA skill sheet
1.35	Exterior Class A fires	6.3.8	4.3.8	FF I #6 (live fire required)
1.36	Vehicle fire	6.3.7	4.3.7	FF I #7 (live fire optional)
1.37	Ground cover fire	6.3.19	4.3.19	FF I #8 (simulated)
1.38–1.40	Search and rescue	6.3.9	4.3.9	FF I #17
1.41	Interior structure fire attack	6.3.10	4.3.10	FF I #5 (live fire required)
1.42–1.43	Horizontal and vertical ventilation	6.3.11–6.3.12	4.3.11–4.3.12	FF I #18
1.44	Scene lighting	6.3.17	4.3.17	FF I #12
1.45	Building utilities	6.3.18	4.3.18	FF I #11
1.46	Air monitoring	6.3.21	4.3.21	FF I #20
1.47	Overhaul	6.3.13	4.3.13	FF I #9
1.48–1.49	Salvage and sprinkler control	6.3.14	4.3.14	FF I #15
1.50–1.53	Clean and check equipment	6.5.1	4.5.1	FF I #26
1.54	Clean and return hose to service	6.5.2	4.5.2	FF I #25
1.55–1.56	Truck check, PPE cleaning	—	—	Department only
2.1	Assume and transfer command	7.1.1–7.1.2	5.1.2	FF II #6
2.2	Incident report	7.2.1	5.2.1	FF II #1
2.3	Communicate need for assistance	7.2.2	5.2.2	FF II #6
2.4	Ignitable liquid fire with foam	7.3.1	5.3.1	FF II #2 (live fire or gas prop)

Taskbook #	Task	NFPA 1010	NFPA 1001 (2019)	SFFMA skill sheet
2.5	Coordinate interior attack	7.3.2	5.3.2	FF II #4
2.6	Thermal imager	7.3.3	—	Not tested by SFFMA yet
2.7	Flammable gas cylinder fire	7.3.4	5.3.3	FF II #3
2.8	Protect fire cause evidence	7.3.5	5.3.4	FF II #5
2.9–2.10	Vehicle extrication	7.4.1	5.4.1	FF II #12
2.11	Assist rescue teams	7.4.2	5.4.2	FF II #13
2.12	Fire safety survey	7.5.1	5.5.1	FF II #9
2.13	Present fire safety information	7.5.2	5.5.2	FF II #7
2.14	Preincident survey	7.5.3	5.5.3	FF II #11
2.15	Power plants, tools, lighting	7.5.4	5.5.4	FF II #10
2.16	Annual hose service test	7.5.5	5.5.5	FF II #8

Completion and approval

A completed taskbook is reviewed by the training officer and approved by the Chief, then filed in the member's training record. A copy goes to the member for state certification applications.

Role	Name	Signature	Date
Trainee			
Mentor / FTO			
Training officer			
Fire Chief			

Sources

- [ ] Oregon DPSST — NFPA 1010 Firefighter I Task Book (2024 JPR numbering)
- [ ] Oregon DPSST — NFPA 1010 Firefighter II Task Book (2024 JPR numbering)
- [ ] Oregon DPSST — NFPA 1010 Firefighter Guide (changes from 1001, NFPA 470, EMS, IMS)
- [ ] Public Safety Group — NFPA 1010 consolidation of 1001, 1002, 1003, 1005
- [ ] Fire Safety Council — NFPA 1400 (2026) consolidates 1402, 1403, 1404, 1407, 1408, 1410, 1451
- [ ] MSA — NFPA 1850 consolidates 1851 and 1852
- [ ] NFPA 1580 (2025) consolidates 1581–1584
- [ ] Consolidated standards list (NFPA 1550, 470, 1140, 1970)
- [ ] NFPA 10 committee statement — NFPA 1962 consolidated into NFPA 1930
- [ ] SFFMA — Skills Testing and skill sheets
- [ ] SFFMA — Firefighter I Testing Skills (NFPA 1001-2019)
- [ ] SFFMA — Firefighter II Testing Skills (NFPA 1001-2019)
- [ ] SFFMA — Written Exams