

CONTENTS

Preface	xv
1 Properties of Antennas	1
1-1 Antenna Radiation, 2	
1-2 Gain, 3	
1-3 Effective Area, 6	
1-4 Path Loss, 6	
1-5 Radar Range Equation and Cross Section, 7	
1-6 Why Use an Antenna? 9	
1-7 Directivity, 10	
1-8 Directivity Estimates, 11	
1-8.1 Pencil Beam, 11	
1-8.2 Butterfly or Omnidirectional Pattern, 13	
1-9 Beam Efficiency, 16	
1-10 Input-Impedance Mismatch Loss, 17	
1-11 Polarization, 18	
1-11.1 Circular Polarization Components, 19	
1-11.2 Huygens Source Polarization, 21	
1-11.3 Relations Between Bases, 22	
1-11.4 Antenna Polarization Response, 23	
1-11.5 Phase Response of Rotating Antennas, 25	
1-11.6 Partial Gain, 26	
1-11.7 Measurement of Circular Polarization Using Amplitude Only, 26	
1-12 Vector Effective Height, 27	
1-13 Antenna Factor, 29	
1-14 Mutual Coupling Between Antennas, 29	
1-15 Antenna Noise Temperature, 30	

- 1-16 Communication Link Budget and Radar Range, 35
- 1-17 Multipath, 36
- 1-18 Propagation Over Soil, 37
- 1-19 Multipath Fading, 39
- References, 40

2 Radiation Structures and Numerical Methods

42

- 2-1 Auxiliary Vector Potentials, 43
 - 2-1.1 Radiation from Electric Currents, 44
 - 2-1.2 Radiation from Magnetic Currents, 49
- 2-2 Apertures: Huygens Source Approximation, 51
 - 2-2.1 Near- and Far-Field Regions, 55
 - 2-2.2 Huygens Source, 57
- 2-3 Boundary Conditions, 57
- 2-4 Physical Optics, 59
 - 2-4.1 Radiated Fields Given Currents, 59
 - 2-4.2 Applying Physical Optics, 60
 - 2-4.3 Equivalent Currents, 65
 - 2-4.4 Reactance Theorem and Mutual Coupling, 66
- 2-5 Method of Moments, 67
 - 2-5.1 Use of the Reactance Theorem for the Method of Moments, 68
 - 2-5.2 General Moments Method Approach, 69
 - 2-5.3 Thin-Wire Moment Method Codes, 71
 - 2-5.4 Surface and Volume Moment Method Codes, 71
 - 2-5.5 Examples of Moment Method Models, 72
- 2-6 Finite-Difference Time-Domain Method, 76
 - 2-6.1 Implementation, 76
 - 2-6.2 Central Difference Derivative, 77
 - 2-6.3 Finite-Difference Maxwell's Equations, 77
 - 2-6.4 Time Step for Stability, 79
 - 2-6.5 Numerical Dispersion and Stability, 80
 - 2-6.6 Computer Storage and Execution Times, 80
 - 2-6.7 Excitation, 81
 - 2-6.8 Waveguide Horn Example, 83
- 2-7 Ray Optics and the Geometric Theory of Diffraction, 84
 - 2-7.1 Fermat's Principle, 85
 - 2-7.2 *H*-Plane Pattern of a Dipole Located Over a Finite Strip, 85
 - 2-7.3 *E*-Plane Pattern of a Rectangular Horn, 87
 - 2-7.4 *H*-Plane Pattern of a Rectangular Horn, 89
 - 2-7.5 Amplitude Variations Along a Ray, 90
 - 2-7.6 Extra Phase Shift Through Caustics, 93
 - 2-7.7 Snell's Laws and Reflection, 93
 - 2-7.8 Polarization Effects in Reflections, 94
 - 2-7.9 Reflection from a Curved Surface, 94
 - 2-7.10 Ray Tracing, 96

- 2-7.11 Edge Diffraction, 96
- 2-7.12 Slope Diffraction, 98
- 2-7.13 Corner Diffraction, 99
- 2-7.14 Equivalent Currents, 99
- 2-7.15 Diffraction from Curved Surfaces, 99

References, 100

3 Arrays

102

- 3-1 Two-Element Array, 104
- 3-2 Linear Array of N Elements, 109
- 3-3 Hansen and Woodyard End-Fire Array, 114
- 3-4 Phased Arrays, 115
- 3-5 Grating Lobes, 117
- 3-6 Multiple Beams, 118
- 3-7 Planar Array, 120
- 3-8 Grating Lobes in Planar Arrays, 125
- 3-9 Mutual Impedance, 127
- 3-10 Scan Blindness and Array Element Pattern, 127
- 3-11 Compensating Array Feeding for Mutual Coupling, 128
- 3-12 Array Gain, 129
- 3-13 Arrays Using Arbitrarily Oriented Elements, 133

References, 135

4 Aperture Distributions and Array Synthesis

136

- 4-1 Amplitude Taper and Phase Error Efficiencies, 137
 - 4-1.1 Separable Rectangular Aperture Distributions, 139
 - 4-1.2 Circularly Symmetrical Distributions, 140
- 4-2 Simple Linear Distributions, 140
- 4-3 Taylor One-Parameter Linear Distribution, 144
- 4-4 Taylor \bar{n} Line Distribution, 147
- 4-5 Taylor Line Distribution with Edge Nulls, 152
- 4-6 Elliott's Method for Modified Taylor Distribution and Arbitrary Sidelobes, 155
- 4-7 Bayliss Line-Source Distribution, 158
- 4-8 Woodward Line-Source Synthesis, 162
- 4-9 Schelkunoff's Unit-Circle Method, 164
- 4-10 Dolph–Chebyshev Linear Array, 170
- 4-11 Villeneuve Array Synthesis, 172
- 4-12 Zero Sampling of Continuous Distributions, 173
- 4-13 Fourier Series Shaped-Beam Array Synthesis, 175
- 4-14 Orchard Method of Array Synthesis, 178
- 4-15 Series-Fed Array and Traveling-Wave Feed Synthesis, 188
- 4-16 Circular Apertures, 191
- 4-17 Circular Gaussian Distribution, 194
- 4-18 Hansen Single-Parameter Circular Distribution, 195
- 4-19 Taylor Circular-Aperture Distribution, 196
- 4-20 Bayliss Circular-Aperture Distribution, 200

- 4-21 Planar Arrays, 202
- 4-22 Convolution Technique for Planar Arrays, 203
- 4-23 Aperture Blockage, 208
- 4-24 Quadratic Phase Error, 211
- 4-25 Beam Efficiency of Circular Apertures with Axisymmetric Distribution, 214
- References, 215

5 Dipoles, Slots, and Loops

217

- 5-1 Standing-Wave Currents, 218
- 5-2 Radiation Resistance (Conductance), 220
- 5-3 Babinet–Booker Principle, 222
- 5-4 Dipoles Located Over a Ground Plane, 223
- 5-5 Dipole Mounted Over Finite Ground Planes, 225
- 5-6 Crossed Dipoles for Circular Polarization, 231
- 5-7 Super Turnstile or Batwing Antenna, 234
- 5-8 Corner Reflector, 237
- 5-9 Monopole, 242
- 5-10 Sleeve Antenna, 242
- 5-11 Cavity-Mounted Dipole Antenna, 245
- 5-12 Folded Dipole, 247
- 5-13 Shunt Feeding, 248
- 5-14 Discone Antenna, 249
- 5-15 Baluns, 251
 - 5-15.1 Folded Balun, 252
 - 5-15.2 Sleeve or Bazooka Baluns, 253
 - 5-15.3 Split Coax Balun, 255
 - 5-15.4 Half-Wavelength Balun, 256
 - 5-15.5 Candelabra Balun, 256
 - 5-15.6 Ferrite Core Baluns, 256
 - 5-15.7 Ferrite Candelabra Balun, 258
 - 5-15.8 Transformer Balun, 258
 - 5-15.9 Split Tapered Coax Balun, 259
 - 5-15.10 Natural Balun, 260
- 5-16 Small Loop, 260
- 5-17 Alford Loop, 261
- 5-18 Resonant Loop, 263
- 5-19 Quadrifilar Helix, 264
- 5-20 Cavity-Backed Slots, 266
- 5-21 Stripline Series Slots, 266
- 5-22 Shallow-Cavity Crossed-Slot Antenna, 269
- 5-23 Waveguide-Fed Slots, 270
- 5-24 Rectangular-Waveguide Wall Slots, 271
- 5-25 Circular-Waveguide Slots, 276
- 5-26 Waveguide Slot Arrays, 278
 - 5-26.1 Nonresonant Array, 279
 - 5-26.2 Resonant Array, 282

5-26.3 Improved Design Methods, 282
References, 283

6 Microstrip Antennas **285**

6-1 Microstrip Antenna Patterns, 287
6-2 Microstrip Patch Bandwidth and Surface-Wave Efficiency, 293
6-3 Rectangular Microstrip Patch Antenna, 299
6-4 Quarter-Wave Patch Antenna, 310
6-5 Circular Microstrip Patch, 313
6-6 Circularly Polarized Patch Antennas, 316
6-7 Compact Patches, 319
6-8 Directly Fed Stacked Patches, 323
6-9 Aperture-Coupled Stacked Patches, 325
6-10 Patch Antenna Feed Networks, 327
6-11 Series-Fed Array, 329
6-12 Microstrip Dipole, 330
6-13 Microstrip Franklin Array, 332
6-14 Microstrip Antenna Mechanical Properties, 333
References, 334

7 Horn Antennas **336**

7-1 Rectangular Horn (Pyramidal), 337
 7-1.1 Beamwidth, 341
 7-1.2 Optimum Rectangular Horn, 343
 7-1.3 Designing to Given Beamwidths, 346
 7-1.4 Phase Center, 347
7-2 Circular-Aperture Horn, 348
 7-2.1 Beamwidth, 350
 7-2.2 Phase Center, 352
7-3 Circular (Conical) Corrugated Horn, 353
 7-3.1 Scalar Horn, 357
 7-3.2 Corrugation Design, 357
 7-3.3 Choke Horns, 358
 7-3.4 Rectangular Corrugated Horns, 359
7-4 Corrugated Ground Plane, 359
7-5 Gaussian Beam, 362
7-6 Ridged Waveguide Horns, 365
7-7 Box Horn, 372
7-8 T-Bar-Fed Slot Antenna, 374
7-9 Multimode Circular Horn, 376
7-10 Biconical Horn, 376
References, 378

8 Reflector Antennas **380**

8-1 Paraboloidal Reflector Geometry, 381
8-2 Paraboloidal Reflector Aperture Distribution Losses, 383

8-3	Approximate Spillover and Amplitude Taper Trade-offs,	385
8-4	Phase Error Losses and Axial Defocusing,	387
8-5	Astigmatism,	389
8-6	Feed Scanning,	390
8-7	Random Phase Errors,	393
8-8	Focal Plane Fields,	396
8-9	Feed Mismatch Due to the Reflector,	397
8-10	Front-to-Back Ratio,	399
8-11	Offset-Fed Reflector,	399
8-12	Reflections from Conic Sections,	405
8-13	Dual-Reflector Antennas,	408
8-13.1	Feed Blockage,	410
8-13.2	Diffraction Loss,	413
8-13.3	Cassegrain Tolerances,	414
8-14	Feed and Subreflector Support Strut Radiation,	416
8-15	Gain/Noise Temperature of a Dual Reflector,	421
8-16	Displaced-Axis Dual Reflector,	421
8-17	Offset-Fed Dual Reflector,	424
8-18	Horn Reflector and Dragonian Dual Reflector,	427
8-19	Spherical Reflector,	429
8-20	Shaped Reflectors,	432
8-20.1	Cylindrical Reflector Synthesis,	433
8-20.2	Circularly Symmetrical Reflector Synthesis,	434
8-20.3	Doubly Curved Reflector for Shaped Beams,	437
8-20.4	Dual Shaped Reflectors,	439
8-21	Optimization Synthesis of Shaped and Multiple-Beam Reflectors,	442
	References,	443

9 Lens Antennas

447

9-1	Single Refracting Surface Lenses,	448
9-2	Zoned Lenses,	451
9-3	General Two-Surface Lenses,	454
9-4	Single-Surface or Contact Lenses,	459
9-5	Metal Plate Lenses,	461
9-6	Surface Mismatch and Dielectric Losses,	463
9-7	Feed Scanning of a Hyperboloidal Lens,	464
9-8	Dual-Surface Lenses,	465
9-8.1	Coma-Free Axisymmetric Dielectric Lens,	466
9-8.2	Specified Aperture Distribution Axisymmetric Dielectric Lens,	468
9-9	Bootlace Lens,	470
9-10	Luneburg Lens,	472
	References,	472

10 Traveling-Wave Antennas

474

10-1	General Traveling Waves,	475
------	--------------------------	-----

- 10-1.1 Slow Wave, 478
 - 10-1.2 Fast Waves (Leaky Wave Structure), 480
- 10-2 Long Wire Antennas, 481
 - 10-2.1 Beverage Antenna, 481
 - 10-2.2 V Antenna, 482
 - 10-2.3 Rhombic Antenna, 483
- 10-3 Yagi–Uda Antennas, 485
 - 10-3.1 Multiple-Feed Yagi–Uda Antennas, 492
 - 10-3.2 Resonant Loop Yagi–Uda Antennas, 495
- 10-4 Corrugated Rod (Cigar) Antenna, 497
- 10-5 Dielectric Rod (Polyrod) Antenna, 499
- 10-6 Helical Wire Antenna, 502
 - 10-6.1 Helical Modes, 503
 - 10-6.2 Axial Mode, 504
 - 10-6.3 Feed of a Helical Antenna, 506
 - 10-6.4 Long Helical Antenna, 507
 - 10-6.5 Short Helical Antenna, 508
- 10-7 Short Backfire Antenna, 509
- 10-8 Tapered Slot Antennas, 512
- 10-9 Leaky Wave Structures, 516
- References, 518

11 Frequency-Independent Antennas

521

Spiral Antennas, 522

- 11-1 Modal Expansion of Antenna Patterns, 524
- 11-2 Archimedean Spiral, 526
- 11-3 Equiangular Spiral, 527
- 11-4 Pattern Analysis of Spiral Antennas, 530
- 11-5 Spiral Construction and Feeding, 535
 - 11-5.1 Spiral Construction, 535
 - 11-5.2 Balun Feed, 536
 - 11-5.3 Infinite Balun, 538
 - 11-5.4 Beamformer and Coaxial Line Feed, 538
- 11-6 Spiral and Beamformer Measurements, 538
- 11-7 Feed Network and Antenna Interaction, 540
- 11-8 Modulated Arm Width Spiral, 541
- 11-9 Conical Log Spiral Antenna, 543
- 11-10 Mode 2 Conical Log Spiral Antenna, 549
- 11-11 Feeding Conical Log Spirals, 550
- Log-Periodic Antennas, 550*
- 11-12 Log-Periodic Dipole Antenna, 551
 - 11-12.1 Feeding a Log-Periodic Dipole Antenna, 556
 - 11-12.2 Phase Center, 558
 - 11-12.3 Elevation Angle, 559
 - 11-12.4 Arrays of Log-Periodic Dipole Antennas, 560
- 11-13 Other Log-Periodic Types, 561
- 11-14 Log-Periodic Antenna Feeding Paraboloidal Reflector, 563

- 11-15 V Log-Periodic Array, 567
- 11-16 Cavity-Backed Planar Log-Periodic Antennas, 569
- References, 571

12 Phased Arrays 573

- 12-1 Fixed Phase Shifters (Phasers), 574
- 12-2 Quantization Lobes, 578
- 12-3 Array Errors, 580
- 12-4 Nonuniform and Random Element Existence Arrays, 582
 - 12-4.1 Linear Space Tapered Array, 582
 - 12-4.2 Circular Space Tapered Array, 584
 - 12-4.3 Statistically Thinned Array, 587
- 12-5 Array Element Pattern, 588
- 12-6 Feed Networks, 590
 - 12-6.1 Corporate Feed, 590
 - 12-6.2 Series Feed, 592
 - 12-6.3 Variable Power Divider and Phase Shifter, 592
 - 12-6.4 Butler Matrix, 594
 - 12-6.5 Space Feeding, 596
 - 12-6.6 Tapered Feed Network with Uniform-Amplitude Subarrays, 597
- 12-7 Pattern Null Formation in Arbitrary Array, 599
- 12-8 Phased Array Application to Communication Systems, 601
- 12-9 Near-Field Measurements on Phased Arrays, 602
- References, 604

Index 607